

CPC**COOPERATIVE PATENT CLASSIFICATION****D01H**

SPINNING OR TWISTING (unwinding, paying-out, forwarding, winding or coiling filamentary material not intimately associated with spinning or twisting [B65H](#) ; cores, formers, supports or holders for coiled or wound material, e.g. bobbins [B65H](#) ; twisting oakum [D01G 35/00](#); crimping or curling of fibres, filaments or yarns [D02G 1/00](#); making chenille [D03D](#) , [D04D 3/00](#); testing yarns, rovings, slivers, fibres, or fibre webs [G01](#))

Guidance heading: Kinds or types of spinning or twisting machines; Drafting machines or arrangements; Twisting arrangements

D01H 1/00

Spinning or twisting machines in which the product is wound-up continuously (open-end spinning machines [D01H 4/00](#); {doubling of yarns [B65H 54/00+T](#); doubled, plied or cabled threads [D02G 3/28](#), e.g. using hollow spindles [D02G 3/283](#); spin-twisting [D02G 3/281](#); threads with alternately "S" and "Z" direction of twist, e.g. self-twist process, [D02G 3/286](#); wrapping strands of filaments or staple fibres by a binder yarn [D02G 3/38](#) })

- [D01H 1/003](#) . {Twisting machines in which twist is imparted from the supply packages, e.g. uptwist }
- [D01H 1/006](#) . {Twisting machines in which twist is imparted at the paying-out and take-up stations }
- [D01H 1/02](#) . ring type { (arrangements with two or more spinning or twisting devices in combination [D01H/90](#)) }
- [D01H 1/025](#) .. {with a condensing device between drafting system and spinning unit }
- [D01H 1/04](#) . flyer type
- [D01H 1/06](#) . cap type
- [D01H 1/08](#) . cup, pot or disc type, in which annular masses of yarn are formed by centrifugal action
- [D01H 1/10](#) . for imparting multiple twist, e.g. two-for-one twisting
- [D01H 1/101](#) .. {in which multiple twist is imparted at the take-up stations }
- [D01H 1/103](#) ... {Two-for-one twisting }
- [D01H 1/105](#) .. {Arrangements using hollow spindles, i.e. the yarns are running through the spindle of the unwound bobbins }
- [D01H 1/106](#) ... {Two-for-one twisting }
- [D01H 1/108](#) {for two or more supply bobbins one on top of the other }
- [D01H 1/11](#) . Spinning by false-twisting { (twisting by false-twisting [D01H 7/92](#); [D02G 3/28](#); increasing the strength of a roving or sliver by false-twisting [D01H 7/92](#), during drafting [D01H 5/28](#)) }
- [D01H 1/115](#) .. using pneumatic means
- [D01H 1/14](#) . Details (drafting arrangements [D01H 5/00](#); twisting arrangements [D01H 7/00](#))
- [D01H 1/16](#) .. Framework; Casings; Coverings {Removal of heat; Means for generating overpressure of air against infiltration of dust; Ducts for electric cables }
- [D01H 1/162](#) ... {for ring type }

- D01H 1/164 . . . {for flyer type }
- D01H 1/166 . . . {for two-for-one type }
- D01H 1/168 . . . {Arrangements for the sound-dampening of the machines (in general [G10K 11/00](#)) }
- D01H 1/18 . . Supports for supply packages
- D01H 1/183 . . . {Overhead suspension devices }
- D01H 1/186 . . . {for supplying from cans }
- D01H 1/20 . . Driving or stopping arrangements (for open-end spinning machines [D01H 4/12](#), [D01H 4/20](#), [D01H 4/42](#); safety devices [D01H 13/14](#))
- D01H 1/22 . . . for rollers {of drafting machines; Roller speed control } (regulating or varying draft [D01H 5/32](#))
- D01H 1/24 . . . for twisting {or spinning } arrangements, e.g. spindles (braking arrangements for spindles [D01H 7/22](#); interrelated flyer and bobbin drive mechanisms [D01H 7/50](#))
- D01H 1/241 driven by belt
- D01H 1/242 driven by toothed wheels
- D01H 1/243 driven by friction discs
- D01H 1/244 each spindle driven by an electric motor
- D01H 1/26 with two or more speeds; with variable-speed arrangements
- D01H 1/28 . . . for two or more machine elements possessing different characteristics but in operative association
- D01H 1/30 with two or more speeds; with variable-speed arrangements
- D01H 1/305 {Speed control of the spindles in response to the displacements of the ring rail }
- D01H 1/32 . . . for complete machines
- D01H 1/34 with two or more speeds; with variable-speed arrangements {e.g. variation of machine speed according to growing bobbin diameter (responsive to reduction in material tension [D01H 13/16](#)) }
- D01H 1/36 . . Package-shaping arrangements, e.g. building motions {e.g. control for the traversing stroke of ring rails; Stopping ring rails in a predetermined position }
- D01H 1/365 . . . {for flyer type }
- D01H 1/38 . . Arrangements for winding reserve lengths of yarn on take-up packages {or spindles }, e.g. transfer tails
- D01H 1/385 . . . {Removing waste reserve lengths from spindles }
- D01H 1/40 . . Arrangements for connecting continuously-delivered material to bobbins or the like
- D01H 1/42 . . Guards or protectors for yarns or threads, e.g. separator plates, anti-ballooning devices (anti-ballooning devices on spindles [D01H 7/18](#))
- D01H 1/422 . . . {Separator plates }
- D01H 1/425 . . . {Anti-ballooning rings }
- D01H 1/427 . . . {Anti-ballooning cylinders, e.g. for two-for-one twist machine (with combined cleaning effect [D01H 11/00](#)) }

- D01H 3/00** **Spinning or twisting machines in which the product is wound-up intermittently, e.g. mules**

- D01H 3/02 . Details (drafting arrangements [D01H 5/00](#); twisting arrangements [D01H 7/00](#))
- D01H 3/04 . . Carriages; Mechanisms effecting carriage movements

- D01H 3/06 . . . Carriages; Carriage rails; Squaring motions
- D01H 3/08 . . . Drawing-out or taking-in motions
- D01H 3/10 . . . Moving-creel arrangements, e.g. for twiners
- D01H 3/12 . . Package-shaping motions; Faller arrangements
- D01H 3/14 . . Roller-driving arrangements ([drafting arrangements of general application in spinning machines D01H 5/18](#))
- D01H 3/16 . . Spindle-driving arrangements ([spindles, spindle bearings, spindle supports D01H 7/04](#))
- D01H 3/18 . . . Tin rollers; Driving arrangements intimately associated with tin rollers
- D01H 3/20 . . . Spindle-driving arrangements during drawing-out or backing-off
- D01H 3/22 . . . Spindle-driving arrangements during taking-in
- D01H 3/24 Quadrant motions; Nosing motions
- D01H 3/26 . . Driving or stopping arrangements not otherwise provided for; Locking motions ([safety devices D01H 13/14](#)) {[Control of machines](#)}

D01H 4/00 **Open-end spinning machines or arrangements for imparting twist to independently moving fibres separated from slivers; Piecing arrangements therefor; Covering endless core threads with fibres by open-end spinning techniques { ([arrangements with two or more spinning or twisting devices of different types in combination D01H 7/90](#)) }**

NOTE

In this group, the expression "open-end spinning" covers such expressions as "break spinning", "ringless spinning", "rotor spinning" and "friction spinning", but does not cover the expression "spinning by false-twisting"

- D01H 4/02 . imparting twist by a fluid, e.g. air vortex
- D01H 4/04 . imparting twist by contact of fibres with a running surface
- D01H 4/06 . . co-operating with suction means ([D01H 4/08](#), [D01H 4/16](#) take precedence)
- D01H 4/08 . . Rotor spinning, i.e. the running surface being provided by a rotor
- D01H 4/10 . . . Rotors
- D01H 4/12 . . . Rotor bearings; Arrangements for driving or stopping ([control therefor D01H 4/42](#))
- D01H 4/14 Rotor driven by an electric motor
- D01H 4/16 . . Friction spinning, i.e. the running surface being provided by a pair of closely spaced friction drums, e.g. at least one suction drum { ([false twisting with friction drums D01H 1/11](#)) }
- D01H 4/18 . . . Friction drums, e.g. arrangement of suction holes
- D01H 4/20 . . . Drum bearings; Arrangements for driving or stopping ([control therefor 4/42](#))
- D01H 4/22 . . Cleaning of running surfaces
- D01H 4/24 . . . in rotor spinning
- D01H 4/26 . . . in friction spinning
- D01H 4/28 . using electrostatic fields
- D01H 4/30 . Arrangements for separating slivers into fibres; Orienting or straightening fibres, {[e.g.](#)

- using guide-rolls }
- D01H 4/32 . . using opening rollers { (stopping of rovings or slivers [D01H 13/18](#)) }
- D01H 4/34 . . using air-jet streams
- D01H 4/36 . . with means for taking away impurities
- D01H 4/38 . Channels for feeding fibres to the yarn forming region
- D01H 4/40 . Removing running yarn from the yarn forming region, e.g. using tubes
- D01H 4/42 . Control of driving or stopping
- D01H 4/44 . . in rotor spinning
- D01H 4/46 . . in friction spinning
- D01H 4/48 . Piecing arrangements; Control therefor { (stopping roving [D01H 13/18](#)) }
- D01H 4/50 . . for rotor spinning
- D01H 4/52 . . for friction spinning
- D01H 5/00** **Drafting machines or arrangements** {Threading of roving into drafting machine }
(arrangements in which draft is dependent on linear movement of take-up spindles, e.g. in mules, [D01H 3/00](#); devices for combing or orienting fibres for open-end spinning machines [D01H 4/30](#); {increasing the strength of a roving or sliver by false-twisting [D01H 7/92](#), during drafting [D01H 5/28](#), after drafting and before spinning according to groups [D01H 1/02](#) to [D01H 1/08](#), [D01H 7/90](#); depositing materials in cans after drafting [B65H 54/76](#) + T }
- D01H 5/005 . {Arrangements for feeding or conveying the slivers to the drafting machine }
- D01H 5/02 . Gill boxes or other drafting machines employing fallers or like pinned bars (lubricating fibres in gill boxes [D01G 29/00](#))
- D01H 5/04 . . with pinned bars actuated by screw members
- D01H 5/06 . . . Intersecting gill boxes
- D01H 5/08 . . with bars connected by links, chains, or the like
- D01H 5/10 . . with pinned bars unconnected with each other but actuated through pressure of one against another
- D01H 5/12 . . Details
- D01H 5/14 . . . Pinned bars
- D01H 5/16 . . . Framework; Casings; Coverings
- D01H 5/18 . Drafting machines or arrangements without fallers or like pinned bars
- D01H 5/20 . . in which fibres are controlled by contact with stationary or reciprocating surfaces
- D01H 5/22 . . in which fibres are controlled by rollers only
- D01H 5/24 . . . with porcupines or like pinned rotary members
- D01H 5/26 . . in which fibres are controlled by one or more endless aprons
- D01H 5/28 . . in which fibres are controlled by inserting twist during drafting ({spinning by false-twisting [D01H 1/11](#) }; mules [D01H 3/00](#); {twisting by false-twisting [D01H 7/92](#) }; constructions of false-twist devices [D02G 1/04](#))
- D01H 5/30 . . incorporating arrangements for severing continuous filaments, e.g. in direct

	spinning (converting tows to slivers or yarns D01G 1/06)
D01H 5/32	.. Regulating or varying draft
D01H 5/34	... by manual adjustments
D01H 5/36	... according to a pre-arranged pattern, e.g. to produce slubs
D01H 5/38	... in response to irregularities in material; { Measuring irregularities }
D01H 5/385 { employing hydraulic or pneumatic time-delay devices }
D01H 5/40 employing mechanical time-delay devices
D01H 5/42 employing electrical time-delay devices
D01H 5/44	.. Adjusting drafting elements, e.g. altering ratch
D01H 5/46	.. Loading arrangements
D01H 5/48	... using weights
D01H 5/50	... using springs
D01H 5/505 { for top roller arms }
D01H 5/52	... using fluid pressure
D01H 5/525 { for top roller arms }
D01H 5/54	... using magnetic arrangements
D01H 5/56	.. Supports for drafting elements (saddles or top roller arms forming essential components of weighting arrangements D01H 5/48)
D01H 5/565	... { Top roller arms }
D01H 5/58	.. Arrangements for traversing drafting elements (traversing arrangements for roving guides D01H 13/06)
D01H 5/60	.. Arrangements maintaining drafting elements free of fibre accumulations
D01H 5/62	... Non-rotary cleaning pads or plates; Scrapers
D01H 5/625 { in cooperation with suction or blowing means }
D01H 5/64	... Rollers or aprons with cleaning surfaces
D01H 5/645 { in cooperation with suction or blowing means }
D01H 5/66	... Suction devices { exclusively; (D01H 5/625 and D01H 5/645 take precedence; in cooperation with thread breakage detecting means D01H 13/1691) }
D01H 5/68 Suction end-catchers
D01H 5/70	.. Constructional features of drafting elements
D01H 5/72	... Fibre-condensing guides (guides for slivers, rovings, or yarns applicable solely for spinning, twisting, curling, or crimping purposes D01H 13/04; {combined with false twisting before drafting or before spinning according to groups D01H 1/02 to D01H 1/08 : D01H 7/92 })
D01H 5/74	... Rollers { or roller bearings }
D01H 5/76 Loose-boss assemblies
D01H 5/78 with flutes or other integral surface characteristics
D01H 5/80 with covers; Cots or covers
D01H 5/82 Arrangements for coupling roller sections
D01H 5/84 Porcupines
D01H 5/86	... Aprons; Apron supports; Apron tensioning arrangements
D01H 5/88 Cradles; Tensors
D01H 7/00	Spinning or twisting arrangements (for open-end spinning D01H 4/00)

- D01H 7/02 . for imparting permanent twist
- D01H 7/04 .. Spindles ({bearings for hollow spindles [D01H 7/88](#) }; spindle bearings, supports therefor, in general [F16C](#))
- D01H 7/041 ... {Spindles with sliding contact bearings ([D01H 7/045](#) takes precedence) }
- D01H 7/042 ... {Spindles with rolling contact bearings ([D01H 7/045](#) takes precedence) }
- D01H 7/044 ... {Spindles with fluid bearings }
- D01H 7/045 ... {Spindles provided with flexible mounting elements for damping vibration or noise, or for avoiding or reducing out-of-balance forces due to rotation (in general [F16F 15/00](#)) }
- D01H 7/047 {with springs }
- D01H 7/048 {with means using plastic deformation of members }
- D01H 7/06 ... Stationary spindles with package-holding sleeves
- D01H 7/08 ... Mounting arrangements
- D01H 7/10 Spindle supports; Rails; Rail supports, e.g. poker guides
- D01H 7/12 Bolsters; Bearings
- D01H 7/14 Holding-down arrangements
- D01H 7/16 ... Arrangements for coupling bobbins or like to spindles
- D01H 7/18 ... Arrangements on spindles for suppressing yarn balloons ([thread guards or protectors](#) [D01H 1/42](#))
- D01H 7/20 ... Lubricating arrangements
- D01H 7/22 ... Braking arrangements
- D01H 7/2208 {using mechanical means }
- D01H 7/2216 {with one or two manually actuated shoe-brakes acting on a part of the whorl }
- D01H 7/2225 {the braking means surrounding nearly the whole periphery of the whorl }
- D01H 7/2233 {by suppressing the driving means, e.g. by declutching }
- D01H 7/2241 {the belt being moved off the driven whorl }
- D01H 7/225 {and the spindle being braked simultaneously }
- D01H 7/2258 {the pivoted spindle being pulled off the belt }
- D01H 7/2266 {and braked simultaneously }
- D01H 7/2275 {using hydraulically or pneumatically operated brakes }
- D01H 7/2283 {using electromagnetically operated brakes }
- D01H 7/2291 {characterised by the control of braking means, e.g. operated by a yarn break-detector or tension device }
- D01H 7/24 .. Flyer or like arrangements ([multiple-twist arrangements](#) [D01H 7/86](#))
- D01H 7/26 ... Flyer constructions
- D01H 7/28 arranged to guide material over exterior of legs
- D01H 7/30 with guide channels formed in legs, e.g. slubbing flyers
- D01H 7/32 with pressing devices
- D01H 7/34 with haul pulleys or like arrangements
- D01H 7/36 with traversing devices
- D01H 7/38 Ring flyers
- D01H 7/40 ... Flyer supports, e.g. rails

- D01H 7/42 . . . Arrangements coupling flyers to spindles
- D01H 7/44 . . . Drag arrangements for bobbins or flyers
- D01H 7/46 . . . Devices attached to, or integral with, flyers for temporarily increasing twist in material passing to them
- D01H 7/48 . . . Eyes or like guiding arrangements ([D01H 7/46 takes precedence](#))
- D01H 7/50 . . . Interrelated flyer and bobbin drive mechanisms, e.g. winding-on motions for cotton-roving frames ({variation of machine speed according to growing bobbin diameter [D01H 1/34](#) } ; package-building mechanisms [D01H 1/36](#))
- D01H 7/52 . . Ring-and-traveller arrangements
- D01H 7/54 . . . with fixed rings
- D01H 7/56 . . . with freely-rotatable rings; with braked or dragged rings; {Lubricating arrangements therefor }
- D01H 7/565 {with fluid bearings }
- D01H 7/58 . . . with driven rings; {Bearings or braking arrangements therefor }
- D01H 7/585 {by fluid driving means }
- D01H 7/60 . . . Rings or travellers; Manufacture thereof not otherwise provided for ([hand tools for applying travellers to rings \[D01H 17/02\]\(#\)](#)) {Cleaning means for rings }
- D01H 7/602 {Rings }
- D01H 7/604 {Travellers }
- D01H 7/606 {Driving means for travellers }
- D01H 7/608 {Cleaning means for travellers }
- D01H 7/62 . . . Arrangements providing lubricant for travellers
- D01H 7/64 . . . Ring supports, e.g. ring rails ([poker guides or other rail supports 7/10](#))
- D01H 7/66 . . Cap arrangements
- D01H 7/68 . . . Cap constructions
- D01H 7/70 . . . Arrangements for supporting caps on spindles
- D01H 7/72 . . . Bobbin-supporting arrangements, e.g. bobbin rails ([poker guides or other rail supports \[D01H 7/10\]\(#\)](#))
- D01H 7/74 . . Cup or like arrangements
- D01H 7/76 . . . Rotary discs
- D01H 7/78 . . . Constructions of cups, e.g. spinning boxes
- D01H 7/80 adapted to collect wet yarns
- D01H 7/82 . . . Casings or guards for rotary cups or the like
- D01H 7/84 . . . Spindles or yarn carriers for co-operation with rotary cups ([removing yarn from centrifugal cups on to yarn carriers \[D01H 9/06\]\(#\)](#))
- D01H 7/86 . . Multiple-twist arrangements, e.g. two-for-one twisting devices {Threading of yarn; Devices in hollow spindles for imparting false twist }
- D01H 7/862 . . . {Arrangements for holding the bobbin in a fixed position }
- D01H 7/864 . . . {Coupling devices between the fixed and the rotative parts }
- D01H 7/866 . . . {Means to facilitate the unwinding of yarn }
- D01H 7/868 . . . {Yarn guiding means, e.g. guiding tubes }
- D01H 7/88 . . Hollow-spindle arrangements ([D01H 7/86 takes precedence](#))
- D01H 7/90 . . Arrangements with two or more {spinning or } twisting devices {of different types } in combination ({[D01H 1/006](#) }, [D01H 7/86](#), [D01H 7/88 take precedence](#))
- D01H 7/92 . . for imparting transient twist {i.e. false twist ([D01H 1/11 takes precedence](#)) }

- D01H 7/923 . . {by means of rotating devices }
- D01H 7/926 . . {by means of traversing devices }

Guidance heading: Common features or details of, or accessories for, spinning or twisting machines of various kinds or types (drafting arrangements [D01H 5/00](#); twisting arrangements [D01H 7/00](#))

D01H 9/00 Arrangements for replacing or removing bobbins, cores, receptacles, or completed packages at paying-out or take-up stations (arrangements of general interest in the winding of filamentary material { [B65H 67/00](#) }) ; Combination of spinning-winding machine }

- D01H 9/001 . {Bobbin-taking arrangements }
- D01H 9/003 . . {Graspers operating under the action of a fluid }
- D01H 9/005 . {for removing empty packages or cans and replacing by completed (full) packages or cans at paying-out stations; also combined with piecing of the roving }
- D01H 9/006 . . {for two-for-one twist type machines }
- D01H 9/008 . . {for cans }
- D01H 9/02 . for removing completed take-up packages and replacing by bobbins, cores, or receptacles at take-up stations; Transferring material between adjacent full and empty take-up elements
- D01H 9/04 . . Doffing arrangements integral with spinning or twisting machines
- D01H 9/043 . . . {for cap type machines }
- D01H 9/046 . . . {for flyer type machines }
- D01H 9/06 . . . Removing yarn from centrifugal cups on to yarn carriers
- D01H 9/08 . . Doffing arrangements independent of spinning or twisting machines
- D01H 9/10 . . . Doffing carriages; {Loading carriages with cores }
- D01H 9/12 . . . Manual cop-tube applying apparatus; Stands for cop-tube applying apparatus
- D01H 9/14 . . for preparing machines for doffing of yarns, {e.g. raising cops prior to removal } (stop motions responsive to delivery of a measured length of material [D01H 13/24](#))
- D01H 9/16 . . Yarn-severing arrangements, {e.g. for cutting transfer tails; Separating of roving in flyer }
- D01H 9/18 . for supplying bobbins, cores, receptacles, or completed packages to, or transporting from, paying-out or take-up stations ([D01H 9/10](#) takes precedence) ; {Arrangements to prevent unwinding of roving from roving bobbins (transporting full yarn bobbins to subsequent machines [B65H 67/06+T](#)) }
- D01H 9/182 . . {Overhead conveying devices }
- D01H 9/185 . . {Transporting cans }
- D01H 9/187 . . {on individual supports, e.g. pallets }
- D01H 11/00** Arrangements for confining or removing dust, fly, or the like (cleaning of running surfaces in open-end spinning machines [D01H 4/22](#); separation in general [B01D](#) ; cleaning in general [B08B](#) ; air-conditioning [F24F](#) , e.g. by filtering [F24F 3/16](#))
- D01H 11/001 . {Hand tools used for cleaning the machines }

- D01H 11/003 . . {with a rotary pin }
- D01H 11/005 . {with blowing and/or suction devices (in general [A47L 7/00](#); in cooperation with thread breakage detecting means [D01H 13/1691](#)) }
- D01H 11/006 . . {travelling along the machines }
- D01H 11/008 . {with static field means }
- D01H 13/00** **Other common constructional features, details or accessories (for open-end spinning [D01H 4/00](#))**
- D01H 13/005 . {Service carriages travelling along the machines (characteristics relating to the apparatus supported by the carriage, see relevant groups, e.g. [D01H 9/005](#), [D01H 9/10](#), [D01H 13/145](#), [D01H 15/00](#)) }
- D01H 13/02 . Roller arrangements not otherwise provided for
- D01H 13/04 . Guides for slivers, rovings, or yarns; Smoothing dies (fibre-condensing guides [D01H 5/72](#); {means to facilitate the unwinding of yarn in multiple-twist arrangements [D01H 7/866](#) })
- D01H 13/045 . . {Guide tube }
- D01H 13/06 . . Traversing arrangements
- D01H 13/08 . Twist arresters
- D01H 13/10 . Tension devices
- D01H 13/102 . . {Regulating tension by regulating delivery of yarn from supply package ([D01H 13/108](#) takes precedence) }
- D01H 13/104 . . {Regulating tension by devices acting on running yarn and not associated with supply or take-up devices }
- D01H 13/106 . . . {for double-twist spindle }
- D01H 13/108 . . {Regulating tension by regulating speed of driving mechanisms of unwinding, paying-out, forwarding, winding or depositing devices, e.g. automatically in response to variations in tension }
- D01H 13/12 . Arrangements preventing snarls or inadvertent doubling of yarns (suction end-catchers [D01H 5/68](#))
- D01H 13/14 . Warning or safety devices, e.g. automatic fault detectors, stop motions; { Monitoring the entanglement of slivers in drafting arrangements }; safety devices of general application [F16P](#) ; indicating devices of general application [G08B](#)
- D01H 13/145 . . {set on carriages travelling along the machines; Warning or safety devices pulled along the working unit by a band or the like }
- D01H 13/16 . . responsive to reduction in material tension, failure of supply, or breakage, of material
- D01H 13/1608 . . . {where the paying-out and take-up stations are stopped at one and the same time }
- D01H 13/1616 . . . {characterised by the detector }
- D01H 13/1625 {Electro-mechanical actuators }
- D01H 13/1633 {Electronic actuators }

D01H 13/1641	{Capacitor sensing means }
D01H 13/165	{Photo-electric sensing means }
D01H 13/1658	{Associated actuators with mutual actuation, e.g. for two or more running yarns }
D01H 13/1666	{Lighting or luminous devices making easier the setting of the breakage of yarns }
D01H 13/1675	{Pencil of rays on side of machines }
D01H 13/1683	{Pneumatic sensing means }
D01H 13/1691	...	{Thread breakage detector means associated with pneumatic cleaning devices, e.g. suction of broken end of yarn }
D01H 13/18	...	stopping supply only
D01H 13/181	{by stopping supply packages }
D01H 13/182	{by raising or lifting of one of the drafting cylinders, e.g. by removing of the loading means }
D01H 13/183	{the yarn moving out of its normal path, e.g. by lateral diverting }
D01H 13/185	{a plate moving in the nip of drafting or guiding cylinders }
D01H 13/186	{guiding or drafting cylinders moving by gravity when a yarn breakage occurs }
D01H 13/187	{using means stopping the driving of the drafting, guiding cylinders, e.g. friction clutches }
D01H 13/188	{by cutting or clamping yarns or rovings }
D01H 13/20	..	responsive to excessive tension or irregular operation of apparatus
D01H 13/22	..	responsive to presence of irregularities in running material
D01H 13/24	..	responsive to delivery of a measured length of material, completion of winding of a package or filling of a receptacle
D01H 13/26	.	Arrangements facilitating the inspection or testing of yarns or the like in connection with spinning or twisting
D01H 13/28	.	Heating or cooling arrangements {for yarns (removal of heat from machines D01H 1/16) }
D01H 13/30	.	Moistening, sizing, oiling, waxing, colouring, or drying yarns or the like as incidental measures during spinning or twisting
D01H 13/302	..	{Moistening, e.g. for wet spinning }
D01H 13/304	..	{ Conditioning during spinning or twisting (for carding or combing D01G 99/005) }
D01H 13/306	..	{by applying fluids, e.g. steam or oiling liquids }
D01H 13/308	..	{by applying solids, e.g. wax }
D01H 13/32	.	Counting, measuring, recording or registering devices (in general, see the appropriate subclass of Section G, e.g. { G01B 21/12 , G01N 33/36 })
D01H 15/00		Piecing arrangements (for open-end spinning machines D01H 4/48 ; in machines for producing textile fabrics, see the appropriate subclasses) ; {Automatic end-finding, e.g. by suction and reverse package rotation; Devices for temporarily storing yarn during piecing (piecing of rovings in combination with replacing of completed packages or cans D01H 9/005) }
D01H 15/002	.	{for false-twisting spinning machines }

D01H 15/004 . {for centrifugal spinning machines }

D01H 15/007 . for two-for-one twisting machines

D01H 15/013 . Carriages travelling along the machines

D01H 17/00 **Hand tools** (cop-tube applying apparatus [D01H 9/12](#))

D01H 17/02 . Arrangements for storing ring travellers; Devices for applying travellers to rings

Guidance heading:

D01H 2700/00 **Spinning or twisting machines; Drafting devices**

D01H 2700/01 . Preparatory spinning machines

D01H 2700/20 . Spinning mules; Transmissions

D01H 2700/202 . . Carriages or their movement; Lubrication

D01H 2700/205 . . Spindles or spindle control in spinning mules

D01H 2700/207 . . Yarn delivery rollers; Drawing systems for spinning mules; Silver rollers

D01H 2700/21 . Piecing or cleaning in spinning mules

D01H 2700/22 . Winding devices for spinning mules

D01H 2700/24 . Spinning or twisting machines of different kinds

D01H 2700/242 . . Spinning or twisting devices wherein twist is created during winding

D01H 2700/245 . Conception or fabrication of drafting cylinders

D01H 2700/247 . Guiding means for veil or sliver on drafting systems