

CPC**COOPERATIVE PATENT CLASSIFICATION****B28C**

PREPARING CLAY ; PRODUCING MIXTURES CONTAINING CLAY OR CEMENTITIOUS MATERIAL, e.g. PLASTER ([preparing material for foundry moulds B22C 5/00](#))

NOTE

In this subclass, the following terms or expressions are used with the meanings indicated:

"cement" or "mixtures of cement with other substance" includes plaster;

"clay" includes like ceramic compositions.

B28C 1/00

Apparatus or methods for obtaining or processing clay ([filtration in general B01D](#) ; [separation of solids from solids B03](#) , [B07](#) ; [chemical part C04B](#) ; by mining or quarrying [E21C 41/16](#) , [E21C 41/26](#) , [E21C 47/10](#))

B28C 1/003

. { [Plant; Methods](#) }

B28C 1/006

.. { [Methods](#) }

B28C 1/02

. for producing or processing clay suspensions, { [e.g. slip](#) } ([producing or processing suspensions in general B01](#))

B28C 1/04

.. Producing suspensions, e.g. by blunging { [or mixing; with means for removing stones](#) }

B28C 1/06

.. Processing suspensions { [i.e. after mixing](#) }

B28C 1/08

... Separating suspensions, e.g. for obtaining clay, for removing stones; { [Cleaning clay slurries](#) }

B28C 1/082

.... { [Dewatering \(B28C 1/088 takes precedence \)](#) ; [Using sieves](#) }

B28C 1/084

.... { [De-aerating](#) }

B28C 1/086

.... { [Washing](#) }

B28C 1/088

.... { [by centrifugal force](#) }

B28C 1/10

. for processing clay-containing substances in non-fluid condition ([clay slurries B28C 1/02](#)) ; { [Plants](#) }

B28C 1/12

.. Storing and conditioning in storage ; Specially adapted storage spaces or devices for their filling or emptying; { [Tower structures for the storage of clay](#) } ([feeding clay to shaping apparatus B28B 13/00](#))

B28C 1/14

.. specially adapted for homogenising, comminuting or conditioning clay in non-fluid condition or for separating undesired admixtures therefrom ([processes involving conversion to a slurry B28C 1/02](#) ; [conditioning in storage B28C 1/12](#) ; [comminuting in general B02C](#) ; [chemical features in eliminating iron or lime C04B](#))

B28C 1/16

... for homogenising, e.g. by mixing, kneading; { [forcing through slots](#) }

B28C 1/18

... for comminuting { [clay lumps](#) }

B28C 1/182

.... { [by forcing the clay through screens or slots, e.g. using screw or rolls](#) }

B28C 1/185

..... { [on cylindrical or conical surfaces, e.g. on rotating drums](#) }

B28C 1/187

.... { [using co-operating rotating elements, e.g. cutters](#) }

B28C 1/20	...	for separating undesired admixed bodies, { e.g. stones }
B28C 1/203	{ by forcing the clay through screens or slots, e.g. having exchangeable screens or slots }
B28C 1/206	{ on cylindrical or conical surfaces, e.g. on rotating drums }
B28C 1/22	...	combined with means for conditioning by heating, humidifying, or vacuum treatment, { by cooling, by sub-atmospheric pressure treatment }
B28C 1/222	{ by moistening, e.g. by steam }
B28C 1/225	{ by degassing, de-aerating }
B28C 1/227	{ by heating, drying }

Guidance heading: **Mixing clay or cement with other material** (general arrangement or layout of plant [B28C 9/00](#) ; mixers in general [B01F](#) ; concrete paving mixers combined with distributing devices [E01C 19/00](#) ; machines for preparing mixtures of road-metal with bitumen [E01C 19/10](#))

NOTE

In groups [B28C 3/00](#) to [B28C 7/00](#) , the following term is used with the meaning indicated:

- "mixing" includes preliminary mixing, e.g. of some of the ingredients final mixing, and agitating the mixture to prevent segregation thereof

B28C 3/00	Apparatus or methods for mixing clay with other substances (producing clay suspensions B28C 1/02)
B28C 5/00	Apparatus or methods for producing mixtures of cement with other substances, e.g. slurries, mortars, porous or fibrous compositions (controlling the mixing apparatus and supplying the ingredients B28C 7/00 { separating cement from waste concrete B03B 9/063 })
B28C 5/003	. { Methods for mixing (B28C 5/386 , B28C 5/402 take precedence) }
B28C 5/006	.. { involving mechanical aspects }
B28C 5/02	. without using driven mechanical means effecting the mixing (B28C 5/48 takes precedence)
B28C 5/023	.. { using a flexible mat or bag }
B28C 5/026	.. { Mixing guns or nozzles; Injector mixers (applying plaster by gas pressure E04F 21/12 ; both conveying and distributing concrete E04G 21/04 ; conveying concrete B65G 53/32 ; accelerating or decelerating material flow in troughs or tubes B65G 53/58) }
B28C 5/04	.. Gravitational mixing ; Mixing by intermingling streams of ingredients ({ B28C 5/026 takes precedence } ; ingredients projected by fluid pressure B28C 5/06)
B28C 5/06	.. the mixing being effected by the action of a fluid (in combination with driven mechanical means, producing cellular concrete B28C 5/38)
B28C 5/08	. using driven mechanical means affecting the mixing (B28C 5/40 , B28C 5/42 , B28C 5/48 take precedence; in combination with the action of a fluid B28C 5/38)

B28C 5/0806	..	{ Details; Accessories }
B28C 5/0812	...	{ Drum mixer cover, e.g. lid }
B28C 5/0818	...	{ Charging or discharging gates or chutes; Sealing means }
B28C 5/0825	...	{ Drum insulating means }
B28C 5/0831	...	{ Drives or drive systems, e.g. toothed racks, winches (B28C 7/0876 takes precedence) }
B28C 5/0837	{ Drives for mixers of the tilted-drum type (B28C 5/085 takes precedence) }
B28C 5/0843	{ Drives for drums rotating about a horizontal axis and supported by rotating rollers (B28C 5/085 takes precedence) }
B28C 5/085	{ Hydraulic drives }
B28C 5/0856	...	{ Supporting frames or structures, e.g. supporting wheels }
B28C 5/0862	..	{ Adaptations of mixing containers therefor, e.g. use of material, coatings }
B28C 5/0868	..	{ Mixing apparatus in which a mixing container is hoisted along an inclined or vertical track during mixing to discharge at a higher level }
B28C 5/0875	..	{ Mixing in separate stages involving different containers for each stage }
B28C 5/0881	..	{ having a stator-rotor system with intermeshing teeth or cages }
B28C 5/0887	..	{ provided with sieves or filters }
B28C 5/0893	..	{ Mobile mixing devices, e.g. hanging }
B28C 5/10	..	Mixing in containers not actuated to effect the mixing
B28C 5/12	...	with stirrers sweeping through the materials { ,e.g. with incorporated feeding or discharging means or with oscillating stirrers }
B28C 5/1207	{ with means for elevating the stirrer, e.g. out of the containers }
B28C 5/1215	{ Independent stirrer-drive units, e.g. portable or mounted on a wheelbarrow }
B28C 5/1223	{ discontinuously operating mixing devices, e.g. with consecutive containers }
B28C 5/123	{ with pressure or suction means for discharging }
B28C 5/1238	{ for materials flowing continuously through the mixing device and with incorporated feeding or discharging devices (feeding or discharging devices per se B28C 5/0818) }
B28C 5/1246	{ with feeding devices (B28C 5/1276 , B28C 5/1292 take precedence) }
B28C 5/1253	{ with discharging devices (B28C 5/1276 , B28C 5/1292 take precedence) }
B28C 5/1261	{ Applying pressure for discharging (applying pressure during mixing B28C 5/462) }
B28C 5/1269	{ for making cellular concrete (in general B28C 5/381) }
B28C 5/1276	{ with consecutive separate containers with rotating stirring and feeding or discharging means }
B28C 5/1284	{ having a feeding hopper and consecutive vertical or inclined mixing container fed at its upper part }
B28C 5/1292	{ with rotating stirring and feeding or discharging means fixed on the same axis, e.g. in an inclined container fed at its lower part }
B28C 5/14	the stirrers having motion about a horizontal or substantially horizontal axis { (with feeding or discharging means B28C 5/12) }
B28C 5/141	{ with container tiltable or elevatable for emptying }

B28C 5/142	{ the stirrer shaft carrying screw-blades }
B28C 5/143	{ for materials flowing continuously through the mixing device }
B28C 5/145	{ with several mixing chambers arranged one after the other }
B28C 5/146	{ with several stirrers with parallel shafts in one container (B28C 5/145 takes precedence) }
B28C 5/147	{ the material being moved perpendicularly to the axis of the shafts }
B28C 5/148	{ the stirrer shaft carrying a plurality of radially extending mixing bars }
B28C 5/16	the stirrers having motion about a vertical or steeply inclined axis { (with feeding or discharging means B28C 5/12) }
B28C 5/161	{ in containers tiltable for emptying in containers with inclined axes }
B28C 5/163	{ in annularly-shaped containers }
B28C 5/165	{ with stirrers having planetary motion }
B28C 5/166	{ Pan-type mixers }
B28C 5/168	{ with stirrers having planetary motion }
B28C 5/18	..	Mixing in containers to which motion is imparted to effect the mixing
B28C 5/1806	...	{ rotating about an inclined axis (about a steeply inclined axis B28C 5/26) }
B28C 5/1812	{ with rotating mixing tools }
B28C 5/1818	{ Mobile or portable devices, e.g. on a wheelbarrow (B28C 5/1887 takes precedence) }
B28C 5/1825	...	{ Mixers of the tilted-drum type, e.g. mixers pivotable about an axis perpendicular to the axis of rotation for emptying }
B28C 5/1831	{ to be mounted on a tractor }
B28C 5/1837	{ provided with feeding means, e.g. hoisting skips (B28C 5/1831 , B28C 5/185 , B28C 5/1856 take precedence) }
B28C 5/1843	{ having several drums }
B28C 5/185	{ having driven stirrers, e.g. driven from underneath }
B28C 5/1856	{ Details or parts, e.g. drums (drives B28C 5/0831) }
B28C 5/1862	{ Construction of drum, e.g. provided with mixing blades }
B28C 5/1868	{ with mixing elements held stationary }
B28C 5/1875	{ Tilting means; Locks or brakes therefor }
B28C 5/1881	{ the mixing drums being tilted otherwise than about a fixed axis perpendicular to the axis of rotation of the drum, e.g. by means of a set of links (B28C 5/08B1 , B28C 5/08B3 , B28C 5/08B5 , B28C 5/08B10 take precedence) }
B28C 5/1887	{ Mobile or portable devices, e.g. for use by do-it-yourself enthusiasts }
B28C 5/1893	...	{ the mixing drum being rotated by pulling it over the ground; the mixing drum or the stirrer being driven by movement of the wheel of a vehicle }
B28C 5/20	...	rotating about a horizontal or substantially horizontal axis during mixing, e.g. without independent stirrers
B28C 5/2009	{ with multi-compartment drums }
B28C 5/2018	{ Transportable containers, e.g. on a wheelbarrow, to be fixed totally or partly in a mixer, e.g. for rotation therewith }
B28C 5/2027	{ using spiral-shaped mixing drums }
B28C 5/2036	{ with the material travelling through the mixer, the discharge being opposite the feed inlet (B28C 5/2072 , B28C 5/22 , B28C 5/24 take precedence) }
B28C 5/2045	{ Parts or components (drives B28C 5/0831) }

B28C 5/2054	{ Drums, e.g. provided with non-rotary mixing blades (B28C 5/2009 takes precedence) }
B28C 5/2063	{ Drums consisting of axially displaceable halves; Drums having discharging opening on their cylindrical part, e.g. the drum rotating in opposite direction for mixing or for discharging; Drums having a cylindrical part not being a surface of revolution }
B28C 5/2072	{ Feeding or discharging mechanisms }
B28C 5/2081	{ Chutes pivotable about an axis parallel to the plane of the inlet or outlet opening }
B28C 5/209	{ Chutes rotatable about an axis parallel to the drum axis }
B28C 5/22	with stirrers held stationary, { e.g. the material forming a ring zone by centrifugal force }
B28C 5/24	with driven stirrers
B28C 5/26	...	rotating about a vertical or steeply inclined axis during the mixing, { e.g. comprising a flat bottomplate rotating about a vertical axis, co-operating with blades or stirrers }
B28C 5/28	without independent stirrers
B28C 5/30	with stirrers held stationary
B28C 5/32	with driven stirrers
B28C 5/325	{ with several stirrer shafts }
B28C 5/34	..	Mixing on or by conveyers { e.g. by belts or chains provided with mixing elements }
B28C 5/36	...	Endless-belt mixers { i.e. for mixing while transporting the material on an endless belt, e.g. with stationary mixing elements }
B28C 5/365	{ Mixing with driven mixing elements while transporting the mixture on an endless belt }
B28C 5/38	.	wherein the mixing is effected both by the action of a fluid and by directly-acting driven mechanical means, e.g. stirring means; { Producing cellular concrete }
B28C 5/381	..	{ Producing cellular concrete (B28C 5/1269 takes precedence; producing foam B01F 3/04446 , B01F 3/04992) }
B28C 5/383	...	{ comprising stirrers to effect the mixing }
B28C 5/385	{ Stirrers specially adapted therefor }
B28C 5/386	...	{ Plants; Systems; Methods }
B28C 5/388	{ Methods }
B28C 5/40	.	Mixing specially adapted for preparing mixtures containing fibres
B28C 5/402	..	{ Methods }
B28C 5/404	..	{ Pre-treatment of fibres }
B28C 5/406	...	{ and mixing with binding material }
B28C 5/408	..	{ by spraying fibres and binding material }
B28C 5/42	.	Apparatus specially adapted for being mounted on vehicles with provision for mixing during transport ({ B28C 5/1893 takes precedence; mounted on a wheelbarrow B28C 5/1215 , B28C 5/1818 , B28C 5/2018 ; } vehicle aspect B60P 3/16)
B28C 5/4203	..	{ Details; Accessories }
B28C 5/4206	...	{ Control apparatus; Drive systems, e.g. coupled to the vehicle drive-system }
B28C 5/421	{ Drives (in general B28C 5/0831) }

- B28C 5/4213 { Hydraulic drives ([B28C 5/4217](#) takes precedence) }
- B28C 5/4217 { Drives in combination with drum mountings; Drives directly coupled to the axis of rotating drums }
- B28C 5/422 { Controlling or measuring devices ([B28C 5/4227](#) takes precedence) }
- B28C 5/4224 { Roll-over prevention }
- B28C 5/4227 { Transmission control mechanisms }
- B28C 5/4231 ... { Proportioning or supplying water (in general [B28C 7/12](#)) }
- B28C 5/4234 ... { Charge or discharge systems therefor }
- B28C 5/4237 { Charging, e.g. hoppers }
- B28C 5/4241 { having self-charging means, e.g. skips, scoops or buckets, picking up the material from the ground }
- B28C 5/4244 { Discharging; Concrete conveyer means, chutes or spouts therefor (in general [B28C 7/168](#)) }
- B28C 5/4248 { using chutes (combined with transporting belts [B28C 5/4255](#) , combined with pumps or screws [B28C 5/4258](#)) }
- B28C 5/4251 { telescopic or foldable chutes }
- B28C 5/4255 { using transporting belts, e.g. mounted on a foldable frame }
- B28C 5/4258 { using pumps or transporting screws }
- B28C 5/4262 ... { Closures; Sealing mechanisms ([B28C 5/4237](#) takes precedence) }
- B28C 5/4265 ... { Mounting means for drums; Support frames }
- B28C 5/4268 ... { Drums, e.g. provided with non-rotary mixing blades (drums for concrete mixers with horizontal axis [B28C 5/2054](#)) }
- B28C 5/4272 .. { with rotating drum rotating about a horizontal or inclined axis, e.g. comprising tilting or raising means for the drum ([B28C 5/4279](#) takes precedence) }
- B28C 5/4275 ... { with a drum rotating about a horizontal axis, e.g. perpendicular to the longitudinal axis of the vehicle }
- B28C 5/4279 .. { with rotating drum and independently-rotating mixing tools }
- B28C 5/4282 .. { with moving mixing tools in a stationary container }
- B28C 5/4286 ... { with mixing screw-blades }
- B28C 5/4289 ... { with stirrers rotating about a vertical axis }
- B28C 5/4293 ... { with reciprocating or oscillating stirrers (in general [B28C 5/12D](#)) }
- B28C 5/4296 .. { mounted on a tractor or on a tractor wheel (for tilted-drum type mixers [B28C 5/1831](#) ; charging thereof [B28C 5/4237](#)) }

- B28C 5/44 . Apparatus specially adapted for drive by muscle power

- B28C 5/46 . Arrangements for applying super- or sub-atmospheric pressure during mixing ; Arrangements for cooling or heating during mixing, { e.g. by introducing vapour }
- B28C 5/462 .. { Mixing at sub- or super-atmospheric pressure ([B28C 5/1261](#) takes precedence) }
- B28C 5/464 ... { at sub-atmospheric pressure }
- B28C 5/466 .. { Heating, e.g. using steam }
- B28C 5/468 .. { Cooling, e.g. using ice }

- B28C 5/48 . wherein the mixing is effected by vibrations (mixers with vibrating mechanisms in general [B01F 11/00](#))
- B28C 5/485 .. { with reciprocating or oscillating stirrers; Stirrers therefor ([B28C 5/4293](#) takes

precedence) }

B28C 7/00

Controlling the operation of apparatus for producing mixtures of clay or cement with other substances ; Supplying or proportioning the ingredients for mixing clay or cement with other substances ; Discharging the mixture { ([B28C 5/42](#) takes precedence; feeding material in general [B65G](#) ; proportioning in general [G01F](#) , [G01G](#) ; controlling in general [G05](#)) }

- B28C 7/0007 . { Pretreatment of the ingredients, e.g. by heating, sorting, grading, drying, disintegrating; Preventing generation of dust }
- B28C 7/0015 .. { Tagging of the ingredients, e.g. by using ingredient identification means like RFID or labels }
- B28C 7/0023 .. { by heating or cooling (during mixing [B28C 5/46](#)) }
- B28C 7/003 ... { Heating, e.g. using steam }
- B28C 7/0038 ... { Cooling, e.g. using ice }
- B28C 7/0046 . { Storage or weighing apparatus for supplying ingredients ([B28C 7/04](#) takes precedence) }
- B28C 7/0053 .. { Storage containers, e.g. hoppers, silos, bins ([B28C 7/0084](#) takes precedences) }
- B28C 7/0061 ... { Storage container plant }
- B28C 7/0069 ... { having compartments }
- B28C 7/0076 ... { Parts or details thereof, e.g. opening, closing or unloading means }
- B28C 7/0084 .. { Storage containers or silos mounted on, or specially adapted for transport by, vehicles; Means for erecting containers or silos }
- B28C 7/0092 .. { Stationary storage means having elements to divide the ground in sectors }
- B28C 7/02 . Controlling the operation of the mixing
- B28C 7/022 .. { by measuring the consistency or composition of the mixture, e.g. with supply of a missing component }
- B28C 7/024 ... { by measuring properties of the mixture, e.g. moisture, electrical resistivity, density }
- B28C 7/026 ... { by measuring data of the driving system, e.g. rotational speed, torque, consumed power }
- B28C 7/028 .. { by counting the number of revolutions performed, or by measuring the mixing time }
- B28C 7/04 . Supplying or proportioning the ingredients { ([B28C 7/022](#) takes precedence; forming a predetermined ratio of the components to be mixed, in general [B01F 15/04](#)) }
- B28C 7/0404 .. { Proportioning }
- B28C 7/0409 ... { taking regard of the moisture content of the solid ingredients; Moisture indicators }
- B28C 7/0413 ... { two or more flows in predetermined ratio }
- B28C 7/0418 ... { control systems therefor }
- B28C 7/0422 .. { Weighing predetermined amounts of ingredients, e.g. for consecutive delivery }
- B28C 7/0427 ... { using a charging-skip, to be hoisted or tilted, provided with weight-indicating means }
- B28C 7/0431 ... { using a weighing belt or the like }

- B28C 7/0436 ... { Weighing means specially adapted for use in batching plants }
- B28C 7/044 ... { Weighing mechanisms specially adapted therefor; Weighing containers (other containers [B28C 7/0046](#)) }
- B28C 7/0445 ... { using a weighing receptacle, the feeding thereof being automatically suspended after a predetermined weight has been obtained ([B28C 7/045](#) takes precedence) }
- B28C 7/045 ... { using a weighing receptacle movable between several positions, e.g. moving vertically, horizontally or rotating about an axis ([B28C 7/0427](#) takes precedence) }
- B28C 7/0454 .. { Volumetric measuring devices, e.g. for consecutively delivering predetermined volumes of ingredients }
- B28C 7/0459 ... { the ingredients being first supplied into measuring chambers, e.g. containers or skips }
- B28C 7/0463 { Measuring chambers or containers therefor (other containers [B28C 7/0046](#)) }
- B28C 7/0468 { the measuring chambers being provided on a rotating drum }
- B28C 7/0472 ... { for continuous feeding, e.g. by controlling the velocity of a transporting belt or the thickness of the ingredients on the belt or by regulating the outlet of a hopper ([B28C 7/0477](#) takes precedence) }
- B28C 7/0477 ... { by using conveyer screws }
- B28C 7/0481 .. { Plant for proportioning, supplying or batching ([B28C 7/0436](#) , [B28C 7/0811](#) take precedence; plant in general [B28C 9/00](#)) }
- B28C 7/0486 ... { the plant being mobile }
- B28C 7/049 { and broken-down for transport }
- B28C 7/0495 { with a frame carrying the supplying, proportioning or batching elements, movable between a horizontal transport position and an inclined working position }
- B28C 7/06 .. Supplying the solid ingredients, e.g. by means of endless conveyers or jiggling conveyers
- B28C 7/061 ... { from stationary storage means having elements for dividing the ground sectorially ([B28C 7/0811](#) takes precedence) }
- B28C 7/062 ... { with a pneumatic or hydraulic conveyer }
- B28C 7/064 ... { Supply from sacks; Sack openers }
- B28C 7/065 ... { with a pivotable charging-bin ([B28C 7/068](#) takes precedence) }
- B28C 7/067 ... { by means of stationary hoppers, chambers or bins from which the material is fed gravitationally, e.g. having agitating means therein (hoppers or bins per se [B28C 7/0053](#)) }
- B28C 7/068 ... { having means to elevate or hoist a charging-bin or container }
- B28C 7/08 ... by means of scrapers or skips
- B28C 7/0805 { by means of a barrow or the like }
- B28C 7/0811 { from stationary storage means having elements for dividing the ground sectorially }
- B28C 7/0817 { on an endless chain }
- B28C 7/0823 { using manually-operated cable-pulled drag shovels ([B28C 7/0841](#) takes precedence) }
- B28C 7/0829 { using reciprocating cable-suspended drag shovels }

- B28C 7/0835 { using skips to be hoisted along guides or to be tilted, to charge working-site concrete mixers ([proportioning by means of a skip B28C 7/0427](#) , [B28C 7/0459](#)) }
- B28C 7/0841 { having mechanisms to fill the skip in its lowest position, e.g. by drag shovels, from a hopper }
- B28C 7/0847 { the skips being hoisted along vertical or inclined guides }
- B28C 7/0852 { and being tilted in their upmost position for discharging them at their upper side }
- B28C 7/0858 { the skips being tilted ([B28C 7/0852 takes precedence](#)) }
- B28C 7/0864 { about a fixed axis }
- B28C 7/087 { Parts; Accessories, e.g. safety devices }
- B28C 7/0876 { Drives therefor, e.g. winches, hydraulic drives }
- B28C 7/0882 { Skips }
- B28C 7/0888 { Vibration devices, e.g. for facilitating the emptying of the skips }
- B28C 7/0894 { Parts, e.g. winches }
- B28C 7/10 . . . by means of rotary members { ,e.g. inclinable screws }
- B28C 7/12 . . Supplying or proportioning liquid ingredients
- B28C 7/122 . . . { by means of a measuring chamber, e.g. container }
- B28C 7/124 { for use with a skip }
- B28C 7/126 . . . { Supply means, e.g. nozzles }
- B28C 7/128 { Nozzles; Valves; Valve-actuating means }

- B28C 7/14 . Supply means incorporated in, or mounted on, mixers

- B28C 7/16 . Discharge means, { e.g. with intermediate storage of fresh concrete }
- B28C 7/161 . . { with storage reservoirs for temporarily storing the fresh concrete; Charging or discharging devices therefor }
- B28C 7/162 . . { by means of conveyers, other than those comprising skips or containers, e.g. endless belts, screws, air under pressure }
- B28C 7/163 . . . { using a pump }
- B28C 7/165 { using a fluid, e.g. gas ([B28C 5/06](#) , [B28C 5/1261 take precedence](#)) }
- B28C 7/166 { comprising a lock rotor with pockets for feeding determined quantities of material from a hopper into the driving fluid }
- B28C 7/167 . . . { by means of a screw conveyer }
- B28C 7/168 . . . { Discharging chutes for concrete mixers }

- B28C 9/00** **General arrangement or layout of plant { ([B28C 7/0061](#) , [B28C 7/0481 take precedence](#)) }**

- B28C 9/002 . { Mixing systems, i.e. flow charts or diagrams; Making slurries; Involving methodical aspects; Involving pretreatment of ingredients; Involving packaging }
- B28C 9/004 . . { Making slurries, e.g. with discharging means for injecting in a well or projecting against a wall }

- B28C 9/006 . { comprising a multicompartment silo with the mixing device, e.g. a mixing screw, fitted directly at the underside of the silo, e.g. with proportioning means at the exit of the silo }

- B28C 9/008 . { Plant adapted for mixing materials lying on the ground, e.g. in sectors ([B28C 9/0436](#) takes precedence) }
- B28C 9/02 . for producing mixtures of clay or cement with other materials
- B28C 9/04 . the plant being mobile, { e.g. mounted on a carriage or a set of carriages } ([B28C 5/42](#) , { [B28C 9/004](#) , [B28C 9/006](#) } take precedence)
- B28C 9/0409 . . { and broken-down for transport ([B28C 9/0445](#) takes precedence) }
- B28C 9/0418 . . . { with a storage silo movable between a horizontal transport position and a vertical working position }
- B28C 9/0427 . . . { with a frame carrying the supplying and mixing elements movable between a horizontal transport position and an inclined working position }
- B28C 9/0436 . . { Plant adapted for mixing material lying in sectors on the ground }
- B28C 9/0445 . . . { and broken-down for transport }
- B28C 9/0454 . . { Self-contained units, i.e. mobile plants having storage containers for the ingredients ([B28C 9/0472](#) , [B28C 9/0481](#) take precedence) }
- B28C 9/0463 . . . { with a mixing discharge trough with a free end, e.g. provided with a mixing screw or pivotable about a vertical or horizontal axis }
- B28C 9/0472 . . { provided with two or more carriages for storing the ingredients or for the mixing device, e.g. transportable on rails }
- B28C 9/0481 . . { with means for loading the material from ground level to the mixing device, e.g. with an endless conveyer or a charging skip ([B28C 9/0436](#) takes precedence) }
- B28C 9/049 . . . { with at least a storage compartment for one of the ingredients }