

CPC**COOPERATIVE PATENT CLASSIFICATION****F02W****INDEXING SCHEME RELATING TO TURBINES; GAS TURBINES****NOTE**

This subclass constitutes an internal scheme for indexing only, associated with subclasses F01D, F01K, F02C and F02K, relating to turbines and gas turbines

F02W 2746/00

Indexing scheme associated with former IdT class <ref scheme="idt">46F

- F02W 2746/00006 . Turbines; Gas turbines
- F02W 2746/00013 . . Turbines with combustion chamber whose inlet and outlet open and close periodically; Explosion turbines
- F02W 2746/00019 . . Methods for improving the efficiency, special cycles, refrigeration by means of turbines, gas turbine plants with heat pumps (**R02C 746/00F8** takes precedence), indirect heating by circulation of an auxiliary fluid (gas turbine plants comprising separators for ashes consisting of matters put in circulation and being used at the same time for heat transfer **R02C 746/00F30N**)
- F02W 2746/00026 . . . using combustion gas, gas turbines functioning by means of exhaust gas
- F02W 2746/00032 . . . using magnetohydrodynamic generators
- F02W 2746/00039 . . Turbines with special provisions for the compression of fuel gas or of its components, plants in which the compressor and the turbine form a unit, groups of compression of charge or complement for gas turbine cycles, compression by shock waves (burners with pulsatory combustion **R02C 746/00F1**, **R02C 746/00F30N6**)
- F02W 2746/00046 . . . Compression in the rotor for the turbine blades, turbines also functioning as compressor, cell compressors (plants with cellular wheel **R02C 746/00F40A**)
- F02W 2746/00052 . . Turbines using a single driven special gas, use of catalysts, use of oxyhydric gas or detonating gas, use of air or liquid oxygen, using of gas generating cartridges, use of compressed air tanks, air turbines, provisions for preventing the formation of snow or frost in the turbine, turbines for hand-held tools
- F02W 2746/00059 . . Turbines using mixtures of gas and steam as driving medium, also if the gas and steam currents only mix after the turbine, water injection
- F02W 2746/00065 . . Turbines using an auxiliary liquid
- F02W 2746/00072 . . . the auxiliary liquid making a to-and-fro movement
- F02W 2746/00078 . . . the auxiliary liquid being circulated in a close circuit
- F02W 2746/00085 . . Turbines using several gases or steams with separate action (**R02C 746/00F13** takes precedence)
- F02W 2746/00092 . . Turbines other than those according to groups **R02C 746/00F1** to **R02C 746/00F15**, counter-rotating turbines
- F02W 2746/00098 . . . Turbines using fluid friction
- F02W 2746/00105 . . . Special kinds of reaction turbines; Turbines with blades having channels passing through the rotor
- F02W 2746/00111 . . . Explosion turbines, i.e. internal combustion

F02W 2746/00118	...	Turbines with saw-tooth or ratchet-wheel shaped rotor
F02W 2746/00125	...	Propeller and similar turbines driven by reaction, e.g. fluids issuing from the rotor
F02W 2746/00131	...	Turbines with radial entry (gas turbines driven by exhaust gas R02C 746/00F5A)
F02W 2746/00138	..	Cooling
F02W 2746/00144	...	Cooling of gas; Cooling of oil
F02W 2746/00151	..	Components and control; Inversion of rotation; Turbines with forward and reverse rotation
F02W 2746/00157	...	Blades and blade carrying members
F02W 2746/00164	Turbine rotors, e.g. multistage; Assembly; Shafts
F02W 2746/00171	...	Safety and control devices; Test benches
F02W 2746/00177	...	Starting devices, e.g. quick-starting devices
F02W 2746/00184	using starting cartridges
F02W 2746/0019	...	Elements specifically intended for combustion turbines, pulverulent and solid fuel turbines; Separation of ashes
F02W 2746/00197	Fuel supply and feeding devices, e.g. pre-processing of fuel, pumps, valves, draining of the fuel system
F02W 2746/00203	Combustion chambers with admission valves, control, scavenging and filling
F02W 2746/0021	..	Plants with specific use of turbines; Construction of power stations with gas turbines
F02W 2746/00217	...	Plants comprising a turbine of a special kind, plants with cellular wheel; Grouping of the various parts of a plant
F02W 2746/00223	...	Turbo-compressor plants for providing compressed air or gases, hot gases or steam, control of these plants
F02W 2746/0023	...	Propulsion plants, e.g. marine turbines
F02W 2746/00236	Turbine plants for gas-turbine locomotives
F02W 2746/00243	Control of the gas turbines in propulsion plants, e.g. for ships or turbo-propulsion (control of gas turbines in general R02C 746/00F30 , control of fuel supply R02C 746/00F45 to R02C 746/00F48)
F02W 2746/0025	Gas turbine plants for marine propulsion
F02W 2746/00256	...	Turbines supplied by other gas generators than those consisting in a combination of combustion chambers and axial or centrifugal compressors
F02W 2746/00263	Turbines supplied by piston gas generators
F02W 2746/00269	Plants consisting of pistons gas generators, e.g. with free pistons bringing a driving gas to separately assembled turbines, control of such plants
F02W 2746/00276	Plants consisting of a piston gas generator forming a unit with a turbine
F02W 2746/00282	Turbines supplied by other gas generators than those according to group R02C 746/00F40D1
F02W 2746/00289	..	Control systems for the fuel supply to the combustors of gas turbines plants (control of gas turbines in general R02C 746/00F30A , control of gas turbines in propulsion plants except for the jet propulsion R02C 746/00F40C2 , fuel supply systems R02C 746/00F30N1)
F02W 2746/00296	...	using a fuel pump with adjustable flow (R02C 746/00F45C to R02C 746/00F45F take precedence)
F02W 2746/00302	with control according to one parameter
F02W 2746/00309	with control according to one or several speeds

F02W 2746/00315	with control according to one or several pressures
F02W 2746/00322	with control according to one or several temperatures
F02W 2746/00328	with control according to two parameters
F02W 2746/00335	with control according to one or several speeds and of one or several pressures
F02W 2746/00342	with control according to one or several speeds and of one or several temperatures
F02W 2746/00348	with control according to one or several pressures and of one or several temperatures
F02W 2746/00355	with control according to at least three parameters
F02W 2746/00361	with control according to one or several speeds, of one or several pressures and of one or several temperatures
F02W 2746/00368	...	using a fuel pump with adjustable flow and at least one adjustable valve between pump and burners (R02C 746/00F45F takes precedence)
F02W 2746/00375	with control according to one parameter
F02W 2746/00381	with control according to one or several speeds
F02W 2746/00388	with control according to one or several pressures
F02W 2746/00394	with control according to one or several temperatures
F02W 2746/00401	with control according to two parameters
F02W 2746/00407	with control according to one or several speeds and of one or several pressures
F02W 2746/00414	with control according to one or several speeds and of one or several temperatures
F02W 2746/00421	with control according to one or several pressures and of one or several temperatures
F02W 2746/00427	with control according to at least three parameters
F02W 2746/00434	with control according to one or several speeds, of one or several pressures and of one or several temperatures
F02W 2746/0044	...	using a fuel pump with adjustable flow and at least one adjustable by-pass valve (R02C 746/00F45F takes precedence)
F02W 2746/00447	with control according to one parameter
F02W 2746/00453	with control according to one or several speeds
F02W 2746/0046	with control according to one or several pressures
F02W 2746/00467	with control according to one or several temperatures
F02W 2746/00473	with control according to two parameters
F02W 2746/0048	with control according to one or several speeds and of one or several pressures
F02W 2746/00486	with control according to one or several speeds and of one or several temperatures
F02W 2746/00493	with control according to one or several pressures and of one or several temperatures
F02W 2746/005	with control according to at least three parameters
F02W 2746/00506	with control according to one or several speeds, of one or several pressures and of one or several temperatures
F02W 2746/00513	...	using a fuel pump with adjustable flow and at least one adjustable valve between pump and burners, and also at least one adjustable by-pass valve

F02W 2746/00519	with control according to one parameter
F02W 2746/00526	with control according to one or several speeds
F02W 2746/00532	with control according to one or several pressures
F02W 2746/00539	with control according to one or several temperatures
F02W 2746/00546	with control according to two parameters
F02W 2746/00552	with control according to one or several speeds and of one or several pressures
F02W 2746/00559	with control according to one or several speeds and of one or several temperatures
F02W 2746/00565	with control according to one or several pressures and of one or several temperatures
F02W 2746/00572	with control according to at least three parameters
F02W 2746/00578	with control according to one or several speeds, of one or several pressures and of one or several temperatures
F02W 2746/00585	...	using a fuel pump with non-adjustable flow and at least one adjustable valve between pump and burners (R02C 746/00F45J takes precedence)
F02W 2746/00592	with control according to one parameter
F02W 2746/00598	with control according to one or several speeds
F02W 2746/00605	with control according to one or several pressures
F02W 2746/00611	with control according to one or several temperatures
F02W 2746/00618	with control according to two parameters
F02W 2746/00625	with control according to one or several speeds and of one or several pressures
F02W 2746/00631	with control according to one or several speeds and of one or several temperatures
F02W 2746/00638	with control according to one or several pressures and of one or several temperatures
F02W 2746/00644	with control according to at least three parameters
F02W 2746/00651	with control according to one or several speeds, of one or several pressures and of one or several temperatures
F02W 2746/00657	...	using a fuel pump with non-adjustable flow and at least one adjustable by-pass valve (R02C 746/00F45J takes precedence)
F02W 2746/00664	with control according to one parameter
F02W 2746/00671	with control according to one or several speeds
F02W 2746/00677	with control according to one or several pressures
F02W 2746/00684	with control according to one or several temperatures
F02W 2746/0069	with control according to two parameters
F02W 2746/00697	with control according to one or several speeds and of one or several pressures
F02W 2746/00703	with control according to one or several speeds and of one or several temperatures
F02W 2746/0071	with control according to one or several pressures and of one or several temperatures
F02W 2746/00717	with control according to at least three parameters
F02W 2746/00723	with control according to one or several speeds, of one or several pressures and of one or several temperatures

F02W 2746/0073	...	using a fuel pump with non-adjustable flow, at least one adjustable valve between pump and burners, and at least one adjustable by-pass valve
F02W 2746/00736	with control according to one parameter
F02W 2746/00743	with control according to one or several speeds
F02W 2746/0075	with control according to one or several pressures
F02W 2746/00756	with control according to one or several temperatures
F02W 2746/00763	with control according to two parameters
F02W 2746/00769	with control according to one or several speeds and of one or several pressures
F02W 2746/00776	with control according to one or several speeds and of one or several temperatures
F02W 2746/00782	with control according to one or several pressures and of one or several temperatures
F02W 2746/00789	with control according to at least three parameters
F02W 2746/00796	with control according to one or several speeds, of one or several pressures and of one or several temperatures
F02W 2746/00802	...	Components and parts of control systems according to R02C 746/00F45B to R02C 746/00F45J
F02W 2746/00809	with control according to one parameter
F02W 2746/00815	with control according to one or several speeds
F02W 2746/00822	with control according to one or several pressures
F02W 2746/00828	with control according to one or several temperatures
F02W 2746/00835	with control according to two parameters
F02W 2746/00842	with control according to one or several speeds and of one or several pressures
F02W 2746/00848	with control according to one or several speeds and of one or several temperatures
F02W 2746/00855	with control according to one or several pressures and of one or several temperatures
F02W 2746/00861	with control according to at least three parameters
F02W 2746/00868	with control according to one or several speeds, of one or several pressures and of one or several temperatures
F02W 2746/00875	Construction of adjustable valves
F02W 2746/00881	..	Control systems for the fuel supply to the main burners as well as to the after-burners of a single gas turbine, or with regulation of another adjustable component of the gas turbine (control systems for the fuel supply only to the main burners or only to the after-burners R02C 746/00F45 , R02C 746/00F48)
F02W 2746/00888	...	of additional fuel injection between the after-burners to ignite them, e.g. "hot-shot", programming devices for the ignition of after-burners
F02W 2746/00894	...	of the fuel supply to the main burners and to the after-burners (R02C 746/00F46G takes precedence)
F02W 2746/00901	...	of the fuel supply to the main burners and to the nozzle (R02C 746/00F46G takes precedence)
F02W 2746/00907	...	of the fuel supply to the after-burners and to the nozzle (R02C 746/00F46G takes precedence)
F02W 2746/00914	...	of the fuel supply to the main burners, to the after-burners and to the nozzle
F02W 2746/00921	...	of the fuel supply to the main burners and of the adjustable stator vanes of the

		gas turbine
F02W 2746/00927	. . .	Systems for controlling the fuel supply to the injectors and a variable-pitch propeller driven by the gas turbine
F02W 2746/00934	. . .	Systems for controlling the fuel supply to the injectors and the by-passing of the driving fluid
F02W 2746/0094	. .	Systems for controlling the fuel supply to the burners of gas turbine plants not foreseen in R02C 746/00F45 or R02C 746/00F46
F02W 2746/00947	. . .	specially adapted to the use of a special fuel or a plurality of fuels
F02W 2746/00953	. . .	using two pumps or more
F02W 2746/0096	. . .	for the combined control of two gas turbine plants or more
F02W 2746/00967	. . .	for dividing the fuel between the main burners or between the after-burners of a single gas turbine (division of fuel between main burners and after-burners R02C 746/00F46)
F02W 2746/00973	. . .	specially adapted for aircraft gas turbine engines, in which the control is a function of the speed of the aircraft; Mach number control, optimisation of fuel consumption
F02W 2746/0098	. . .	Control systems provided with an additional control system which can take over in case of a breakdown of the normal system, safety devices
F02W 2746/00986	. . .	specially adapted for gas turbine plants with intermittent fuel injection
F02W 2746/00993	. . .	Mechanical control devices linked to the throttle lever