

CPC**COOPERATIVE PATENT CLASSIFICATION****A47J**

KITCHEN EQUIPMENT {(domestic washing or cleaning [A47L](#); refuse receptacles [B65F 1/00](#))}; **COFFEE MILLS; SPICE MILLS; APPARATUS FOR MAKING BEVERAGES** (disintegrating, e.g. mincing, [B02C](#); severing, e.g. cutting, slicing, [B26B](#), [B26D](#))

A47J 9/00

Apparatus or utensils for shaping { or dispensing portions of} **butter or the like** (for use in dairies [A01J 19/00](#), [A01J 21/00](#), {[A01J 23/00](#)}; moulding plastic material in general [B29C](#))

[A47J 9/001](#)

- . {and spreading them on other food items, e.g. bread slices (for corn cob holders [A47G 19/303](#); butter spreading table ware [A47G 21/005](#))}

[A47J 9/002](#)

- . {by forming, e.g. peeling off or extruding, curls or rings}

[A47J 9/003](#)

- . {by slicing slabs or prints into pats}

[A47J 9/005](#)

- .. {combined with extrusion or molding}

[A47J 9/006](#)

- .. {with automatic feeding mechanism}

[A47J 9/007](#)

- . {by molding}

A47J 17/00

Household peeling, stringing, or paring implements or machines (for foodstuffs in bulk [A23N](#))

[A47J 17/02](#)

- . Hand devices for scraping or peeling vegetables or the like

[A47J 17/04](#)

- .. Citrus fruit peelers

[A47J 17/06](#)

- . Devices for stringing beans

[A47J 17/08](#)

- . Asparagus peelers

[A47J 17/10](#)

- . Vegetable or fruit grippers or holders for use while peeling

[A47J 17/14](#)

- . Machines for peeling (universal kitchen machines [A47J 43/04](#))

[A47J 17/16](#)

- .. Peeling machines with rotary fruit-holding spindles and fixed or movable peeler blades

[A47J 17/18](#)

- .. with scraping discs or rotors

[A47J 17/20](#)

- .. with brushes

A47J 19/00

Household machines for straining foodstuffs; Household implements for mashing or straining foodstuffs (for foodstuffs in bulk [A23N](#))

[A47J 19/005](#)

- . {Hand devices for straining foodstuffs}

A47J 19/02 . Citrus fruit squeezers; Other fruit juice extracting devices

A47J 19/022 . . {Hand devices}

A47J 19/025 . . . {with a pressing screw}

A47J 19/027 . . {Centrifugal extractors}

A47J 19/04 . Household implements for mashing potatoes or other foodstuffs

A47J 19/06 . Juice presses for vegetables

A47J 21/00 **Devices for removing stalks from fruit** (machines [A23N 15/02](#))

A47J 23/00 **Devices for stoning fruit** (machines for stoning fruit in bulk [A23N 3/00](#), [A23N 4/00](#))

A47J 25/00 **Devices for coring fruit** (machines for coring fruit in bulk [A23N 3/00](#), [A23N 4/12](#))

Cooking; Apparatus for making beverages

A47J 27/00 **Cooking-vessels** ([A47J 29/00](#) to [A47J 33/00](#) takes precedence)

A47J 27/002 . {Construction of cooking-vessels (with enlarged bottom [A47J 27/022](#), made of specific materials [A47J 36/02](#)); Methods or processes of manufacturing specially adapted for cooking-vessels (making cooking pots by processing sheet metal or metal tubes, rods or profiles without removing material [B21D 51/22](#))}

A47J 27/004 . {with integral electrical heating means (drinking cups with integral heating means [A47J 36/2466](#))}

A47J 27/02 . with enlarged heating surfaces

A47J 27/022 . . with enlarged bottom

A47J 27/024 . . with liquid-heating tubes extending outside the vessel

A47J 27/026 . . with conduits through the vessel for circulating heating gases

A47J 27/04 . for cooking food in steam; Devices for extracting fruit juice by means of steam; {Vacuum cooking vessels (steam-heated vessels for hotels, restaurants or canteens [A47J 27/16](#))}

A47J 27/05 . . Tier steam-cookers, i.e. with steam-tight joints between cooking-vessels stacked while in use ({tier pressure-cookers [A47J 27/084](#)}; tier cooking-vessels in general [A47J 27/13](#))

A47J 27/06 . Steam-heated kettles for domestic use {(cooking-vessels with water-bath [A47J 27/10](#); cooking-vessels with steam jacket for hotels, restaurants or canteens [A47J 27/17](#); milk-boiling vessels with water or steam jacket [A47J 27/57](#))}

A47J 27/08 . Pressure-cookers; Lids or locking devices specially adapted therefor

A47J 27/0802 . . {Control mechanisms for pressure-cookers}

A47J 27/0804 . . {Locking devices}

- A47J 27/0806 . . . {of the bayonet-type}
- A47J 27/0808 . . . {of the bridge-type}
- A47J 27/0811 . . . {using a number of pivotable clamps along the circumference of the cooking-vessel}
- A47J 27/0813 . . . {using a clamping ring or clamping segments}
- A47J 27/0815 . . . {where vessel and lid have adapted shapes to provide for the locking action}
- A47J 27/0817 . . {Large-capacity pressure cookers; Pressure fryers (cooking-vessels heated by steam [A47J 27/16](#))}
- A47J 27/082 . . with inserts for cooking different foods separately at the same time; Inserts therefor (inserts for cooking vessels in general [A47J 36/16](#))
- A47J 27/084 . . with adjustable volume; Tier pressure-cookers {(tier steam-cookers [A47J 27/05](#); tier cooking-vessels in general [A47J 27/13](#))}
- A47J 27/086 . . with built-in heating means (adaptations of automatic switches for the heating means [A47J 27/62](#))
- A47J 27/088 . . adapted to high-frequency heating
- A47J 27/09 . . Safety devices {including the pressure indicators}
- A47J 27/092 . . . Devices for automatically releasing pressure before opening

- A47J 27/10 . . Cooking-vessels with water-bath arrangements for domestic use {(milk-boilers with water-bath [A47J 27/575](#))}

- A47J 27/12 . . Multiple-unit cooking vessels {(carriers for prepared food [A47J 47/14](#))}
- A47J 27/122 . . with adaptation of shape to that of adjacent vessels for forming a unit, e.g. sector-shaped
- A47J 27/13 . . Tier cooking-vessels {Cooking-vessels with adjustable volume; Cooking-vessels with lids or covers which may be used as a cooking vessel (tier steam-cookers with steam-tight joints between stacked vessels [A47J 27/05](#); tier pressure-cookers [A47J 27/084](#))}

- A47J 27/14 . . Cooking-vessels for use in hotels, restaurants, or canteens
- A47J 27/16 . . heated by steam
- A47J 27/17 . . . with steam jacket
- A47J 27/18 . . heated by water-bath, {e.g. pasta-cookers}

- A47J 27/20 . . Ham-boilers

- A47J 27/21 . . Water-boiling vessels, e.g. kettles {(for coffee-making machines [A47J 31/54](#))}
- A47J 27/21008 . . {electrically heated}
- A47J 27/21016 . . . {with heating elements immersed in the water ([A47J 27/2105](#) takes precedence)}
- A47J 27/21025 {the heating elements being electrodes}
- A47J 27/21033 {with removable heating elements}
- A47J 27/21041 . . . {with heating elements arranged outside the water vessel ([A47J 27/2105](#) takes precedence)}
- A47J 27/2105 . . . {of the cordless type, i.e. whereby the water vessel can be plugged into an electrically-powered base element}
- A47J 27/21058 . . . {Control devices to avoid overheating, i.e. "dry" boiling, or to detect boiling of the water ([A47J 27/21158](#) takes precedence)}

- A47J 27/21066 {Details concerning the mounting thereof in or on the water boiling vessel}
- A47J 27/21075 {relating to the boiling sensor or to the channels conducting the steam thereto}
- A47J 27/21083 {with variable operating parameters, e.g. temperature or boiling period}
- A47J 27/21091 {of electronic type}
- A47J 27/211 {using a thermomagnetic material}
- A47J 27/21108 {using a bimetallic element}
- A47J 27/21116 {specially adapted for detecting boiling of the water ([A47J 27/21125](#) takes precedence)}
- A47J 27/21125 {the bimetallic element being a snapping disc}
- A47J 27/21133 {using a fusible material or a shape memory effect (SME) material}
- A47J 27/21141 {based on the weight of the water vessel}
- A47J 27/2115 {using a float}
- A47J 27/21158 . . . {Devices to detect overheating or boiling with a single control element or unit}
- A47J 27/21166 . . {Constructional details or accessories (for coffee makers or the like [A47J 31/44](#); for cooking vessels in general [A47J 36/00](#))}
- A47J 27/21175 . . . {Covers}
- A47J 27/21183 . . . {Water filters (water filters for coffee machines [A47J 31/605](#))}
- A47J 27/21191 . . . {Pouring spouts}
- A47J 27/212 . . with signalling means, e.g. whistling kettles ([signalling milk-boiling vessels A47J 27/57](#))

- A47J 27/56 . Preventing boiling over, e.g. of milk ([appliances for preventing or destroying foam in dairy apparatus for treating milk A01J 11/02](#); preventing foaming in boiling in general [B01B 1/02](#))
- A47J 27/57 . . Milk-boiling vessels with water or steam jackets, e.g. with signalling means {(cooking-vessels with steam jackets [A47J 27/06](#), [A47J 27/17](#); whistling kettles [A47J 27/212](#))}
- A47J 27/575 . . . {Milk-boiling vessels with water-bath (cooking- vessels with water-bath [A47J 27/10](#), [A47J 27/18](#))}
- A47J 27/58 . . Cooking utensils with channels or covers collecting overflowing liquid
- A47J 27/60 . . Funnel-like inserts; Grooved plates to be placed on the bottom of cooking utensils
- A47J 27/62 . . by devices for automatically controlling the heat supply by switching off heaters or for automatically lifting the cooking-vessels {(heat supply regulation in beverage-making machines [A47J 31/047](#); timing devices for beverage-making machines [A47J 31/52](#))}
- A47J 27/64 . . . for automatically lifting the cooking-vessels (devices for automatically lifting eggs from boiling water [A47J 29/04](#))

A47J 29/00 Egg-cookers

- A47J 29/02 . for eggs or poached eggs; Time-controlled cookers {(coffee-makers [A47J 31/52](#); controlled igniting means in cooking-vessels [A47J 36/32](#); bread-toasters [A47J 37/0814](#))}
- A47J 29/04 . . Cookers for eggs with devices for automatically lifting the eggs from the boiling water {(devices for automatically lifting cooking-vessels [A47J 27/64](#))}
- A47J 29/06 . Grasping devices for eggs; Supporting devices for eggs during boiling {([A47J 29/04](#)

takes precedence; holding or clamping devices for fowl, venison or other meat or vegetables during cooking or cutting [A47J 43/18](#)}}

A47J 31/00

Apparatus for making beverages (household machines or implements for straining foodstuffs [A47J 19/00](#); preparation of non-alcoholic beverages, e.g. by adding ingredients to fruit or vegetable juices, [A23L 2/00](#); coffee or tea pots [A47G 19/14](#); tea infusers [A47G 19/16](#); dispensing beverages on draught [B67D 1/00](#); brewing of beer [C12C](#); preparation of wine or other alcoholic beverages [C12G](#))

A47J 31/002

- . {following a specific operational sequence, e.g. for improving the taste of the extraction product}

A47J 31/005

- . {Portable or compact beverage making apparatus, e.g. for travelling, for use in automotive vehicles}

A47J 31/007

- . {for brewing on a large scale, e.g. for restaurants, or for use with more than one brewing container}

A47J 31/02

- . Coffee-making machines with removable extraction cups, to be placed on top of drinking-vessels, {i.e. coffee-makers with removable brewing vessels, to be placed on top of beverage containers, into which hot water is poured,} e.g. cafe filtre (filters [A47J 31/06](#); {with integral heating means [A47J 31/10](#)})

A47J 31/04

- . Coffee-making apparatus with rising pipes {(pressure coffee-makers [A47J 31/24](#))}

A47J 31/043

- .. Vacuum-type coffee-making apparatus with rising pipes in which hot water is passed to the upper bowl in which the ground coffee is placed and subsequently the heat source is cut-off and the water is sucked through the filter by the vacuum in the lower bowl

A47J 31/047

- ... with automatic cut-off of heat supply

A47J 31/053

- .. with repeated circulation of the extract through the filter

A47J 31/057

- .. with water container separated from beverage container, the hot water passing the filter only once, {i.e. classical type of drip coffee makers (drip coffee makers only functioning with the water heating container in a higher position than the brewing vessel [A47J 31/10](#))}

A47J 31/0573

- ... {with flow through heaters (flow through heaters as part of a water boiling vessel in a beverage making machine [A47J 31/542](#))}

A47J 31/0576

- ... {with a sealed water boiling vessel in which the steam pressure urges the hot water through a rising pipe (with brewing vessel adapted for extraction under pressure [A47J 31/30](#))}

A47J 31/06

- . Filters or strainers for coffee or tea makers; { Holders therefor}

A47J 31/0605

- .. {with a valve at the filter-outlet; Anti-drip devices ([A47J 31/0615](#), [A47J 31/0621](#) take precedence)}

A47J 31/061

- ... {activated by the beverage container}

A47J 31/0615

- .. {with special arrangements for making tea or the like, e.g. where the infusion liquid is kept a certain time in the filter before flowing out}

A47J 31/0621

- .. {with means for varying the infusion outflow velocity, e.g. for brewing smaller quantities}

A47J 31/0626

- .. {with means for securing the filter holder to the beverage container}

A47J 31/0631

- .. {with means for better or quicker spreading the infusion liquid over the filter (spreader plates for drip coffee makers [A47J 31/4478](#))}

- A47J 31/0636 . . {suspended from the top of the beverage container so as to remain in contact with the prepared infusion ([tea eggs A47G 19/16](#))}
- A47J 31/0642 . . { specially adapted to cooperate with a cartridge, e.g. having grooves or protrusions to separate cartridge from the bottom of the brewing chamber ([A47J 31/0668](#) takes precedence)}
- A47J 31/0647 . . { with means to adjust the brewing chamber volume to accommodate different quantities of brewing material}
- A47J 31/0652 . . { with means to by-pass a quantity of water, e.g. to adjust beverage strength}
- A47J 31/0657 . . { for brewing coffee under pressure, e.g. for espresso machines}
- A47J 31/0663 . . . { to be used with loose coffee ([A47J 31/0689](#) takes precedence)}
- A47J 31/0668 . . . { specially adapted for cartridges}
- A47J 31/0673 { Means to perforate the cartridge for creating the beverage outlet}
- A47J 31/0678 { Means to separate the cartridge from the bottom of the brewing chamber, e.g. grooves or protrusions}
- A47J 31/0684 . . . { Sealing means for sealing the filter holder to the brewing head}
- A47J 31/0689 . . . { Reusable cartridges suitable to be opened for being filled with brewing material and to be closed to envelope the brewing material therein ([disposable cartridges to be filled by the user with brewing material A47J 31/08](#); [disposable cartridges already filled with brewing material B65D 85/804B](#))}
- A47J 31/08 . . Paper filter inlays therefor { to be disposed after use}
- A47J 31/085 . . . { to be used for brewing coffee under pressure, e.g. for espresso machines}
- A47J 31/10 . Coffee-making apparatus, in which the brewing vessel, {i.e. water heating container,} is placed above or in the upper part of the beverage containers; {i.e. brewing vessel}; Drip coffee-makers {with the water heating container in a higher position than the brewing vessel ([without integral heating means A47J 31/02](#), with hot water transport by rising pipes [A47J 31/057](#))}
- A47J 31/103 . . {with a siphon in the water heating container}
- A47J 31/106 . . {with a valve at the water heating container outlet}
- A47J 31/12 . . in which the vapour from the boiling water is raised above the filter and after condensing passes through the filter
- A47J 31/14 . Coffee or tea-making apparatus with filters placed in or behind pouring spouts
- A47J 31/16 . Inverting coffee-making apparatus in which water is boiled in the lower part and the apparatus is subsequently inverted to pass the water through the filter
- A47J 31/18 . Apparatus in which ground coffee or tea-leaves are immersed in the hot liquid in the beverage container ([infusing bags A47G 19/16](#))
- A47J 31/20 . . having immersible, e.g. rotatable, filters
- A47J 31/22 . Centrifuges for producing filtered coffee ([A47J 31/20](#) takes precedence)
- A47J 31/24 . Coffee-making apparatus in which hot water is passed through the filter under pressure, {i.e. in which the coffee grounds are extracted under pressure}([A47J 31/043](#){and [A47J 31/40](#)} take precedence)
- A47J 31/30 . . with hot water under steam pressure
- A47J 31/303 . . . {classical type of espresso apparatus, e.g. to put on a stove, i.e. in which the water is heated in a lower, sealed boiling vessel, raised by the steam pressure through a rising pipe and an extraction chamber and subsequently is collected

- in a beverage container on top of the water boiling vessel}
- A47J 31/306 {with integral electrical heating means}
- A47J 31/32 . . with hot water under air pressure
- A47J 31/34 . . with hot water under liquid pressure
- A47J 31/36 . . . with mechanical pressure-producing means
- A47J 31/3604 { with a mechanism arranged to move the brewing chamber between loading, infusing and ejecting stations}
- A47J 31/3609 { Loose coffee being employed (with a filtering tape [A47J 31/3652](#))}
- A47J 31/3614 { Means to perform transfer from a loading position to an infusing position}
- A47J 31/3619 { Means to remove coffee after brewing}
- A47J 31/3623 { Cartridges being employed (with tape of cartridges [A47J 31/3652](#))}
- A47J 31/3628 { Perforating means therefor}
- A47J 31/3633 { Means to perform transfer from a loading position to an infusing position}
- A47J 31/3638 { Means to eject the cartridge after brewing}
- A47J 31/3642 { Cartridge magazines therefor}
- A47J 31/3647 { a tape being employed}
- A47J 31/3652 { the tape including only filtering means, i.e. not including brewing material}
- A47J 31/3657 { the tape including permeable cartridges}
- A47J 31/3661 { the tape including impermeable cartridges}
- A47J 31/3666 { whereby the loading of the brewing chamber with the brewing material is performed by the user ([A47J 31/3604](#) takes precedence)}
- A47J 31/3671 { Loose coffee being employed}
- A47J 31/3676 { Cartridges being employed}
- A47J 31/368 { Permeable cartridges being employed}
- A47J 31/3685 { Brewing heads therefor}
- A47J 31/369 { Impermeable cartridges being employed}
- A47J 31/3695 { Cartridge perforating means for creating the hot water inlet (cartridge perforating means of the filter holder for creating the beverage outlet [A47J 31/0673](#))}
- A47J 31/38 operated by hand
- A47J 31/40 . Beverage-making apparatus with dispensing means for adding a measured quantity of ingredients, e.g. coffee, water, sugar, cocoa, milk, tea
- A47J 31/401 . . {whereby the powder ingredients and the water are delivered to a mixing bowl}
- A47J 31/402 . . {Liquid dosing devices}
- A47J 31/404 . . {Powder dosing devices}
- A47J 31/405 . . { with one or more infusion chambers moving successively between loading, infusing and dumping stations}
- A47J 31/407 . . { with ingredient-containing cartridges; Cartridge-perforating means}
- A47J 31/408 . . { with means for moving a filter in the form of a tape (coffee or tea filters per se [A47J 31/06](#))}
- A47J 31/41 . . of liquid ingredients

- A47J 31/42 . Beverage-making apparatus with incorporated grinding or roasting means for coffee
{(coffee mills [A47J 42/00](#); coffee roasters in general [A23N 12/08](#))}
- A47J 31/44 . Parts or details {or accessories} of beverage-making apparatus (filters or strainers
[A47J 31/06](#))
- A47J 31/4403 .. {Constructional details}
- A47J 31/4407 ... {Lids, covers or knobs}
- A47J 31/441 ... { Warming devices or supports for beverage containers (warming devices not
being part of the beverage-making apparatus [A47J 36/24](#); stands or holders for
beverage containers not being part of the beverage-making apparatus
[A47J 47/16](#))}
- A47J 31/4414 { Supports for empty beverage containers while not in use, e.g. for storing
extra jug or cups}
- A47J 31/4417 { with heating means for pre-heating the empty beverage containers, e.g.
cup-warmers}
- A47J 31/4421 { Heated support plates}
- A47J 31/4425 { Supports for beverage containers when filled or while being filled (supports
allowing to adapt the beverage making apparatus to the size of the beverage
container [A47J 31/4482](#))}
- A47J 31/4428 { with a drip-tray underneath}
- A47J 31/4432 { with means for keeping the beverage warm (urns with devices for
keeping beverages hot or cool [A47J 31/50](#))}
- A47J 31/4435 { Heated support plates}
- A47J 31/4439 { with electrical heating elements (for flow-through heaters
[A47J 31/445](#))}
- A47J 31/4442 { in combination with a continuous-flow heater for the water
(continuous-flow heaters per se [A47J 31/542](#))}
- A47J 31/4446 { microwaves being used for the flow-through heater}
- A47J 31/445 { an electrical heating element being used for the flow-through
heater}
- A47J 31/4453 { interposed between means for keeping the beverage warm and the
beverage container, e.g. spacers for raising the beverage container from
the heated support plate in order to reduce heat transfer}
- A47J 31/4457 ... {Water-level indicators (water-level controls [A47J 31/56](#))}
- A47J 31/446 ... {Filter holding means; Attachment of filters to beverage-making apparatus}
- A47J 31/4464 { by means of bayonet-type engagement}
- A47J 31/4467 { by means of linear guides, e.g. drawer-type engagement}
- A47J 31/4471 { by means of a hinge}
- A47J 31/4475 ... {Hot water outlets for drip coffee makers}
- A47J 31/4478 {Spreader plates (as an accessory of the filter [A47J 31/0631](#))}
- A47J 31/4482 .. {Details allowing to adapt the beverage-making apparatus to the size of the
brewing vessel or the beverage container, e.g. with adjustable support for the
beverage container or adjustable hot water outlet}
- A47J 31/4485 .. {Nozzles dispensing heated and foamed milk, i.e. milk is sucked from a milk
container, heated and foamed inside the device, and subsequently dispensed from
the nozzle}
- A47J 31/4489 .. {Steam nozzles, e.g. for introducing into a milk container to heat and foam milk}

- A47J 31/4492 .. { Means to read code provided on ingredient pod or cartridge}
- A47J 31/4496 .. { Means to produce beverage with a layer on top, e.g. of cream, foam or froth}
- A47J 31/46 .. Dispensing spouts, pumps, drain valves or like liquid transporting devices
- A47J 31/462 ... {with an intermediate liquid storage tank}
- A47J 31/465 {for the heated water}
- A47J 31/467 {for the infusion}
- A47J 31/48 .. Clips, rings, hooks, or like devices to support filter parts while not in use
- A47J 31/50 .. Urns with devices for keeping beverages hot or cool {(devices for warming-up drink-containers not being a part of the beverage-making apparatus [A47J 36/24](#); thermally-insulated vessels [A47J 41/00](#))}
- A47J 31/505 ... {with heat-supply regulation}
- A47J 31/52 .. Alarm-clock-controlled mechanisms for coffee or tea making apparatus {or timers without an alarm-device (water-level controls [A47J 31/56](#); safety devices [A47J 31/58](#))}
- A47J 31/54 .. Water boiling vessels {in beverage making machines (as an independent water-boiling vessel [A47J 27/21](#))}
- A47J 31/542 ... {Continuous-flow heaters}
- A47J 31/545 {Control or safety devices}
- A47J 31/547 ... {using microwave energy for heating the water}
- A47J 31/56 ... having water-level controls; having temperature controls
- A47J 31/58 .. Safety devices
- A47J 31/60 .. Cleaning devices
- A47J 31/605 ... {Water filters}

A47J 33/00 **Camp cooking devices without integral heating means** (travelling cookers with one burner [A47J 36/26](#); other travelling cookers heated by petroleum, gasoline, spirit, or the like [F24C](#))

A47J 36/00 **Parts, details or accessories of cooking-vessels** ([A47J 27/00](#) to [A47J 33/00](#) take precedence insofar as these parts, details or accessories are restricted to a particular kind of cooking-vessel provided for in a single one of these groups; heating devices for cooking-vessels in general [F24](#))

- A47J 36/02 . Selection of specific materials, e.g. heavy bottoms with copper inlay or with insulating inlay {(Processes for applying fluoropolymers to obtain an anti-adhesive surface [B05D 5/083](#))}
- A47J 36/022 .. { Cooking- or baking-vessels or supports thereof for using only once (eating- or serving-plates for using only once [A47G 19/02](#); heat-resistant food-packages [B65D 81/34](#))}
- A47J 36/025 .. { Vessels with non-stick features, e.g. coatings}
- A47J 36/027 .. {Cooking- or baking-vessels specially adapted for use in microwave ovens; Accessories therefor}
- A47J 36/04 .. the materials being non-metallic
- A47J 36/06 . Lids or covers for cooking-vessels (specially adapted for pressure-cookers [A47J 27/08](#)) { preventing boiling over of milk [A47J 27/56](#); for draining liquids from cooking-vessels [A47J 36/08](#); lids for frying-pans [A47J 37/101](#); for deep fat fryers [A47J 37/128](#)}

- A47J 36/08 . . for draining liquids from vessels
- A47J 36/10 . . Lid-locking devices
- A47J 36/12 . . Devices for holding lids in open position on the container

- A47J 36/14 . Pouring-spouts, e.g. as parts separate from vessel (spouts in general [B05B 1/22](#))

- A47J 36/16 . Inserts {(for preventing boiling over of milk [A47J 27/60](#); for frying pans [A47J 37/108](#))}
- A47J 36/165 . . {Stirring devices operatively connected to cooking vessels when being removably inserted inside (mixing, whipping, or beating devices [A47J 43/00](#))}
- A47J 36/18 . . Boilers or utensils with sieves inserted therein, e.g. potato-cookers {(perforated supports [36/20](#); basting devices in frying-pans [A47J 37/106](#))}
- A47J 36/20 . . Perforated bases or perforated containers to be placed inside a cooking utensil; {Draining baskets, inserts with separation wall}
- A47J 36/22 . . . Wire inserts (for deep fat fryers [A47J 37/12](#))

- A47J 36/24 . Warming devices
- A47J 36/2405 . . { for warming food contained in vessels immersed in a water bath, e.g. chafers or steam tables ([A47J 36/2438](#) takes precedence)}
- A47J 36/2411 . . {Baby bottle warmers; Devices for warming baby food in jars}
- A47J 36/2416 . . . {with a heat storage element or material}
- A47J 36/2422 . . . {using solid fuel}
- A47J 36/2427 . . . {with a burner, e.g. using gasoline}
- A47J 36/2433 . . . {with electrical heating means}
- A47J 36/2438 {for warming a water-bath or -jacket}
- A47J 36/2444 . . {Drinking cups with heating means (drinking vessels with means for keeping liquid hot without integral heating means [A47G 19/2288](#))}
- A47J 36/245 . . . {using solid fuel}
- A47J 36/2455 . . . {with a burner, e.g. using gasoline}
- A47J 36/2461 . . . {with electrical heating means}
- A47J 36/2466 {with integral heating means}
- A47J 36/2472 {of the cordless type, i.e. whereby the cup can be plugged into an electrically-powered base element}
- A47J 36/2477 . . {using solid fuel, e.g. with candles (baby bottle warmers [A47J 36/2422](#), drinking cups [A47J 36/245](#))}
- A47J 36/2483 . . {with electrical heating means (baby bottle warmers [A47J 36/2433](#), drinking cups [A47J 36/2461](#))}
- A47J 36/2488 . . . { having infrared radiating elements}
- A47J 36/2494 . . { using heat storage elements or materials, e.g. lava stones}
- A47J 36/26 . . Devices for warming vessels containing drinks or food, especially by means of burners; {Warming devices with a burner, e.g. using gasoline}; Travelling cookers, e.g. using petroleum or gasoline with one burner {(baby bottle warmers [A47J 36/2411](#), drinking cups [A47J 36/2444](#), using solid fuel [A47J 36/2477](#), with electrical heating means [A47J 36/2483](#))}
- A47J 36/28 . . Warming devices generating the heat by exothermic reactions, e.g. heat released by the contact of unslaked lime with water {(Packages having self-contained heating means generating heat by an exothermic reaction [B65D 81/3484](#), materials for producing heat by chemical reactions [C09K 5/16](#))}

- A47J 36/30 . . Devices for warming by making use of burning cartridges or other chemical substances
- A47J 36/32 . Time-controlled igniting mechanisms or alarm devices {(in egg-cookers [A47J 29/02](#); in coffee-makers [A47J 31/52](#); bread-toasters [A47J 37/0814](#))}
- A47J 36/34 . Supports for cooking vessels {(for kitchen utensils [A47J 47/16](#))}
- A47J 36/36 . Shields or jackets for cooking utensils minimising the radiation of heat, fastened or movably mounted
- A47J 36/38 . for withdrawing or condensing cooking vapours from cooking utensils (removing cooking fumes from domestic stoves or ranges [F24C 15/20](#))
- A47J 36/40 . Leak-stopping devices for repairing cooking-vessels
- A47J 36/42 . Devices to prevent deposition of scale, i.e. fur, or the like
- A47J 37/00 Baking; Roasting; Grilling; Frying (bakers` ovens, non-domestic baking apparatus or equipment [A21B](#); domestic stoves or ranges [F24B](#), [F24C](#))**
- A47J 37/01 . Vessels uniquely adapted for baking (for use in baker`s ovens [A21B](#))
- A47J 37/015 . . {electrically heated}
- A47J 37/04 . Roasting apparatus with movably-mounted food supports or with movable heating implements; Spits {(field-cookers [A47J 33/00](#), [A47J 36/26](#), [F24B](#))}
- A47J 37/041 . . {with food supports rotating about a horizontal axis ([A47J 37/042](#) takes precedence)}
- A47J 37/042 . . {with food supports arranged on wheels or spiders rotating about a horizontal axis}
- A47J 37/043 . . {with food supports rotating about a vertical axis}
- A47J 37/044 . . {with conveyers moving in a horizontal or an inclined plane ([A47J 37/045](#), [A47J 37/046](#) take precedence)}
- A47J 37/045 . . {with endless conveyers}
- A47J 37/046 . . {with horizontal turntables}
- A47J 37/047 . . {with rotating drums or baskets}
- A47J 37/048 . . {Sausage grills with rotating rollers}
- A47J 37/049 . . {Details of the food supports not specially adapted to one of the preceding types of food supports}
- A47J 37/06 . Roasters; Grills; Sandwich grills
- A47J 37/0605 . . { specially adapted for "raclettes"}
- A47J 37/0611 . . {the food being cooked between two heating plates, e.g. waffle-irons}
- A47J 37/0623 . . { Small-size cooking ovens, i.e. defining an at least partially closed cooking cavity ([A47J 37/0605](#) takes precedence; barbecues [A47J 37/07](#))}
- A47J 37/0629 . . . { with electric heating elements}
- A47J 37/0635 { with reflectors}
- A47J 37/0641 { with forced air circulation}
- A47J 37/0647 . . . { with gas burners}

A47J 37/0652	{ with reflectors}
A47J 37/0658	...	{ specially adapted for cooking pizza}
A47J 37/0664	...	{ Accessories}
A47J 37/067	..	{Horizontally disposed broiling griddles}
A47J 37/0676	...	{electrically heated}
A47J 37/0682	...	{gas-heated}
A47J 37/0688	..	{Broilers with vertically disposed heat sources and food supports}
A47J 37/0694	..	{Broiling racks}
A47J 37/07	..	Roasting devices for outdoor use; Barbecues {(field-cookers A47J 33/00 , A47J 36/26)}
A47J 37/0704	...	{with horizontal fire box}
A47J 37/0709	{with electric heating elements}
A47J 37/0713	{with gas burners}
A47J 37/0718	...	{with vertical fire box}
A47J 37/0722	{with electric heating elements}
A47J 37/0727	{with gas burners}
A47J 37/0731	...	{with a fire box movable between different positions, e.g. horizontal, vertical, inclined}
A47J 37/0736	{with electric heating elements}
A47J 37/074	{with gas burners}
A47J 37/0745	...	{with motor-driven food supports}
A47J 37/075	{steam- or hot air-driven}
A47J 37/0754	...	{with blowers providing forced air circulation}
A47J 37/0759	...	{constructed from refractory blocks}
A47J 37/0763	...	{Small-size, portable barbecues}
A47J 37/0768	{Disposable barbecue packages containing a quantity of fuel, e.g. charcoal}
A47J 37/0772	{for use in a fireplace}
A47J 37/0781	...	{Barbecue tables, e.g. central grilling areas surrounded by an eating table}
A47J 37/0786	...	{Accessories}
A47J 37/079	{Charcoal igniting devices}
A47J 37/08	..	Bread-toasters (electric heating elements H05B)
A47J 37/0807	...	{with radiating heaters and reflectors}
A47J 37/0814	...	{with automatic bread ejection or timing means (A47J 37/0857 takes precedence)}
A47J 37/0821	{with mechanical clockwork timers}
A47J 37/0828	{with pneumatic or hydraulic timers}
A47J 37/0835	{with thermal timers}
A47J 37/0842	{with electronic timers}
A47J 37/085	{with means for sensing the bread condition}
A47J 37/0857	...	{with bread supports or heating means movable during the toasting operation (meat roasting A47J 37/04)}
A47J 37/0864	...	{Bun toasters}
A47J 37/0871	...	{Accessories}

- A47J 37/0878 {Warming racks}
- A47J 37/0885 {Toaster inserts; Removable bread tongs}
- A47J 37/0892 {Devices for providing browning patterns on the toasted surface}

- A47J 37/10 . . Frying-pans, including lids or basting devices
- A47J 37/101 . . {Lids}
- A47J 37/103 . . . {Broiling- or heating-lids}
- A47J 37/105 . . {electrically heated}
- A47J 37/106 . . {Basting devices}
- A47J 37/108 . . {Accessories, e.g. inserts, plates to hold food down during frying}

- A47J 37/12 . . Deep fat fryers, including apparatus specially adapted for frying fish {(frying under pressure [A47J 27/0817](#); devices for withdrawing or condensing frying vapours [A47J 36/38](#))}
- A47J 37/1204 . . {for domestic use}
- A47J 37/1209 . . . {electrically heated}
- A47J 37/1214 . . {the food being transported through an oil-bath (for bakery products [A21B 5/08](#))}
- A47J 37/1219 . . {with means for lowering or raising the frying basket}
- A47J 37/1223 . . {with means for filtering the frying liquid}
- A47J 37/1228 . . {Automatic machines for frying and dispensing metered amounts of food}
- A47J 37/1233 . . {the frying liquid being heated outside the frying vessel, e.g. by pumping it through a heat exchanger}
- A47J 37/1238 . . . {and the oil being returned to the frying vessel by means of a spraying system}
- A47J 37/1242 . . {heated with burners}
- A47J 37/1247 . . . {Details of the burners; Details of the channels for guiding the combustion gases}
- A47J 37/1252 . . . {of the pulse combustion type}
- A47J 37/1257 . . {electrically heated ([A47J 37/1209](#) takes precedence)}
- A47J 37/1261 . . . {Details of the heating elements; Fixation of the heating elements to the frying vessel}
- A47J 37/1266 . . {Control devices, e.g. to control temperature, level or quality of the frying liquid}
- A47J 37/1271 . . {Accessories}
- A47J 37/1276 . . {Constructional details ([A47J 37/1247](#) and [A47J 37/1261](#) take precedence)}
- A47J 37/128 . . . {Lids or covers}
- A47J 37/1285 . . . {Valves or arrangements to drain used oil or food particles settled at the bottom of the frying vessel}
- A47J 37/129 . . . {Frying vessels}
- A47J 37/1295 . . {Frying baskets or other food holders}

- A47J 39/00** **Heat-insulated warming chambers; Cupboards with heating arrangements for warming kitchen utensils**
- A47J 39/003 . . {with forced air circulation}
- A47J 39/006 . . {for either storing and preparing or for preparing food on serving trays, e.g. heating,

thawing, preserving}

- A47J 39/02 . Dish-warmers; Devices to keep food hot {(A47J 39/006 takes precedence)}
- A47J 39/025 . . { for warming dishes without food before use}

A47J 41/00

Thermally-insulated vessels, e.g. flasks, jugs, jars (containers with thermal insulation in general [B65D 81/38](#))

- A47J 41/0005 . {comprising a single opening for filling and dispensing provided with a stopper}
- A47J 41/0011 . . {the stopper being completely removed from the opening during dispensing}
- A47J 41/0016 . . {the stopper remaining in the opening and clearing a passage way between stopper and vessel for dispensing}
- A47J 41/0022 . . . {the stopper comprising two or more pieces movable relatively to each other for opening or closing the dispensing passage}
- A47J 41/0027 . . {the stopper incorporating a dispensing device, i.e. the fluid being dispensed through the stopper}
- A47J 41/0033 . . . {comprising a pumping system}
- A47J 41/0038 . {comprising additional heating or cooling means, i.e. use of thermal energy in addition to stored material}
- A47J 41/0044 . . {comprising heat or cold storing elements or material, i.e. energy transfer within the vessel}
- A47J 41/005 . . { comprising heat or cold producing means, i.e. energy transfer from outside the vessel}
- A47J 41/0055 . { Constructional details of the elements forming the thermal insulation(A47J 41/02 takes precedence)}
- A47J 41/0061 . . {the elements being detachable or the food holding vessel being replaceable}
- A47J 41/0066 . . {Flexible containers or jackets}
- A47J 41/0072 . . {Double walled vessels comprising a single insulating layer between inner and outer walls}
- A47J 41/0077 . . . {made of two vessels inserted in each other}
- A47J 41/0083 . {Accessories}
- A47J 41/0088 . . {Inserts; Devices attached to the stopper}
- A47J 41/0094 . . {Indicating means, e.g. for level or temperature}
- A47J 41/02 . Vacuum-jacket vessels, e.g. vacuum bottles
- A47J 41/022 . . {Constructional details of the elements forming vacuum space}
- A47J 41/024 . . . {made of glass}
- A47J 41/026 {Protective elements therefor, e.g. liner, support or housing}
- A47J 41/028 . . . {made of metal}

A47J 42/00

Coffee mills; Spice mills (as part of universal or multi-purpose machines [A47J 43/04](#), [A47J 44/00](#); grinding or pulverising in general [B02C](#))

- A47J 42/02 . having grinding cones
- A47J 42/04 .. hand driven
- A47J 42/06 .. mechanically driven
- A47J 42/08 .. Adjusting mechanisms
- A47J 42/10 .. Grinding cones

- A47J 42/12 . having grinding discs
- A47J 42/14 .. hand driven
- A47J 42/16 .. mechanically driven
- A47J 42/18 .. Adjusting mechanisms
- A47J 42/20 .. Grinding discs

- A47J 42/22 . having pulverising beaters or rotary knives
- A47J 42/24 .. hand driven
- A47J 42/26 .. mechanically driven
- A47J 42/28 .. Beaters or knives
- A47J 42/30 .. having perforated container for the ground material; having sieves

- A47J 42/32 . with other grinding or pulverising members
- A47J 42/34 .. hand driven
- A47J 42/36 .. mechanically driven

- A47J 42/38 . Parts or details
- A47J 42/40 .. relating to discharge, receiving container or the like; Bag clamps, e.g. with means for actuating electric switches
- A47J 42/42 ... Drawers for receiving ground material
- A47J 42/44 .. Automatic starting or stopping devices ([bag clamps with means for actuating switches A47J 42/40](#)); Warning devices
- A47J 42/46 .. Driving mechanisms; Coupling to drives
- A47J 42/48 .. Attachment of mills to tables, walls, or the like ([attachment of household machines in general to tables, walls, or the like A47J 45/02](#))
- A47J 42/50 .. Supplying devices, e.g. funnels; Supply containers
- A47J 42/52 .. Coffee mills combined with roasting devices ([combinations of coffee mills with coffee-making machines A47J 31/42](#); [coffee-roasting devices per se A23N 12/00](#))
- A47J 42/54 .. Cooling
- A47J 42/56 .. Safety devices ([for food processors A47J 43/075](#))

- A47J 43/00 Miscellaneous implements for preparing or holding food**

- A47J 43/04 . Machines for domestic use not covered elsewhere, e.g. for grinding, mixing, stirring, kneading, emulsifying, whipping or beating foodstuffs, e.g. power-driven ([food straining implements A47J 19/00](#); [devices for grating A47J 43/25](#); [multi-purpose machines A47J 44/00](#))
- A47J 43/042 .. Mechanically-driven liquid shakers ([hand-held shakers A47J 43/27](#))
- A47J 43/044 .. with tools driven from the top side

- A47J 43/046 . . with tools driven from the bottom side
- A47J 43/0465 . . . {with magnetic drive}
- A47J 43/06 . . with a plurality of interchangeable working units, {e.g. with a single driving-unit}
- A47J 43/07 . . Parts or details, e.g. mixing tools, whipping tools
- A47J 43/0705 . . . {for machines with tools driven from the upper side ([A47J 43/0727](#) to [A47J 43/08](#) take precedence)}
- A47J 43/0711 {mixing, whipping or cutting tools}
- A47J 43/0716 . . . {for machines with tools driven from the lower side ([A47J 43/0727](#) to [A47J 43/08](#) take precedence)}
- A47J 43/0722 {Mixing, whipping or cutting tools}
- A47J 43/0727 . . . {Mixing bowls}
- A47J 43/075 . . . {Safety devices}

WARNING

Not complete, see also [A47J 42/56](#), [A47J 43/07](#)

- A47J 43/0755 {for machines with tools driven from the upper side}

WARNING

Not complete, see also [A47J 43/0705](#)

- A47J 43/0761 {for machines with tools driven from the lower side}

WARNING

Not complete, see also [A47J 43/0716](#)

- A47J 43/0766 {activated by the proper positioning of the mixing bowl}
- A47J 43/0772 {activated by the proper positioning of the cover}
- A47J 43/0777 {in which the activating element on the cover transmits a signal to a safety device in the base element via the mixing bowl removably seated on this base element, e.g. pin on the cover moves a pushrod in the bowl handle to operate safety switch in the base element}
- A47J 43/0783 {activated by the proper positioning of a separate food chute on the cover}N04
- A47J 43/0788 {activated by the proper positioning of a food chute protector}
- A47J 43/0794 {in which operation is not possible without the use of a food pusher}N04
- A47J 43/08 . . . Driving mechanisms
- A47J 43/082 {for machines with tools driven from the upper side ([A47J 43/087](#), [A47J 43/09](#) take precedence)}
- A47J 43/085 {for machines with tools driven from the lower side ([A47J 43/087](#), [A47J 43/09](#) take precedence)}
- A47J 43/087 {for machines with several driving units ([A47J 43/09](#) takes precedence)}
- A47J 43/09 with fluid drive, e.g. by jets

- A47J 43/10 . . Egg-whisks; Cream-beaters, i.e. hand implements {or hand-driven devices}
- A47J 43/1006 . . {Hand-driven mixing devices with rotating tools, e.g. sticking out from the bottom of

- the mixing receptacle; with rotating bowls; with an additional function}
- A47J 43/1012 . . . {the mixing device being fitted on a post beside the mixing receptacle}
- A47J 43/1018 . . . {the mixing device being fitted on the cover of, or directly on, the stationary mixing receptacle}
- A47J 43/1025 {with gears between the drive axis and the driven axis, e.g. for planetary motion of tools or for coaxial tools}
- A47J 43/1031 . . . {the mixing device being provided with a grip to be held by one hand, the other hand being used for driving the mixing device ([A47J 43/105](#), [A47J 43/1056](#) take precedence)}
- A47J 43/1037 {with two or more mixing tools}
- A47J 43/1043 {with coaxial tools}
- A47J 43/105 . . . {the rotating tools being driven by a reciprocating member, e.g. by a rack-and-pinion mechanism or by a tangentially-pulled rope}
- A47J 43/1056 . . . {the tools rotating about a horizontal or inclined axis}
- A47J 43/1062 . . . {the mixing devices being provided with an additional liquid receptacle, e.g. for adding oil during mixing}
- A47J 43/1068 . . . {Construction of the rotating mixing tools}
- A47J 43/1075 . . {Hand-driven mixing devices with reciprocating or oscillating tools}
- A47J 43/1081 . . . {with rectilinearly reciprocating tools}
- A47J 43/1087 . . {Whisks or similar tools comprising mixing wires}
- A47J 43/1093 . . . {the wires being of the closed-loop type mounted at the end of a shaft}
- A47J 43/12 . . Whipping by introducing a stream of gas {(milk-foaming devices adapted to coffee-making machines [A47J 31/4485](#), [A47J 31/4489](#); aerating or deaerating milk [A01J 11/04](#); making ice-cream [A23G 9/20](#))}
- A47J 43/121 . . {Devices using a static mixing element; Static mixing elements therefor}
- A47J 43/122 . . . {the mixing element being of considerable length, e.g. labyrinth-type mixing elements}
- A47J 43/123 {Self-contained units for making whipped cream}
- A47J 43/125 . . {Receptacles with gas-introducing means at the bottom; Gas pumping means therefor}
- A47J 43/126 . . {Tools whereby gas is introduced through their axis; Gas pumping means therefor}
- A47J 43/127 . . {Devices using a rotary mixing element, e.g. driven by the gas}
- A47J 43/128 . . {Parts; Accessories, e.g. valves}
- A47J 43/14 . . Devices {or machines} for opening raw eggs or separating the contents thereof {(openers for boiled eggs [A47G 19/28](#))}
- A47J 43/145 . . {Machines therefor}
- A47J 43/16 . . Implements for introducing fat, bacon or the like into meat; Larding-pins
- A47J 43/18 . . Holding or clamping devices for supporting fowl, venison, or other meat, or vegetables, during cooking or during subsequent cutting
- A47J 43/20 . . Shapes for preparing foodstuffs, e.g. meat-patty moulding devices, {pudding moulds}
- A47J 43/22 . . Kitchen sifters

- A47J 43/24 . Devices for washing vegetables or the like; {Colanders (machines for washing potatoes, beets, apples on an industrial scale [A23N 12/023](#); machines for washing grain [B02B 1/04](#))}
- A47J 43/25 . Devices for grating
- A47J 43/255 .. {with grating discs or drums}
- A47J 43/26 . Nutcrackers (pliers [B25B 7/00](#))
- A47J 43/27 . for mixing drinks; Hand-held shakers (mechanically driven [A47J 43/042](#))
- A47J 43/28 . Other culinary hand implements, e.g. spatulas, pincers, forks or like food holders, ladles, skimming ladles, cooking spoons; Spoon-holders attached to cooking pots ({measuring spoons for powders [A61J](#), measuring flasks [B01L 3/00](#)}; calibrated capacity measures for fluids or fluent solid material [G01F 19/00](#); weighing spoons [G01G 19/56](#))
- A47J 43/281 .. {Cooking spoons; Ladles (table spoons [A47G 21/02](#), [A47G 21/04](#))}
- A47J 43/282 .. {Spoons for serving ice-cream}
- A47J 43/283 .. {Tongs; Devices for picking, holding or rotating food}
- A47J 43/284 .. {Hand implements for separating solids from liquids or liquids from liquids}

WARNING

Skimmers and skimming ladles are being continuously reclassified to [A47J 43/285](#)

- A47J 43/285 . . . {Skimmers; Skimming ladles}

WARNING

Not complete, see also [A47J 43/284](#)

- A47J 43/286 . . . {Hand implements for draining preserving liquid from canned food, e.g. tuna-squeezers(devices for squeezing-out liquid from liquid-containing material not used as kitchen equipment[B30B 9/02](#); containers with provisions for draining away fluids [B65D 81/26](#))}
- A47J 43/287 .. {Holders for spoons or the like attached to cooking pots (plates with integral holders for spoons [A47G 19/06](#))}
- A47J 43/288 .. {Spatulas; Scrapers; Multi-purpose hand implements}

A47J 44/00 Multi-purpose machines for preparing food {with several driving units}

- A47J 44/02 . with provisions for drive either from top or from bottom, e.g. for separately-driven bowl

Other household implements or utensils**A47J 45/00 Devices for fastening or gripping kitchen utensils {or crockery}(kitchen cabinets with provision for attachment of kitchen implements or utensils [A47B 77/00](#))**

- A47J 45/02 . for fastening kitchen utensils to tables, walls, or the like (for household utensils [A47G 29/087](#))

- A47J 45/06 . Handles for hollow-ware articles {(handles for metallic holders [B65D](#))}
- A47J 45/061 .. {Saucepan, frying-pan handles ([A47J 45/07](#) takes precedence)}
- A47J 45/062 .. {Bowl handles ([A47J 45/07](#) takes precedence)}
- A47J 45/063 .. {Knobs, e.g. for lids ([A47J 45/07](#) takes precedence)}
- A47J 45/065 .. {Bails, e.g. for pails, for kettles ([A47J 45/07](#) takes precedence)}
- A47J 45/066 .. {Collar handles ([A47J 45/07](#) takes precedence)}
- A47J 45/067 .. {Handles for coffee pots or the like ([A47J 45/07](#) takes precedence)}
- A47J 45/068 .. {Handles having indicating means, e.g. for temperature ([A47J 45/07](#) takes precedence)}

- A47J 45/07 .. of detachable type (separate handles, {devices for gripping hot cooking utensils}[A47J 45/10](#))
- A47J 45/071 ... {Saucepan, frying-pan handles}
- A47J 45/072 ... {Bowl handles}
- A47J 45/074 ... {Knobs, e.g. for lids}
- A47J 45/075 ... {Bails, e.g. for pails, for kettles}
- A47J 45/077 ... {Collar handles}
- A47J 45/078 ... {Handles for coffee pots or the like}
- A47J 45/08 .. Heat-insulating handles (of detachable type [A47J 45/07](#))
- A47J 45/085 ... {Heat shields for handles}

- A47J 45/10 . Devices for gripping or lifting hot cooking utensils, e.g. pincers, separate pot handles, fabric or like pads (egg grasping devices[A47J 29/06](#); {plate-holders[A47G 19/08](#)})

- A47J 47/00** **Miscellaneous kitchen containers, stands, or the like** ({bowls for food processors [A47J 43/0727](#); containers in general [B65D](#)); **Cutting-boards, e.g. for bread** (with slicing devices [B26D](#))

- A47J 47/005 . {Cutting boards}

- A47J 47/01 . with dispensing devices {(for butter or the like [A47J 9/00](#); for table use [A47G 19/32](#))}

- A47J 47/02 . Closed containers for foodstuffs {(for table use [A47G 19/30](#))}
- A47J 47/04 .. for granulated foodstuffs
- A47J 47/06 ... with arrangements for keeping fresh
- A47J 47/08 .. for non-granulated foodstuffs
- A47J 47/10 ... with arrangements for keeping fresh
- A47J 47/12 ... Bread boxes

- A47J 47/14 . Carriers for prepared human food (lunch boxes, picnic boxes, or the like [A45C 11/20](#))
- A47J 47/145 .. {Hand carriers for pizza delivery, e.g. with thermal insulation, heating means or humidity control}

- A47J 47/16 . Stands, or holders for kitchen articles (racks [A47B](#))

- A47J 47/18 . Pails for kitchen use
- A47J 47/19 . . Edge protectors; Floor protectors
- A47J 47/20 . Grids, racks, or other supports removably mounted in, on, or over sinks; Splash guards for sinks

- A47J 2009/00 **Apparatus or utensils for shaping { or dispensing portions of} butter or the like (for use in dairies [A01J 19/00](#), [A01J 21/00](#), {[A01J 23/00](#)}; moulding plastic material in general [B29C](#))**
- A47J 2009/008 . with scales or indicators to determine the amount to be dispensed or separated

- A47J 2027/00 **Cooking-vessels ([A47J 29/00](#) to [A47J 33/00](#) takes precedence)**
- A47J 2027/006 . especially adapted for preparing pasta
- A47J 2027/008 . . for cooking pasta under pressure
- A47J 2027/04 . for cooking food in steam; Devices for extracting fruit juice by means of steam; {[Vacuum cooking vessels](#) ([steam-heated vessels for hotels, restaurants or canteens \[A47J 27/16\]\(#\)](#))}
- A47J 2027/043 . . for cooking food in steam
- A47J 2027/046 . . Devices for extracting fruit juice by means of steam

- A47J 2031/00 **Apparatus for making beverages (household machines or implements for straining foodstuffs [A47J 19/00](#); preparation of non-alcoholic beverages, e.g. by adding ingredients to fruit or vegetable juices, [A23L 2/00](#); coffee or tea pots [A47G 19/14](#); tea infusers [A47G 19/16](#); dispensing beverages on draught [B67D 1/00](#); brewing of beer [C12C](#); preparation of wine or other alcoholic beverages [C12G](#))**
- A47J 2031/06 . Filters or strainers for coffee or tea makers; { [Holders therefor](#)}
- A47J 2031/0694 . . with indicating means to aid the measurement of ground coffee contained therein
- A47J 2031/16 . Inverting coffee-making apparatus in which water is boiled in the lower part and the apparatus is subsequently inverted to pass the water through the filter
- A47J 2031/165 . . Stirring devices operatively connected to cooking utensils when being removably inserted in a cooking-vessel

- A47J 2037/00 **Baking; Roasting; Grilling; Frying (bakers` ovens, non-domestic baking apparatus or equipment [A21B](#); domestic stoves or ranges [F24B](#), [F24C](#))**
- A47J 2037/06 . Roasters; Grills; Sandwich grills
- A47J 2037/0611 . . {the food being cooked between two heating plates, e.g. waffle-irons}
- A47J 2037/0617 . . . with means to adjust the distance between heating plates
- A47J 2037/07 . . Roasting devices for outdoor use; Barbecues {(field-cookers [A47J 33/00](#), [A47J 36/26](#))}

- [A47J 2037/0777](#) . . . with foldable construction for storage or transport purposes
- [A47J 2037/0786](#) . . . {Accessories}
- [A47J 2037/0795](#) Adjustable food supports, e.g. for height adjustment

A47J 2043/00 Miscellaneous implements for preparing or holding food

- [A47J 2043/04](#) . Machines for domestic use not covered elsewhere, e.g. for grinding, mixing, stirring, kneading, emulsifying, whipping or beating foodstuffs, e.g. power-driven ([food straining implements A47J 19/00](#); [devices for grating A47J 43/25](#); [multi-purpose machines A47J 44/00](#))
- [A47J 2043/044](#) . . with tools driven from the top side
- [A47J 2043/04409](#) . . . Apparatus of hand held type
- [A47J 2043/04418](#) with housing extending perpendicular, e.g. horizontally, from the tool axis
- [A47J 2043/04427](#) with housing extending vertically in line with the tool axis
- [A47J 2043/04436](#) attachable to the bowl
- [A47J 2043/04445](#) attachable to a stand
- [A47J 2043/04454](#) . . . Apparatus of counter top type
- [A47J 2043/04463](#) with a mixing unit rigidly fixed on the housing and a movable support for the bowl
- [A47J 2043/04472](#) with a mixing unit vertically movable relative to the support
- [A47J 2043/04481](#) with a mixing unit pivotable on the support
- [A47J 2043/0449](#) with a mixing unit detachable from the support
- [A47J 2043/07](#) . . Parts or details, e.g. mixing tools, whipping tools
- [A47J 2043/0733](#) . . . Weighing means
- [A47J 2043/0738](#) . . . Means for storing accessories
- [A47J 2043/0744](#) . . . Means for storing the power cord

[A47J 2201/00](#) Devices having a modular construction

Other household implements or utensils

[A47J 2202/00](#) Devices having temperature indicating means

[A47J 2203/00](#) Devices having filling level indicating means