

CPC**COOPERATIVE PATENT CLASSIFICATION****F41G****WEAPON SIGHTS; AIMING** (optical aspects thereof G02B)**F41G 1/00**

Sighting devices(for indirect laying of fire [F41G 3/16](#); bombsights [F41G 3/24](#);
structurally associated with laser telemeters [F41G 3/065](#); mounting tubular or beam
shaped aiming devices on firearms [F41G 11/001](#)}}

F41G 1/01

- . characterised by the visual combination effect of the respective geometrical forms of fore and rear sight ([F41G 1/42](#) takes precedence)

F41G 1/02

- . Foresights

F41G 1/027

- .. with lens

F41G 1/033

- .. adjustable

F41G 1/04

- .. Protection means therefor

F41G 1/06

- . Rearsights

F41G 1/065

- .. {Protection means therefor ([F41G 1/04](#) takes precedence)}

F41G 1/08

- .. with aperture; {tubular or of ring form; Peep sights ([F41G 1/42](#) takes precedence)}

F41G 1/10

- .. with notch

F41G 1/12

- .. with line or mark other than notch

F41G 1/14

- .. with lens

F41G 1/16

- .. Adjusting mechanisms therefor; Mountings therefor

F41G 1/17

- ... Convertible sights, i.e. sets of two or more sights brought into the sight line optionally

F41G 1/18

- ... Clicking-indicators with spring detents

F41G 1/20

- ... coarse and fine

F41G 1/22

- ... Friction clamps

F41G 1/24

- ... rack-and-pinion; lever; linkwork

F41G 1/26

- ... screw

F41G 1/28

- ... wedge; cam; eccentric

F41G 1/30

- . Reflecting-sights specially adapted for smallarms or ordnance (reflecting-sights in general [G02B](#))

F41G 1/32

- . Night sights, e.g. luminescent {(optical aspects of sighting devices [G02B 23/00](#), [G02B 27/00](#))}

F41G 1/34

- .. combined with light source, e.g. spot-light

F41G 1/345

- ... {for illuminating the sights}

F41G 1/35

- ... for illuminating the target, {e.g. flash lights}

F41G 1/36

- ... with infra-red light source

F41G 1/38

- . Telescopic sights specially adapted for smallarms or ordnance (telescopic sights in

- general [G02B](#)); Supports or mountings therefor
- F41G 1/383 . . {Protection means therefor}
- F41G 1/387 . . Mounting telescopic sights on smallarms
- F41G 1/393 . . Mounting telescopic sights on ordnance; Transmission of sight movements to the associated gun
- F41G 1/3935 . . . Transmission of sight movements to the associated gun
- F41G 1/40 . Periscopic sights specially adapted for smallarms or ordnance ([periscopic sights in general G02B](#)); Supports or mountings therefor
- F41G 1/41 . . Mounting periscopic sights on smallarms
- F41G 1/42 . Tube sights; Bar sights ; {Combinations of tubular fore and rearsights}
- F41G 1/425 . . {Bar sights}
- F41G 1/44 . Spirit-level adjusting means, e.g. for correcting tilt ; {Means for indicating or correcting tilt or cant}
- F41G 1/46 . for particular applications
- F41G 1/467 . . for bows
- F41G 1/473 . . for lead-indicating or range-finding, e.g. for use with rifles or shotguns
- F41G 1/48 . . for firing grenades from rifles
- F41G 1/50 . . for trench mortars {or for other mortars}
- F41G 1/52 . . for rifles or shotguns having two or more barrels, or adapted to fire different kinds of ammunition, e.g. ball or shot
- F41G 1/54 . Devices for testing or checking; {Tools for adjustment of sights}
- F41G 1/545 . . {Tools for adjustment of sights}
- F41G 3/00** **Aiming means; Laying means**([sighting-devices F41G 1/00](#); { mounting tubular or beam shaped aiming devices on firearms [F41G 11/001](#);} [determining direction, distance or velocity by use of radio or other waves G01S](#); computer [G06](#); aerials [H01Q](#))
- F41G 3/005 . {with means for correcting the parallax between the sighting means and the muzzle axis}
- F41G 3/02 . using an independent line of sight
- F41G 3/04 . for dispersing fire from a battery; {for controlling spread of shots; for coordinating fire from spaced weapons}
- F41G 3/06 . with rangefinder ([rangefinders per se G01C](#))
- F41G 3/065 . . {Structural association of sighting-devices with laser telemeters}
- F41G 3/08 . with means for compensating for speed, direction, temperature, pressure, or humidity of the atmosphere ([measuring G01](#))
- F41G 3/10 . with means for compensating for canting of the trunnions

- F41G 3/12 . with means for compensating for muzzle velocity or powder temperature {with means for compensating for gun vibrations}
- F41G 3/14 . Indirect aiming means
- F41G 3/142 .. {based on observation of a first shoot; using a simulated shoot (training F41G 3/26)}
- F41G 3/145 .. {using a target illuminator}
- F41G 3/147 .. {based on detection of a firing weapon}
- F41G 3/16 .. Sighting devices adapted for indirect laying of fire
- F41G 3/165 ... {using a TV-monitor}
- F41G 3/18 .. Auxiliary target devices adapted for indirect laying of fire
- F41G 3/20 .. specially adapted for mountain artillery
- F41G 3/22 . for vehicle-borne armament, e.g. on aircraft
- F41G 3/225 .. {Helmet sighting systems}
- F41G 3/24 .. Bombsights
- F41G 3/26 . Teaching or practice apparatus for gun-aiming or gun-laying {(shooting games A63F 9/02; light- or radiation-emitting guns F41A 33/02; targets therefor F41J; responders, transponders for radar, sonar, lidar G01S 13/767, G01S 15/74, G01S 17/74)}
- F41G 3/2605 .. {using a view recording device cosighted with the gun (F41G 3/2616 takes precedence)}
- F41G 3/2611 ... {coacting with a TV-monitor}
- F41G 3/2616 .. {using a light emitting device}
- F41G 3/2622 ... {for simulating the firing of a gun or the trajectory of a projectile}
- F41G 3/2627 {Cooperating with a motion picture projector}
- F41G 3/2633 {using a TV type screen, e.g. a CRT, displaying a simulated target}
- F41G 3/2638 {giving hit coordinates by means of raster control signals, e.g. standard light pen}
- F41G 3/2644 {Displaying the trajectory or the impact point of a simulated projectile in the gunner's sight}
- F41G 3/265 {with means for selecting or varying the shape or the direction of the emitted beam}
- F41G 3/2655 {in which the light beam is sent from the weapon to the target}
- F41G 3/2661 { in which the light beam is sent from the target to the weapon (F41G 3/2638 takes precedence)}
- F41G 3/2666 {with means for selecting or varying PRF or time coding of the emitted beam}
- F41G 3/2672 {using PRF adapted receiver}
- F41G 3/2677 {with PRF determination}
- F41G 3/2683 {with reflection of the beam on the target back to the weapon}
- F41G 3/2688 {using target range measurement, e.g. with a laser rangefinder}
- F41G 3/2694 ... {for simulating a target (F41G 3/2627 takes precedence; moving targets per se F41J 9/00)}
- F41G 3/28 .. Small-scale apparatus (relief models or maps G09B)
- F41G 3/30 .. Gun-laying apparatus

- F41G 3/32 . Devices for testing or checking
- F41G 3/323 . . {for checking the angle between the muzzle axis of the gun and a reference axis, e.g. the axis of the associated sighting device (testing alignment of axes in general [G01B 11/27](#))}
- F41G 3/326 . . {for checking the angle between the axis of the gun sighting device and an auxiliary measuring device ([F41G 3/323](#) takes precedence)}

F41G 5/00 **Elevating or traversing control systems for guns** ({means for inhibiting firing in a specified direction [F41A 17/08](#); gun mountings permitting traversing or elevating movement, e.g. gun carriages, [F41A 27/00](#); computers [G06](#))

- F41G 5/02 . using only mechanical means for remote control
- F41G 5/04 . using hydraulic means for remote control
- F41G 5/06 . using electric means for remote control
- F41G 5/08 . Ground-based tracking-systems for aerial targets
- F41G 5/12 . acoustically influenced
- F41G 5/14 . for vehicle-borne guns
- F41G 5/16 . . gyroscopically influenced
- F41G 5/18 . . Tracking systems for guns on aircraft
- F41G 5/20 . . for guns on ships
- F41G 5/22 . . . to compensate for rolling or pitching
- F41G 5/24 . . for guns on tanks
- F41G 5/26 . Apparatus for testing or checking

F41G 7/00 **Direction control systems for self-propelled missiles** (flight control [B64C](#), [G05D 1/00](#); { counter-measures against guided missiles [F41H 11/02](#); spin-stabilised missiles [F42B 10/26](#); self-propelled or guided missiles having direction control systems only installed aboard [F42B 15/01](#); rocket torpedoes [F42B 17/00](#); marine torpedoes or sea-mines having self-propulsion means [F42B 19/00](#); locating by use of radio or other waves [G01S](#); computing aspects [G06](#))

- F41G 7/001 . {Devices or systems for testing or checking}
- F41G 7/002 . . {target simulators}
- F41G 7/003 . . . {for seekers using radio waves}
- F41G 7/004 . . . {for infra-red seekers}
- F41G 7/005 . . {for testing benches or sets}
- F41G 7/006 . {Guided missiles training or simulation devices}
- F41G 7/007 . {Preparatory measures taken before the launching of the guided missiles}
- F41G 7/008 . {Combinations of different guidance systems}

- F41G 7/20 . based on continuous observation of target position
- F41G 7/22 .. Homing guidance systems
- F41G 7/2206 ... {using a remote control station}
- F41G 7/2213 ... { maintaining the axis of an orientable seeking head pointed at the target, e.g. target seeking gyro}
- F41G 7/222 ... {for spin-stabilized missiles}
- F41G 7/2226 ... { comparing the observed data with stored target data, e.g. target configuration data}
- F41G 7/2233 ... {Multimissile systems}
- F41G 7/224 ... {Deceiving or protecting means (jamming or anti-jamming of radio-wave systems in general [G01S 7/36](#), [G01S 7/38](#); defense installations in general [F41H 11/02](#); chaff dispensers [F42B 13/42B](#))}
- F41G 7/2246 ... { Active homing systems, i.e. comprising both a transmitter and a receiver}
- F41G 7/2253 ... { Passive homing systems, i.e. comprising a receiver and do not requiring an active illumination of the target}
- F41G 7/226 ... { Semi-active homing systems, i.e. comprising a receiver and involving auxiliary illuminating means, e.g. using auxiliary guiding missiles}
- F41G 7/2266 { Systems comparing signals received from a base station and reflected from the target}
- F41G 7/2273 ... { characterised by the type of waves}
- F41G 7/228 { using acoustic waves, e.g. for torpedoes}
- F41G 7/2286 { using radio waves}
- F41G 7/2293 { using electromagnetic waves other than radio waves}
- F41G 7/24 .. Beam riding guidance systems ([conical-scan beam beacons therefor G01S 1/42](#))
- F41G 7/26 ... Optical guidance systems
- F41G 7/263 {Means for producing guidance beams}
- F41G 7/266 {for spin-stabilized missiles}
- F41G 7/28 ... Radio guidance systems
- F41G 7/30 .. Command link guidance systems {homing [F41G 7/2206](#)}
- F41G 7/301 ... {Details}
- F41G 7/303 {Sighting or tracking devices especially provided for simultaneous observation of the target and of the missile}
- F41G 7/305 {for spin-stabilized missiles}
- F41G 7/306 { for transmitting guidance signals; ([F41G 7/308](#) takes precedence)}
- F41G 7/308 {for guiding a plurality of missiles}
- F41G 7/32 ... for wire-guided missiles

- F41G 7/34 . based on predetermined target position data
- F41G 7/343 .. {comparing observed and stored data of target position or of distinctive marks along the path towards the target}
- F41G 7/346 .. { using global navigation satellite systems, e.g. GPS, GALILEO, GLONASS}
- F41G 7/36 .. using inertial references

F41G 9/00 Systems for controlling missiles or projectiles, not provided for elsewhere

- F41G 9/002 . {for guiding a craft to a correct firing position (for bombing control [F41G 9/02](#))}
- F41G 9/004 . . {Training or teaching apparatus therefor}
- F41G 9/006 . . {for torpedo launchers (torpedo launching-apparatus [F41F 3/08](#))}

- F41G 9/008 . { Means for controlling firing of torpedoes; Torpedo directors (acoustic homing **F41G 7/2201**)}

- F41G 9/02 . for bombing control (bombsights [F41G 3/24](#))
- F41G 9/025 . . {Training or teaching apparatus therefor}

- F41G 11/00** **Details of sighting or aiming apparatus; Accessories** {(Tools for adjustment of sights [F41G 1/545](#))}

- F41G 11/001 . { Means for mounting tubular or beam shaped sighting or aiming devices on firearms}
- F41G 11/002 . . { Mountings with recoil absorbing means}
- F41G 11/003 . . { Mountings with a dove tail element, e.g. "Picatinny rail systems"}
- F41G 11/004 . . { Mountings with clamping means on the device embracing at least a part of the firearm, e.g. the receiver or a dustcover (**F41G 1/00B4** takes precedence)}
- F41G 11/005 . . { Mountings using a pivot point and an anchoring point}
- F41G 11/006 . . . { the device being rotated in a horizontal plane}
- F41G 11/007 . . . { the device being tilted in a vertical plane}
- F41G 11/008 . . . { the device being pivotable about an axis coaxial with the axis of the barrel, e.g. for loading}

- F41G 2700/00** **Torpedoes**

- F41G 2700/005 . Remote steering of torpedoes by means of electric or acoustic waves or otherwise