

CPC**COOPERATIVE PATENT CLASSIFICATION****B22F**

WORKING METALLIC POWDER; MANUFACTURE OF ARTICLES FROM METALLIC POWDER; MAKING METALLIC POWDER (processes or devices for granulating materials in general [B01J 2/00](#); making ceramics by compacting or sintering [C04B](#), e.g. [C04B 35/64](#); for the production of metals as such, see class [C22](#); reduction or decomposition of metal compounds in general [C22B](#); making alloys by powder metallurgy [C22C](#); electrolytic production of metal powder [C25C 5/00](#))

NOTE

This subclass covers the making of metallic powder only insofar as powder with specific physical characteristics is made;

In this subclass, the following terms or expressions are used with the meanings indicated:

- "metallic powder" covers powders containing a substantial proportion of non-metallic material;
- "powder" includes somewhat larger particles which are worked, obtained or behave in a manner similar to powder, e.g. fibres.

WARNING

1. The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:
[B22F 3/035](#) covered by [B22F 3/03](#)

Guidance heading:

- B22F 1/00** **Special treatment of metallic powder, e.g. to facilitate working, to improve properties** { (treatment of powder by mechanical means, e.g. by grinding, milling, rolling [B22F 9/04](#)) }; **Metallic powders per se, e.g. mixtures of particles of different composition** ([C04](#), [C08](#) take precedence; { amorphous powder [B22F 9/002](#) })
- B22F 1/0003** . {Metallic powders per se; Mixtures of metallic powders; Metallic powders mixed with a lubricating or binding agent (making ferrous alloys using a mixture of prealloyed powders [C22C 33/0207](#)) }
- B22F 1/0007** .. {Metallic powder characterised by its shape or structure, e.g. fibre structure }
- B22F 1/0011** ... {Metallic powder characterised by size or surface area only }

WARNING

Groups [B22F 1/0011](#) and [B22F 1/0014](#) are not complete, see also [B22F 1/0007](#)

- B22F 1/0014** {by size mixtures or distribution }
- B22F 1/0018** {Nanometer sized particles }
- B22F 1/0022** { Dispersions or suspensions thereof } { WARNING: Not complete, see

- also [B22F 1/0018](#) }
- B22F 1/0025 { Nanofibres or nanotubes } { WARNING: Not complete, see also [B22F 1/0018](#) }
- B22F 1/004 . . . { Fibre structure ([B22F 1/0025](#) takes precedence) }
- B22F 1/0044 . . . {Nanometer size structures }
- B22F 1/0048 . . . {Spherical powder }
- B22F 1/0051 {Hollow particles }
- B22F 1/0055 . . . { Flake form powders } { WARNING: Not complete, see also [B22F 1/0007](#) }
- B22F 1/0059 . . {Metallic powders mixed with a lubricating or binding agent or organic material }
- B22F 1/0062 . . . { Powders coated with organic material }
- B22F 1/007 . . . { Non-organic or metal salt binders or lubricants }
- B22F 1/0074 . . . { Organic materials comprising a solvent e.g. for slip casting }
- B22F 1/0077 . . . { Mixtures obtained by warm mixing }
- B22F 1/0081 . { Special treatment of metallic powder, e.g. to facilitate working, to improve properties (coating with organic material [B22F 1/0062](#)) }
- B22F 1/0085 . . {Thermal or thermo-mechanical treatment }
- B22F 1/0088 . . {Chemical treatment, e.g. passivation }
- B22F 1/0096 . . {Treatment resulting in the production of agglomerates }
- B22F 1/02 . . comprising coating of the powder { (coating with organic material [B22F 1/0062](#); chemical surface treatment [B22F 1/0088](#)) }
- B22F 1/025 . . {Metallic coating }
- B22F 3/00** **Manufacture of workpieces or articles from metallic powder characterised by the manner of compacting or sintering; Apparatus specially adapted therefor; {Presses and furnaces }**
- B22F 3/001 . {Starting from powder comprising reducible metal compounds (making ferrous alloys starting from compounds [C22C 33/0235](#)) }
- B22F 3/002 . {Manufacture of articles essentially made from metallic fibres }
- B22F 3/003 . {Apparatus, e.g. furnaces (in general [F27B](#)) }
- B22F 3/004 . {Filling molds with powder (feeding material to presses in general [B30B 15/302](#)) }
- B22F 3/005 . {Loading or unloading powder metal objects (transport in general [B65G](#)) }
- B22F 3/006 . {Amorphous articles }
- B22F 3/007 . . {by diffusion starting from non-amorphous articles prepared by powder metallurgy }
- B22F 3/008 . {Selective deposition modelling ([B22F 3/1055](#) takes precedence) }
- B22F 3/02 . Compacting only
- B22F 3/03 . . Press-moulding apparatus therefor
- B22F 3/04 . . by applying fluid pressure { e.g. by cold isostatic pressing [CIP] }

- B22F 3/045 . . . {Semi-isostatic pressure }
- B22F 3/06 . . by centrifugal forces
- B22F 3/08 . . by explosive forces { (generating shock waves in general [G10K 15/043](#)) }
- B22F 3/087 . . using high energy impulses, e.g. magnetic field impulses
- B22F 3/093 . . using vibrations {or friction }

- B22F 3/10 . Sintering only
- B22F 3/1003 . . {Use of special medium during sintering, e.g. sintering aid }
- B22F 3/1007 . . . {Atmosphere ([B22F 3/1021](#) takes precedence) }
- B22F 3/101 {Changing atmosphere }
- B22F 3/1017 . . {Multiple heating or additional steps ([B22F 3/101](#) takes precedence) }
- B22F 3/1021 . . . {Removal of binder or filler (removal of binder from ceramics [C04B 35/638](#)) }
- B22F 3/1025 {not by heating only }
- B22F 3/1028 . . . {Controlled cooling }
- B22F 3/1035 . . {Liquid phase sintering }
- B22F 3/1039 . . {by reaction ([B22F 3/001](#), [B22F 3/23](#) take precedence) }
- B22F 3/105 . . by using electric current {other than for infra-red radiant energy }, laser radiation or plasma ([B22F 3/11](#) takes precedence) ; {by ultrasonic bonding ([B22F 3/115](#) takes precedence) }

- B22F 3/1055 . . . { Selective sintering, i.e. stereolithography (selective sintering of powdered plastics [B29C 67/0077](#)) }

- B22F 3/11 . . Making porous workpieces or articles
- B22F 3/1103 . . . {with particular physical characteristics }
- B22F 3/1109 {Inhomogenous pore distribution (composite layers of porous nature [B22F 7/002](#)) }
- B22F 3/1112 {comprising hollow spheres or hollow fibres }
- B22F 3/1115 {comprising complex forms, e.g. honeycombs }
- B22F 3/1118 {comprising internal reinforcements }
- B22F 3/1121 . . . {by using decomposable, meltable or sublimatable fillers }
- B22F 3/1125 {involving a foaming process }
- B22F 3/1134 {Inorganic fillers (carbonaceous or paper filler [B22F 3/1121](#)) }
- B22F 3/1137 {by coating porous removable preforms }
- B22F 3/114 . . . {the porous products being formed by impregnation ([B22F 3/1137](#), [B22F 3/26](#) take precedence) }
- B22F 3/1143 . . . {involving an oxidation, reduction or reaction step }
- B22F 3/1146 . . . {After-treatment maintaining the porosity ([B22F 3/114](#) takes precedence) }

- B22F 3/115 . . by spraying molten metal, i.e. spray sintering, spray casting { (also classified in [C23C 4/121](#), [C23C 4/185](#)) }

- B22F 3/12 . . Both compacting and sintering (by forging [B22F 3/17](#))
- B22F 3/1208 . . . {Containers or coating used therefor }
- B22F 3/1216 . . . {Container composition }
- B22F 3/1225 {Glass }
- B22F 3/1233 {Organic material }

B22F 3/1241 {layered }
B22F 3/125	... {Initially porous container }
B22F 3/1258	... {Container manufacturing }
B22F 3/1266 {by coating or sealing the surface of the preformed article, e.g. by melting }
B22F 3/1275 {by coating a model and eliminating the model before consolidation }
B22F 3/1283 {Container formed as an undeformable model eliminated after consolidation }
B22F 3/1291 {Solid insert eliminated after consolidation }
B22F 3/14	.. simultaneously
B22F 3/15	... Hot isostatic pressing
B22F 3/156 { by a pressure medium in liquid or powder form }
B22F 3/16	.. in successive or repeated steps { WARNING: Subgroups of B22F 3/16 are not complete, see also B22F 3/16 }
B22F 3/162	... { Machining, working after consolidation }
B22F 3/164	... { Partial deformation or calibration }
B22F 3/168 { Local deformation }
B22F 3/17	. by forging
B22F 3/172	.. {Continuous compaction, e.g. rotary hammering (with axial pressure and without reduction of section B22F 3/204) }
B22F 3/177	.. {Rocking die forging }
B22F 3/18	. by using pressure rollers
B22F 3/20	. by extruding
B22F 3/204	.. {Continuous compaction with axial pressure and without reduction of section }
B22F 3/22	. for producing castings from a slip
B22F 3/222	.. {by freeze-casting or in a supercritical fluid }
B22F 3/225	.. { by injection molding } [WARNING: Not complete, see also B22F 3/22]
B22F 3/227	.. { by organic binder assisted extrusion } { WARNING: Not complete, see also B22F 3/22 }
B22F 3/23	. involving a self-propagating high-temperature synthesis or reaction sintering step { (making cermets by reaction sintering C22C 1/058) }
B22F 3/24	. After-treatment of workpieces or articles { (B22F 3/1146 takes precedence) }
B22F 3/26	.. Impregnating { (making ferrous alloys by impregnation C22C 33/0242) }
B22F 5/00	Manufacture of workpieces or articles from metallic powder characterised by the special shape of the product
B22F 5/003	. {Articles made for being fractured or separated into parts }
B22F 5/006	. {of flat products, e.g. sheets (B22F 3/1103 takes precedence; by using pressure rollers only see B22F 3/18) }
B22F 5/007	. {of moulds }

- B22F 5/008 . { of engine cylinder parts or of piston parts other than piston rings (of piston rings [B22F 5/02](#)) }
- B22F 5/009 . { of turbine components other than turbine blades (of turbine blades [B22F 5/04](#)) }
- B22F 5/02 . of piston rings
- B22F 5/04 . of turbine blades
- B22F 5/06 . of threaded articles, e.g. nuts
- B22F 5/08 . of toothed articles, e.g. gear wheels; of cam discs
- B22F 5/085 . . { with helical contours }
- B22F 5/10 . of articles with cavities or holes, not otherwise provided for in the preceding subgroups
- B22F 5/106 . . { Tube or ring forms } { WARNING: Not complete, see also [B22F 5/10](#) }
- B22F 5/12 . of wires { (of tubes [B22F 5/10](#)) }

- B22F 7/00** **Manufacture of composite layers, workpieces, or articles, comprising metallic powder, by sintering the powder, with or without compacting { wherein at least one part is obtained by sintering or compression (application of coating layers by use of metal powders, see [C23C](#)) }**
- B22F 7/002 . {of porous nature }
- B22F 7/004 . . {comprising at least one non-porous part }
- B22F 7/006 . . . {the porous part being obtained by foaming }
- B22F 7/008 . {characterised by the composition }
- B22F 7/02 . of composite layers { ([B22F 7/002](#) takes precedence) }
- B22F 7/04 . . with one or more layers not made from powder, e.g. made from solid metal
- B22F 7/06 . of composite workpieces or articles from parts, e.g. to form tipped tools { ([B22F 7/002](#) takes precedence) }
- B22F 7/062 . . {involving the connection or repairing of preformed parts }
- B22F 7/064 . . . {using an intermediate powder layer }
- B22F 7/08 . . with one or more parts not made from powder { ([B22F 7/062](#) takes precedence) }

- B22F 8/00** **Manufacture of articles from scrap or waste metal particles**

- B22F 9/00** **Making metallic powder or suspensions thereof**
- B22F 9/002 . {amorphous or microcrystalline }
- B22F 9/004 . . {by diffusion, e.g. solid state reaction }
- B22F 9/005 . . . {Transformation into amorphous state by milling }
- B22F 9/007 . . {Transformation of amorphous into microcrystalline state }

- B22F 9/008 .. {Rapid solidification processing }
- B22F 9/02 . using physical processes
- B22F 9/023 .. {Hydrogen absorption }
- B22F 9/026 .. {Spray drying of solutions or suspensions }
- B22F 9/04 .. starting from solid material, e.g. by crushing, grinding or milling ({C22C 1/1084 takes precedence }; crushing, grinding or milling, in general, see the relevant subclasses, e.g. B02C)
- B22F 9/06 .. starting from liquid material
- B22F 9/08 ... by casting, e.g. through sieves or in water, by atomising or spraying (using electric discharge B22F 9/14)
- B22F 9/082 { atomising using a fluid (using centrifugal force B22F 9/10) }
- B22F 9/10 using centrifugal force
- B22F 9/12 .. starting from gaseous material
- B22F 9/14 .. using electric discharge
- B22F 9/16 . using chemical processes
- B22F 9/18 .. with reduction of metal compounds
- B22F 9/20 ... starting from solid metal compounds
- B22F 9/22 using gaseous reductors
- B22F 9/24 ... starting from liquid metal compounds, e.g. solutions
- B22F 9/26 using gaseous reductors
- B22F 9/28 ... starting from gaseous metal compounds
- B22F 9/30 .. with decomposition of metal compounds, e.g. by pyrolysis
- B22F 9/305 ... {of metal carbonyls }

Guidance heading:

- B22F 2001/00** **Special treatment of metallic powder, e.g. to facilitate working, to improve properties { (treatment of powder by mechanical means, e.g. by grinding, milling, rolling B22F 9/04) }; Metallic powders per se, e.g. mixtures of particles of different composition (C04, C08 take precedence; { amorphous powder B22F 9/002 })**
- B22F 2001/0003 . {Metallic powders per se; Mixtures of metallic powders; Metallic powders mixed with a lubricating or binding agent (making ferrous alloys using a mixture of prealloyed powders C22C 33/0207) }
- B22F 2001/0007 .. {Metallic powder characterised by its shape or structure, e.g. fibre structure }
- B22F 2001/0011 ... {Metallic powder characterised by size or surface area only }

WARNING

Groups [B22F 1/0011](#) and [B22F 1/0014](#) are not complete, see also [B22F 1/0007](#)

- B22F 2001/0018 {Nanometer sized particles }
- B22F 2001/0029 Hollow particles, including tubes and shells
- B22F 2001/0033 Flake form nanoparticles

B22F 2001/0037	Complex form nanoparticles , e.g.. prism, pyramid, octahedron
B22F 2001/0059	..	{Metallic powders mixed with a lubricating or binding agent or organic material }
B22F 2001/0066	...	Organic binder comprising a mixture or obtained by reaction of more than one component other than solvent, lubricant
B22F 2001/0081	.	{ Special treatment of metallic powder, e.g. to facilitate working, to improve properties (coating with organic material B22F 1/0062) }
B22F 2001/0088	..	{Chemical treatment, e.g. passivation }
B22F 2001/0092	...	Making a dispersion
B22F 2003/00		Manufacture of workpieces or articles from metallic powder characterised by the manner of compacting or sintering; Apparatus specially adapted therefor; {Presses and furnaces }
B22F 2003/02	.	Compacting only
B22F 2003/023	..	Lubricant mixed with the metal powder
B22F 2003/026	..	Mold wall lubrication or article surface lubrication
B22F 2003/03	..	Press-moulding apparatus therefor
B22F 2003/031	...	with punches moving in different directions in different planes
B22F 2003/033	...	with multiple punches working in the same direction
B22F 2003/10	.	Sintering only
B22F 2003/1003	..	{Use of special medium during sintering, e.g. sintering aid }
B22F 2003/1014	...	Getter
B22F 2003/1032	..	comprising a grain growth inhibitor
B22F 2003/1042	..	with support for articles to be sintered
B22F 2003/1046	...	with separating means for articles to be sintered
B22F 2003/105	..	by using electric current {other than for infra-red radiant energy }, laser radiation or plasma (B22F 3/11 takes precedence) ; {by ultrasonic bonding (B22F 3/115 takes precedence) }
B22F 2003/1051	...	by electric discharge
B22F 2003/1052	...	assisted by energy absorption enhanced by the coating or powder
B22F 2003/1053	...	by induction
B22F 2003/1054	...	by microwave
B22F 2003/1055	...	{ Selective sintering, i.e. stereolithography (selective sintering of powdered plastics B29C 67/0077) }
B22F 2003/1056	Apparatus components, details or accessories
B22F 2003/1057	for control or data processing, e.g. algorithms
B22F 2003/1058	Support structures for the 3D object during manufacturing, e.g. using sacrificial material
B22F 2003/1059	for cleaning or recycling
B22F 2003/11	..	Making porous workpieces or articles
B22F 2003/1103	...	{with particular physical characteristics }
B22F 2003/1106	Product comprising closed porosity
B22F 2003/1121	...	{by using decomposable, meltable or sublimatable fillers }

B22F 2003/1125	{involving a foaming process }
B22F 2003/1128	Foaming by expansion of dissolved gas, other than with foaming agent
B22F 2003/1131	Foaming in a liquid suspension and decomposition
B22F 2003/12	.	Both compacting and sintering (by forging B22F 3/17)
B22F 2003/14	..	simultaneously
B22F 2003/145	...	by warm compacting, below debinding temperature
B22F 2003/15	...	Hot isostatic pressing
B22F 2003/153	apparatus specific to HIP
B22F 2003/16	..	in successive or repeated steps { WARNING: Subgroups of B22F 3/16 are not complete, see also B22F 3/16 }
B22F 2003/164	...	{ Partial deformation or calibration }
B22F 2003/166	Surface calibration, blasting, burnishing, sizing, coining
B22F 2003/17	.	by forging
B22F 2003/175	..	by hot forging, below sintering temperature
B22F 2003/18	.	by using pressure rollers
B22F 2003/185	..	by hot rolling, below sintering temperature
B22F 2003/20	.	by extruding
B22F 2003/202	..	with back pressure
B22F 2003/206	..	Hydrostatic or hydraulic extrusion
B22F 2003/208	..	Warm or hot extruding
B22F 2003/24	.	After-treatment of workpieces or articles { (B22F 3/1146 takes precedence) }
B22F 2003/241	..	Chemical after-treatment on the surface
B22F 2003/242	...	Coating
B22F 2003/244	...	Leaching
B22F 2003/245	..	Making recesses, grooves etc on the surface by removing material
B22F 2003/247	..	Removing material: carving, cleaning, grinding, hobbing, honing, lapping, polishing, milling, shaving, skiving, turning the surface
B22F 2003/248	..	Thermal after-treatment
B22F 2005/00		Manufacture of workpieces or articles from metallic powder characterised by the special shape of the product
B22F 2005/001	.	Cutting tools, earth boring or grinding tool other than table ware
B22F 2005/002	.	Tools other than cutting tools
B22F 2005/004	.	Article comprising helical form elements (B22F 5/085 takes precedence)
B22F 2005/005	.	Article surface comprising protrusions
B22F 2005/10	.	of articles with cavities or holes, not otherwise provided for in the preceding subgroups
B22F 2005/103	..	Cavity made by removal of insert

B22F 2007/00	Manufacture of composite layers, workpieces, or articles, comprising metallic powder, by sintering the powder, with or without compacting { wherein at least one part is obtained by sintering or compression (application of coating layers by use of metal powders, see C23C) }
B22F 2007/02	. of composite layers { (B22F 7/002 takes precedence) }
B22F 2007/04	. . with one or more layers not made from powder, e.g. made from solid metal
B22F 2007/042	. . . characterised by the layer forming method
B22F 2007/045 accompanied by fusion or impregnation
B22F 2007/047 non-pressurised baking of the paste or slurry containing metal powder
B22F 2007/06	. of composite workpieces or articles from parts, e.g. to form tipped tools { (B22F 7/002 takes precedence) }
B22F 2007/062	. . {involving the connection or repairing of preformed parts }
B22F 2007/066	. . . using impregnation
B22F 2007/068	. . . repairing articles
B22F 2009/00	Making metallic powder or suspensions thereof
B22F 2009/001	. from scrap particles
B22F 2009/02	. using physical processes
B22F 2009/04	. . starting from solid material, e.g. by crushing, grinding or milling ({ C22C 1/1084 takes precedence } ; crushing, grinding or milling, in general, see the relevant subclasses, e.g. B02C)
B22F 2009/041	. . . by mechanical alloying , e.g. blending, milling
B22F 2009/042	. . . using a particular milling fluid
B22F 2009/043	. . . by ball milling
B22F 2009/044	. . . by jet milling
B22F 2009/045	. . . by other means than ball or jet milling
B22F 2009/046 by cutting
B22F 2009/047 by rolling
B22F 2009/048	. . . by pulverising a quenched ribbon
B22F 2009/049	. . . by pulverising at particular temperature
B22F 2009/06	. . starting from liquid material
B22F 2009/065	. . . Melting inside a liquid, e.g. making spherical balls
B22F 2009/08	. . . by casting, e.g. through sieves or in water, by atomising or spraying (using electric discharge B22F 9/14)
B22F 2009/0804 Dispersion in or on liquid, other than with sieves
B22F 2009/0808 Mechanical dispersion of melt, e.g. by sieves
B22F 2009/0812 Pulverisation with a moving liquid coolant stream, by centrifugally rotating stream
B22F 2009/0816 by casting with pressure or pulsating pressure on the metal bath
B22F 2009/082 { atomising using a fluid (using centrifugal force B22F 9/10) }
B22F 2009/0824 with a specific atomising fluid

B22F 2009/0828	with water
B22F 2009/0832	Handling of atomising fluid, e.g. heating, cooling, cleaning, recirculating
B22F 2009/0836	with electric or magnetic field or induction
B22F 2009/084	combination of methods
B22F 2009/0844	in controlled atmosphere
B22F 2009/0848	Melting process before atomisation
B22F 2009/0852	Electroslag melting
B22F 2009/0856	Skull melting
B22F 2009/086	Cooling after atomisation
B22F 2009/0864	by oil, other non-aqueous fluid or fluid-bed cooling
B22F 2009/0868	by injection of solid particles in the melt stream
B22F 2009/0872	by water
B22F 2009/0876	by gas
B22F 2009/088	Fluid nozzles , e.g. angle, distance
B22F 2009/0884	Spiral fluid
B22F 2009/0888	casting construction of the melt process, apparatus, intermediate reservoir e.g. tundish, devices for temperature control
B22F 2009/0892	casting nozzle; controlling metal stream in or after the casting nozzle
B22F 2009/0896	particle transport, separation: process and apparatus
B22F 2009/16	.	using chemical processes
B22F 2009/165	..	Chemical reaction in an Ionic Liquid [IL] (B22F 2009/245 takes precedence)
B22F 2009/18	..	with reduction of metal compounds
B22F 2009/24	...	starting from liquid metal compounds, e.g. solutions
B22F 2009/245	Reduction reaction in an Ionic Liquid [IL]

Guidance heading:

B22F 2201/00 Treatment under specific atmosphere

B22F 2201/01	.	Reducing atmosphere
B22F 2201/013	..	Hydrogen
B22F 2201/016	..	NH ₃
B22F 2201/02	.	Nitrogen
B22F 2201/03	.	Oxygen
B22F 2201/04	.	CO or CO ₂
B22F 2201/05	.	Water or water vapour
B22F 2201/10	.	Inert gases
B22F 2201/11	..	Argon
B22F 2201/12	..	Helium

- B22F 2201/20 . Use of vacuum
- B22F 2201/30 . Carburising atmosphere
- B22F 2201/32 . Decarburising atmosphere
- B22F 2201/40 . Metal compounds
- B22F 2201/50 . air

Guidance heading:

B22F 2202/00 Treatment under specific physical conditions

- B22F 2202/01 . Use of vibrations
- B22F 2202/03 . Treatment under cryogenic or supercritical conditions
- B22F 2202/05 . Use of magnetic field
- B22F 2202/06 . Use of electric fields
- B22F 2202/07 . by induction
- B22F 2202/09 . Use of non-gravitational conditions
- B22F 2202/11 . Use of irradiation
- B22F 2202/13 . Use of plasma
- B22F 2202/15 . Use of fluidised beds
- B22F 2202/17 . use of centrifugal or vortex forces

B22F 2203/00 Controlling

- B22F 2203/01 . To-be-deleted with administrative transfer to [B22F 2203/00](#)
- B22F 2203/03 . for feed-back
- B22F 2203/05 . thermal expansion
- B22F 2203/11 . temperature, temperature profile
- B22F 2203/13 . pressure
- B22F 2203/15 . weight

B22F 2207/00 Aspects of the compositions, gradients

- B22F 2207/01 . Composition gradients
- B22F 2207/03 . . of the metallic binder phase in cermets
- B22F 2207/05 . . . eta-phase
- B22F 2207/07 . . Particles with core-rim gradient

- B22F 2207/11 . Gradients other than composition gradients, e.g. size gradients
- B22F 2207/13 . . Size gradients
- B22F 2207/15 . . Temperature gradients
- B22F 2207/17 . . density or porosity gradients

- B22F 2207/20 . Cooperating components

Guidance heading:

B22F 2301/00 Metallic composition of the powder or its coating

- B22F 2301/05 . Light metals
- B22F 2301/052 . . Aluminium
- B22F 2301/054 . . Alkali metals, i.e. Li, Na, K, Rb, Cs, Fr
- B22F 2301/056 . . Alkaline metals, i.e. Ca, Sr, Ba, Ra
- B22F 2301/058 . . Magnesium

- B22F 2301/10 . Copper

- B22F 2301/15 . Nickel or cobalt
- B22F 2301/155 . . Rare Earth - Co or -Ni intermetallic alloys

- B22F 2301/20 . Refractory metals
- B22F 2301/205 . . Titanium, zirconium or hafnium

- B22F 2301/25 . Noble metals, i.e. Ag Au, Ir, Os, Pd, Pt, Rh, Ru
- B22F 2301/255 . . Silver or gold

- B22F 2301/30 . Low melting point metals, i.e. Zn, Pb, Sn, Cd, In, Ga

- B22F 2301/35 . Iron
- B22F 2301/355 . . Rare Earth - Fe intermetallic alloys

- B22F 2301/40 . Intermetallics other than rare earth-Co or -Ni or -Fe intermetallic alloys

- B22F 2301/45 . Rare earth metals, i.e. Sc, Y, Lanthanides (57-71)

Guidance heading:

B22F 2302/00 Metal Compound , non-Metallic compound or non-metal composition of the powder or its coating

B22F 2302/05	. Boride
B22F 2302/10	. Carbide
B22F 2302/105	. . Silicium carbide (SiC)
B22F 2302/15	. Carbonitride
B22F 2302/20	. Nitride
B22F 2302/205	. Cubic boron nitride
B22F 2302/25	. Oxide
B22F 2302/253	. . Aluminum oxide (Al ₂ O ₃)
B22F 2302/256	. . Silicium oxide (SiO ₂)
B22F 2302/30	. Oxynitride
B22F 2302/35	. Complex boride, carbide, carbonitride, nitride, oxide or oxynitride
B22F 2302/40	. Carbon, graphite
B22F 2302/403	. . Carbon nanotube
B22F 2302/406	. . Diamond
B22F 2302/45	. Others, including non-metals
B22F 2303/00	Functional details of metal or compound in the powder or product,
B22F 2303/01	. Main component
B22F 2303/05	. Compulsory alloy component
B22F 2303/10	. Optional alloy component
B22F 2303/15	. Intermetallic
B22F 2303/20	. Coating by means of particles
B22F 2303/25	. Coating by means of fibres
B22F 2303/30	. Coating alloy
B22F 2303/35	. Molten metal infiltrating a metal preform
B22F 2303/40	. Layer in a composite stack of layers, workpiece or article
B22F 2303/405	. . Support layer
B22F 2303/45	. Part of a final mixture to be processed further
B22F 2304/00	Physical aspects of the powder

- B22F 2304/05 . Submicron size particles
- B22F 2304/052 . . Particle size below 1nm
- B22F 2304/054 . . Particle size between 1 and 100 nm
- B22F 2304/056 . . Particle size above 100 nm up to 300 nm
- B22F 2304/058 . . Particle size above 300 nm up to 1 micrometer
- B22F 2304/10 . Micron size particles, i.e. above 1 micrometer up to 500 micrometer
- B22F 2304/15 . Millimeter size particles, i.e. above 500 micrometer

Guidance heading:

B22F 2998/00 **Supplementary information concerning processes or compositions relating to powder metallurgy**

- B22F 2998/10 . Processes characterised by the sequence of their steps

Guidance heading:

B22F 2999/00 **Aspects linked to processes or compositions used in powder metallurgy**