

CPC**COOPERATIVE PATENT CLASSIFICATION****G09F**

DISPLAYING; ADVERTISING; SIGNS; LABELS OR NAME-PLATES; SEALS (display cases [A47F](#) ; designs or pictures characterised by special or unusual effects, e.g. changing [B44F 1/00](#); disposition of road signs or traffic signals [E01F 9/00](#); lighting in general [F21](#) ; arrangements for controlling light beams [G02F 1/00](#); visible signalling arrangements or devices [G08B 5/00](#); traffic control systems [G08G](#) ; arrangements or circuits for control of indicating devices using static means to present variable information [G09G](#) , { [G06F 3/14](#) }; static indicating arrangements comprising integral associations of a plurality of light sources [H01J](#) , [H01K](#) , [H01L](#) , [H05B 33/12](#))

NOTE

In this subclass, the following term is used with the meaning indicated :

- "sign" designates a mark or indication serving to make something recognisable, the information presented being non-varying, even if it is flashing; by way of example it covers, therefore, advertising hoardings, or luminous, or light reflecting, safety arrangements.

Attention is drawn to the Notes following the titles of class [B81](#) and subclass [B81B](#) relating to "micro-structural devices" and "micro-structural systems".

Guidance heading:**G09F 1/00**

Cardboard or like show-cards of foldable or flexible material

G09F 1/02

- . Single substantially flat cards

G09F 1/04

- . Folded cards

G09F 1/06

- .. to be erected in three dimensions ([G09F 1/08](#) takes precedence)

G09F 1/065

- ... { Totem-like displays; Portable collapsible columnar displays }

G09F 1/08

- . wholly or partly imitating the form of an object, e.g. of the article to be advertised

G09F 1/10

- . Supports or holders for show-cards

G09F 1/103

- .. {using suspension clamps }

G09F 1/12

- .. Frames therefor

G09F 1/14

- .. in the form of legs

G09F 3/00

Labels, tag tickets, or similar identification or indication means (medals or badges [A44C 3/00](#); making labels [B31D 1/02](#); sheets temporarily attached together [B42F](#) ; labelling [B65C](#) ; labels on record carriers [G11B 23/38](#), [G11B 23/40](#)) ; **Seals; Postage or like stamps**

G09F 3/005

- . {Identification bracelets, e.g. secured to the arm of a person }

G09F 3/02

- . Forms or constructions ([layered products](#) [B32B](#))

- G09F 3/0286 .. {provided with adaptations for labelling machines }
- G09F 3/0288 .. {Labels or tickets consisting of more than one part, e.g. with address of sender or other reference on separate section to main label; Multi-copy labels }
- G09F 3/0289 ... {Pull- or fold out labels }
- G09F 3/0291 .. {Labels or tickets undergoing a change under particular conditions, e.g. heat, radiation, passage of time }
- G09F 3/0292 ... {tamper indicating labels }
- G09F 3/0294 ... {where the change is not permanent, e.g. labels only readable under a special light, temperature indicating labels and the like }
- G09F 3/0295 .. {Labels or tickets for tubes, pipes and the like }
- G09F 3/0297 .. {including a machine-readable marking, e.g. a bar code (digitally marked record carriers in general [G06K 19/00](#)) }
- G09F 3/0298 ... { Bar code orientation; Labels in which the bar code orientation is different }
- G09F 3/03 .. of security seals { (means for indicating unauthorised opening of container closures [B65D](#) , e.g. [B65D 27/30](#), [B65D 55/02](#); theft deterrent tags [E05B 73/0017](#)) }
- G09F 3/0305 ... { characterised by the type of seal used }
- G09F 3/0311 { having arrow-like sealing means }
- G09F 3/0317 { having bolt like sealing means (means for preventing relative axial movement of a pin, spigot, shaft or the like and a member surrounding it [F16B 21/00](#)) }
- G09F 3/0323 { having clamp-like sealing means }
- G09F 3/0329 { having electronic sealing means }
- G09F 3/0335 { using RFID tags }
- G09F 3/0341 { having label sealing means }
- G09F 3/0347 { having padlock-type sealing means (padlocks in general [E05B 67/00](#)) }
- G09F 3/0352 { using cable lock }
- G09F 3/0358 { using a rigid hasp lock }
- G09F 3/0364 { having rotary sealing means }
- G09F 3/037 { having tie-wrap sealing means }
- G09F 3/0376 ... {using a special technique to detect tampering, e.g. by ultrasonic or optical means }
- G09F 3/0382 ... { Seals with transparent casing }
- G09F 3/0388 { With semi-transparent casing }
- G09F 3/0394 ... {with violation indication by generating a random number (random number generators [G06F 7/58](#), [G07C 15/00](#)) }
- G09F 3/04 . to be fastened or secured by the material of the label itself, e.g. by thermo-adhesion (by a separate adhesive layer [G09F 3/10](#))
- G09F 3/06 .. by clamping action (by separate clamps [G09F 3/16](#))
- G09F 3/08 . Fastening or securing by means not forming part of the material of the label itself
- G09F 3/10 .. by an adhesive layer
- G09F 3/12 .. by pins, staples, or the like
- G09F 3/14 .. by strings, straps, chains, or wires
- G09F 3/16 .. by clamps
- G09F 3/18 .. Casings, frames or enclosures for labels

| | | |
|------------|------|--|
| G09F 3/185 | ... | {Enclosures enveloping completely the labels (G09F 3/201 takes precedence) } |
| G09F 3/20 | ... | for adjustable, removable, or interchangeable labels |
| G09F 3/201 | | {Enclosures enveloping completely the labels (G09F 3/203 to G09F 3/207 take precedence) } |
| G09F 3/202 | | {for labels being formed by a combination of interchangeable elements, e.g. price labels (G09F 3/203 to G09F 3/207 take precedence) } |
| G09F 3/203 | | {specially adapted to be attached to a transparent surface, e.g. the window of a car } |
| G09F 3/204 | | {specially adapted to be attached to a shelf or the like } |
| G09F 3/205 | | {specially adapted for electric cables, pipes or the like } |
| G09F 3/206 | | {specially adapted for marking or identifying plants } |
| G09F 3/207 | | {in the form of a badge to be worn by a person } |
| G09F 3/208 | | { Electronic labels, Labels integrating electronic displays } |

G09F 5/00 Means for displaying samples (packaging per se [B65](#))

| | | |
|------------|----|--|
| G09F 5/02 | . | Portable sample cases |
| G09F 5/04 | . | Cards of samples; Books of samples (packages comprising articles attached to cards, sheets, or webs for removal therefrom B65D 73/00) |
| G09F 5/042 | .. | {in paper, paperboard, or the like } |

G09F 7/00 Signs, name or number plates, letters, numerals, or symbols (vehicle registration number plates [B60R 13/10](#)) ; Panels or boards (show-cards [G09F 1/00](#); indicating arrangements for variable information [G09F 9/00](#), [G09F 11/00](#); illuminated signs [G09F 13/00](#); boards for notices or posters [G09F 15/00](#))

| | | |
|------------|-----|--|
| G09F 7/002 | . | {weather-proof panels or boards (G09F 7/02 to G09F 7/14 , G09F 7/18 to G09F 7/22 take precedence) } |
| G09F 7/02 | . | Signs, plates, panels or boards using readily-detachable elements bearing or forming symbols |
| G09F 7/04 | .. | the elements being secured or adapted to be secured by magnetic means |
| G09F 7/06 | .. | the elements being secured or adapted to be secured by means of pins and holes |
| G09F 7/08 | .. | the elements being secured or adapted to be secured by means of grooves, rails, or slits |
| G09F 7/10 | ... | and slideably mounted |
| G09F 7/12 | .. | the elements being secured or adapted to be secured by self-adhesion, moisture, suction, slow-drying adhesive or the like |
| G09F 7/14 | .. | Constructional features of the symbol bearing or forming elements |
| G09F 7/16 | . | Letters, numerals, or other symbols adapted for permanent fixing to a support |
| G09F 7/165 | .. | {The letters, numerals, or other symbols being obtained by a treatment of the support } |
| G09F 7/18 | . | Means for attaching signs, plates, panels, or boards to a supporting structure |
| G09F 7/20 | .. | for adjustably mounting |
| G09F 7/22 | .. | for rotatably or swingably mounting, e.g. for boards adapted to be rotated by the |

wind

G09F 9/00

Indicating arrangements for variable information in which the information is built-up on a support by selection or combination of individual elements (in which the variable information is permanently attached to a movable support [G09F 11/00](#); abacus [G06C 1/00](#); slide-rules [G06G 1/00](#))

- G09F 9/30
 - . in which the desired character or characters are formed by combining individual elements (panels comprising a number of electrodes in a single cell controlling light arriving from an independent light source, e.g. electro-optical or magneto-optical cell, [G02F 1/00](#))
- G09F 9/301
 - .. { flexible foldable or roll-able electronic displays e.g. thin LCD, OLED }
- G09F 9/302
 - .. characterised by the form or geometrical disposition of the individual elements
- G09F 9/3023
 - ... { Segmented electronic displays }
- G09F 9/3026
 - ... { Video wall, i.e. stackable semiconductor matrix display modules (video wall control systems [G06F 3/1446](#), [G09G 2300/026](#)) }
- G09F 9/305
 - .. being the ends of optical fibres ([G09F 9/302](#) takes precedence)
- G09F 9/307
 - .. being incandescent filaments ([G09F 9/302](#) takes precedence; incandescent panels comprising a number of separate incandescent bodies, per se [H01K 9/00](#))
- G09F 9/313
 - .. being gas discharge devices ([G09F 9/302](#) takes precedence; gas discharge panels comprising a number of discharge gaps per se [H01J 17/49](#))
- G09F 9/33
 - .. being semiconductor devices, e.g. diodes ([G09F 9/302](#) takes precedence; semiconductor integrated circuits comprising components adapted for emission of light per se [H01L 27/15](#))
- G09F 9/35
 - .. being liquid crystals ([G09F 9/302](#) takes precedence; liquid crystal materials [C09K 19/00](#); {liquid crystal panels comprising a number of electrodes in a single cell per se [G02F 1/13](#) })
- G09F 9/37
 - .. being movable elements ([G09F 9/302](#) takes precedence)
- G09F 9/372
 - ... {the positions of the elements being controlled by the application of an electric field }
- G09F 9/375
 - ... {the position of the elements being controlled by the application of a magnetic field }
- G09F 9/377
 - ... {the positions of the elements being controlled by pneumatic means }
- G09F 9/40
 - . in which the desired character is selected from a number of characters arranged one beside the other, e.g. on a common carrier plate
- G09F 9/405
 - .. {the selected character being projected on a common screen accommodating only one character at a time, to provide the same display position for all characters }
- G09F 9/46
 - . in which the desired character is selected from a number of characters arranged one behind the other

G09F 11/00

Indicating arrangements for variable information in which the complete information is permanently attached to a movable support which brings it to the display position (showcases or showcabinets with arrangements for continuously or intermittently moving the merchandise [A47F 3/08](#); using static means to present variable information [G09F 9/00](#))

- G09F 11/02
 - . the display elements being secured to rotating members, e.g. drums, spindles
- G09F 11/025
 - .. {the members being rotated simultaneously, each face of the member carrying a

- part of the sign }
- G09F 11/04 . . the elements being secured to rotating discs {G09F 11/025 takes precedence }
- G09F 11/06 . . the elements being stiff plates or cards (on rotating discs G09F 11/04)
- G09F 11/08 . . the elements being flexible sheets (on rotating discs G09F 11/04)
- G09F 11/10 . . Electrical control therefor
- G09F 11/12 . the display elements being carried by endless belts, chains, or the like
- G09F 11/14 . . the elements being in the form of stiff flaps, boards, cards, or the like
- G09F 11/15 . . the elements being flexible sheets
- G09F 11/16 . . Electric control therefor
- G09F 11/18 . the display elements being carried by belts, chains, or the like other than endless
- G09F 11/20 . . the elements being in the form of stiff flaps, boards, cards or the like
- G09F 11/21 . . the elements being flexible sheets
- G09F 11/22 . . Electric control therefor
- G09F 11/23 . the advertising or display material forming part of rotating members, e.g. in the form of perforations, print, or transparencies on a drum or disc
- G09F 11/232 . . { Disc card or folded disc shaped card information display devices }
- G09F 11/235 . . Electric control therefor
- G09F 11/24 . the advertising or display material forming part of a moving band, e.g. in the form of perforations, print, or transparencies
- G09F 11/26 . . of an endless band
- G09F 11/28 . . . Electric control therefor
- G09F 11/29 . . of a band other than endless
- G09F 11/295 . . . Electric control therefor
- G09F 11/30 . the display elements being fed one by one from storage place to a display position
- G09F 11/32 . . the feeding means comprising belts or chains, e.g. endless belts or chains
- G09F 11/325 . . . {the display elements being stored in the form of rolls fixed in between transporting belts or chains }
- G09F 11/34 . . the feeding means comprising electromagnets
- G09F 13/00** **Illuminated signs; Luminous advertising** (G09F 9/00, G09F 11/00 take precedence; control of displays in general using static means to present variable information G09G)
- G09F 13/005 . { Illumination controller or illuminated signs including an illumination control system }
- G09F 13/02 . Signs, boards, or panels, illuminated by artificial light sources positioned in front of the insignia
- G09F 13/04 . Signs, boards or panels, illuminated from behind the insignia
- G09F 13/0404 . . {the light source being enclosed in a box forming the character of the sign }
- G09F 13/0409 . . {Arrangements for homogeneous illumination of the display surface, e.g. using a layer having a non-uniform transparency (arrangements of reflectors G09F 13/14) }
- G09F 13/0413 . . {Frames or casing structures therefor (transparency frames G03B 21/64) }

- G09F 13/06 . . . using individual cut-out symbols or cut-out silhouettes, e.g. perforated signs
- G09F 13/08 . . . using both translucent and non-translucent layers
- G09F 13/10 using transparencies
- G09F 13/12 . . . using a transparent mirror or other light reflecting surface transparent to transmitted light whereby a sign, symbol, picture or other is visible only when illuminated
- G09F 13/14 . . . Arrangements of reflectors thereon
- G09F 13/16 . . Signs formed of or incorporating reflecting elements or surfaces, e.g. warning signs having triangular or other geometrical shape
- G09F 13/165 . . . {rotatably or swingably mounted reflecting elements or surfaces }
- G09F 13/18 . . edge-illuminated signs
- G09F 13/20 . . with luminescent surfaces or parts (luminescent compositions [C09K 11/00](#); light sources using luminescence [F21K 2/00](#))
- G09F 13/22 . . . electroluminescent (electroluminescent light sources per se [H05B 33/00](#))
- G09F 13/24 . . using tubes or the like filled with liquid, e.g. bubbling liquid
- G09F 13/26 . . Signs formed by electric discharge tubes (by selective lighting [G09F 9/00](#))
- G09F 13/28 . . Signs formed by filament-type lamp (by selective lighting [G09F 9/00](#))
- G09F 13/30 . . with moving light sources, e.g. rotating luminous tubes
- G09F 13/32 . . with moving optical part of parts, e.g. mirrors
- G09F 13/34 . . with light sources co-operating with movable members e.g. with shutters to cover or uncover the light source (apparatus wherein advertising or display material is moved in a continuous or intermittent succession [G09F 11/00](#); construction or details of lighting devices [F21V 11/00](#))
- G09F 13/36 . . . co-operating with rotating screening means
- G09F 13/42 . . with light sources activated by non-visible radiation (cathode ray image or pattern display tubes [H01J 31/10](#); lamps with luminescent screens excited by cathode rays [H01J 63/06](#))
- G09F 13/44 . . with gas as a lighting source
- G09F 13/46 . . Advertising by fireworks
- G09F 15/00** **Boards, hoardings, pillars, or like structures for notices, placards, posters, or the like**
- G09F 15/0006 . . {planar structures comprising one or more panels }
- G09F 15/0012 . . . {frames therefor }
- G09F 15/0018 . . . {panel clamping or fastening means }
- G09F 15/0025 . . . {display surface tensioning means }
- G09F 15/0031 { Tensioned curved signs; Signs with curved tensioning structures }
- G09F 15/0037 . . . {supported by a post }

- G09F 15/0043 . . {connected to a receptacle of public utility, e.g. a waste receptacle }
- G09F 15/005 . . {for orientation or public information }
- G09F 15/0056 . . {portable display standards }
- G09F 15/0062 . . . {collapsible }
- G09F 15/0068 . {Modular articulated structures, e.g. stands, and articulation means therefor }
- G09F 15/0075 . {Pillars }
- G09F 15/0081 . . {Rotating pillars }
- G09F 15/0087 . {including movable parts, e.g. movable by the wind }
- G09F 15/02 . Bills, posters, or the like therefor
- G09F 15/025 . . { Poster carriers, i.e. devices for holding temporarily posters in order to transfer and apply them onto flat vertical surfaces }

G09F 17/00 Flags; Banners; Mountings therefor

- G09F 17/0091 . { Anti-foiling flagpoles; Sliding means to avoid foiling of flags on the poles }

G09F 19/00 Miscellaneous advertising or display means not provided for elsewhere

- G09F 19/02 . incorporating moving display members
- G09F 19/04 . . operated by the opening or closing of doors, e.g. shop door
- G09F 19/06 . . Writing devices
- G09F 19/08 . . Dolls, faces, or other representations of living forms with moving parts (in the nature of toys [A63H](#))
- G09F 19/10 . . Devices demonstrating the action of an article to be advertised
- G09F 19/12 . using special optical effects (designs or pictures characterised by special light effects [B44F 1/00](#), e.g. changing pictures [B44F 1/10](#); projecting decorations in stage lighting [F21W 2111/06](#))
- G09F 19/14 . . displaying different signs depending upon the view-point of the observer
- G09F 19/16 . . involving the use of mirrors
- G09F 19/18 . . involving the use of optical projection means, e.g. projection of images on clouds (projection apparatus per se [G03B](#))
- G09F 19/20 . . with colour-mixing effects
- G09F 19/205 . . . { Special effects using different wavelengths }
- G09F 19/22 . Advertising or display means on roads, walls, or similar surfaces, e.g. illuminated (illuminated signs in general [G09F 13/00](#))
- G09F 19/226 . . { Building external wall displays; Facade advertisement }
- G09F 19/228 . . { Ground signs, i.e. display signs fixed on the ground }

G09F 21/00 Mobile visual advertising

- G09F 21/02 . by a carrier person or animal

- G09F 21/026 . . { Advertising carried by a person, e.g. carried on the shoulders }
- G09F 21/04 . by land vehicles
- G09F 21/043 . . {supported by tyres }
- G09F 21/045 . . {supported by the wheels }
- G09F 21/046 . . {using the shaking brought about by the locomotion of the vehicle }
- G09F 21/048 . . { Advertisement panels on sides, front or back of vehicles }
- G09F 21/06 . by aeroplanes, airships, balloons, or kites
- G09F 21/08 . . the advertising matter being arranged on the aircraft
- G09F 21/10 . . . illuminated
- G09F 21/12 . . the advertising matter being towed by the aircraft ([kites per se B64C 21/06](#))
- G09F 21/14 . . . illuminated
- G09F 21/16 . . Sky-writing ([aircraft adaptation for sky-writing B64D 1/20](#))
- G09F 21/18 . by ships or other floating means
- G09F 21/20 . . illuminated
- G09F 21/22 . Dispensing devices for pamphlets or similar advertising matter from vehicles ([from aircraft B64D 1/00](#))
- G09F 23/00** **Advertising on or in specific articles, e.g. ashtrays, letter-boxes** ([on or in vehicles G09F 21/00; containers, packaging-elements, or packages, with auxiliary means or provisions for displaying articles B65D](#))
- G09F 23/0058 . on electrical household appliances, e.g. on a dishwasher, a washing machine or a refrigerator.
- G09F 23/0066 . on sports articles, e.g. golf clubs
- G09F 23/0075 . on tooth brushes
- G09F 23/0083 . on petrol dispensers
- G09F 23/0091 . on soda or beer cans
- G09F 23/02 . the advertising matter being displayed by the operation of the article
- G09F 23/04 . . illuminated
- G09F 23/06 . the advertising matter being combined with articles for restaurants, shops or offices ([on paper articles G09F 23/10](#))
- G09F 23/065 . . { Advertising in food vending machines }
- G09F 23/08 . . with tableware
- G09F 23/10 . Advertisement on paper articles, e.g. booklets, newspapers
- G09F 23/105 . . on paper for wrapping flowers
- G09F 23/12 . . on toilet paper
- G09F 23/14 . on toys, games, puzzles, or similar devices

G09F 23/16 . on clocks, e.g. controlled by the clock mechanism

G09F 25/00 **Audible advertising** (sound recording or reproducing per se [G11B](#) ; public address systems [H04R 27/00](#))

G09F 27/00 **Combined visual and audible advertising or displaying, e.g. for public address**

G09F 27/004 . { Displays including an emergency or alarm message }

G09F 27/005 . { Signs associated with a sensor }

G09F 27/007 . { Displays with power supply provided by solar cells or photocells }

G09F 27/008 . { Sun shades, shades, hoods or louvers on electronic displays to minimize the effect of direct sun light on the display (rigidly arranged sunshade roofs with coherent surface [E04F 10/005](#)) }

Guidance heading:

G09F 2001/00 **Cardboard or like show-cards of foldable or flexible material**

G09F 2001/08 . wholly or partly imitating the form of an object, e.g. of the article to be advertised

G09F 2001/085 . . . actuated by a sliding tongue

G09F 2001/10 . Supports or holders for show-cards

G09F 2001/106 . . . made of metal

G09F 2003/00 **Labels, tag tickets, or similar identification or indication means** (medals or badges [A44C 3/00](#); making labels [B31D 1/02](#); sheets temporarily attached together [B42F](#) ; labelling [B65C](#) ; labels on record carriers [G11B 23/38](#), [G11B 23/40](#)) ; **Seals; Postage or like stamps**

G09F 2003/02 . Forms or constructions ([layered products B32B](#))

G09F 2003/0201 . Label sheets intended to be introduced in a printer, e.g. laser printer

G09F 2003/0202 . printed before use

G09F 2003/0204 . . . Tax-disc

G09F 2003/0205 . . . Coupon

G09F 2003/0207 . . . Ticket

G09F 2003/0208 . Indicia

G09F 2003/021 . . . Indicia behind the front foil

G09F 2003/0211 . . . Transfer or thermo-sensitive

G09F 2003/0213 . . . Concealed data

G09F 2003/0214 . Stock management

- G09F 2003/0216 . . for containers
- G09F 2003/0217 . . for envelopes
- G09F 2003/0219 . . to keep record of the use of a product
- G09F 2003/022 . . Shipment
- G09F 2003/0222 . Features for removal or adhesion, e.g. tabs
- G09F 2003/0223 . recyclable
- G09F 2003/0225 . Carrier web
- G09F 2003/0226 . . Carrier sheet
- G09F 2003/0227 . . Carrier strip
- G09F 2003/0229 . . Carrier roll
- G09F 2003/023 . Adhesive
- G09F 2003/0232 . . Resistance to heat
- G09F 2003/0233 . . Resistance to humidity
- G09F 2003/0235 . . Resistance to chemicals
- G09F 2003/0236 . . Permeability
- G09F 2003/0238 . . Stress resistant
- G09F 2003/0239 . . Permanent adhesive
- G09F 2003/0241 . . Repositionable or pressure sensitive adhesive
- G09F 2003/0242 . . Adhesive soluble in water
- G09F 2003/0244 . . Adhesive soluble in chemicals
- G09F 2003/0245 . . Differential adhesive strength
- G09F 2003/0247 . . Non-strippable anti-stick coatings
- G09F 2003/0248 . . Variable density of distribution of adhesive spots
- G09F 2003/025 . . Activatable adhesive
- G09F 2003/0251 . Sleeve shaped label, i.e. wrapped around a device
- G09F 2003/0252 . associated with a leaflet
- G09F 2003/0254 . Luggage tag
- G09F 2003/0255 . laminated
- G09F 2003/0257 . Multilayer
- G09F 2003/0258 . . without carrier
- G09F 2003/026 . . without silicon backing
- G09F 2003/0261 . . encapsulated in polymer
- G09F 2003/0263 . . Different patterns for carrier web and label web
- G09F 2003/0264 . Shapes or borders
- G09F 2003/0266 . . Shapes other than rectangular
- G09F 2003/0267 . . die cut

- G09F 2003/0269 . . . perforated
- G09F 2003/027 . . . used to hang up an item, e.g. a perfusion bottle
- G09F 2003/0272 . . . Labels for containers
- G09F 2003/0273 . . . Labels for bottles, flasks
- G09F 2003/0275 . . . Shock absorbing labels
- G09F 2003/0276 . . . Safety features, e.g. colour, prominent part, logo
- G09F 2003/0277 . . . Tamper resistant
- G09F 2003/0279 . . . Card, e.g. plastic
- G09F 2003/028 . . . Labels containing microcapsules, e.g. ink microcapsules for indicia transfer
- G09F 2003/0282 . . . for textiles, e.g. clothing
- G09F 2003/0283 . . . food-compatible or edible
- G09F 2003/0285 . . . Stamp-like labels
- G09F 2005/00 Means for displaying samples (packaging per se [B65](#))**
- G09F 2005/04 . . . Cards of samples; Books of samples ([packages comprising articles attached to cards, sheets, or webs for removal therefrom B65D 73/00](#))
- G09F 2005/041 . . . Back covers for books of samples
- G09F 2005/043 . . . for wood
- G09F 2005/045 . . . for carpets
- G09F 2005/046 . . . for perfumes
- G09F 2005/047 . . . for furniture
- G09F 2005/048 . . . for fabrics
- G09F 2007/00 Signs, name or number plates, letters, numerals, or symbols (vehicle registration number plates [B60R 13/10](#)) ; Panels or boards (show-cards [G09F 1/00](#); indicating arrangements for variable information [G09F 9/00](#), [G09F 11/00](#); illuminated signs [G09F 13/00](#); boards for notices or posters [G09F 15/00](#))**
- G09F 2007/005 . . . Signs associated with a sensor
- G09F 2007/007 . . . Signs without covering windows
- G09F 2007/02 . . . Signs, plates, panels or boards using readily-detachable elements bearing or forming symbols
- G09F 2007/12 . . . the elements being secured or adapted to be secured by self-adhesion, moisture, suction, slow-drying adhesive or the like
- G09F 2007/122 by suction
- G09F 2007/125 by electrostatic force
- G09F 2007/127 by adhesive

- G09F 2007/18 . Means for attaching signs, plates, panels, or boards to a supporting structure
- G09F 2007/1804 . . for fastening to a post
- G09F 2007/1808 . . . using tensioned bonds, e.g. metallic
- G09F 2007/1813 . . . using brackets having two parts for clamping the post
- G09F 2007/1817 . . . using fastening means to grip the post
- G09F 2007/1821 . . . the post having slots or flanges to fasten the sign
- G09F 2007/1826 . . . using channels on the rear of the sign board to be connected to the post, e.g. via clamps
- G09F 2007/183 . . . the sign being formed by two parts clamping the post
- G09F 2007/1834 . . Signs or the like supported by two lateral posts
- G09F 2007/1839 . . for fastening to cables
- G09F 2007/1843 . . Frames or housings to hold signs
- G09F 2007/1847 . . Brackets to grip the sign board
- G09F 2007/1852 . . for fastening magnetically or by suction or the like
- G09F 2007/1856 . . characterised by the supporting structure
- G09F 2007/186 . . . suspended, e.g. secured to the ceiling
- G09F 2007/1865 . . . on vehicles
- G09F 2007/1869 . . . plates fixed to instruments
- G09F 2007/1873 . . characterised by the type of sign
- G09F 2007/1878 . . . Traffic orientation, street markers
- G09F 2007/1882 . . . Emblems, e.g. fixed by pins or screws
- G09F 2007/1886 . . . Tensioned flexible signs
- G09F 2007/1891 . . . modular
- G09F 2007/1895 . . . Licence number plates

- G09F 2009/00** **Indicating arrangements for variable information in which the information is built-up on a support by selection or combination of individual elements** (in which the variable information is permanently attached to a movable support [G09F 11/00](#); abacus [G06C 1/00](#); slide-rules [G06G 1/00](#))

- G09F 2009/30 . in which the desired character or characters are formed by combining individual elements (panels comprising a number of electrodes in a single cell controlling light arriving from an independent light source, e.g. electro-optical or magneto-optical cell, [G02F 1/00](#))
- G09F 2009/305 . . being the ends of optical fibres ([G09F 9/302](#) takes precedence)
- G09F 2009/3055 . . . for traffic signs

- G09F 2011/00** **Indicating arrangements for variable information in which the complete information is permanently attached to a movable support which brings it to the display position** (showcases or showcabinets with arrangements for continuously or intermittently moving the merchandise [A47F 3/08](#); using static means to present variable information [G09F 9/00](#))

- G09F 2011/0009 . Roller-band displays
- G09F 2011/0018 . . having one motor for each roller

- G09F 2011/0027 . . illuminated
- G09F 2011/0036 . . Multiple-loop bands
- G09F 2011/0045 . . Methods of fixing the images on a rolling band
- G09F 2011/0054 using a support in the form of an envelope
- G09F 2011/0063 . . Markings on a roller-band
- G09F 2011/0072 . . Methods of keeping tensioned a roller-band
- G09F 2011/0081 . . Roller-band displays used on vehicles
- G09F 2011/009 . . Means to prevent misalignment during the rolling of the band

G09F 2013/00

Illuminated signs; Luminous advertising ([G09F 9/00](#), [G09F 11/00](#) take precedence; control of displays in general using static means to present variable information [G09G](#))

- G09F 2013/04 . Signs, boards or panels, illuminated from behind the insignia
- G09F 2013/0418 . . Constructional details
- G09F 2013/0422 characterised by the presence of reflectors
- G09F 2013/0427 in the form of buttons
- G09F 2013/0431 connected to a pole
- G09F 2013/0436 attached to ceilings
- G09F 2013/044 on vehicles
- G09F 2013/0445 Frame details
- G09F 2013/045 Presence of a door
- G09F 2013/0454 With slidable panels or parts
- G09F 2013/0459 Indicating exit way or orientation
- G09F 2013/0463 Portable
- G09F 2013/0468 With tensioned or flexible display surface
- G09F 2013/0472 Traffic signs
- G09F 2013/0477 on containers
- G09F 2013/0481 Curved shape
- G09F 2013/0486 With neon tubes
- G09F 2013/049 Edge illuminated
- G09F 2013/0495 In the ground
- G09F 2013/14 . . Arrangements of reflectors thereon
- G09F 2013/142 multiple reflectors
- G09F 2013/145 curved reflectors
- G09F 2013/147 plane reflectors
- G09F 2013/18 . . edge-illuminated signs
- G09F 2013/1804 . . Achieving homogeneous illumination
- G09F 2013/1809 using a non-homogeneous front window
- G09F 2013/1813 provided with a coating showing a pattern of dots of variable density
- G09F 2013/1818 provided with a coating of variable thickness
- G09F 2013/1822 Stair-cased profiled window
- G09F 2013/1827 Prismatic window

| | | |
|---------------------|------|---|
| G09F 2013/1831 | ... | using more than one light source |
| G09F 2013/1836 | ... | using a frame-like light source |
| G09F 2013/184 | .. | Information to display |
| G09F 2013/1845 | ... | Interchangeable poster |
| G09F 2013/185 | ... | Embossed marks |
| G09F 2013/1854 | ... | Light diffusing layer |
| G09F 2013/1859 | ... | Frosted surface |
| G09F 2013/1863 | ... | Layer with different refractive index |
| G09F 2013/1868 | ... | Fluorescent pencil |
| G09F 2013/1872 | .. | Casing |
| G09F 2013/1877 | ... | Stand-like |
| G09F 2013/1881 | ... | Frame-like |
| G09F 2013/1886 | .. | Special effects |
| G09F 2013/189 | ... | Three dimensional effects |
| G09F 2013/1895 | | Imitating a neon tube |
| G09F 2013/20 | . | with luminescent surfaces or parts (luminescent compositions C09K 11/00 ; light sources using luminescence F21K 2/00) |
| G09F 2013/22 | .. | electroluminescent (electroluminescent light sources per se H05B 33/00) |
| G09F 2013/222 | ... | with LEDs |
| G09F 2013/225 | ... | with electroluminescent lamps |
| G09F 2013/227 | ... | Electroluminescent displays for vehicles |
| G09F 2015/00 | | Boards, hoardings, pillars, or like structures for notices, placards, posters, or the like |
| G09F 2015/0093 | . | Tensioned structures |
| G09F 2017/00 | | Flags; Banners; Mountings therefor |
| G09F 2017/0008 | . | Devices for avoiding twisting of the flag |
| G09F 2017/0016 | .. | using ventilators |
| G09F 2017/0025 | . | Raising or lowering devices |
| G09F 2017/0033 | . | Flag materials |
| G09F 2017/0041 | . | Suspended banners |
| G09F 2017/005 | . | Means for mounting flags to masts |
| G09F 2017/0058 | .. | holding rings |
| G09F 2017/0066 | . | Stands for flags |
| G09F 2017/0075 | . | Flags on vehicles |
| G09F 2017/0083 | . | Safety flags |

| | |
|--------------------------------|--|
| G09F 2019/00 | Miscellaneous advertising or display means not provided for elsewhere |
| G09F 2019/02 | . incorporating moving display members |
| G09F 2019/08 | . . Dolls, faces, or other representations of living forms with moving parts (in the nature of toys A63H) |
| G09F 2019/081 | . . . Fish |
| G09F 2019/083 | . . . Plants |
| G09F 2019/085 | . . . Birds |
| G09F 2019/086 | . . . Dolls |
| G09F 2019/088 | . . . Faces |
| G09F 2019/22 | . Advertising or display means on roads, walls, or similar surfaces, e.g. illuminated (illuminated signs in general G09F 13/00) |
| G09F 2019/221 | . . on tunnel walls for underground trains |
| G09F 2019/223 | . . in pavement panels |
| G09F 2019/225 | . . Fire evacuation route indicating means |
| G09F 2021/00 | Mobile visual advertising |
| G09F 2021/02 | . by a carrier person or animal |
| G09F 2021/023 | . . fixed on human dresses |
| G09F 2021/04 | . by land vehicles |
| G09F 2021/041 | . . magnetically fixed on the vehicles |
| G09F 2023/00 | Advertising on or in specific articles, e.g. ashtrays, letter-boxes (on or in vehicles G09F 21/00; containers, packaging-elements, or packages, with auxiliary means or provisions for displaying articles B65D) |
| G09F 2023/0008 | . on parking meters |
| G09F 2023/0016 | . on pens |
| G09F 2023/0025 | . on containers |
| G09F 2023/0033 | . . on refrigerated containers |
| G09F 2023/0041 | . on cigarette lighters |
| G09F 2023/005 | . on seats |
| G09F 2025/00 | Audible advertising (sound recording or reproducing per se G11B ; public address systems H04R 27/00) |
| G09F 2025/005 | . Message recorded in a memory device |
| G09F 2027/00 | Combined visual and audible advertising or displaying, e.g. for public address |

- G09F 2027/001 . Comprising a presence or proximity detector
- G09F 2027/002 . Advertising message recorded in a memory device