

CPC**COOPERATIVE PATENT CLASSIFICATION****H01B**

CABLES; CONDUCTORS; INSULATORS; SELECTION OF MATERIALS FOR THEIR CONDUCTIVE, INSULATING OR DIELECTRIC PROPERTIES (selection for magnetic properties [H01F 1/00](#); waveguides [H01P](#) ; installations of cables or lines [H02G](#) ; { printed circuits [H05K](#) })

NOTE

Group [H01B 12/00](#) takes precedence over groups [H01B 5/00](#) to [H01B 11/00](#).

WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

[H01B 7/17](#) to [H01B 7/295](#) covered by [H01B 7/18](#) to [H01B 7/28D](#),
[H01B 7/34](#) to [H01B 7/34B3](#)

Guidance heading:**H01B 1/00**

Conductors or conductive bodies characterised by the conductive materials; Selection of materials as conductors (resistors [H01C](#) ; selection of materials for superconductivity [H01L 39/00](#))

NOTE

Groups [H01B 1/14](#) to [H01B 1/24](#) take precedence over groups [H01B 1/02](#) to [H01B 1/12](#)

- [H01B 1/02](#) . mainly consisting of metals or alloys
- [H01B 1/023](#) .. {Alloys based on aluminium }
- [H01B 1/026](#) .. {Alloys based on copper }
- [H01B 1/04](#) . mainly consisting of carbon-silicon compounds, carbon or silicon
- [H01B 1/06](#) . mainly consisting of other non-metallic substances
- [H01B 1/08](#) .. oxides
- [H01B 1/10](#) .. sulfides
- [H01B 1/12](#) .. Organic substances { (organic macromolecular compounds or compositions [C08](#)) }
- [H01B 1/121](#) ... {Charge-transfer complexes }
- [H01B 1/122](#) ... {Ionic conductors }
- [H01B 1/124](#) ... {Intrinsically conductive polymers }
- [H01B 1/125](#) {comprising aliphatic main chains, e.g. polyacetylenes }
- [H01B 1/127](#) {comprising five-membered aromatic rings in the main chain, e.g. polypyrroles, polythiophenes }
- [H01B 1/128](#) {comprising six-membered aromatic rings in the main chain, e.g.

polyanilines, polyphenylenes }

- H01B 1/14 . Conductive material dispersed in non-conductive inorganic material
- H01B 1/16 .. the conductive material comprising metals or alloys
- H01B 1/18 .. the conductive material comprising carbon-silicon compounds, carbon or silicon
- H01B 1/20 . Conductive material dispersed in non-conductive organic material { (organic macromolecular compounds or compositions [C08](#)) }
- H01B 1/22 .. the conductive material comprising metals or alloys
- H01B 1/24 .. the conductive material comprising carbon-silicon compounds, carbon or silicon

H01B 3/00 Insulators or insulating bodies characterised by the insulating materials; Selection of materials for their insulating or dielectric properties (selection of piezo-electric or electrostrictive materials [H01L 41/00](#))

- H01B 3/002 . {Inhomogeneous material in general }
- H01B 3/004 .. {with conductive additives or conductive layers }
- H01B 3/006 .. {Other inhomogeneous material }
- H01B 3/008 . {Other insulating material }
- H01B 3/02 . mainly consisting of inorganic substances
- H01B 3/025 .. {Other inorganic material }
- H01B 3/04 .. mica
- H01B 3/06 .. asbestos
- H01B 3/065 ... {Wires with asbestos }
- H01B 3/08 .. quartz; glass; glass wool; slag wool; vitreous enamels
- H01B 3/081 ... {Wires with vitreous enamels }
- H01B 3/082 ... {Wires with glass or glass wool }
- H01B 3/084 ... {Glass or glass wool in binder }
- H01B 3/085 ... {Particles bound with glass }
- H01B 3/087 ... {Chemical composition of glass }
- H01B 3/088 ... {Shaping of glass or deposition of glass }
- H01B 3/10 .. Metallic oxides (ceramics [H01B 3/12](#))
- H01B 3/105 ... {Wires with oxides }
- H01B 3/12 .. ceramics
- H01B 3/14 .. cements
- H01B 3/16 .. gases
- H01B 3/18 . mainly consisting of organic substances { (organic macromolecular compounds or compositions [C08](#)) }
- H01B 3/185 .. {Substances or derivatives of cellulose }
- H01B 3/20 .. Liquids, e.g. oils (silicone oils [H01B 3/46](#))
- H01B 3/22 ... hydrocarbons
- H01B 3/24 ... containing halogen in the molecules, e.g. halogenated oils

H01B 3/26	..	asphalts; bitumens; pitches
H01B 3/28	..	natural or synthetic rubber
H01B 3/30	..	plastics; resins; waxes

NOTE

Group [H01B 3/47](#) takes precedence over groups [H01B 3/32](#) to [H01B 3/46](#)

H01B 3/301	...	{Macromolecular compounds obtained by reactions forming a linkage containing sulfur with or without nitrogen, oxygen or carbon in the main chain of the macromolecule, not provided for in group H01B 3/302 }
H01B 3/302	...	{Polyurethanes or polythiourethanes; Polyurea or polythiourea }
H01B 3/303	...	{Macromolecular compounds obtained by reactions forming a linkage containing nitrogen with or without oxygen or carbon in the main chain of the macromolecule, not provided for in groups H01B 3/38 or H01B 3/302 }
H01B 3/305	{Polyamides or polyesteramides }
H01B 3/306	{Polyimides or polyesterimides }
H01B 3/307	...	{Other macromolecular compounds }
H01B 3/308	...	{Wires with resins }
H01B 3/32	...	natural resins
H01B 3/34	...	Waxes (silicone waxes H01B 3/46)
H01B 3/36	...	condensation products of phenols with aldehydes or ketones
H01B 3/38	...	condensation products of aldehydes with amines or amides
H01B 3/40	...	epoxy resins
H01B 3/42	...	polyesters; polyethers; polyacetals
H01B 3/421	{Polyesters }
H01B 3/422	{Linear saturated polyesters derived from dicarboxylic acids and dihydroxy compounds }
H01B 3/423	{Linear aromatic polyesters }
H01B 3/425	{Non-saturated polyesters derived from polycarboxylic acids and polyhydroxy compounds, in which at least one of the two components contains aliphatic unsaturation }
H01B 3/426	{Polycarbonates }
H01B 3/427	{Polyethers }
H01B 3/428	{Polyacetals }
H01B 3/44	...	Vinyl resins; Acrylic resins (silicones H01B 3/46)
H01B 3/441	{from alkenes }
H01B 3/442	{from aromatic vinyl compounds }
H01B 3/443	{from vinylhalogenides or other halogenoethylenic compounds }
H01B 3/445	{from vinylfluorides or other fluoroethylenic compounds }
H01B 3/446	{from vinylacetals }
H01B 3/447	{from acrylic compounds }
H01B 3/448	{from other vinyl compounds }
H01B 3/46	...	silicones
H01B 3/465	{Silicone oils }
H01B 3/47	...	fibre-reinforced plastics, e.g. glass-reinforced plastics

- H01B 3/48 .. fibrous materials ([fibre-reinforced plastics H01B 3/47](#))
- H01B 3/485 ... {Other fibrous materials fabric }
- H01B 3/50 ... fabric
- H01B 3/52 ... wood; paper; press board
- H01B 3/54 ... hard paper; hard fabrics
- H01B 3/545 {Hard fabrics }
- H01B 3/56 .. gases

H01B 5/00 Non-insulated conductors or conductive bodies characterised by their form

- H01B 5/002 . {Auxiliary arrangements }
- H01B 5/004 .. {for protection against corona }
- H01B 5/006 .. {for protection against vibrations }
- H01B 5/008 . {Fence-wire not otherwise provided for ([wire fencing E04H 17/02](#)) }
- H01B 5/02 . Single bars, rods, wires, or strips
- H01B 5/04 .. wound or coiled
- H01B 5/06 . Single tubes
- H01B 5/08 . Several wires or the like stranded in the form of a rope
- H01B 5/10 .. stranded around a space, insulating material, or dissimilar conducting material
- H01B 5/101 ... {stranded around a space }
- H01B 5/102 ... {stranded around a high tensile strength core }
- H01B 5/104 {composed of metallic wires, e.g. steel wires }
- H01B 5/105 {composed of synthetic filaments, e.g. glass-fibres }
- H01B 5/107 ... {stranded around a core supporting radial stresses, e.g. a tube, a wire helix }
- H01B 5/108 ... {stranded around communication or control conductors }
- H01B 5/12 . Braided wires or the like
- H01B 5/14 . comprising conductive layers or films on insulating-supports ([insulating-layers or insulating-films on metal bodies H01B 17/62](#))
- H01B 5/16 . Comprising conductive material in insulating or poorly conductive material, e.g. conductive rubber ([H01B 1/14](#), [H01B 1/20](#) take precedence; [insulating bodies with conductive admixtures H01B 17/64](#); [conductive paints C09D 5/24](#))

H01B 7/00 Insulated conductors or cables characterised by their form

- H01B 7/0009 . {Details relating to the conductive cores }
- H01B 7/0018 .. {Strip or foil conductors ([H01B 7/08](#) takes precedence) }
- H01B 7/0027 .. {Liquid conductors }
- H01B 7/0036 .. {Alkali metal conductors }
- H01B 7/0045 . {Cable-harnesses }

- H01B 7/0054 . {Cables with incorporated electric resistances }
- H01B 7/0063 . {Ignition cables }
- H01B 7/0072 . {Electrical cables comprising fluid supply conductors }
- H01B 7/0081 . {Cables of rigid construction (rigid-tube cables [H01B 7/16](#)) }
- H01B 7/009 . {Cables with built-in connecting points or with predetermined areas for making deviations }
- H01B 7/02 . Disposition of insulation (materials [H01B 3/00](#); insulators [H01B 17/00](#))
- H01B 7/0208 .. {Cables with several layers of insulating material }
- H01B 7/0216 ... {Two layers }
- H01B 7/0225 ... {Three or more layers }
- H01B 7/0233 .. {Cables with a predominant gas dielectric }
- H01B 7/0241 .. {comprising one or more helical wrapped layers of insulation }
- H01B 7/025 ... {comprising in addition one or more other layers of non-helical wrapped insulation }
- H01B 7/0258 .. {comprising one or more longitudinal lapped layers of insulation }
- H01B 7/0266 .. {comprising one or more braided layers of insulation }
- H01B 7/0275 .. {comprising one or more extruded layers of insulation }
- H01B 7/0283 ... {comprising in addition one or more other layers of non-extruded insulation }
- H01B 7/0291 .. {comprising two or more layers of insulation having different electrical properties }
- H01B 7/04 . Flexible cables, conductors, or cords, e.g. trailing cables
- H01B 7/041 .. {attached to mobile objects, e.g. portable tools, elevators, mining equipment, hoisting cables }
- H01B 7/043 .. {attached to flying objects, e.g. aircraft towline, cables connecting an aerodyne to the ground }
- H01B 7/045 .. {attached to marine objects, e.g. buoys, diving equipment, aquatic probes, marine towline }
- H01B 7/046 .. {attached to objects sunk in bore holes, e.g. well drilling means, well pumps }
- H01B 7/048 .. {for implantation into a human or animal body, e.g. pacemaker leads }
- H01B 7/06 . Extensible conductors or cables, e.g. self-coiling cords ([arrangements for storing and repeatedly paying-out and re-storing lengths of conductors or cables \[B65H 75/34\]\(#\)](#))
- H01B 7/065 .. {having the shape of an helix }
- H01B 7/08 . Flat or ribbon cables
- H01B 7/0807 .. {Twin conductor or cable }
- H01B 7/0815 .. {covered with gluten for wall-fixing }
- H01B 7/0823 .. {Parallel wires, incorporated in a flat insulating profile }
- H01B 7/083 .. {Parallel wires, incorporated in a fabric }
- H01B 7/0838 .. {Parallel wires, sandwiched between two insulating layers }
- H01B 7/0846 .. {Parallel wires, fixed upon a support layer }

- H01B 7/0853 .. {Juxtaposed parallel wires, fixed to each other without a support layer }
- H01B 7/0861 .. {comprising one or more screens }
- H01B 7/0869 .. {comprising one or more armouring, tensile- or compression-resistant elements }
- H01B 7/0876 .. {comprising twisted pairs }
- H01B 7/0884 .. {comprising connection wire loops }
- H01B 7/0892 .. {incorporated in a cable of non-flat configuration }

- H01B 7/10 . Contact cables, i.e. having conductors which may be brought into contact by distortion of the cable
- H01B 7/102 .. {responsive to heat }
- H01B 7/104 .. {responsive to pressure }
- H01B 7/106 ... {comprising concentric conductors }
- H01B 7/108 ... {comprising parallel conductors }

- H01B 7/12 . Floating cables ([installations of cables supported on or from floats H02G 9/12](#))

- H01B 7/14 . Submarine cables
- H01B 7/145 .. {associated with hydrodynamic bodies }

- H01B 7/16 . Rigid-tube cables ([heating elements of similar construction H05B](#))

- H01B 7/17 . Protection against damage caused by external factors, e.g. sheaths or armouring ([power cables with screens H01B 9/02](#); [communication cables with screens H01B 11/06](#); {continuously-loaded cables [H01B 11/14](#); } [installation of conduits H02G](#))
- H01B 7/18 .. {Protection against damage caused } by wear, mechanical force or pressure; {Sheaths; Armouring }
- H01B 7/1805 ... {Protections not provided for in groups [H01B 7/182](#) to [H01B 7/26](#) }
- H01B 7/181 {composed of beads or rings }
- H01B 7/1815 {composed of longitudinal inserts }
- H01B 7/182 ... {comprising synthetic filaments }
- H01B 7/1825 {forming part of a high tensile strength core }
- H01B 7/183 {forming part of an outer sheath }
- H01B 7/1835 ... {Sheaths comprising abrasive charges }
- H01B 7/184 ... {Sheaths comprising grooves, ribs or other projections }
- H01B 7/1845 ... {Sheaths comprising perforations }
- H01B 7/185 ... {Sheaths comprising internal cavities or channels }
- H01B 7/1855 ... {Sheaths comprising helical wrapped non-metallic layers }
- H01B 7/186 ... {Sheaths comprising longitudinal lapped non-metallic layers }
- H01B 7/1865 ... {Sheaths comprising braided non-metallic layers }
- H01B 7/187 ... {Sheaths comprising extruded non-metallic layers }
- H01B 7/1875 ... {Multi-layer sheaths }
- H01B 7/188 {Inter-layer adherence promoting means }
- H01B 7/1885 {Inter-layer adherence preventing means }
- H01B 7/189 ... {Radial force absorbing layers providing a cushioning effect ([H01B 7/185](#) takes precedence) }

H01B 7/1895	...	{Internal space filling-up means }
H01B 7/20	...	Metal tubes, e.g. lead sheaths
H01B 7/201	{Extruded metal tubes }
H01B 7/202	{Longitudinal lapped metal tubes }
H01B 7/204	{composed of lead }
H01B 7/205	{composed of aluminium }
H01B 7/207	{composed of iron or steel }
H01B 7/208	{composed of composite laminated metals }
H01B 7/22	...	Metal wires or tapes, e.g. made of steel
H01B 7/221	{Longitudinally placed metal wires or tapes }
H01B 7/223	{forming part of a high tensile strength core }
H01B 7/225	{forming part of an outer sheath }
H01B 7/226	{Helicoidally wound metal wires or tapes }
H01B 7/228	{Metal braid }
H01B 7/24	...	Devices affording localised protection against mechanical force or pressure
H01B 7/26	...	Reduction of losses in sheaths or armouring
H01B 7/28	..	{Protection against damage caused } by moisture, corrosion, chemical attack or weather { (sheaths, armouring H01B 7/18) }
H01B 7/2806	...	{Protection against damage caused by corrosion }
H01B 7/2813	...	{Protection against damage caused by electrical, chemical or water tree deterioration }
H01B 7/282	...	Preventing penetration of fluid {, e.g. water or humidity, } into conductor or cable (insulators or insulating bodies with surfaces specially treated for preserving insulating properties, e.g. for protection against moisture, dirt, or the like, H01B 17/50)
H01B 7/2825	{using a water impermeable sheath }
H01B 7/285	by completely or partially filling interstices in the cable
H01B 7/2855	{using foamed plastic }
H01B 7/288	using hygroscopic material or material swelling in the presence of liquid
H01B 7/29	..	Protection against damage caused by extremes of temperature or by flame { (heat dissipation or conduction H01B 7/42) }
H01B 7/292	...	{using material resistant to heat }
H01B 7/295	...	using material resistant to flame
H01B 7/30	.	with arrangements for reducing conductor losses when carrying alternating current, e.g. due to skin effect
H01B 7/303	..	{Conductors comprising interwire insulation }
H01B 7/306	..	{Transposed conductors }
H01B 7/32	.	with arrangements for indicating defects, e.g. breaks, leaks, (locating defects by measuring G01)
H01B 7/322	..	{comprising humidity sensing means }
H01B 7/324	..	{comprising temperature sensing means }
H01B 7/326	..	{comprising pressure sensing means }
H01B 7/328	..	{comprising violation sensing means }

- H01B 7/36 . with distinguishing or length marks
- H01B 7/361 .. {being the colour of the insulation or conductor }
- H01B 7/363 .. {being the form of the insulation or conductor }
- H01B 7/365 .. {being indicia imposed on the insulation or conductor }
- H01B 7/366 .. {being a tape, thread or wire extending the full length of the conductor or cable }
- H01B 7/368 .. {being a sleeve, ferrule, tag, clip, label or short length strip }

- H01B 7/38 . with arrangements for facilitating removal of insulation
- H01B 7/385 .. {comprising a rip cord or wire }

- H01B 7/40 . with arrangements for facilitating mounting or securing

- H01B 7/42 . with arrangements for heat dissipation or conduction ([insulators or insulating bodies having heating or cooling devices H01B 17/54](#))
- H01B 7/421 .. {for heat dissipation }
- H01B 7/423 ... {using a cooling fluid }
- H01B 7/425 {the construction being bendable }
- H01B 7/426 ... {using cooling fins, ribs }
- H01B 7/428 .. {Heat conduction }

- H01B 9/00 Power cables**

- H01B 9/001 . {Power supply cables for the electrodes of electric-welding apparatus or electric-arc furnaces }

- H01B 9/003 . {including electrical control or communication wires }

- H01B 9/005 . {including optical transmission elements }

- H01B 9/006 . {Constructional features relating to the conductors }

- H01B 9/008 . {for overhead application }

- H01B 9/02 . with screens or conductive layers, e.g. for avoiding large potential gradients
- H01B 9/021 .. {Features relating to screening tape per se }
- H01B 9/022 .. {composed of longitudinal lapped tape-conductors }
- H01B 9/023 .. {composed of helicoidally wound tape-conductors }
- H01B 9/024 .. {composed of braided metal wire }
- H01B 9/025 .. {composed of helicoidally wound wire-conductors }
- H01B 9/026 .. {composed of longitudinally posed wire-conductors }
- H01B 9/027 .. {composed of semi-conducting layers }
- H01B 9/028 .. {with screen grounding means, e.g. drain wires }
- H01B 9/029 .. {Screen interconnecting circuits }

- H01B 9/04 . Concentric cables

- H01B 9/06 . Gas-pressure cables; Oil-pressure cables; Cables for use in conduits under fluid

pressure

- H01B 9/0605 .. {Gas-pressure cables with enclosed conduits }
- H01B 9/0611 .. {Oil-pressure cables }
- H01B 9/0616 .. {Oil-pressure cables with enclosed conduits }
- H01B 9/0622 .. {Cables for use in conduits under gas-pressure }
- H01B 9/0627 .. {Cables for use in conduits under oil-pressure }
- H01B 9/0633 .. {Expansion-absorbing apparatus, enclosed within the cable }
- H01B 9/0638 .. {Features relating to the conductors of gas-pressure cables }
- H01B 9/0644 .. {Features relating to the dielectric of gas-pressure cables }
- H01B 9/065 ... {Tubular insulation }
- H01B 9/0655 ... {Helically wrapped insulation }
- H01B 9/0661 ... {Longitudinally wrapped insulation }
- H01B 9/0666 ... {Discontinuous insulation }
- H01B 9/0672 {having the shape of a disc }
- H01B 9/0677 .. {Features relating to the enclosing sheath of gas-pressure cables }
- H01B 9/0683 .. {Features relating to the conductors of oil-pressure cables }
- H01B 9/0688 .. {Features relating to the dielectric of oil-pressure cables }
- H01B 9/0694 .. {Features relating to the enclosing sheath of oil-pressure cables }

H01B 11/00**Communication cables or conductors (waveguides [H01P](#))**

- H01B 11/002 . {Pair constructions }
- H01B 11/005 . {Quad constructions }
- H01B 11/007 . {for overhead application }
- H01B 11/02 . Cables with twisted pairs or quads (transposing, crossing or twisting at joints [H04B](#) ; balancing of earth capacitance [H04B](#))
- H01B 11/04 .. with pairs or quads mutually positioned to reduce cross-talk (balancing by making use of additional capacitors or coils [H04B](#))
- H01B 11/06 .. with means for reducing effects of electromagnetic or electrostatic disturbances, e.g. screen (screening in general [H05K 9/00](#))
- H01B 11/08 ... Screens specially adapted for reducing cross-talk
- H01B 11/085 {composed of longitudinal tape conductors }
- H01B 11/10 ... Screens specially adapted for reducing interference from external sources
- H01B 11/1008 {Features relating to screening tape per se }
- H01B 11/1016 {composed of a longitudinal lapped tape-conductor }
- H01B 11/1025 {composed of a helicoidally wound tape-conductor }
- H01B 11/1033 {composed of a wire-braided conductor }
- H01B 11/1041 {composed of a helicoidally wound wire-conductor }
- H01B 11/105 {composed of a longitudinally posed wire-conductor }
- H01B 11/1058 {using a coating, e.g. a loaded polymer, ink or print }
- H01B 11/1066 {the coating containing conductive or semiconductive material }

- H01B 11/1075 {the coating being applied by printing }
- H01B 11/1083 {the coating containing magnetic material }
- H01B 11/1091 {with screen grounding means, e.g. drain wires }
- H01B 11/12 .. Arrangements for exhibiting specific transmission characteristics (loading coils per se [H01F 17/08](#); coil-loaded circuits [H04B](#))
- H01B 11/125 ... {Specially adapted cable interconnections }
- H01B 11/14 ... Continuously inductively loaded cables, e.g. Krarup cables
- H01B 11/143 {using helically wound magnetic tape }
- H01B 11/146 {using magnetically loaded coatings }
- H01B 11/16 ... Cables, e.g. submarine cables, with coils or other devices incorporated during cable manufacture ([junction boxes for cables H02G 15/10](#))

- H01B 11/18 . Co-axial cables; Analogous cables having more than one inner conductor within a common outer conductor

NOTE

If suitable for handling frequencies considerably beyond the audio range and if typical HF-features of coaxial cables are disclosed, e.g. propagation of non-TEM modes, multimoding, oversized coaxial cables, particular cross-section adapted for HF-propagation, classification is made in [H01P 3/06](#)

- H01B 11/1804 .. {Construction of the space inside the hollow inner conductor }
- H01B 11/1808 .. {Construction of the conductors }
- H01B 11/1813 ... {Co-axial cables with at least one braided conductor }
- H01B 11/1817 ... {Co-axial cables with at least one metal deposit conductor }
- H01B 11/1821 ... {Co-axial cables with at least one wire-wound conductor }
- H01B 11/1826 ... {Co-axial cables with at least one longitudinal lapped tape-conductor }
- H01B 11/183 ... {Co-axial cables with at least one helicoidally wound tape-conductor }
- H01B 11/1834 .. {Construction of the insulation between the conductors }
- H01B 11/1839 ... {of cellular structure }
- H01B 11/1843 ... {of tubular structure }
- H01B 11/1847 ... {of helical wrapped structure }
- H01B 11/1852 ... {of longitudinal lapped structure }
- H01B 11/1856 ... {Discontinuous insulation }
- H01B 11/186 {having the shape of a disc }
- H01B 11/1865 {having the shape of a bead }
- H01B 11/1869 .. {Construction of the layers on the outer side of the outer conductor }
- H01B 11/1873 .. {Measures for the conductors, in order to fix the spacers }
- H01B 11/1878 .. {Special measures in order to improve the flexibility }
- H01B 11/1882 .. {Special measures in order to improve the refrigeration }
- H01B 11/1886 .. {Special measures in order to improve the centration of the inner conductor }
- H01B 11/1891 .. {comprising auxiliary conductors }
- H01B 11/1895 .. {Particular features or applications }
- H01B 11/20 .. Cables having a multiplicity of co-axial lines
- H01B 11/203 ... {forming a flat arrangement }

- H01B 11/206 . . . {Tri-conductor coaxial cables }
- H01B 11/22 . Cables including at least one electrical conductor together with optical fibres
- H01B 12/00** **Superconductive or hyperconductive conductors, cables, or transmission lines**
(details or devices using superconductivity or hyperconductivity characterised by the material [H01L 39/12](#))
- H01B 12/02 . characterised by their form
- NOTE**
Group [H01B 12/12](#) takes precedence over groups [H01B 12/04](#) to [H01B 12/10](#).
- H01B 12/04 . . Single wire
- H01B 12/06 . . Films or wires on bases or cores
- H01B 12/08 . . Stranded or braided wires
- H01B 12/10 . . Multi-filaments embedded in normal conductors
- H01B 12/12 . . Hollow conductors
- H01B 12/14 . characterised by the disposition of thermal insulation
- H01B 12/16 . characterised by cooling
- H01B 13/00** **Apparatus or processes specially adapted for manufacturing conductors or cables**
- H01B 13/0003 . {for feeding conductors or cables }
- H01B 13/0006 . {for reducing the size of conductors or cables }
- H01B 13/0009 . {for forming corrugations on conductors or cables }
- H01B 13/0013 . {for embedding wires in plastic layers }
- H01B 13/0016 . {for heat treatment }
- H01B 13/002 . . {for heat extraction }
- H01B 13/0023 . {for welding together plastic insulated wires side-by-side }
- H01B 13/0026 . {Apparatus for manufacturing conducting or semi-conducting layers, e.g. deposition of metal }
- H01B 13/003 . {using irradiation }
- H01B 13/0033 . {by electrostatic coating }
- H01B 13/0036 . {Details }
- H01B 13/004 . for manufacturing rigid-tube cables
- H01B 13/008 . for manufacturing extensible conductors or cables

- H01B 13/012 . for manufacturing wire harnesses
- H01B 13/01209 .. {Details }
- H01B 13/01218 .. {the wires being disposed by hand }
- H01B 13/01227 ... {using a layout board }
- H01B 13/01236 .. {the wires being disposed by machine }
- H01B 13/01245 ... {using a layout board }
- H01B 13/01254 .. {Flat-harness manufacturing }
- H01B 13/01263 .. {Tying, wrapping, binding, lacing, strapping or sheathing harnesses }
- H01B 13/01272 ... {Harness tying apparatus }
- H01B 13/01281 ... {Harness wrapping apparatus }
- H01B 13/0129 ... {Sheathing harnesses with foil material }

- H01B 13/016 . for manufacturing co-axial cables ([applying discontinuous insulation H01B 13/20](#))
- H01B 13/0162 .. {of the central conductor }
- H01B 13/0165 .. {of the layers outside the outer conductor }
- H01B 13/0167 .. {After-treatment }

- H01B 13/02 . Stranding-up ([stranding-up ropes D07B](#))
- H01B 13/0207 .. {Details; Auxiliary devices }
- H01B 13/0214 .. {by a twisting pay-off device }
- H01B 13/0221 .. {by a twisting take-up device }
- H01B 13/0228 .. {by a twisting pay-off and take-up device }
- H01B 13/0235 .. {by a twisting device situated between a pay-off device and a take-up device }
- H01B 13/0242 ... {being an accumulator }
- H01B 13/025 {of tubular construction }
- H01B 13/0257 ... {being a perforated disc }
- H01B 13/0264 ... {being rollers, pulleys, drums or belts ([H01B 13/0242 takes precedence](#)) }
- H01B 13/0271 .. {Alternate stranding processes }
- H01B 13/0278 .. {Stranding machines comprising a transposing mechanism }
- H01B 13/0285 .. {Pretreatment }
- H01B 13/0292 .. {After-treatment }
- H01B 13/04 .. Mutually positioning pairs or quads to reduce cross-talk

- H01B 13/06 . Insulating conductors or cables ([H01B 13/32 takes precedence](#))
- H01B 13/062 .. {by pulling on an insulating sleeve }
- H01B 13/065 .. {Insulating conductors with lacquers or enamels }
- H01B 13/067 .. {Insulating coaxial cables ([H01B 13/20 takes precedence](#)) }
- H01B 13/08 .. by winding
- H01B 13/0808 ... {Hand-held devices }
- H01B 13/0816 ... {Apparatus having a coaxial rotation of the supply reels about the conductor or cable }
- H01B 13/0825 ... {Apparatus having a planetary rotation of the supply reels around the conductor or cable }

H01B 13/0833	{the supply reel axis being arranged parallel to the conductor or cable axis }
H01B 13/0841	{the supply reel axis being arranged perpendicular to the conductor or cable axis }
H01B 13/085	...	{Apparatus having the supply reels in a fixed position, the conductor or cable rotating about its own axis }
H01B 13/0858	...	{Details of winding apparatus; Auxiliary devices }
H01B 13/0866	{Brakes or tension regulating means }
H01B 13/0875	{Detecting breakage or run-out of winding material }
H01B 13/0883	...	{Pretreatment }
H01B 13/0891	...	{After-treatment }
H01B 13/10	..	by longitudinal lapping
H01B 13/103	...	{combined with pressing of plastic material around the conductors }
H01B 13/106	...	{the conductor having a rectangular cross-section }
H01B 13/12	..	by applying loose fibres
H01B 13/14	..	by extrusion { (extrusion in general B29C 47/00) }
H01B 13/141	...	{of two or more insulating layers }
H01B 13/142	...	{of cellular material }
H01B 13/143	...	{with a special opening of the extrusion head }
H01B 13/144	{Heads for simultaneous extrusion on two or more conductors }
H01B 13/145	...	{Pretreatment or after-treatment }
H01B 13/146	...	{Controlling the extrusion apparatus dependent on the capacitance or the thickness of the insulating material (measuring thickness G01B ; testing during manufacturing G01R 31/022) }
H01B 13/147	...	{Feeding of the insulating material }
H01B 13/148	...	{Selection of the insulating material therefor }
H01B 13/16	..	by passing through or dipping in a liquid bath; by spraying
H01B 13/165	...	{by spraying }
H01B 13/18	..	Applying discontinuous insulation, e.g. discs, beads
H01B 13/185	...	{by periodically constricting an insulating sleeve }
H01B 13/20	...	for concentric or coaxial cables
H01B 13/202	{by molding spacers }
H01B 13/204	{by punching spacers }
H01B 13/206	{by forming a helical web }
H01B 13/208	{by mechanically removing parts of a continuous insulation }
H01B 13/22	.	Sheathing; Armouring; Screening; Applying other protective layers (H01B 13/32 takes precedence)
H01B 13/221	..	{filling-up interstices }
H01B 13/222	..	{by electro-plating }
H01B 13/224	..	{by drawing a cable core into an oversized tube by means of a tow line }
H01B 13/225	..	{Screening coaxial cables }
H01B 13/227	..	{Pretreatment }
H01B 13/228	..	{After-treatment }
H01B 13/24	..	by extrusion { (extrusion of cables with plastic material in general B29C 47/02) }

- H01B 13/245 ... {of metal layers }
- H01B 13/26 .. by winding, braiding, or longitudinal lapping (winding in general [B65H](#))
- H01B 13/2606 ... {by braiding }
- H01B 13/2613 ... {by longitudinal lapping }
- H01B 13/262 {of an outer metallic screen }
- H01B 13/2626 {of a coaxial cable outer conductor }
- H01B 13/2633 {Bending and welding of a metallic screen }
- H01B 13/264 {Details of the welding stage }
- H01B 13/2646 {Bending and soldering of a metallic screen }
- H01B 13/2653 {Details of the soldering stage }
- H01B 13/266 {Bending and adhesively bonding of a metallic screen }
- H01B 13/2666 {Details of the bonding stage }
- H01B 13/2673 {of a compartment separating metallic screen }
- H01B 13/268 {of a non-metallic sheet }
- H01B 13/2686 {Pretreatment }
- H01B 13/2693 {After-treatment }

- H01B 13/28 . Applying continuous inductive loading, e.g. Krarup loading
- H01B 13/282 .. {by winding }
- H01B 13/285 .. {by extrusion }
- H01B 13/287 .. {by passing through a coating bath }

- H01B 13/30 . Drying; (in general [F26B](#)) ; Impregnating ([H01B 13/32](#) takes precedence; {impregnating of fibres [D06B 3/00](#), [D06B 5/00](#); [H01G 4/00](#), [H01G 4/06](#); drying and impregnating of wood or the like [B27K](#) ; impregnation of stones, basic materials therefor [C04B 20/10](#) to [C04B 20/12](#), [C04B 41/45](#) to [C04B 41/52](#) })

- H01B 13/32 . Filling or coating with impervious material (for cable installations [H02G 15/00](#))
- H01B 13/321 .. {the material being a powder }
- H01B 13/322 .. {the material being a liquid, jelly-like or viscous substance }
- H01B 13/323 ... {using a filling or coating head }
- H01B 13/324 {in combination with a vacuum chamber }
- H01B 13/325 {in combination with vibration generating means }
- H01B 13/326 {Material preparing or feeding devices }
- H01B 13/327 ... {using a filling or coating cone or die }
- H01B 13/328 ... {using a filling or coating bath }
- H01B 13/329 .. {the material being a foam }

- H01B 13/34 . for marking conductors or cables
- H01B 13/341 .. {using marking wheels, discs, rollers, drums, balls or belts }
- H01B 13/342 .. {by applying marked tape, thread or wire on the full length of the conductor or cable }
- H01B 13/344 .. {by applying sleeves, ferrules, tags, clips, labels or short length strips }
- H01B 13/345 .. {by spraying, ejecting or dispensing marking fluid }
- H01B 13/347 ... {Electrostatic deflection of the fluid jets }

H01B 13/348 . . {using radiant energy, e.g. a laser beam }

H01B 15/00 **Apparatus or processes for salvaging material from cables** (for removing insulation from conductors [H02G 1/12](#))

H01B 15/001 . {by cooling down }

H01B 15/003 . {by heating up }

H01B 15/005 . {by cutting }

H01B 15/006 . . {Making a longitudinal cut }

H01B 15/008 . {by crushing }

H01B 17/00 **Insulators or insulating bodies characterised by their form** (section insulators for electric traction [B60M 1/18](#); insulating rail-joints [E01B 11/54](#))

H01B 17/005 . {Insulators structurally associated with built-in electrical equipment }

H01B 17/02 . Suspension insulators; Strain insulators

H01B 17/04 . . Chains; Multiple chains

H01B 17/06 . . Fastening of insulator to support, to conductor, or to adjoining insulator

H01B 17/08 . . . by cap-and-bolt

H01B 17/10 . . . by intermediate link

H01B 17/12 . . Special features of strain insulators (devices for relieving mechanical tension of electric lines or cables [H02G 7/04](#))

H01B 17/14 . Supporting insulators (pin insulators [H01B 17/20](#); apertured insulators [H01B 17/24](#))

H01B 17/145 . . {Insulators, poles, handles, or the like in electric fences }

H01B 17/16 . . Fastening of insulators to support, to conductor, or to adjoining insulator

H01B 17/18 . . for very heavy conductors, e.g. bus-bars, rails

H01B 17/20 . Pin insulators

H01B 17/22 . . Fastening of conductors to insulator

H01B 17/24 . Insulators apertured for fixing by nail, screw, wire, or bar, e.g. diabolo, bobbin

H01B 17/26 . Lead-in insulators; Lead-through insulators

H01B 17/265 . . {Fastening of insulators to support ([H01B 17/301](#) takes precedence) }

H01B 17/28 . . Capacitor type (capacitors [H01G](#))

H01B 17/30 . . Sealing (packings in general [F16J](#))

H01B 17/301 . . . {Sealing of insulators to support }

H01B 17/303 . . . {Sealing of leads to lead-through insulators }

H01B 17/305 {by embedding in glass or ceramic material }

H01B 17/306 {by embedding in material other than glass or ceramics }

H01B 17/308 {by compressing packing material }

- H01B 17/32 . Single insulators consisting of two or more dissimilar insulating bodies
- H01B 17/325 . . {comprising a fibre-reinforced insulating core member }
- H01B 17/34 . Insulators containing liquid, e.g. oil
- H01B 17/36 . Insulators having evacuated or gas-filled spaces
- H01B 17/38 . Fittings, e.g. caps; Fastenings therefor
- H01B 17/40 . . Cementless fittings
- H01B 17/42 . Means for obtaining improved distribution of voltage (capacitor-type lead-through insulators H01B 17/28) ; Protection against arc discharges
- H01B 17/44 . . Structural association of insulators with corona rings (corona rings H01T 19/02)
- H01B 17/46 . . Means for providing an external arc-discharge path (spark-gap arresters H01T)
- H01B 17/48 . . over chains or other serially-arranged insulators
- H01B 17/50 . with surfaces specially treated for preserving insulating properties, e.g. for protection against moisture, dirt, or the like
- H01B 17/52 . having cleaning devices (H01B 17/54 takes precedence)
- H01B 17/525 . . {Self-cleaning, e.g. by shape or disposition of screens }
- H01B 17/54 . having heating or cooling devices
- H01B 17/56 . Insulating bodies (insulators H01B 17/02 to H01B 17/54)
- H01B 17/58 . . Tubes, sleeves, beads, or bobbins through which the conductor passes (protective tubings for the installation of lines or cables in buildings H02G 3/04)
- H01B 17/583 . . . {Grommets; Bushings }
- H01B 17/586 {with strain relief arrangements }
- H01B 17/60 . . Composite insulating bodies (cables or conductors H01B 7/00, H01B 9/00; resistors H01C ; capacitors H01G)
- H01B 17/62 . . Insulating-layers or insulating films on metal bodies (conductive layers or films on insulating-bodies H01B 5/14)
- H01B 17/64 . . with conductive admixtures, inserts, or layers (conductive bodies comprising conductive material dispersed in insulating material H01B 5/16)
- H01B 17/66 . . Joining insulating bodies together, e.g. by bonding
- H01B 19/00 Apparatus or processes specially adapted for manufacturing insulators or insulating bodies { (manufacture of porcelain for electric insulation C04B 33/26) }**
- H01B 19/02 . Drying (in general F26B) ; Impregnating
- H01B 19/04 . Treating the surfaces, e.g. applying coatings