

CPC**COOPERATIVE PATENT CLASSIFICATION****D01H**

SPINNING OR TWISTING (unwinding, paying-out, forwarding, winding or coiling filamentary material not intimately associated with spinning or twisting [B65H](#); cores, formers, supports or holders for coiled or wound material, e.g. bobbins [B65H](#); twisting oakum [D01G 35/00](#); crimping or curling of fibres, filaments or yarns [D02G 1/00](#); making chenille [D03D](#), [D04D 3/00](#); testing yarns, rovings, slivers, fibres, or fibre webs [G01](#))

Guidance heading: Kinds or types of spinning or twisting machines; Drafting machines or arrangements; Twisting arrangements

D01H 1/00

Spinning or twisting machines in which the product is wound-up continuously (open-end spinning machines [D01H 4/00](#); { doubling of yarns [B65H 54/00+T](#); doubled, plied or cabled threads [D02G 3/28](#), e.g. using hollow spindles [D02G 3/283](#); spin-twisting [D02G 3/281](#); threads with alternately "S" and "Z" direction of twist, e.g. self-twist process, [D02G 3/286](#); wrapping strands of filaments or staple fibres by a binder yarn [D02G 3/38](#) })

- [D01H 1/003](#) . { Twisting machines in which twist is imparted from the supply packages, e.g. uptwist }
- [D01H 1/006](#) . { Twisting machines in which twist is imparted at the paying-out and take-up stations }
- [D01H 1/02](#) . ring type { { arrangements with two or more spinning or twisting devices in combination [D01H/90](#) } }
- [D01H 1/025](#) . . { with a condensing device between drafting system and spinning unit }
- [D01H 1/04](#) . flyer type
- [D01H 1/06](#) . cap type
- [D01H 1/08](#) . cup, pot or disc type, in which annular masses of yarn are formed by centrifugal action
- [D01H 1/10](#) . for imparting multiple twist, e.g. two-for-one twisting
- [D01H 1/101](#) . . { in which multiple twist is imparted at the take-up stations }
- [D01H 1/103](#) . . . { Two-for-one twisting }
- [D01H 1/105](#) . . { Arrangements using hollow spindles, i.e. the yarns are running through the spindle of the unwound bobbins }
- [D01H 1/106](#) . . . { Two-for-one twisting }
- [D01H 1/108](#) { for two or more supply bobbins one on top of the other }
- [D01H 1/11](#) . Spinning by false-twisting { { twisting by false-twisting [D01H 7/92](#); [D02G 3/28](#); increasing the strength of a roving or sliver by false-twisting [D01H 7/92](#), during drafting [D01H 5/28](#) } }
- [D01H 1/115](#) . . using pneumatic means
- [D01H 1/14](#) . Details (drafting arrangements [D01H 5/00](#); twisting arrangements [D01H 7/00](#))
- [D01H 1/16](#) . . Framework; Casings; Coverings { Removal of heat; Means for generating overpressure of air against infiltration of dust; Ducts for electric cables }
- [D01H 1/162](#) . . . { for ring type }

D01H 1/164	...	{ for flyer type }
D01H 1/166	...	{ for two-for-one type }
D01H 1/168	...	{ Arrangements for the sound-dampening of the machines (in general G10K 11/00) }
D01H 1/18	..	Supports for supply packages
D01H 1/183	...	{ Overhead suspension devices }
D01H 1/186	...	{ for supplying from cans }
D01H 1/20	..	Driving or stopping arrangements (for open-end spinning machines D01H 4/12 , D01H 4/20 , D01H 4/42 ; safety devices D01H 13/14)
D01H 1/22	...	for rollers { of drafting machines; Roller speed control } (regulating or varying draft D01H 5/32)
D01H 1/24	...	for twisting { or spinning } arrangements, e.g. spindles (braking arrangements for spindles D01H 7/22 ; interrelated flyer and bobbin drive mechanisms D01H 7/50)
D01H 1/241	driven by belt
D01H 1/242	driven by toothed wheels
D01H 1/243	driven by friction discs
D01H 1/244	each spindle driven by an electric motor
D01H 1/26	with two or more speeds; with variable-speed arrangements
D01H 1/28	...	for two or more machine elements possessing different characteristics but in operative association
D01H 1/30	with two or more speeds; with variable-speed arrangements
D01H 1/305	{ Speed control of the spindles in response to the displacements of the ring rail }
D01H 1/32	...	for complete machines
D01H 1/34	with two or more speeds; with variable-speed arrangements { e.g. variation of machine speed according to growing bobbin diameter (responsive to reduction in material tension D01H 13/16) }
D01H 1/36	..	Package-shaping arrangements, e.g. building motions { e.g. control for the traversing stroke of ring rails; Stopping ring rails in a predetermined position }
D01H 1/365	...	{ for flyer type }
D01H 1/38	..	Arrangements for winding reserve lengths of yarn on take-up packages { or spindles }, e.g. transfer tails
D01H 1/385	...	{ Removing waste reserve lengths from spindles }
D01H 1/40	..	Arrangements for connecting continuously-delivered material to bobbins or the like
D01H 1/42	..	Guards or protectors for yarns or threads, e.g. separator plates, anti-ballooning devices (anti-ballooning devices on spindles D01H 7/18)
D01H 1/422	...	{ Separator plates }
D01H 1/425	...	{ Anti-ballooning rings }
D01H 1/427	...	{ Anti-ballooning cylinders, e.g. for two-for-one twist machine (with combined cleaning effect D01H 11/00) }
D01H 3/00		Spinning or twisting machines in which the product is wound-up intermittently, e.g. mules
D01H 3/02	.	Details (drafting arrangements D01H 5/00 ; twisting arrangements D01H 7/00)

- D01H 3/04 . . . Carriages; Mechanisms effecting carriage movements
- D01H 3/06 . . . Carriages; Carriage rails; Squaring motions
- D01H 3/08 . . . Drawing-out or taking-in motions
- D01H 3/10 . . . Moving-creel arrangements, e.g. for twiners
- D01H 3/12 . . Package-shaping motions; Faller arrangements
- D01H 3/14 . . Roller-driving arrangements ([drafting arrangements of general application in spinning machines D01H 5/18](#))
- D01H 3/16 . . Spindle-driving arrangements ([spindles, spindle bearings, spindle supports D01H 7/04](#))
- D01H 3/18 . . . Tin rollers; Driving arrangements intimately associated with tin rollers
- D01H 3/20 . . . Spindle-driving arrangements during drawing-out or backing-off
- D01H 3/22 . . . Spindle-driving arrangements during taking-in
- D01H 3/24 Quadrant motions; Nosing motions
- D01H 3/26 . . Driving or stopping arrangements not otherwise provided for; Locking motions ([safety devices D01H 13/14](#)) { [Control of machines](#) }

D01H 4/00 **Open-end spinning machines or arrangements for imparting twist to independently moving fibres separated from slivers; Piecing arrangements therefor; Covering endless core threads with fibres by open-end spinning techniques** { ([arrangements with two or more spinning or twisting devices of different types in combination D01H 7/90](#)) }

NOTE

In this group, the expression "open-end spinning" covers such expressions as "break spinning", "ringless spinning", "rotor spinning" and "friction spinning", but does not cover the expression "spinning by false-twisting"

- D01H 4/02 . . imparting twist by a fluid, e.g. air vortex
- D01H 4/04 . . imparting twist by contact of fibres with a running surface
- D01H 4/06 . . co-operating with suction means ([D01H 4/08, D01H 4/16 take precedence](#))
- D01H 4/08 . . Rotor spinning, i.e. the running surface being provided by a rotor
- D01H 4/10 . . . Rotors
- D01H 4/12 . . . Rotor bearings; Arrangements for driving or stopping ([control therefor D01H 4/42](#))
- D01H 4/14 Rotor driven by an electric motor
- D01H 4/16 . . Friction spinning, i.e. the running surface being provided by a pair of closely spaced friction drums, e.g. at least one suction drum { ([false twisting with friction drums D01H 1/11](#)) }
- D01H 4/18 . . . Friction drums, e.g. arrangement of suction holes
- D01H 4/20 . . . Drum bearings; Arrangements for driving or stopping ([control therefor D01H 4/42](#))
- D01H 4/22 . . Cleaning of running surfaces
- D01H 4/24 . . . in rotor spinning
- D01H 4/26 . . . in friction spinning
- D01H 4/28 . . using electrostatic fields

- D01H 4/30 . Arrangements for separating slivers into fibres; Orienting or straightening fibres, { e.g. using guide-rolls }
- D01H 4/32 . . using opening rollers {(stopping of rovings or slivers [D01H 13/18](#))}
- D01H 4/34 . . using air-jet streams
- D01H 4/36 . . with means for taking away impurities
- D01H 4/38 . Channels for feeding fibres to the yarn forming region
- D01H 4/40 . Removing running yarn from the yarn forming region, e.g. using tubes
- D01H 4/42 . Control of driving or stopping
- D01H 4/44 . . in rotor spinning
- D01H 4/46 . . in friction spinning
- D01H 4/48 . Piecing arrangements; Control therefor {(stopping roving [D01H 13/18](#))}
- D01H 4/50 . . for rotor spinning
- D01H 4/52 . . for friction spinning
- D01H 5/00** **Drafting machines or arrangements** { Threading of roving into drafting machine }
(arrangements in which draft is dependent on linear movement of take-up spindles, e.g. in mules, [D01H 3/00](#); devices for combing or orienting fibres for open-end spinning machines [D01H 4/30](#); { increasing the strength of a roving or sliver by false-twisting [D01H 7/92](#), during drafting [D01H 5/28](#), after drafting and before spinning according to groups [D01H 1/02](#) to [D01H 1/08](#), [D01H 7/90](#); depositing materials in cans after drafting [B65H 54/76](#) + T })
- D01H 5/005 . { Arrangements for feeding or conveying the slivers to the drafting machine }
- D01H 5/02 . Gill boxes or other drafting machines employing fallers or like pinned bars (lubricating fibres in gill boxes [D01G 29/00](#))
- D01H 5/04 . . with pinned bars actuated by screw members
- D01H 5/06 . . . Intersecting gill boxes
- D01H 5/08 . . with bars connected by links, chains, or the like
- D01H 5/10 . . with pinned bars unconnected with each other but actuated through pressure of one against another
- D01H 5/12 . . Details
- D01H 5/14 . . . Pinned bars
- D01H 5/16 . . . Framework; Casings; Coverings
- D01H 5/18 . Drafting machines or arrangements without fallers or like pinned bars
- D01H 5/20 . . in which fibres are controlled by contact with stationary or reciprocating surfaces
- D01H 5/22 . . in which fibres are controlled by rollers only
- D01H 5/24 . . . with porcupines or like pinned rotary members
- D01H 5/26 . . in which fibres are controlled by one or more endless aprons
- D01H 5/28 . . in which fibres are controlled by inserting twist during drafting ({ spinning by false-twisting [D01H 1/11](#) }; mules [D01H 3/00](#); { twisting by false-twisting [D01H 7/92](#) }; constructions of false-twist devices [D02G 1/04](#))

- D01H 5/30 .. incorporating arrangements for severing continuous filaments, e.g. in direct spinning ([converting tows to slivers or yarns D01G 1/06](#))
- D01H 5/32 .. Regulating or varying draft
- D01H 5/34 ... by manual adjustments
- D01H 5/36 ... according to a pre-arranged pattern, e.g. to produce slubs
- D01H 5/38 ... in response to irregularities in material; { [Measuring irregularities](#) }
- D01H 5/385 { [employing hydraulic or pneumatic time-delay devices](#) }
- D01H 5/40 employing mechanical time-delay devices
- D01H 5/42 employing electrical time-delay devices
- D01H 5/44 .. Adjusting drafting elements, e.g. altering ratch
- D01H 5/46 .. Loading arrangements
- D01H 5/48 ... using weights
- D01H 5/50 ... using springs
- D01H 5/505 { [for top roller arms](#) }
- D01H 5/52 ... using fluid pressure
- D01H 5/525 { [for top roller arms](#) }
- D01H 5/54 ... using magnetic arrangements
- D01H 5/56 .. Supports for drafting elements ([saddles or top roller arms forming essential components of weighting arrangements D01H 5/48](#))
- D01H 5/565 ... { [Top roller arms](#) }
- D01H 5/58 .. Arrangements for traversing drafting elements ([traversing arrangements for roving guides D01H 13/06](#))
- D01H 5/60 .. Arrangements maintaining drafting elements free of fibre accumulations
- D01H 5/62 ... Non-rotary cleaning pads or plates; Scrapers
- D01H 5/625 { [in cooperation with suction or blowing means](#) }
- D01H 5/64 ... Rollers or aprons with cleaning surfaces
- D01H 5/645 { [in cooperation with suction or blowing means](#) }
- D01H 5/66 ... Suction devices { [exclusively; \(D01H 5/625 and D01H 5/645 take precedence; in cooperation with thread breakage detecting means D01H 13/1691 \)](#) }
- D01H 5/68 Suction end-catchers
- D01H 5/70 .. Constructional features of drafting elements
- D01H 5/72 ... Fibre-condensing guides ([guides for slivers, rovings, or yarns applicable solely for spinning, twisting, curling, or crimping purposes D01H 13/04; { combined with false twisting before drafting or before spinning according to groups D01H 1/02 to D01H 1/08 : D01H 7/92 }](#))
- D01H 5/74 ... Rollers { [or roller bearings](#) }
- D01H 5/76 Loose-boss assemblies
- D01H 5/78 with flutes or other integral surface characteristics
- D01H 5/80 with covers; Cots or covers
- D01H 5/82 Arrangements for coupling roller sections
- D01H 5/84 Porcupines
- D01H 5/86 ... Aprons; Apron supports; Apron tensioning arrangements
- D01H 5/88 Cradles; Tensors
- D01H 7/00** **Spinning or twisting arrangements ([for open-end spinning D01H 4/00](#))**

D01H 7/02	. for imparting permanent twist
D01H 7/04	.. Spindles ({ bearings for hollow spindles D01H 7/88 }; spindle bearings, supports therefor, in general F16C)
D01H 7/041	... { Spindles with sliding contact bearings (D01H 7/045 takes precedence) }
D01H 7/042	... { Spindles with rolling contact bearings (D01H 7/045 takes precedence) }
D01H 7/044	... { Spindles with fluid bearings }
D01H 7/045	... { Spindles provided with flexible mounting elements for damping vibration or noise, or for avoiding or reducing out-of-balance forces due to rotation (in general F16F 15/00) }
D01H 7/047 { with springs }
D01H 7/048 { with means using plastic deformation of members }
D01H 7/06	... Stationary spindles with package-holding sleeves
D01H 7/08	... Mounting arrangements
D01H 7/10 Spindle supports; Rails; Rail supports, e.g. poker guides
D01H 7/12 Bolsters; Bearings
D01H 7/14 Holding-down arrangements
D01H 7/16	... Arrangements for coupling bobbins or like to spindles
D01H 7/18	... Arrangements on spindles for suppressing yarn balloons (thread guards or protectors D01H 1/42)
D01H 7/20	... Lubricating arrangements
D01H 7/22	... Braking arrangements
D01H 7/2208 { using mechanical means }
D01H 7/2216 { with one or two manually actuated shoe-brakes acting on a part of the whorl }
D01H 7/2225 { the braking means surrounding nearly the whole periphery of the whorl }
D01H 7/2233 { by suppressing the driving means, e.g. by declutching }
D01H 7/2241 { the belt being moved off the driven whorl }
D01H 7/225 { and the spindle being braked simultaneously }
D01H 7/2258 { the pivoted spindle being pulled off the belt }
D01H 7/2266 { and braked simultaneously }
D01H 7/2275 { using hydraulically or pneumatically operated brakes }
D01H 7/2283 { using electromagnetically operated brakes }
D01H 7/2291 { characterised by the control of braking means, e.g. operated by a yarn break-detector or tension device }
D01H 7/24	.. Flyer or like arrangements (multiple-twist arrangements D01H 7/86)
D01H 7/26	... Flyer constructions
D01H 7/28 arranged to guide material over exterior of legs
D01H 7/30 with guide channels formed in legs, e.g. slubbing flyers
D01H 7/32 with pressing devices
D01H 7/34 with haul pulleys or like arrangements
D01H 7/36 with traversing devices
D01H 7/38 Ring flyers
D01H 7/40	... Flyer supports, e.g. rails

- D01H 7/42 . . . Arrangements coupling flyers to spindles
- D01H 7/44 . . . Drag arrangements for bobbins or flyers
- D01H 7/46 . . . Devices attached to, or integral with, flyers for temporarily increasing twist in material passing to them
- D01H 7/48 . . . Eyes or like guiding arrangements ([D01H 7/46](#) takes precedence)
- D01H 7/50 . . . Interrelated flyer and bobbin drive mechanisms, e.g. winding-on motions for cotton-roving frames ({ variation of machine speed according to growing bobbin diameter [D01H 1/34](#) } ; package-building mechanisms [D01H 1/36](#))
- D01H 7/52 . . . Ring-and-traveller arrangements
- D01H 7/54 . . . with fixed rings
- D01H 7/56 . . . with freely-rotatable rings; with braked or dragged rings; { Lubricating arrangements therefor }
- D01H 7/565 { with fluid bearings }
- D01H 7/58 . . . with driven rings; { Bearings or braking arrangements therefor }
- D01H 7/585 { by fluid driving means }
- D01H 7/60 . . . Rings or travellers; Manufacture thereof not otherwise provided for ([hand tools for applying travellers to rings \[D01H 17/02\]\(#\)](#)) { Cleaning means for rings }
- D01H 7/602 { Rings }
- D01H 7/604 { Travellers }
- D01H 7/606 { Driving means for travellers }
- D01H 7/608 { Cleaning means for travellers }
- D01H 7/62 . . . Arrangements providing lubricant for travellers
- D01H 7/64 . . . Ring supports, e.g. ring rails ([poker guides or other rail supports \[D01H 7/10\]\(#\)](#))
- D01H 7/66 . . . Cap arrangements
- D01H 7/68 . . . Cap constructions
- D01H 7/70 . . . Arrangements for supporting caps on spindles
- D01H 7/72 . . . Bobbin-supporting arrangements, e.g. bobbin rails ([poker guides or other rail supports \[D01H 7/10\]\(#\)](#))
- D01H 7/74 . . . Cup or like arrangements
- D01H 7/76 . . . Rotary discs
- D01H 7/78 . . . Constructions of cups, e.g. spinning boxes
- D01H 7/80 adapted to collect wet yarns
- D01H 7/82 . . . Casings or guards for rotary cups or the like
- D01H 7/84 . . . Spindles or yarn carriers for co-operation with rotary cups ([removing yarn from centrifugal cups on to yarn carriers \[D01H 9/06\]\(#\)](#))
- D01H 7/86 . . . Multiple-twist arrangements, e.g. two-for-one twisting devices { Threading of yarn; Devices in hollow spindles for imparting false twist }
- D01H 7/862 { Arrangements for holding the bobbin in a fixed position }
- D01H 7/864 { Coupling devices between the fixed and the rotative parts }
- D01H 7/866 { Means to facilitate the unwinding of yarn }
- D01H 7/868 { Yarn guiding means, e.g. guiding tubes }
- D01H 7/88 . . . Hollow-spindle arrangements ([D01H 7/86](#) takes precedence)
- D01H 7/90 . . . Arrangements with two or more { spinning or } twisting devices { of different types } in combination ({ [D01H 1/006](#) }, [D01H 7/86](#), [D01H 7/88](#) take precedence)
- D01H 7/92 . . . for imparting transient twist { i.e. false twist ([D01H 1/11](#) takes precedence) }

- D01H 7/923 .. { by means of rotating devices }
- D01H 7/926 .. { by means of traversing devices }

Guidance heading: Common features or details of, or accessories for, spinning or twisting machines of various kinds or types (drafting arrangements [D01H 5/00](#); twisting arrangements [D01H 7/00](#))

D01H 9/00 **Arrangements for replacing or removing bobbins, cores, receptacles, or completed packages at paying-out or take-up stations** (arrangements of general interest in the winding of filamentary material { [B65H 67/00](#) }) { ; Combination of spinning-winding machine }

- D01H 9/001 . { Bobbin-taking arrangements }
- D01H 9/003 .. { Graspers operating under the action of a fluid }
- D01H 9/005 . { for removing empty packages or cans and replacing by completed (full) packages or cans at paying-out stations; also combined with piecing of the roving }
- D01H 9/006 .. { for two-for-one twist type machines }
- D01H 9/008 .. { for cans }
- D01H 9/02 . for removing completed take-up packages and replacing by bobbins, cores, or receptacles at take-up stations; Transferring material between adjacent full and empty take-up elements
- D01H 9/04 .. Doffing arrangements integral with spinning or twisting machines
- D01H 9/043 ... { for cap type machines }
- D01H 9/046 ... { for flyer type machines }
- D01H 9/06 ... Removing yarn from centrifugal cups on to yarn carriers
- D01H 9/08 .. Doffing arrangements independent of spinning or twisting machines
- D01H 9/10 ... Doffing carriages; { Loading carriages with cores }
- D01H 9/12 ... Manual cop-tube applying apparatus; Stands for cop-tube applying apparatus
- D01H 9/14 .. for preparing machines for doffing of yarns, { e.g. raising cops prior to removal } (stop motions responsive to delivery of a measured length of material [D01H 13/24](#))
- D01H 9/16 .. Yarn-severing arrangements, { e.g. for cutting transfer tails; Separating of roving in flyer }
- D01H 9/18 . for supplying bobbins, cores, receptacles, or completed packages to, or transporting from, paying-out or take-up stations ([D01H 9/10](#) takes precedence); { Arrangements to prevent unwinding of roving from roving bobbins (transporting full yarn bobbins to subsequent machines [B65H 67/06+T](#)) }
- D01H 9/182 .. { Overhead conveying devices }
- D01H 9/185 .. { Transporting cans }
- D01H 9/187 .. { on individual supports, e.g. pallets }

D01H 11/00 **Arrangements for confining or removing dust, fly, or the like** (cleaning of running surfaces in open-end spinning machines [D01H 4/22](#); separation in general [B01D](#); cleaning in general [B08B](#); air-conditioning [F24F](#), e.g. by filtering [F24F 3/16](#))

- D01H 11/001 . { Hand tools used for cleaning the machines }

- D01H 11/003 . . { with a rotary pin }
- D01H 11/005 . { with blowing and/or suction devices (in general [A47L 7/00](#); in cooperation with thread breakage detecting means [D01H 13/1691](#)) }
- D01H 11/006 . . { travelling along the machines }
- D01H 11/008 . { with static field means }
- D01H 13/00** **Other common constructional features, details or accessories (for open-end spinning [D01H 4/00](#))**
- D01H 13/005 . { Service carriages travelling along the machines (characteristics relating to the apparatus supported by the carriage, see relevant groups, e.g. [D01H 9/005](#), [D01H 9/10](#), [D01H 13/145](#), [D01H 15/00](#)) }
- D01H 13/02 . Roller arrangements not otherwise provided for
- D01H 13/04 . Guides for slivers, rovings, or yarns; Smoothing dies (fibre-condensing guides [D01H 5/72](#); { means to facilitate the unwinding of yarn in multiple-twist arrangements [D01H 7/866](#) })
- D01H 13/045 . . { Guide tube }
- D01H 13/06 . . Traversing arrangements
- D01H 13/08 . Twist arresters
- D01H 13/10 . Tension devices
- D01H 13/102 . . { Regulating tension by regulating delivery of yarn from supply package ([D01H 13/108](#) takes precedence) }
- D01H 13/104 . . { Regulating tension by devices acting on running yarn and not associated with supply or take-up devices }
- D01H 13/106 . . . { for double-twist spindle }
- D01H 13/108 . . { Regulating tension by regulating speed of driving mechanisms of unwinding, paying-out, forwarding, winding or depositing devices, e.g. automatically in response to variations in tension }
- D01H 13/12 . Arrangements preventing snarls or inadvertent doubling of yarns (suction end-catchers [D01H 5/68](#))
- D01H 13/14 . Warning or safety devices, e.g. automatic fault detectors, stop motions; { Monitoring the entanglement of slivers in drafting arrangements }; safety devices of general application [F16P](#); indicating devices of general application [G08B](#)
- D01H 13/145 . . { set on carriages travelling along the machines; Warning or safety devices pulled along the working unit by a band or the like }
- D01H 13/16 . . responsive to reduction in material tension, failure of supply, or breakage, of material
- D01H 13/1608 . . . { where the paying-out and take-up stations are stopped at one and the same time }
- D01H 13/1616 . . . { characterised by the detector }
- D01H 13/1625 { Electro-mechanical actuators }
- D01H 13/1633 { Electronic actuators }

D01H 13/1641	{ Capacitor sensing means }
D01H 13/165	{ Photo-electric sensing means }
D01H 13/1658	{ Associated actuators with mutual actuation, e.g. for two or more running yarns }
D01H 13/1666	{ Lighting or luminous devices making easier the setting of the breakage of yarns }
D01H 13/1675	{ Pencil of rays on side of machines }
D01H 13/1683	{ Pneumatic sensing means }
D01H 13/1691	...	{ Thread breakage detector means associated with pneumatic cleaning devices, e.g. suction of broken end of yarn }
D01H 13/18	...	stopping supply only
D01H 13/181	{ by stopping supply packages }
D01H 13/182	{ by raising or lifting of one of the drafting cylinders, e.g. by removing of the loading means }
D01H 13/183	{ the yarn moving out of its normal path, e.g. by lateral diverting }
D01H 13/185	{ a plate moving in the nip of drafting or guiding cylinders }
D01H 13/186	{ guiding or drafting cylinders moving by gravity when a yarn breakage occurs }
D01H 13/187	{ using means stopping the driving of the drafting, guiding cylinders, e.g. friction clutches }
D01H 13/188	{ by cutting or clamping yarns or rovings }
D01H 13/20	..	responsive to excessive tension or irregular operation of apparatus
D01H 13/22	..	responsive to presence of irregularities in running material
D01H 13/24	..	responsive to delivery of a measured length of material, completion of winding of a package or filling of a receptacle
D01H 13/26	.	Arrangements facilitating the inspection or testing of yarns or the like in connection with spinning or twisting
D01H 13/28	.	Heating or cooling arrangements { for yarns (removal of heat from machines D01H 1/16) }
D01H 13/30	.	Moistening, sizing, oiling, waxing, colouring, or drying yarns or the like as incidental measures during spinning or twisting
D01H 13/302	..	{ Moistening, e.g. for wet spinning }
D01H 13/304	..	{ Conditioning during spinning or twisting (for carding or combing D01G 99/005) }
D01H 13/306	..	{ by applying fluids, e.g. steam or oiling liquids }
D01H 13/308	..	{ by applying solids, e.g. wax }
D01H 13/32	.	Counting, measuring, recording or registering devices (in general, see the appropriate subclass of Section G, e.g. { G01B 21/12 , G01N 33/36 })
D01H 15/00		Piecing arrangements (for open-end spinning machines D01H 4/48 ; in machines for producing textile fabrics, see the appropriate subclasses); { Automatic end-finding, e.g. by suction and reverse package rotation; Devices for temporarily storing yarn during piecing (piecing of rovings in combination with replacing of completed packages or cans D01H 9/005) }
D01H 15/002	.	{ for false-twisting spinning machines }

- D01H 15/004 . { for centrifugal spinning machines }
- D01H 15/007 . for two-for-one twisting machines
- D01H 15/013 . Carriages travelling along the machines
- D01H 17/00** **Hand tools** (cop-tube applying apparatus [D01H 9/12](#))
- D01H 17/02 . Arrangements for storing ring travellers; Devices for applying travellers to rings
- D01H 2700/00** **Spinning or twisting machines; Drafting devices**
- D01H 2700/01 . Preparatory spinning machines
- D01H 2700/20 . Spinning mules; Transmissions
- D01H 2700/202 . . Carriages or their movement; Lubrication
- D01H 2700/205 . . Spindles or spindle control in spinning mules
- D01H 2700/207 . . Yarn delivery rollers; Drawing systems for spinning mules; Silver rollers
- D01H 2700/21 . Piecing or cleaning in spinning mules
- D01H 2700/22 . Winding devices for spinning mules
- D01H 2700/24 . Spinning or twisting machines of different kinds
- D01H 2700/242 . . Spinning or twisting devices wherein twist is created during winding
- D01H 2700/245 . Conception or fabrication of drafting cylinders
- D01H 2700/247 . Guiding means for veil or sliver on drafting systems