

CPC**COOPERATIVE PATENT CLASSIFICATION****B60J****WINDOWS, WINDSCREENS, NON-FIXED ROOFS, DOORS, OR SIMILAR DEVICES FOR VEHICLES; REMOVABLE EXTERNAL PROTECTIVE COVERINGS SPECIALLY ADAPTED FOR VEHICLES**(fastening, suspending, closing, or opening of such devices [E05](#))**NOTE**

Windows, windcreens, non-fixed roofs, doors, or similar devices which are of general applicability, irrespective of whether described or claimed only for vehicles, are also classified in subclass [E06B](#).

Attention is drawn to the Note following the title of class [B60](#).

B60J 1/00

Windows; Windcreens; Accessories therefor ([B60J 10/00](#) takes precedence; air curtains instead of windows [B60J 9/04](#); { sealing strips for windshields [B60J 10/02](#); sealing sash guides for sliding window panes [B60J 10/04](#); glass partitions inside vehicles to protect occupants against personal attack [B60R 21/12](#)})

B60J 1/001

- . {Double glazing for vehicles}

B60J 1/002

- . {with means for clear vision, e.g. anti-frost or defog panes, rain shields (window heating in [H05B 3/84](#), [H05B 3/86](#))}

B60J 1/003

- . {Rear seat windcreens}

B60J 1/004

- . {Mounting of windows}

B60J 1/005

- .. {using positioning means during mounting}

B60J 1/006

- .. { characterised by fixation means such as clips, adhesive, etc. (incorporated in seal [B60J 10/02](#))}

B60J 1/007

- .. { received in frames to be attached to vehicle}

B60J 1/008

- . {of special shape, e.g. beveled edges, holes for attachment, bent windows, peculiar curvatures such as when being integrally formed with roof, door, etc.}

B60J 1/02

- . arranged at the vehicle front {e.g. structure of the glazing, mounting of the glazing (on windscreen mounted antenna wire [H01Q 1/1271](#))}

B60J 1/025

- .. {Temporary windcreens}

B60J 1/04

- .. adjustable

B60J 1/06

- ... comprising more than one pane

B60J 1/08

- . arranged at vehicle sides

B60J 1/085

- .. {removably mounted}

B60J 1/10

- .. fixedly mounted {([B60J 1/085](#) takes precedence)}

B60J 1/12

- .. adjustable

B60J 1/14	...	with pivotal or rotary movement
B60J 1/16	...	slidable
B60J 1/17	vertically
B60J 1/18	.	arranged at the vehicle rear { optical viewing arrangements integrated in rear windows, e.g. Fresnel lenses B60R 1/001 }
B60J 1/1807	..	{ movable for vehicles with convertible top}
B60J 1/1815	...	{ non-adjustably mounted in and moving with the soft-top cover}
B60J 1/1823	...	{ adjustable relative to hard- or soft-top, e.g. pivotable}
B60J 1/183	{ slidable}
B60J 1/1838	..	{ movable for non-convertible vehicles, including vehicles with versatile load area}
B60J 1/1846	...	{ where the window can slide}
B60J 1/1853	{ horizontally in direction transverse to vehicle longitudinal axis}
B60J 1/1861	{ vertically, e.g. into lower part of rear door before opening rear door}
B60J 1/1869	{ to an end position parallel to roof}
B60J 1/1876	...	{ where the window is pivotable relative to a stationary axis}
B60J 1/1884	{ about a horizontal axis}
B60J 1/1892	...	{ where the window is translated by a linkage system}
B60J 1/20	.	Accessories, e.g. wind deflectors, blinds (antiglare provisions B60J 3/00 ; wind deflectors associated with roof openings B60J 7/22 ; removable external protective coverings for windows or windscreens B60J 11/08 ; { aerodynamical spoiler for vehicles B62D 35/00 }; heating arrangements specially adapted for transparent or reflecting areas H05B 3/84)
B60J 1/2002	..	{ Wind deflectors specially adapted for preventing soiling, e.g. for side windows (integral with sealing arrangements B60J 10/025) }
B60J 1/2005	...	{ for windscreens }
B60J 1/2008	...	{ for rear windows }
B60J 1/2011	..	{ Blinds; curtains or screens reducing heat or light intensity (means against intense light blinding the driver or passengers B60J 3/00) }
B60J 1/2013	...	{ Roller blinds (for roofs B60J 7/0015; for luggage covering B60R 5/047; for openings in buildings E06B 9/40) }
B60J 1/2016	{ Control means for actuating the roller blind, e.g. using electronic control }
B60J 1/2019	{ powered, e.g. by electric, hydraulic or pneumatic actuators }
B60J 1/2022	{ with screw rods or extensible rods acting on the draw bar for pushing or push-pulling (pivoting arms B60J 1/2055) }
B60J 1/2025	{ with flexible actuating elements connected to the draw bar for pulling only, e.g. cords, wires or cables }
B60J 1/2027	{ with a buckle-proof guided flexible actuating element acting on the draw bar for pushing or push-pulling, e.g. a Bowden cable }
B60J 1/203	{ Mechanism for actuation by hand, e.g. cranks or curtain cords }
B60J 1/2033	{ characterised by the spring motor }
B60J 1/2036	{ characterised by structural elements }
B60J 1/2038	{ Storage boxes }

B60J 1/2041	{ Blind sheets, e.g. shape of sheets, reinforcements in sheets, materials therefor}
B60J 1/2044	{ Draw bars, including elements attached to it, e.g. sliding shoes, gripping elements or pull cords}
B60J 1/2047	{ End position holding means, e.g. suction cups, hooks on a vehicle, indentations on guides}
B60J 1/205	{ Winding tubes, e.g. telescopic tubes or conically shaped tubes}
B60J 1/2052	{ Guides}
B60J 1/2055	{ Pivoting arms}
B60J 1/2058	{ Springs for compensating the number of windings of the blind on the tube in case winding tube and draw bar are driven together}
B60J 1/2061	{Tensioning systems for keeping the blind taut when in use, other than spring motors }
B60J 1/2063	{ Mounting arrangements for roller blind or its storage box, e.g. integration into beltline or window frame}
B60J 1/2066	{ Arrangement of blinds in vehicles}
B60J 1/2069	{ of multiple blinds, e.g. more than one blind per window or per actuation system}
B60J 1/2072	{ Blinds with inclined or vertical orientation of the winding axis}
B60J 1/2075	{ specially adapted for fixed windows}
B60J 1/2077	N: for windshields]
B60J 1/208	{ for rear windows}
B60J 1/2083	{ for side windows, e.g. quarter windows}
B60J 1/2086	{ specially adapted for openable windows, e.g. side window}
B60J 1/2088	...	{Lamellar or like blinds}
B60J 1/2091	...	{Foldable sunscreens (B60J 1/2088 takes precedence)}
B60J 1/2094	..	{Protective means for window, e.g. additional panel or foil, against vandalism, dirt, wear, shattered glass, etc.}
B60J 1/2097	..	{ means to prevent rattling of vehicle windows (anti-rattling means for vehicle doors E05F 7/02)}

B60J 3/00 **Antiglare equipment associated with windows or windscreens** ([optical viewing arrangements for vehicles B60R 1/00](#)); **Sun visors for vehicles** ([sun visors having appliances for storing or holding personal property B60R 7/05](#))

B60J 3/002	.	{External sun shield, e.g. awning or visor}
B60J 3/005	..	{for side windows}
B60J 3/007	.	{Sunglare reduction by coatings, interposed foils in laminar windows, or permanent screens (layered glass products B32B 17/00 ; process of coating windows C03C 17/00)}
B60J 3/02	.	adjustable in position (B60J 3/002 , B60J 3/005 take precedence)
B60J 3/0204	..	{Sun visors}
B60J 3/0208	...	{combined with auxiliary visor}

B60J 3/0213	...	{characterised by the mounting means (B60J 3/0208 takes precedence)}
B60J 3/0217	{ Brackets for mounting the sun visor support arm to the vehicle}
B60J 3/0221	{ self mounting, i.e. no tools or screws required}
B60J 3/0226	{ comprising a ball joint or at least two axes of rotation}
B60J 3/023	{ Additional support bracket releasably holding the sun visor}
B60J 3/0234	{ Mounted slidably}
B60J 3/0239	{ and pivoting on a support arm (bearing members regulating the rotational friction on the support arm B60J 3/0265)}
B60J 3/0243	{ sliding out from ceiling}
B60J 3/0247	{ using a suction cup}
B60J 3/0252	{ Structure of the support arm}
B60J 3/0256	{ telescopic}
B60J 3/026	{ articulated, e.g. comprising pivot joints or lazy-tong structure}
B60J 3/0265	{ Attachments of sun visors to mounting means including details of sun visor bearing member regulating the rotational friction on the support arm}
B60J 3/0269	{ in middle region of sun visor}
B60J 3/0273	{ on both end regions of sun visor}
B60J 3/0278	...	{structure of the body (B60J 3/0208 , B60J 3/0213 take precedence)}
B60J 3/0282	{specially adapted for a courtesy mirror}
B60J 3/0286	..	{Sunglare reduction by temporary translucent screens or foils removably attached to window}
B60J 3/0291	..	{Preventing dazzlement during driving in the dark}
B60J 3/0295	...	{due to reflections in side or rear mirror}
B60J 3/04	.	adjustable in transparency
B60J 3/06	.	using polarising effect
B60J 5/00		Doors (B60J 10/00 takes precedence; window aspects B60J 1/00 ; { side board or tailgate structures for open load compartments B62D 33/023 })
B60J 5/02	.	arranged at the vehicle front {(lids or bonnets B62D 25/10)}
B60J 5/04	.	arranged at the vehicle sides {(panel mounted arm-rests B60N 2/466 ; wall liners B60R 13/02 ; door edge guards B60R 13/043 ; padded linings associated with the side doors B60R 21/0428)}
B60J 5/0401	..	{ Upper door structure}
B60J 5/0402	...	{ window frame details, including sash guides and glass runs}
B60J 5/0404	...	{ Outside rear view mirror support}
B60J 5/0405	...	{ Inboard or outboard side of window frame formed integrally with the lower door structure}
B60J 5/0406	...	{ window frame formed separately as module}
B60J 5/0408	...	{ fastening window frame or parts of window frame to lower door structure}

B60J 5/0409	...	{ mechanism preventing outward displacement of window frame at high speeds (ventilation valves B60H)}
B60J 5/0411	..	{ Beltline}
B60J 5/0412	..	{ Lower door structure}
B60J 5/0413	...	{ Inner panel, e.g. characterised by carrying components}
B60J 5/0415	...	{ Outer panel}
B60J 5/0416	...	{ Assembly panels to be installed in doors as a module with components, e.g. lock or window lifter, attached thereto}
B60J 5/0418	...	{ Water or sound barrier, e.g. watershields or seals between dry/wet compartment, sound or vibration dampers}
B60J 5/0419	...	{ Windows in lower door structures}
B60J 5/042	..	{ Reinforcement elements}
B60J 5/0422	...	{ Elongated type elements, e.g. beams, cables, belts or wires}
B60J 5/0423	{ characterised by position in the lower door structure}
B60J 5/0425	{ the elements being arranged essentially horizontal in the centre of the lower door structure (B60J 5/0426 to B60J 5/0448 take precedence)}
B60J 5/0426	{ the elements being arranged at the beltline}
B60J 5/0427	{ the elements being arranged along the lower edge of door}
B60J 5/0429	{ the elements being arranged diagonally}
B60J 5/043	{ the elements being arranged vertically}
B60J 5/0431	{ the elements being arranged at the hinge area}
B60J 5/0433	{ the elements being arranged at the lock area}
B60J 5/0434	{ the elements being arranged at the handle area}
B60J 5/0436	{ the elements being arranged at the mirror area}
B60J 5/0437	{ characterised by the attachment means to the door, e.g. releasable attachment means}
B60J 5/0438	{ characterised by the type of elongated elements}
B60J 5/044	{ the elements being flexible, e.g. belts, cables or wires}
B60J 5/0441	{ the elements having a grid-like structure, i.e. interconnected or interwoven elements}
B60J 5/0443	{ Beams}
B60J 5/0444	{ characterised by a special cross section}
B60J 5/0445	{ formed of several elements arranged in series}
B60J 5/0447	{ formed of several elements arranged in parallel}
B60J 5/0448	{ with branched structures}
B60J 5/045	...	{ Panel type elements (B60J 5/0455 takes precedence)}
B60J 5/0451	...	{ Block or short strip-type elements (beams B60J 5/0443 , position thereof B60J 5/0423)}
B60J 5/0452	...	{ including foams or expanded materials}
B60J 5/0454	{ being expanded onto door panel and forming a laminar structure with door panel, e.g. a rib}

B60J 5/0455	...	{ integrated in door structure or other door elements, e.g. beam-like shapes stamped in inner door panel}
B60J 5/0456	...	{ Behaviour during impact}
B60J 5/0458	{ Passive coupling of the reinforcement elements to the door or to the vehicle body}
B60J 5/0459	{ Active coupling of the reinforcement elements to the door or to the vehicle body, e.g. through releasing of pressurized gas}
B60J 5/0461	{ characterised by a pre-defined mode of deformation or displacement in order to absorb impact}
B60J 5/0462	{ the impact being a frontal impact}
B60J 5/0463	..	{ Conceptual assembling of door, i.e. how door frame parts should be fitted together to form door}
B60J 5/0465	...	{ using tailored blanks}
B60J 5/0466	...	{ using cast parts}
B60J 5/0468	..	{ Fixation or mounting means specific for door components (fasteners in general F16B 21/00)}
B60J 5/0469	...	{ for door panels, e.g. hemming (hemming equipment B21D 39/00)}
B60J 5/047	..	{ characterised by the opening or closing movement}
B60J 5/0472	...	{ the door having a hinge axis in horizontal direction transverse to vehicle longitudinal axis}
B60J 5/0473	...	{ the door having a hinge axis in the direction of the vehicle longitudinal axis}
B60J 2005/0475	...	{due to absence of the B-pillar }
B60J 5/0476	...	{ convertible doors, e.g. window frame is stored in lower door structure}
B60J 5/0477	...	{ with two doors opening in opposite direction}
B60J 5/0479	{ without B-pillar or releasable B-pillar, i.e. the pillar is moving with door}
B60J 5/048	..	{ characterised by the material}
B60J 5/0481	...	{ plastic}
B60J 5/0483	...	{ lightweight metal, e.g. aluminum, magnesium}
B60J 5/0484	...	{ hybrid, i.e. plastic moulded onto metal parts}
B60J 5/0486	..	{ Special type}
B60J 5/0487	...	{ simplified doors related to cabins of e.g. golf carts, tractors, jeeps, cranes, forklifts, etc.}
B60J 5/0488	...	{ rectangular of shape, e.g. as found in old fashioned cars and coaches}
B60J 5/049	...	{ caravan door}
B60J 5/0491	...	{ lid, e.g. for luggage compartment accessible at vehicle side (B60J 5/0498 takes precedence)}
B60J 5/0493	..	{ Appurtenances}
B60J 5/0494	...	{ Rain covers deployed upon opening door}
B60J 5/0495	...	{ Finger guards (for doors in general E06B 7/36 , with sensors E05F 15/0021)}
B60J 5/0497	..	{ for load transporting vehicles or public transport, e.g. lorries, trucks, buses}
B60J 5/0498	...	{ with rigid panels pivoting about a horizontal axis}
B60J 5/06	..	slidable; foldable

- B60J 5/062 . . . {for utility vehicles or public transport ([B60J 5/08](#) takes precedence)}
- B60J 5/065 {with non-rigid elements, e.g. side curtains ([B60J 7/062](#), [B60J 7/068](#) take precedence)}
- B60J 5/067 {vertically movable}
- B60J 5/08 . . . of roller-blind type {made of rigid elements}

- B60J 5/10 . . . arranged at the vehicle rear ([B60J 5/04](#) takes precedence { ; bonnets or lids [B62D 25/10](#); tail gates for pick-up trucks [B62D 33/0273](#); counterbalancing [E05F](#); springs, e.g. pneumatic [F16F](#))}
- B60J 5/101 . . { for non-load transporting vehicles, i.e. family cars including vans}
- B60J 5/102 . . . { comprising door or part of door being pivotable downwards about horizontal axis to open position}
- B60J 5/103 { where lower door part moves independently from other door structures, e.g. by being hinged on the vehicle body}
- B60J 5/104 { where lower door part optionally moves independently, or follows as component the movement of the entire door structure, e.g. by being hinged in a door frame or releasably connected to upper door part}
- B60J 5/105 . . . { comprising door or part of door being pivotable about vertical axis}
- B60J 5/106 . . . { comprising door or part of door being moveable by a linkage system to open/close position}
- B60J 5/107 . . . { constructional details, e.g. about door frame, panels, materials used, reinforcements}
- B60J 5/108 . . { for load transporting vehicles or public transport, e.g. lorries, trucks, buses}
- B60J 5/12 . . . slidable; foldable
- B60J 5/125 . . . {for utility vehicles or public transport ([B60J 5/14](#) takes precedence)}
- B60J 5/14 . . . of roller-blind type {made of rigid elements}

- B60J 7/00** **Non-fixed roofs; Roofs with movable panels** { e.g. rotary sunroofs}([B60J 10/00](#) takes precedence; window aspects [B60J 1/00](#); fixed roofs [B62D 25/06](#); mechanisms for operating wings [E05F 11/00](#), [E05F 15/00](#))

- B60J 7/0007 . . { moveable head-liners, screens, curtains or blinds for ceilings}
- B60J 7/0015 . . { roller blind}
- B60J 7/0023 . . { flexible and foldable}
- B60J 7/003 . . { one or more sliding rigid plate or lammellae}
- B60J 7/0038 . . . { stored in stacked fashion}
- B60J 7/0046 . . { side blind between roof and panel in vent mode}

- B60J 7/0053 . . { Collapsible lateral roof side beams}
- B60J 7/0061 . . { where the beam moves inwardly during folding of roof, e.g. by swiveling, sliding or translation, to disconnect the beam from windshield header}
- B60J 7/0069 . . { where the beam itself is folded and moves inwardly, e.g. concertina type}

- B60J 7/0076 . . { separately collapsible C-pillars, e.g. by folding inwardly or sliding ([B60J 7/126](#) takes precedence)}

- B60J 7/0084 . { Water draining for non-fixed roofs or roof panels (for fixed roofs not integral with roof structure [B60R 13/06](#), for fixed roofs integral with roof structure [B62D 25/07](#))}
- B60J 7/0092 .. { by inflating the roof (inflatable soft tops [B60J 7/1256](#))}
- B60J 7/02 . of sliding type {e.g. comprising guide shoes}
- B60J 7/022 .. {Sliding roof trays or assemblies}
- B60J 7/024 .. { characterised by the height regulating mechanism of the sliding panel ([B60J 7/043](#) to [B60J 7/053](#) take precedence)}
- B60J 7/026 .. {with rigid non plate-like elements, e.g. for convertible vehicles}
- B60J 7/028 ... {the sliding movement being combined with a pivoting movement}
- B60J 7/04 . with rigid plate-like element or elements {e.g. open roofs with harmonica-type folding rigid panels ([B60J 7/061](#) takes precedence)}
- B60J 7/041 ... { for utility vehicles, e.g. with slidable and foldable rigid panels}
- B60J 7/042 { with a vertical lifting or folding movement (non-sliding roof panels movable for lifting [B60J 7/1614](#))}
- B60J 7/043 ... Sunroofs ([B60J 7/047](#) to [B60J 7/053](#) take precedence){e.g. sliding above the roof}
- B60J 7/0435 {pivoting upwardly to vent mode and moving at the outside of the roof to fully open mode}
- B60J 7/047 ... movable to overlapping or nested relationship {([B60J 7/041](#) takes precedence)}
- B60J 7/05 . pivoting upwardly to vent mode and moving downward before sliding to fully open mode
- B60J 7/053 ... sliding with final closing motion having vertical component to attain closed and sealed condition {e.g. sliding under the roof}
- B60J 7/057 ... Driving or actuating arrangements ([B60J 7/047](#) to [B60J 7/053](#) take precedence){e.g. manually operated levers or knobs}
- B60J 7/0573 {power driven arrangements, e.g. electrical}
- B60J 7/0576 {fluid}
- B60J 7/06 . with non-rigid element or elements
- B60J 7/061 ... {sliding and folding}
- B60J 7/062 {for utility vehicles ([B60J 7/065](#) takes precedence)}
- B60J 7/063 {for public transport ([B60J 7/066](#) takes precedence)}
- B60J 7/064 {using folding arms sliding in longitudinal tracks for supporting the soft roof}
- B60J 7/065 {for utility vehicles}
- B60J 7/066 {for public transport}
- B60J 7/067 ... {sliding and winding up}
- B60J 7/068 {for utility vehicles, e.g. of tarpaulin or roller-blind type}
- B60J 7/08 . of non-sliding type, i.e. movable or removable roofs or panels, e.g. let-down tops or roofs capable of being easily detached or of assuming a collapsed or inoperative position
- B60J 7/085 .. {winding up, e.g. for utility vehicles}
- B60J 7/10 . readily detachable, e.g. tarpaulins with frames, or fastenings for tarpaulins (covering of loads on vehicles by tarpaulins [B60P 7/04](#))

B60J 7/102	...	{Readily detachable tarpaulins, e.g. for utility vehicles; Frames therefor}
B60J 7/104	{Fastening means for tarpaulins}
B60J 7/106	...	{readily detachable hard-tops (storage compartment for collapsible flexible tops B60J 7/20)}
B60J 7/108	{Foldable rear hoods therefor}
B60J 7/11	...	Removable panels, e.g. sunroofs
B60J 7/12	..	foldable; Tensioning mechanisms therefor, e.g. struts (B60J 7/10 , B60J 7/20 take precedence)
B60J 7/1204	...	{ Control devices, e.g. for compensating tolerances, for defining movement or end position of top, for tensioning the top or for switching to an emergency mode}
B60J 2007/1208	{Control devices}
B60J 2007/1213	{Fastening devices}
B60J 2007/1217	{Pretensioning devices closing the roof aperture when released}
B60J 2007/1221	{construction details of the arches}
B60J 7/1226	...	{Soft tops for convertible vehicles}
B60J 7/123	{ characterised by means for fastening the soft top cloth to the arches or vehicle body work}
B60J 7/1234	{ characterised by arches, e.g. shape or material}
B60J 7/1239	{ Front bow}
B60J 7/1243	{ Intermediate bows}
B60J 7/1247	{ Tensioning bow at rear of soft top}
B60J 7/1252	{ characterised by lateral arches (foldable side roof beams B60J 7/0053 ; linkage arms B60J 7/1265)}
B60J 7/1256	{Inflatable soft tops}
B60J 7/126	{for landaulet-type vehicles, i.e. using a collapsible upper structure of the vehicle body}
B60J 7/1265	{ characterised by kinematic movements, e.g. using parallelogram linkages (B60J 7/126 takes precedence)}
B60J 7/1269	{with remote power control}
B60J 7/1273	{using hydraulic means}
B60J 7/1278	{the complete top rotating around a single main axis on the vehicle body (B60J 7/1282 takes precedence)}
B60J 7/1282	{foldable against a main arch before attaining fully open mode}
B60J 7/1286	{including folding of the quarter windows}
B60J 7/1291	...	{Soft tops for closed vehicle bodies}
B60J 7/1295	...	{Temporary soft tops for seats outside passenger compartments, e.g. rumble seats, chauffeur seats}
B60J 7/14	...	with a plurality of { rigid} plate-like elements { or rigid non plate-like elements, e.g. with non-slidable, but pivotable or foldable movement}
B60J 7/141	{ for covering load areas, e.g. for pick-up trucks}
B60J 7/143	{ for covering the passenger compartment}
B60J 7/145	{ at least two elements being folded in clamp-shell fashion}

- B60J 7/146 { all elements being folded in same orientation and stacked fashion}
- B60J 7/148 { at least one element being stored in vertical fashion}
- B60J 7/16 .. non-foldable { and rigid, e.g. a one-piece hard-top or a single rigid roof panel}(B60J 7/10 takes precedence)
- B60J 7/1607 ... { for covering load areas, e.g. rigid panels for pick-up truck beds}
- B60J 7/1614 { with a vertical lifting movement maintaining the inclination of the roof or panel}
- B60J 7/1621 { hinged on one side}
- B60J 7/1628 ... { for covering the passenger compartment}
- B60J 7/1635 { of non-convertible vehicles}
- B60J 7/1642 { Roof panels, e.g. sunroofs or hatches, movable relative to the main roof structure, e.g. by lifting or pivoting}
- B60J 7/165 { at least a major part of the roof being lifted on all corners}
- B60J 7/1657 { at least a major part of the roof pivoting about a stationary axis}
- B60J 7/1664 { of convertible vehicles (foldable rear hoods for readily detachable hard-tops B60J 7/108)}
- B60J 7/1671 { the roof pivoting about a stationary axis}
- B60J 7/1678 { the axis being horizontal}
- B60J 7/1685 { the axis being vertical}
- B60J 7/1692 { the roof being movable by a linkage system}

- B60J 7/185 . Locking arrangements (locks in general E05B)
- B60J 7/1851 .. { for locking the foldable soft- or hard-top to the windshield header}
- B60J 7/1853 ... { locking mechanism arranged in windshield header}
- B60J 7/1855 .. { for locking or immobilising roof elements when stored}
- B60J 7/1856 .. { for interlocking the roof linkage system when deployed}
- B60J 7/1858 .. { for locking soft tops to a surrounding rigid roof structure, e.g. to a closed vehicle body (B60J 12D takes precedence)}
- B60J 7/19 .. for rigid panels {(B60J 7/1851 to B60J 7/1856 take precedence)}
- B60J 7/192 ... { for locking the sunroof panel to the roof}
- B60J 7/194 ... { for locking detachable hard-tops or removable roof panels to the vehicle body}
- B60J 7/196 ... { for locking or interconnecting rigid roof panels to each other}
- B60J 7/198 ... { for locking tonneau covers such as covers for roof storage compartments or for pick-up truck beds}

- B60J 7/20 . Vehicle storage compartments for roof parts {or for collapsible flexible tops}
- B60J 7/201 .. { being outside of vehicle, e.g. onto boot lid, or into a storage compartment to be closed by one of the roof panels itself}
- B60J 7/202 .. { being characterised by moveable cover parts for closing the gap between boot lid and rearmost seats}
- B60J 7/203 { the cover part comprising cover side flaps}
- B60J 7/205 .. { where the boot lid opens in rearward direction to receive the roof and in forward direction to receive luggage}

- B60J 7/206 . . { being arranged at the vehicle front}
- B60J 7/207 . . { being adjustable in volume, i.e. collapsible in order to increase luggage space in boot when roof is not stored}
- B60J 7/208 . . { with improved trunk access by moving the folded roof package when opening the trunk lid for loading or unloading luggage}

- B60J 7/22 . Wind deflectors for open roofs
- B60J 7/223 . . {specially adapted for convertible cars}
- B60J 7/226 . . {immovably attached to vehicle roof section}

- B60J 9/00** **Devices not provided for in one of main groups [B60J 1/00](#) to [B60J 7/00](#)([B60J 10/00](#) takes precedence)**

- B60J 9/02 . Entrance or exit closures other than windows, doors, or in roofs, e.g. emergency escape closures in vehicle bottom {(Emergency exits for rail vehicles [B61D 19/023](#))}
- B60J 9/04 . Air curtains (in general [F24F](#))

- B60J 10/00** **Sealing arrangements** ({sealing arrangements for other vehicle parts [B60R 13/06](#)}; sealings in general [F16J 15/00](#))

- B60J 10/0002 . {characterised by the material}
- B60J 10/0005 . . {consisting of a plurality of plastic materials having different physical or chemical properties ([B60J 10/0008](#) takes precedence)}
- B60J 10/0008 . . {provided with a low-friction material on the surface}
- B60J 10/0011 . . {provided with reinforcements or inserts}

- B60J 10/0014 . {characterised by the shape}
- B60J 10/0017 . . {having corner parts or bends}
- B60J 10/002 . . {having variable cross-sections in the longitudinal direction}
- B60J 10/0022 . . {consisting of two or more parts assembled along their longitudinal direction ([B60J 10/0017](#) takes precedence)}
- B60J 10/0025 . . . {Modular sealing arrangements, i.e. arrangements built up from a large number of joined modules}
- B60J 10/0028 {with joined end members, e.g. abutting ends}
- B60J 10/0031 . . {having tubular parts}
- B60J 10/0034 . . . {with vent holes}
- B60J 10/0037 . . . {being inflatable or deflatable}
- B60J 10/004 . . . { having projections within tubular parts, e.g. ribs}
- B60J 10/0042 . . . { having more than one tubular sealing cavity, e.g. separate tubular sealing parts or partitioning walls within tubular sealing part}
- B60J 10/0045 . . {having water drainage means}
- B60J 10/0048 . . {characterised by the surface shape}
- B60J 10/0051 . . . {provided with decorations}

- B60J 10/0054 . . { having projections, grooves or channels in the longitudinal direction}
- B60J 10/0057 . . . { for enclosing or housing cables or other functional devices}
- B60J 10/006 . . . { for facilitating pre-defined deformation of sealing parts, e.g. to enhance proper folding}

- B60J 10/0062 . {characterised by the fastening means (arrangements of fasteners and clips for inner vehicle liners [B60R 13/0206](#)); Assembling sealing arrangements with vehicle parts}
- B60J 10/0065 . . {with integral "U"-shaped retainers}
- B60J 10/0068 . . . {characterised by the configuration of the retaining lips}
- B60J 10/0071 . . {with adhesives}
- B60J 10/0074 . . . {with premoulded adhesive tapes, e.g. double-sided tapes}
- B60J 10/0077 . . . {with formless adhesives, e.g. hot melt}
- B60J 10/008 . . {with separately inserted fastening means ([B60J 10/0085](#) takes precedence)}
- B60J 10/0082 . . . {comprising beads}
- B60J 10/0085 . . {with magnets}
- B60J 10/0088 . . {Assembling sealing arrangements with vehicle parts}

- B60J 10/0091 . {characterised by the way of contact between two or more cooperating sealing arrangements}

- B60J 10/0094 . { characterised by means for prevention of noise, e.g. window rattling or vibration}

- B60J 10/0097 . { characterised by defrosting arrangements, e.g. the heating of sealing}

- B60J 10/02 . for windows or windscreens ({[B60J 10/0002](#) to [B60J 10/0091](#) take precedence})
- B60J 10/025 . . {with integral wind deflecting means for preventing soiling}
- B60J 10/04 . . for sliding window panes, e.g. sash guides
- B60J 10/041 . . . {for sealing the lower part of the panes provided at the waist of the vehicle door}
- B60J 10/042 . . . { for the window sash, e.g. glass run channels}
- B60J 10/043 { preventing outward displacement of window at high speed}
- B60J 10/044 { on corner pieces, e.g. on mirror supports or quarter windows}
- B60J 10/045 { with arrangements to reduce air resistance due to glazing not being flush with sash guide}
- B60J 10/046 . . . { for sashless windows}
- B60J 10/047 { preventing outward displacement of window at high speed}
- B60J 10/048 { the sealing arrangement being between the edges of adjacent glazings}
- B60J 10/049 { mounted on the pillar}
- B60J 10/06 . . . for flush-glass windows { i.e. flush with body or window frame ([B60J 10/041](#) takes precedence)}

- B60J 10/08 . for doors, {lids or bonnets ([B60J 10/0002](#) to [B60J 10/0091](#) take precedence)}
- B60J 10/081 . . { arranged on body side}
- B60J 10/083 . . . { with additional seals on body side}
- B60J 10/085 . . { arranged on door side}

- B60J 10/086 . . . { with additional seals on door side}
- B60J 10/088 . . . { mounted on, or integral with, the glass-run sealing}
- B60J 10/10 . for non-fixed roofs, {e.g. foldable roofs, removable hard-tops and tarpaulins (B60J 10/0002 to B60J 10/0091 take precedence)}
- B60J 10/12 . for movable panels in roofs {(B60J 10/0002 to B60J 10/0091 take precedence)}
- B60J 11/00** **Removable external protective coverings specially adapted for vehicles or part of vehicles, e.g. parking covers** (covering of load on vehicles B60P 7/00; guard strips for body finishing, identifying or decorating B60R 13/04; tents for use as garages E04H 15/00)
- B60J 11/02 . Covers wound on rollers
- B60J 11/025 . . { specially adapted for covering vehicle parts, e.g. for doors, windows or windscreens}
- B60J 11/04 . for covering at least the roof of the vehicle, e.g. for covering the whole vehicle
- B60J 11/06 . for covering only specific parts of the vehicle, e.g. for doors (covers or guards for traction couplings, hitches, draw-gear or towing devices B60D 1/60; guards for wheels, radiators or bumpers B60R 19/00)
- B60J 11/08 . . for windows or windscreens (antiglare equipment B60J 3/00)
- B60J 11/10 . . for wheels (hub caps or the like B60B 7/00; external spare wheel stowing, holding or mounting arrangements B62D 43/02)