

**CPC****COOPERATIVE PATENT CLASSIFICATION****B60J****WINDOWS, WINDSCREENS, NON-FIXED ROOFS, DOORS, OR SIMILAR DEVICES FOR VEHICLES; REMOVABLE EXTERNAL PROTECTIVE COVERINGS SPECIALLY ADAPTED FOR VEHICLES**(fastening, suspending, closing, or opening of such devices [E05](#))**NOTE**

Windows, windcreens, non-fixed roofs, doors, or similar devices which are of general applicability, irrespective of whether described or claimed only for vehicles, are also classified in subclass [E06B](#).

Attention is drawn to the Note following the title of class [B60](#).

**B60J 1/00**

**Windows; Windcreens; Accessories therefor** ([B60J 10/00](#) takes precedence; air curtains instead of windows [B60J 9/04](#); { sealing strips for windshields [B60J 10/02](#); sealing sash guides for sliding window panes [B60J 10/04](#); glass partitions inside vehicles to protect occupants against personal attack [B60R 21/12](#)})

- [B60J 1/001](#) . {Double glazing for vehicles}
- [B60J 1/002](#) . {with means for clear vision, e.g. anti-frost or defog panes, rain shields (window heating in [H05B 3/84](#), [H05B 3/86](#))}
- [B60J 1/003](#) . {Rear seat windcreens}
- [B60J 1/004](#) . {Mounting of windows}
- [B60J 1/005](#) . . {using positioning means during mounting}
- [B60J 1/006](#) . . { characterised by fixation means such as clips, adhesive, etc. (incorporated in seal [B60J 10/02](#))}
- [B60J 1/007](#) . . { received in frames to be attached to vehicle}
- [B60J 1/008](#) . {of special shape, e.g. beveled edges, holes for attachment, bent windows, peculiar curvatures such as when being integrally formed with roof, door, etc.}
- [B60J 1/02](#) . arranged at the vehicle front {e.g. structure of the glazing, mounting of the glazing (on windscreen mounted antenna wire [H01Q 1/1271](#))}
- [B60J 1/025](#) . . {Temporary windcreens}
- [B60J 1/04](#) . . adjustable
- [B60J 1/06](#) . . . comprising more than one pane
- [B60J 1/08](#) . arranged at vehicle sides
- [B60J 1/085](#) . . {removably mounted}
- [B60J 1/10](#) . . fixedly mounted {([B60J 1/085](#) takes precedence)}
- [B60J 1/12](#) . . adjustable
- [B60J 1/14](#) . . . with pivotal or rotary movement
- [B60J 1/16](#) . . . slidable
- [B60J 1/17](#) . . . . vertically
- [B60J 1/18](#) . arranged at the vehicle rear {(optical viewing arrangements integrated in rear windows, e.g. Fresnel lenses [B60R 1/001](#))}

B60J 1/1807	..	{ movable for vehicles with convertible top}
B60J 1/1815	...	{ non-adjustably mounted in and moving with the soft-top cover}
B60J 1/1823	...	{ adjustable relative to hard- or soft-top, e.g. pivotable}
B60J 1/183	....	{ slidable}
B60J 1/1838	..	{ movable for non-convertible vehicles, including vehicles with versatile load area}
B60J 1/1846	...	{ where the window can slide}
B60J 1/1853	....	{ horizontally in direction transverse to vehicle longitudinal axis}
B60J 1/1861	....	{ vertically, e.g. into lower part of rear door before opening rear door}
B60J 1/1869	....	{ to an end position parallel to roof}
B60J 1/1876	...	{ where the window is pivotable relative to a stationary axis}
B60J 1/1884	....	{ about a horizontal axis}
B60J 1/1892	...	{ where the window is translated by a linkage system}
B60J 1/20	.	Accessories, e.g. wind deflectors, blinds ( <a href="#">antiglare provisions B60J 3/00</a> ; wind deflectors associated with roof openings <a href="#">B60J 7/22</a> ; removable external protective coverings for windows or windscreens <a href="#">B60J 11/08</a> ; { aerodynamical spoiler for vehicles <a href="#">B62D 35/00</a> ; } heating arrangements specially adapted for transparent or reflecting areas <a href="#">H05B 3/84</a> )
B60J 1/2002	..	{Wind deflectors specially adapted for preventing soiling, e.g. for side windows ( <a href="#">integral with sealing arrangements B60J 10/025</a> )}
B60J 1/2005	...	{for windscreens}
B60J 1/2008	...	{for rear windows}
B60J 1/2011	..	{Blinds; curtains or screens reducing heat or light intensity ( <a href="#">means against intense light blinding the driver or passengers B60J 3/00</a> )}
B60J 1/2013	...	{ Roller blinds ( <a href="#">for roofs B60J 7/0015</a> ; <a href="#">for luggage covering B60R 5/047</a> ; <a href="#">for openings in buildings E06B 9/40</a> )}
B60J 1/2016	....	{ Control means for actuating the roller blind, e.g. using electronic control}
B60J 1/2019	....	{ powered, e.g. by electric, hydraulic or pneumatic actuators}
B60J 1/2022	.....	{ with screw rods or extensible rods acting on the draw bar for pushing or push-pulling ( <a href="#">pivoting arms B60J 1/2055</a> )}
B60J 1/2025	.....	{ with flexible actuating elements connected to the draw bar for pulling only, e.g. cords, wires or cables}
B60J 1/2027	.....	{ with a buckle-proof guided flexible actuating element acting on the draw bar for pushing or push-pulling, e.g. a Bowden cable}
B60J 1/203	....	{ Mechanism for actuation by hand, e.g. cranks or curtain cords}
B60J 1/2033	....	{ characterised by the spring motor}
B60J 1/2036	....	{ characterised by structural elements}
B60J 1/2038	.....	{ Storage boxes}
B60J 1/2041	.....	{ Blind sheets, e.g. shape of sheets, reinforcements in sheets, materials therefor}
B60J 1/2044	.....	{ Draw bars, including elements attached to it, e.g. sliding shoes, gripping elements or pull cords}
B60J 1/2047	.....	{ End position holding means, e.g. suction cups, hooks on a vehicle, indentations on guides}
B60J 1/205	.....	{ Winding tubes, e.g. telescopic tubes or conically shaped tubes}

B60J 1/2052	.....	{ Guides}
B60J 1/2055	.....	{ Pivoting arms}
B60J 1/2058	.....	{ Springs for compensating the number of windings of the blind on the tube in case winding tube and draw bar are driven together}
B60J 1/2061	.....	{Tensioning systems for keeping the blind taut when in use, other than spring motors }
B60J 1/2063	....	{ Mounting arrangements for roller blind or its storage box, e.g. integration into beltline or window frame}
B60J 1/2066	....	{ Arrangement of blinds in vehicles}
B60J 1/2069	.....	{ of multiple blinds, e.g. more than one blind per window or per actuation system}
B60J 1/2072	.....	{ Blinds with inclined or vertical orientation of the winding axis}
B60J 1/2075	.....	{ specially adapted for fixed windows}
B60J 1/2077	.....	N: for windshields]
B60J 1/208	.....	{ for rear windows}
B60J 1/2083	.....	{ for side windows, e.g. quarter windows}
B60J 1/2086	.....	{ specially adapted for openable windows, e.g. side window}
B60J 1/2088	...	{Lamellar or like blinds}
B60J 1/2091	...	{Foldable sunscreens ( <a href="#">B60J 1/2088</a> takes precedence)}
B60J 1/2094	..	{Protective means for window, e.g. additional panel or foil, against vandalism, dirt, wear, shattered glass, etc.}
B60J 1/2097	..	{ means to prevent rattling of vehicle windows ( <a href="#">anti-rattling means for vehicle doors E05F 7/02</a> )}

**B60J 3/00**

**Antiglare equipment associated with windows or windscreens** ([optical viewing arrangements for vehicles B60R 1/00](#)); **Sun visors for vehicles** ([sun visors having appliances for storing or holding personal property B60R 7/05](#))

B60J 3/002	.	{External sun shield, e.g. awning or visor}
B60J 3/005	..	{for side windows}
B60J 3/007	.	{Sunglare reduction by coatings, interposed foils in laminar windows, or permanent screens ( <a href="#">layered glass products B32B 17/00</a> ; <a href="#">process of coating windows C03C 17/00</a> )}
B60J 3/02	.	adjustable in position { <a href="#">B60J 3/002</a> , <a href="#">B60J 3/005</a> take precedence}
B60J 3/0204	..	{Sun visors}
B60J 3/0208	...	{combined with auxiliary visor}
B60J 3/0213	...	{characterised by the mounting means ( <a href="#">B60J 3/0208</a> takes precedence)}
B60J 3/0217	....	{ Brackets for mounting the sun visor support arm to the vehicle}
B60J 3/0221	.....	{ self mounting, i.e. no tools or screws required}
B60J 3/0226	.....	{ comprising a ball joint or at least two axes of rotation}
B60J 3/023	....	{ Additional support bracket releasably holding the sun visor}
B60J 3/0234	....	{ Mounted slidably}
B60J 3/0239	.....	{ and pivoting on a support arm ( <a href="#">bearing members regulating the rotational friction on the support arm B60J 3/0265</a> )}

B60J 3/0243	.....	{ sliding out from ceiling}
B60J 3/0247	....	{ using a suction cup}
B60J 3/0252	....	{ Structure of the support arm}
B60J 3/0256	.....	{ telescopic}
B60J 3/026	.....	{ articulated, e.g. comprising pivot joints or lazy-tong structure}
B60J 3/0265	....	{ Attachments of sun visors to mounting means including details of sun visor bearing member regulating the rotational friction on the support arm}
B60J 3/0269	.....	{ in middle region of sun visor}
B60J 3/0273	.....	{ on both end regions of sun visor}
B60J 3/0278	...	{structure of the body ( <a href="#">B60J 3/0208</a> , <a href="#">B60J 3/0213</a> take precedence)}
B60J 3/0282	....	{specially adapted for a courtesy mirror}
B60J 3/0286	..	{Sunglare reduction by temporary translucent screens or foils removably attached to window}
B60J 3/0291	..	{Preventing dazzlement during driving in the dark}
B60J 3/0295	...	{due to reflections in side or rear mirror}
B60J 3/04	.	adjustable in transparency
B60J 3/06	.	using polarising effect
<b>B60J 5/00</b>		<b>Doors</b> ( <a href="#">B60J 10/00</a> takes precedence; window aspects <a href="#">B60J 1/00</a> ; { side board or tailgate structures for open load compartments <a href="#">B62D 33/023</a> })
B60J 5/02	.	arranged at the vehicle front {(lids or bonnets <a href="#">B62D 25/10</a> )}
B60J 5/04	.	arranged at the vehicle sides {(panel mounted arm-rests <a href="#">B60N 2/466</a> ; wall liners <a href="#">B60R 13/02</a> ; door edge guards <a href="#">B60R 13/043</a> ; padded linings associated with the side doors <a href="#">B60R 21/0428</a> )}
B60J 5/0401	..	{ Upper door structure}
B60J 5/0402	...	{ window frame details, including sash guides and glass runs}
B60J 5/0404	...	{ Outside rear view mirror support}
B60J 5/0405	...	{ Inboard or outboard side of window frame formed integrally with the lower door structure}
B60J 5/0406	...	{ window frame formed separately as module}
B60J 5/0408	...	{ fastening window frame or parts of window frame to lower door structure}
B60J 5/0409	...	{ mechanism preventing outward displacement of window frame at high speeds (ventilation valves <a href="#">B60H</a> )}
B60J 5/0411	..	{ Beltline}
B60J 5/0412	..	{ Lower door structure}
B60J 5/0413	...	{ Inner panel, e.g. characterised by carrying components}
B60J 5/0415	...	{ Outer panel}
B60J 5/0416	...	{ Assembly panels to be installed in doors as a module with components, e.g. lock or window lifter, attached thereto}
B60J 5/0418	...	{ Water or sound barrier, e.g. watershields or seals between dry/wet compartment, sound or vibration dampers}
B60J 5/0419	...	{ Windows in lower door structures}
B60J 5/042	..	{ Reinforcement elements}

B60J 5/0422	...	{ Elongated type elements, e.g. beams, cables, belts or wires}
B60J 5/0423	....	{ characterised by position in the lower door structure}
B60J 5/0425	.....	{ the elements being arranged essentially horizontal in the centre of the lower door structure ( <a href="#">B60J 5/0426</a> to <a href="#">B60J 5/0448</a> take precedence)}
B60J 5/0426	.....	{ the elements being arranged at the beltline}
B60J 5/0427	.....	{ the elements being arranged along the lower edge of door}
B60J 5/0429	.....	{ the elements being arranged diagonally}
B60J 5/043	.....	{ the elements being arranged vertically}
B60J 5/0431	.....	{ the elements being arranged at the hinge area}
B60J 5/0433	.....	{ the elements being arranged at the lock area}
B60J 5/0434	.....	{ the elements being arranged at the handle area}
B60J 5/0436	.....	{ the elements being arranged at the mirror area}
B60J 5/0437	....	{ characterised by the attachment means to the door, e.g. releasable attachment means}
B60J 5/0438	....	{ characterised by the type of elongated elements}
B60J 5/044	.....	{ the elements being flexible, e.g. belts, cables or wires}
B60J 5/0441	.....	{ the elements having a grid-like structure, i.e. interconnected or interwoven elements}
B60J 5/0443	.....	{ Beams}
B60J 5/0444	.....	{ characterised by a special cross section}
B60J 5/0445	.....	{ formed of several elements arranged in series}
B60J 5/0447	.....	{ formed of several elements arranged in parallel}
B60J 5/0448	.....	{ with branched structures}
B60J 5/045	...	{ Panel type elements ( <a href="#">B60J 5/0455</a> takes precedence)}
B60J 5/0451	...	{ Block or short strip-type elements (beams <a href="#">B60J 5/0443</a> , position thereof <a href="#">B60J 5/0423</a> )}
B60J 5/0452	...	{ including foams or expanded materials}
B60J 5/0454	....	{ being expanded onto door panel and forming a laminar structure with door panel, e.g. a rib}
B60J 5/0455	...	{ integrated in door structure or other door elements, e.g. beam-like shapes stamped in inner door panel}
B60J 5/0456	...	{ Behaviour during impact}
B60J 5/0458	....	{ Passive coupling of the reinforcement elements to the door or to the vehicle body}
B60J 5/0459	....	{ Active coupling of the reinforcement elements to the door or to the vehicle body, e.g. through releasing of pressurized gas}
B60J 5/0461	....	{ characterised by a pre-defined mode of deformation or displacement in order to absorb impact}
B60J 5/0462	....	{ the impact being a frontal impact}
B60J 5/0463	..	{ Conceptual assembling of door, i.e. how door frame parts should be fitted together to form door}
B60J 5/0465	...	{ using tailored blanks}
B60J 5/0466	...	{ using cast parts}

- B60J 5/0468 .. { Fixation or mounting means specific for door components ([fasteners in general F16B 21/00](#))}
- B60J 5/0469 ... { for door panels, e.g. hemming ([hemming equipment B21D 39/00](#))}
- B60J 5/047 .. { characterised by the opening or closing movement}
- B60J 5/0472 ... { the door having a hinge axis in horizontal direction transverse to vehicle longitudinal axis}
- B60J 5/0473 ... { the door having a hinge axis in the direction of the vehicle longitudinal axis}
- B60J 2005/0475 ... {due to absence of the B-pillar }
- B60J 5/0476 ... { convertible doors, e.g. window frame is stored in lower door structure}
- B60J 5/0477 ... { with two doors opening in opposite direction}
- B60J 5/0479 .... { without B-pillar or releasable B-pillar, i.e. the pillar is moving with door}
- B60J 5/048 .. { characterised by the material}
- B60J 5/0481 ... { plastic}
- B60J 5/0483 ... { lightweight metal, e.g. aluminum, magnesium}
- B60J 5/0484 ... { hybrid, i.e. plastic moulded onto metal parts}
- B60J 5/0486 .. { Special type}
- B60J 5/0487 ... { simplified doors related to cabins of e.g. golf carts, tractors, jeeps, cranes, forklifts, etc.}
- B60J 5/0488 ... { rectangular of shape, e.g. as found in old fashioned cars and coaches}
- B60J 5/049 ... { caravan door}
- B60J 5/0491 ... { lid, e.g. for luggage compartment accessible at vehicle side ([B60J 5/0498 takes precedence](#))}
- B60J 5/0493 .. { Appurtenances}
- B60J 5/0494 ... { Rain covers deployed upon opening door}
- B60J 5/0495 ... { Finger guards ([for doors in general E06B 7/36](#), with sensors [E05F 15/0021](#))}
- B60J 5/0497 .. { for load transporting vehicles or public transport, e.g. lorries, trucks, buses}
- B60J 5/0498 ... { with rigid panels pivoting about a horizontal axis}
- B60J 5/06 .. slidable; foldable
- B60J 5/062 ... {for utility vehicles or public transport ([B60J 5/08 takes precedence](#))}
- B60J 5/065 .... {with non-rigid elements, e.g. side curtains ([B60J 7/062](#), [B60J 7/068 take precedence](#))}
- B60J 5/067 ..... {vertically movable}
- B60J 5/08 ... of roller-blind type {made of rigid elements}
- B60J 5/10 . arranged at the vehicle rear ([B60J 5/04 takes precedence](#) { ; bonnets or lids [B62D 25/10](#); tail gates for pick-up trucks [B62D 33/0273](#); counterbalancing [E05F](#); springs, e.g. pneumatic [F16F](#))}
- B60J 5/101 .. { for non-load transporting vehicles, i.e. family cars including vans}
- B60J 5/102 ... { comprising door or part of door being pivotable downwards about horizontal axis to open position}
- B60J 5/103 .... { where lower door part moves independently from other door structures, e.g. by being hinged on the vehicle body}

B60J 5/104	....	{ where lower door part optionally moves independently, or follows as component the movement of the entire door structure, e.g. by being hinged in a door frame or releasably connected to upper door part}
B60J 5/105	...	{ comprising door or part of door being pivotable about vertical axis}
B60J 5/106	...	{ comprising door or part of door being moveable by a linkage system to open/close position}
B60J 5/107	...	{ constructional details, e.g. about door frame, panels, materials used, reinforcements}
B60J 5/108	..	{ for load transporting vehicles or public transport, e.g. lorries, trucks, buses}
B60J 5/12	..	slidable; foldable
B60J 5/125	...	{for utility vehicles or public transport ( <a href="#">B60J 5/14</a> takes precedence)}
B60J 5/14	...	of roller-blind type {made of rigid elements}
<b>B60J 7/00</b>		<b>Non-fixed roofs; Roofs with movable panels</b> { e.g. rotary sunroofs}( <a href="#">B60J 10/00</a> takes precedence; window aspects <a href="#">B60J 1/00</a> ; fixed roofs <a href="#">B62D 25/06</a> ; mechanisms for operating wings <a href="#">E05F 11/00</a> , <a href="#">E05F 15/00</a> )
B60J 7/0007	.	{ moveable head-liners, screens, curtains or blinds for ceilings}
B60J 7/0015	..	{ roller blind}
B60J 7/0023	..	{ flexible and foldable}
B60J 7/003	..	{ one or more sliding rigid plate or lammellae}
B60J 7/0038	...	{ stored in stacked fashion}
B60J 7/0046	..	{ side blind between roof and panel in vent mode}
B60J 7/0053	.	{ Collapsible lateral roof side beams}
B60J 7/0061	..	{ where the beam moves inwardly during folding of roof, e.g. by swiveling, sliding or translation, to disconnect the beam from windshield header}
B60J 7/0069	..	{ where the beam itself is folded and moves inwardly, e.g. concertina type}
B60J 7/0076	.	{ separately collapsible C-pillars, e.g. by folding inwardly or sliding ( <a href="#">B60J 7/126</a> takes precedence)}
B60J 7/0084	.	{ Water draining for non-fixed roofs or roof panels (for fixed roofs not integral with roof structure <a href="#">B60R 13/06</a> , for fixed roofs integral with roof structure <a href="#">B62D 25/07</a> )}
B60J 7/0092	..	{ by inflating the roof (inflatable soft tops <a href="#">B60J 7/1256</a> )}
B60J 7/02	.	of sliding type {e.g. comprising guide shoes}
B60J 7/022	..	{Sliding roof trays or assemblies}
B60J 7/024	..	{ characterised by the height regulating mechanism of the sliding panel ( <a href="#">B60J 7/043</a> to <a href="#">B60J 7/053</a> take precedence)}
B60J 7/026	..	{with rigid non plate-like elements, e.g. for convertible vehicles}
B60J 7/028	...	{the sliding movement being combined with a pivoting movement}
B60J 7/04	..	with rigid plate-like element or elements {e.g. open roofs with harmonica-type folding rigid panels ( <a href="#">B60J 7/061</a> takes precedence)}
B60J 7/041	...	{ for utility vehicles, e.g. with slidable and foldable rigid panels}
B60J 7/042	....	{ with a vertical lifting or folding movement (non-sliding roof panels movable for lifting <a href="#">B60J 7/1614</a> )}
B60J 7/043	...	Sunroofs ( <a href="#">B60J 7/047</a> to <a href="#">B60J 7/053</a> take precedence){e.g. sliding above the roof}



B60J 7/0435	....	{pivoting upwardly to vent mode and moving at the outside of the roof to fully open mode}
B60J 7/047	...	movable to overlapping or nested relationship {(B60J 7/041 takes precedence)}
B60J 7/05	...	pivoting upwardly to vent mode and moving downward before sliding to fully open mode
B60J 7/053	...	sliding with final closing motion having vertical component to attain closed and sealed condition {e.g. sliding under the roof}
B60J 7/057	...	Driving or actuating arrangements (B60J 7/047 to B60J 7/053 take precedence){e.g. manually operated levers or knobs}
B60J 7/0573	....	{power driven arrangements, e.g. electrical}
B60J 7/0576	.....	{fluid}
B60J 7/06	..	with non-rigid element or elements
B60J 7/061	...	{sliding and folding}
B60J 7/062	....	{for utility vehicles (B60J 7/065 takes precedence)}
B60J 7/063	....	{for public transport (B60J 7/066 takes precedence)}
B60J 7/064	....	{using folding arms sliding in longitudinal tracks for supporting the soft roof}
B60J 7/065	.....	{for utility vehicles}
B60J 7/066	.....	{for public transport}
B60J 7/067	...	{sliding and winding up}
B60J 7/068	....	{for utility vehicles, e.g. of tarpaulin or roller-blind type}
B60J 7/08	.	of non-sliding type, i.e. movable or removable roofs or panels, e.g. let-down tops or roofs capable of being easily detached or of assuming a collapsed or inoperative position
B60J 7/085	..	{winding up, e.g. for utility vehicles}
B60J 7/10	..	readily detachable, e.g. tarpaulins with frames, or fastenings for tarpaulins (covering of loads on vehicles by tarpaulins B60P 7/04)
B60J 7/102	...	{Readily detachable tarpaulins, e.g. for utility vehicles; Frames therefor}
B60J 7/104	....	{Fastening means for tarpaulins}
B60J 7/106	...	{readily detachable hard-tops (storage compartment for collapsible flexible tops B60J 7/20)}
B60J 7/108	....	{Foldable rear hoods therefor}
B60J 7/11	...	Removable panels, e.g. sunroofs
B60J 7/12	..	foldable; Tensioning mechanisms therefor, e.g. struts (B60J 7/10, { B60J 7/20} take precedence)
B60J 7/1204	...	{ Control devices, e.g. for compensating tolerances, for defining movement or end position of top, for tensioning the top or for switching to an emergency mode}
B60J 2007/1208	....	{Control devices}
B60J 2007/1213	....	{Fastening devices}
B60J 2007/1217	....	{Pretensioning devices closing the roof aperture when released}
B60J 2007/1221	....	{construction details of the arches}
B60J 7/1226	...	{Soft tops for convertible vehicles}



B60J 7/123	....	{ characterised by means for fastening the soft top cloth to the arches or vehicle body work}
B60J 7/1234	....	{ characterised by arches, e.g. shape or material}
B60J 7/1239	.....	{ Front bow}
B60J 7/1243	.....	{ Intermediate bows}
B60J 7/1247	.....	{ Tensioning bow at rear of soft top}
B60J 7/1252	.....	{ characterised by lateral arches (foldable side roof beams <a href="#">B60J 7/0053</a> ; linkage arms <a href="#">B60J 7/1265</a> )}
B60J 7/1256	....	{Inflatable soft tops}
B60J 7/126	....	{for landaulet-type vehicles, i.e. using a collapsible upper structure of the vehicle body}
B60J 7/1265	....	{ characterised by kinematic movements, e.g. using parallelogram linkages ( <a href="#">B60J 7/126</a> takes precedence)}
B60J 7/1269	.....	{with remote power control}
B60J 7/1273	.....	{using hydraulic means}
B60J 7/1278	.....	{the complete top rotating around a single main axis on the vehicle body ( <a href="#">B60J 7/1282</a> takes precedence)}
B60J 7/1282	.....	{foldable against a main arch before attaining fully open mode}
B60J 7/1286	.....	{including folding of the quarter windows}
B60J 7/1291	...	{Soft tops for closed vehicle bodies}
B60J 7/1295	...	{Temporary soft tops for seats outside passenger compartments, e.g. rumble seats, chauffeur seats}
B60J 7/14	...	with a plurality of { rigid} plate-like elements { or rigid non plate-like elements, e.g. with non-slidable, but pivotable or foldable movement}
B60J 7/141	....	{ for covering load areas, e.g. for pick-up trucks}
B60J 7/143	....	{ for covering the passenger compartment}
B60J 7/145	.....	{ at least two elements being folded in clamp-shell fashion}
B60J 7/146	.....	{ all elements being folded in same orientation and stacked fashion}
B60J 7/148	.....	{ at least one element being stored in vertical fashion}
B60J 7/16	..	non-foldable { and rigid, e.g. a one-piece hard-top or a single rigid roof panel}( <a href="#">B60J 7/10</a> takes precedence)
B60J 7/1607	...	{ for covering load areas, e.g. rigid panels for pick-up truck beds}
B60J 7/1614	....	{ with a vertical lifting movement maintaining the inclination of the roof or panel}
B60J 7/1621	....	{ hinged on one side}
B60J 7/1628	...	{ for covering the passenger compartment}
B60J 7/1635	....	{ of non-convertible vehicles}
B60J 7/1642	.....	{ Roof panels, e.g. sunroofs or hatches, movable relative to the main roof structure, e.g. by lifting or pivoting}
B60J 7/165	.....	{ at least a major part of the roof being lifted on all corners}
B60J 7/1657	.....	{ at least a major part of the roof pivoting about a stationary axis}
B60J 7/1664	....	{ of convertible vehicles (foldable rear hoods for readily detachable hard-tops <a href="#">B60J 7/108</a> )}

- B60J 7/1671 ..... { the roof pivoting about a stationary axis}
- B60J 7/1678 ..... { the axis being horizontal}
- B60J 7/1685 ..... { the axis being vertical}
- B60J 7/1692 ..... { the roof being movable by a linkage system}
- B60J 7/185 . Locking arrangements (locks in general [E05B](#))
- B60J 7/1851 .. { for locking the foldable soft- or hard-top to the windshield header}
- B60J 7/1853 ... { locking mechanism arranged in windshield header}
- B60J 7/1855 .. { for locking or immobilising roof elements when stored}
- B60J 7/1856 .. { for interlocking the roof linkage system when deployed}
- B60J 7/1858 .. { for locking soft tops to a surrounding rigid roof structure, e.g. to a closed vehicle body (**B60J12D** takes precedence)}
- B60J 7/19 .. for rigid panels {([B60J 7/1851](#) to [B60J 7/1856](#) take precedence)}
- B60J 7/192 ... { for locking the sunroof panel to the roof}
- B60J 7/194 ... { for locking detachable hard-tops or removable roof panels to the vehicle body}
- B60J 7/196 ... { for locking or interconnecting rigid roof panels to each other}
- B60J 7/198 ... { for locking tonneau covers such as covers for roof storage compartments or for pick-up truck beds}
- B60J 7/20 . Vehicle storage compartments for roof parts {or for collapsible flexible tops}
- B60J 7/201 .. { being outside of vehicle, e.g. onto boot lid, or into a storage compartment to be closed by one of the roof panels itself}
- B60J 7/202 .. { being characterised by moveable cover parts for closing the gap between boot lid and rearmost seats}
- B60J 7/203 ... { the cover part comprising cover side flaps}
- B60J 7/205 .. { where the boot lid opens in rearward direction to receive the roof and in forward direction to receive luggage}
- B60J 7/206 .. { being arranged at the vehicle front}
- B60J 7/207 .. { being adjustable in volume, i.e. collapsible in order to increase luggage space in boot when roof is not stored}
- B60J 7/208 .. { with improved trunk access by moving the folded roof package when opening the trunk lid for loading or unloading luggage}
- B60J 7/22 . Wind deflectors for open roofs
- B60J 7/223 .. {specially adapted for convertible cars}
- B60J 7/226 .. {immovably attached to vehicle roof section}
- B60J 9/00** **Devices not provided for in one of main groups [B60J 1/00](#) to [B60J 7/00](#) ([B60J 10/00](#) takes precedence)**
- B60J 9/02 . Entrance or exit closures other than windows, doors, or in roofs, e.g. emergency escape closures in vehicle bottom {(Emergency exits for rail vehicles [B61D 19/023](#))}
- B60J 9/04 . Air curtains (in general [F24F](#))
- B60J 10/00** **Sealing arrangements** ({sealing arrangements for other vehicle parts [B60R 13/06](#); sealings in general [F16J 15/00](#))
- B60J 10/0002 . {characterised by the material}

- B60J 10/0005 .. {consisting of a plurality of plastic materials having different physical or chemical properties ([B60J 10/0008 takes precedence](#))}
- B60J 10/0008 .. {provided with a low-friction material on the surface}
- B60J 10/0011 .. {provided with reinforcements or inserts}
- B60J 10/0014 . {characterised by the shape}
- B60J 10/0017 .. {having corner parts or bends}
- B60J 10/002 .. {having variable cross-sections in the longitudinal direction}
- B60J 10/0022 .. {consisting of two or more parts assembled along their longitudinal direction ([B60J 10/0017 takes precedence](#))}
- B60J 10/0025 ... {Modular sealing arrangements, i.e. arrangements built up from a large number of joined modules}
- B60J 10/0028 .... {with joined end members, e.g. abutting ends}
- B60J 10/0031 .. {having tubular parts}
- B60J 10/0034 ... {with vent holes}
- B60J 10/0037 ... {being inflatable or deflatable}
- B60J 10/004 ... { having projections within tubular parts, e.g. ribs}
- B60J 10/0042 ... { having more than one tubular sealing cavity, e.g. separate tubular sealing parts or partitioning walls within tubular sealing part}
- B60J 10/0045 .. {having water drainage means}
- B60J 10/0048 .. {characterised by the surface shape}
- B60J 10/0051 ... {provided with decorations}
- B60J 10/0054 .. { having projections, grooves or channels in the longitudinal direction}
- B60J 10/0057 ... { for enclosing or housing cables or other functional devices}
- B60J 10/006 ... { for facilitating pre-defined deformation of sealing parts, e.g. to enhance proper folding}
- B60J 10/0062 . {characterised by the fastening means ([arrangements of fasteners and clips for inner vehicle liners B60R 13/0206](#)); Assembling sealing arrangements with vehicle parts}
- B60J 10/0065 .. {with integral "U"-shaped retainers}
- B60J 10/0068 ... {characterised by the configuration of the retaining lips}
- B60J 10/0071 .. {with adhesives}
- B60J 10/0074 ... {with premoulded adhesive tapes, e.g. double-sided tapes}
- B60J 10/0077 ... {with formless adhesives, e.g. hot melt}
- B60J 10/008 .. {with separately inserted fastening means ([B60J 10/0085 takes precedence](#))}
- B60J 10/0082 ... {comprising beads}
- B60J 10/0085 .. {with magnets}
- B60J 10/0088 .. {Assembling sealing arrangements with vehicle parts}
- B60J 10/0091 . {characterised by the way of contact between two or more cooperating sealing arrangements}
- B60J 10/0094 . { characterised by means for prevention of noise, e.g. window rattling or vibration}
- B60J 10/0097 . { characterised by defrosting arrangements, e.g. the heating of sealing}
- B60J 10/02 . for windows or windscreens {([B60J 10/0002 to B60J 10/0091 take precedence](#))}
- B60J 10/025 .. {with integral wind deflecting means for preventing soiling}

- B60J 10/04 . . . for sliding window panes, e.g. sash guides
- B60J 10/041 . . . {for sealing the lower part of the panes provided at the waist of the vehicle door}
- B60J 10/042 . . . { for the window sash, e.g. glass run channels}
- B60J 10/043 . . . . { preventing outward displacement of window at high speed}
- B60J 10/044 . . . . { on corner pieces, e.g. on mirror supports or quarter windows}
- B60J 10/045 . . . . { with arrangements to reduce air resistance due to glazing not being flush with sash guide}
- B60J 10/046 . . . { for sashless windows}
- B60J 10/047 . . . . { preventing outward displacement of window at high speed}
- B60J 10/048 . . . . { the sealing arrangement being between the edges of adjacent glazings}
- B60J 10/049 . . . . . { mounted on the pillar}
- B60J 10/06 . . . for flush-glass windows { i.e. flush with body or window frame ([B60J 10/041](#) takes precedence)}
- B60J 10/08 . for doors, {lids or bonnets ([B60J 10/0002](#) to [B60J 10/0091](#) take precedence)}
- B60J 10/081 . . { arranged on body side}
- B60J 10/083 . . . { with additional seals on body side}
- B60J 10/085 . . { arranged on door side}
- B60J 10/086 . . . { with additional seals on door side}
- B60J 10/088 . . . { mounted on, or integral with, the glass-run sealing}
- B60J 10/10 . for non-fixed roofs, {e.g. foldable roofs, removable hard-tops and tarpaulins ([B60J 10/0002](#) to [B60J 10/0091](#) take precedence)}
- B60J 10/12 . for movable panels in roofs {([B60J 10/0002](#) to [B60J 10/0091](#) take precedence)}
- B60J 11/00** **Removable external protective coverings specially adapted for vehicles or part of vehicles, e.g. parking covers** (covering of load on vehicles [B60P 7/00](#); guard strips for body finishing, identifying or decorating [B60R 13/04](#); tents for use as garages [E04H 15/00](#))
- B60J 11/02 . Covers wound on rollers
- B60J 11/025 . . { specially adapted for covering vehicle parts, e.g. for doors, windows or windscreens}
- B60J 11/04 . for covering at least the roof of the vehicle, e.g. for covering the whole vehicle
- B60J 11/06 . for covering only specific parts of the vehicle, e.g. for doors (covers or guards for traction couplings, hitches, draw-gear or towing devices [B60D 1/60](#); guards for wheels, radiators or bumpers [B60R 19/00](#))
- B60J 11/08 . . for windows or windscreens (antiglare equipment [B60J 3/00](#))
- B60J 11/10 . . for wheels (hub caps or the like [B60B 7/00](#); external spare wheel stowing, holding or mounting arrangements [B62D 43/02](#))