

CPC**COOPERATIVE PATENT CLASSIFICATION****B64D****EQUIPMENT FOR FITTING IN OR TO AIRCRAFT; FLYING SUITS; PARACHUTES; ARRANGEMENTS OR MOUNTING OF POWERPLANTS OR PROPULSION TRANSMISSIONS****WARNING**

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

B64D 15/18	covered by	B64D 15/16	B64D 25/102
covered by	B64D 25/10	B64D 25/105	covered by
B64D 25/10	B64D 25/108	covered by	B64D 25/10
B64D 25/11	covered by	B64D 25/10	B64D 25/112
covered by	B64D 25/10	B64D 25/115	covered by
B64D 25/10	B64D 25/118	covered by	B64D 25/10

B64D 1/00

Dropping, ejecting, releasing, or receiving articles, liquids, or the like, in flight(with respect to weapon sights devices [F41G](#) takes precedence, parachutes per se [B64D 17/00](#) ; ejectable seats [B64D 25/10](#) ; ejectable capsules [B64D 25/12](#) ; refuelling during flight [B64D 39/00](#) ; launching apparatus for projecting projectiles or missiles [F41F 1/00](#) , [F41F 7/00](#) ; rocket or torpedo launchers [F41F 3/00](#))

B64D 1/02

. Dropping, ejecting, or releasing articles([jettisonable fuel reservoirs B64D 37/12](#))

B64D 1/04

.. the articles being explosive, e.g. bombs([arming or setting bomb fuzes F42C](#))

B64D 1/06

... Bomb releasing; Bombs doors

B64D 1/08

.. the articles being load-carrying devices

B64D 1/10

... Stowage arrangements for the devices in aircraft

B64D 1/12

... Releasing

B64D 1/14

... Absorbing landing shocks

B64D 1/16

. Dropping or releasing powdered, liquid, or gaseous matter, e.g. for fire-fighting([jettisoning fuel B64D 37/26](#))

B64D 1/18

.. by spraying, e.g. insecticides([spraying apparatus per se B05B](#))

B64D 1/20

.. for sky-writing

B64D 1/22

. Taking-up articles from earth`s surface

B64D 3/00

Aircraft adaptations to facilitate towing or being towed([B64D 39/00](#) takes precedence; ground installations for launching or towing aircraft [B64F](#) ; towing ropes per se [D07B](#))

B64D 3/02

. for towing targets([towed targets per se F41J](#))

B64D 5/00

Aircraft transported by aircraft, e.g. for release or reberthing during flight([flying units formed by separate aircraft B64C 37/02](#))

B64D 7/00

Arrangements of military equipment, e.g. armaments, armament accessories, or military shielding, in aircraft; Adaptations of armament mountings for aircraft(dropping bombs or the like [B64D 1/00](#) ; armaments or mountings therefor per se [F41](#))

- B64D 7/02 . the armaments being firearms
- B64D 7/04 . . fixedly mounted
- B64D 7/06 . . movably mounted
- B64D 7/08 . Arrangements of rocket launchers{or releasing means} (rocket launchers per se, e.g. rocket pods, [F41F 3/06](#))

B64D 9/00 **Equipment for handling freight; Equipment for facilitating passenger embarkation or the like**(emergency equipment [B64D 17/00](#), [B64D 19/00](#), [B64D 25/00](#); structures integral with fuselage to facilitate loading, fuselage floors specially adapted for freight, steps mounted on and retractable within aircraft [B64C](#) ; ground installations [B64F](#))

- B64D 9/003 . {Devices for retaining pallets or freight containers(securing freight containers on vehicles [B60P 7/00](#))}
- B64D 2009/006 . {Rollers or drives for pallets of freight containers; e.g. PDU}

B64D 10/00 **{Flying suits**(helmets in general [A42B 3/00](#) ; breathing helmets [A62B 18/00](#))}

- B64D 2010/002 . {Anti-g suits or garments}
- B64D 2010/005 . {High altitude suits or garments, e.g. partial or total pressure}
- B64D 2010/007 . {Suits with cooling or heating means}

B64D 11/00 **Passenger or crew accommodation; Flight-deck installations not otherwise provided for**

- B64D 11/0007 . {Devices specially adapted for food or beverage distribution services}
- B64D 11/0015 . {Arrangements for entertainment or communications, e.g. radio, television}

WARNING

Groups [B64D 11/00151](#) - [B64D 11/00155](#) are incomplete pending reclassification of documents from group [B64D 11/0015](#).

Until reclassification is complete, groups [B64D 11/00151](#) - [B64D 11/00155](#) and [B64D 11/0015](#) should be considered in order to perform a complete search.

- B64D 11/00151 . . {Permanently mounted seat back monitors}
- B64D 11/00152 . . {Seat back fixtures for removable monitors, e.g. tablet computers}
- B64D 11/00153 . . {Monitors mounted on or in the seat other than the seat back}
- B64D 11/00154 . . {Loudspeakers mounted in the seat back}
- B64D 11/00155 . . {Individual entertainment or communication system remote controls therefor, located in or connected to seat components, e.g. to seat back or arm rest}
- B64D 11/0023 . {Movable or removable cabin dividers, e.g. for class separation(bulkheads [B64C 1/10](#))}
- B64D 11/003 . {Stowage devices for passengers` personal luggage}
- B64D 2011/0038 . {Illumination systems for cabins as a whole}
- B64D 2011/0046 . {Modular or preassembled units for creating cabin interior structures}
- B64D 2011/0053 . {Cabin passenger reading lights}
- B64D 2011/0061 . {Windows displaying outside view, artificially generated}
- B64D 2011/0069 . {Rest berths, beds or the like}

- B64D 2011/0076 . . {for crew members, e.g. for sleeping during flight}
- B64D 2011/0084 . . {Bed units for passengers attached to the ceiling of the fuselage}
- B64D 2011/0092 . . {Arrangements for mounting stretchers in aircraft cabins}
- B64D 11/02 . Toilet fittings(of general application [A47K](#))
- B64D 11/04 . Galleys
- B64D 11/06 . {Arrangements of seats, or adaptations or details specially adapted for aircraft seats (crew seat constructions for emergency purposes [B64D 25/04](#))}

WARNING

Groups [B64D 11/0601](#) - [B64D 11/0698](#) are incomplete pending reclassification of documents from group [B64D 11/06](#).

Until reclassification is complete, groups [B64D 11/0601](#) - [B64D 11/0698](#) and [B64D 11/06](#) should be considered in order to perform a complete search.

- B64D 11/0601 . . {Arrangement of seats for non-standard seating layouts, e.g. seats staggered horizontally or vertically, arranged in an angled or fishbone layout, or facing in other directions than the direction of flight}
- B64D 11/0602 . . {Seat modules, i.e. seat systems including furniture separate from the seat itself}
- B64D 11/0604 . . . {including a bed, e.g. cocoon type passenger seat modules}
- B64D 11/0605 . . . {including tables or desks}
- B64D 11/0606 . . {with privacy shells, screens, separators or the like (class dividers [B64D 11/0023](#))}
- B64D 11/0607 . . {with devices specially adapted for exercising during travel; with devices specially adapted to prevent thrombosis}
- B64D 11/0611 . . {with means for holding the passenger in a standing position}
- B64D 11/0612 . . {specially adapted for children}
- B64D 11/0616 . . {with ejection means}
- B64D 11/0619 . . {with energy absorbing means specially adapted for mitigating impact loads for passenger seats, e.g. at a crash}
- B64D 11/062 . . {Belts or other passenger restraint means for passenger seats}
- B64D 11/06205 . . . {Arrangements of airbags}
- B64D 11/0621 {Airbag initiation or activation means}
- B64D 11/0624 . . {Arrangements of electrical connectors, e.g. for earphone, internet or electric supply}
- B64D 11/0626 . . {with individual temperature or ventilation control}
- B64D 11/0627 . . {Seats combined with storage means}
- B64D 11/0629 . . . {the storage means being specially adapted for emergency equipment}

WARNING

Groups [B64D 11/0631](#) - [B64D 11/0633](#) is/are incomplete pending reclassification of documents from group [B64D 11/0629](#).

Until reclassification is complete, groups [B64D 11/0631](#) - [B64D 11/0633](#) and [B64D 11/0629](#) should be considered in order to perform a complete search.

B64D 11/0631	{for life vests}
B64D 11/0632	{for breathing apparatus}
B64D 11/0633	{for devices other than life vests and intended for external use, e.g. parachutes or life rafts}
B64D 11/0636	...	{Personal storage means or waste disposal bags}
B64D 11/0638	..	{with foldable tables, trays or cup holders}
B64D 11/0639	..	{with features for adjustment or converting of seats}
B64D 11/06395	...	{characterised by the arrangement of electric motors for adjustment}
B64D 11/064	...	{Adjustable inclination or position of seats}
B64D 11/0641	...	{Seats convertible into beds}
B64D 11/0642	...	{Adjustable headrests}
B64D 11/0643	...	{Adjustable foot or leg rests}
B64D 11/0644	...	{Adjustable arm rests}
B64D 11/0646	..	{Seats characterised by special features of stationary arms, foot or head rests}
B64D 11/0647	..	{Seats characterised by special upholstery or cushioning features}
B64D 11/0648	..	{Lower frame constructions}
B64D 11/0649	..	{Seats characterised by special features for reducing weight}
B64D 11/0689	..	{specially adapted for pilots}
B64D 11/0691	..	{specially adapted for cabin crew}
B64D 11/0693	..	{Width modification of seat assemblies, e.g. for class modification}
B64D 11/0696	..	{Means for fastening seats to floors, e.g. to floor rails}
B64D 11/0697	..	{Seats suspended from aircraft ceiling}
B64D 11/0698	..	{Seats suspended from aircraft walls}
B64D 13/00		Arrangements or adaptations of air-treatment apparatus for aircraft crew or passenger, or freight space;{or structural parts of the aircraft} (treatment rooms with artificial climate for medical purposes A61G 10/02 ; respiratory apparatus in general A62B ; for for vehicles in general B60H)
B64D 2013/003	.	{Cabin ventilation nozzles}
B64D 13/006	.	{the air being used to cool structural parts of the aircraft}
B64D 13/02	.	the air being pressurised
B64D 13/04	..	Automatic control of pressure
B64D 13/06	.	the air being conditioned(pressurising B64D 13/02)
B64D 2013/0603	..	{Environmental Control Systems}
B64D 2013/0607	...	{providing hot air or liquid for deicing aircraft parts, e.g. aerodynamic surfaces or windows}
B64D 2013/0611	...	{combined with auxiliary power units (APU's)}
B64D 2013/0614	...	{with subsystems for cooling avionics}
B64D 2013/0618	...	{with arrangements for reducing or managing bleed air, using another air source, e.g. ram air}
B64D 2013/0622	...	{used in combination with boundary layer control systems}
B64D 2013/0625	...	{comprising means for distribution effusion of conditioned air in the cabin}

B64D 2013/0629	...	{with subsystems for cooling food, catering or special loads}
B64D 2013/0633	...	{including chemical reaction-based thermal management systems}
B64D 2013/0637	...	{with CO ₂ removers}
B64D 2013/064	...	{comprising more than one system, e.g. dual systems}
B64D 2013/0644	...	{including electric motors or generators}
B64D 2013/0648	...	{with energy recovery means, e.g. using turbines}
B64D 2013/0651	...	{comprising filters, e.g. dust filters}
B64D 2013/0655	...	{with zone or personal climate controls}
B64D 2013/0659	...	{comprising provisions for cooling fuel systems}
B64D 2013/0662	...	{with humidity control}
B64D 2013/0666	...	{with means for preventing icing within the ECS components}
B64D 2013/067	...	{with air ionizers}
B64D 2013/0674	...	{comprising liquid subsystems}
B64D 2013/0677	...	{comprising on board oxygen generator systems}
B64D 2013/0681	...	{with oxygen control}
B64D 2013/0685	...	{with ozone control}
B64D 2013/0688	...	{with means for recirculating cabin air}
B64D 2013/0692	...	{with special provisions against smoke from cigarettes}
B64D 2013/0696	...	{with provisions for starting power plants}
B64D 13/08	..	the air being heated or cooled

B64D 15/00

De-icing or preventing icing on exterior surfaces of aircraft(motor vehicles specially adapted for carrying de-icing equipment [B60P](#) ; { Ground-installations for de-icing aircraft [B64F 5/0036](#) })

B64D 15/02	.	by ducted hot gas or liquid
B64D 15/04	..	Hot gas application
B64D 15/06	..	Liquid application(in general B05)
B64D 15/08	...	exuded from surface
B64D 15/10	...	sprayed over surface
B64D 15/12	.	by electric heating(electric heating elements in general H05B)
B64D 15/14	..	controlled cyclically along length of surface
B64D 15/16	.	by mechanical means
B64D 15/163	..	{using electro-impulsive devices}
B64D 15/166	..	{using pneumatic boots}
B64D 15/20	.	Means for detecting icing or initiating de-icing
B64D 15/22	..	Automatic initiation by icing detector

B64D 17/00

Parachutes(non canopied parachutes [B64D 19/00](#))

B64D 17/02	.	Canopy arrangement or construction
------------	---	------------------------------------

NOTE

B64D 17/025 takes precedence over B64D 17/04 - B64D 17/18

- B64D 17/025 .. {for gliding chutes}
- B64D 17/04 .. formed with two or more canopies arranged about a common axis
- B64D 17/06 .. formed with two or more canopies arranged in a cluster
- B64D 17/08 .. Secondary or shock-absorbing canopies attached to load line
- B64D 17/10 .. Ribbon construction or the like
- B64D 17/12 .. constructed to provide variable or non-uniform porosity over area of canopy
- B64D 17/14 .. with skirt or air-deflecting panels
- B64D 17/16 ... secured to hem of main canopy
- B64D 17/18 .. Vent arrangement or construction
- B64D 17/20 ... variable in area
- B64D 17/22 . Load suspension
- B64D 17/24 .. Rigging lines
- B64D 17/26 ... attached to hem of canopy
- B64D 17/28 ... attached to apex of canopy
- B64D 17/30 .. Harnesses([harnesses per se A62B](#))
- B64D 17/32 ... Construction of quick-release box
- B64D 17/34 .. adapted to control direction or rate of descent
- B64D 17/343 ... {by reefing means}
- B64D 17/346 ... {by anti-squid lines}
- B64D 17/36 .. incorporating friction devices or frangible connections to reduce shock loading of canopy{([B64D 17/343](#) , [B64D 17/346](#) take precedence)}
- B64D 17/38 .. Releasable fastening devices between parachute and load or pack
- B64D 17/383 ... {Cargo release hooks}
- B64D 17/386 ... {Devices adapted to cut lines or straps}
- B64D 17/40 . Packs
- B64D 17/42 .. rigid
- B64D 17/44 ... forming part of load
- B64D 17/46 .. Closing means
- B64D 17/48 .. with separate pack for extractor of auxiliary parachute
- B64D 17/50 .. formed with separate compartments for main canopy, rigging lines, or auxiliary parachute
- B64D 17/52 .. Opening, e.g. manual
- B64D 17/54 ... automatic
- B64D 17/56 responsive to barometric pressure
- B64D 17/58 responsive to time-delay mechanism
- B64D 17/60 by static line
- B64D 17/62 . Deployment
- B64D 17/64 .. by extractor parachute
- B64D 17/66 ... attached to hem of main canopy

B64D 17/68	...	attached to apex of main canopy
B64D 17/70	..	by springs
B64D 17/72	..	by explosive or inflatable means
B64D 17/725	...	{by explosive means}
B64D 17/74	..	Sequential deployment of a plurality of canopies
B64D 17/76	..	facilitated by method of folding or packing
B64D 17/78	.	in association with other load-retarding apparatus
B64D 17/80	.	in association with aircraft, e.g. for braking thereof
B64D 19/00	Non-canopied parachutes	
B64D 19/02	.	Rotary-wing parachutes
B64D 21/00	Testing of parachutes	
B64D 23/00	Training of parachutists	
B64D 25/00	Emergency apparatus or devices, not otherwise provided for(parachutes B64D 17/00 , B64D 19/00 ; jettisoning of fuel tanks or fuel per se B64D 37/00 ; { specially adapted for protection against criminal attack, e.g. anti-hijacking systems B64D 45/0015 } ; safety belts or body harnesses in general A62B 35/00 ; safety belts or body harnesses for land vehicles B60R 22/00 ; jettisonable parts of fuselage facilitating emergency escape B64C)	
B64D 25/02	.	Supports or holding means for living bodies
B64D 25/04	..	Seat modifications
B64D 25/06	..	Harnessing
B64D 25/08	.	Ejecting or escaping means(escape apertures B64C)
B64D 25/10	..	Ejector seats
B64D 25/12	..	Ejectable capsules
B64D 25/14	..	Inflatable escape chutes
B64D 25/16	..	Dinghy stowage
B64D 25/18	..	Flotation gear(aircraft alighting gear B64C)
B64D 25/20	..	Releasing of crash position indicators
B64D 27/00	Arrangement or mounting of power plant in aircraft; Aircraft characterised thereby(attitude, flight direction, or altitude control of aircraft by jet reaction B64C)	
B64D 2027/005	.	{Aircraft with an unducted turbofan comprising contra-rotating rotors, e.g. contra-rotating open rotors [CROR]}
B64D 27/02	.	Aircraft characterised by the type or position of power plant(fuselages or wings adapted for mounting power plant B64C)
B64D 27/023	..	{of rocket type e.g. for assisting taking-off or braking}
B64D 2027/026	..	{comprising different types of power plants, e.g. combination of an electric motor and a gas-turbines}
B64D 27/04	..	of piston type
B64D 27/06	...	within or attached to wing
B64D 27/08	...	within or attached to fuselage

B64D 27/10	.. of gas-turbine type(B64D 27/16 takes precedence)
B64D 27/12	... within or attached to wing
B64D 27/14	... within or attached to fuselage
B64D 27/16	.. of jet type
B64D 27/18	... within or attached to wing
B64D 27/20	... within or attached to fuselage
B64D 27/22	.. using atomic energy
B64D 27/24	.. using steam, electricity, or spring force(B64D 27/16 takes precedence)
B64D 27/26	. Aircraft characterised by construction of power-plant mounting
B64D 2027/262	.. {Engine support arrangements or elements}
B64D 2027/264	... {comprising box like supporting frames}
B64D 2027/266	... {comprising suspension arrangements for supporting vertical loads}
B64D 2027/268	... {comprising thrust links}
B64D 29/00	Power-plant nacelles, fairings, or cowlings (nacelles not otherwise provided for B64C)
B64D 29/02	. associated with wings(wings adapted for mounting power plant B64C)
B64D 29/04	. associated with fuselages
B64D 29/06	. Attaching of nacelles, fairings or cowlings
B64D 29/08	. Inspection panels for power plants
B64D 31/00	Power plant control; Arrangement thereof (flying controls B64C) { F02 takes precedence }
B64D 31/02	. Initiating means
B64D 31/04	.. actuated personally
B64D 31/06	.. actuated automatically
B64D 31/08	... for keeping cruising speed constant(conjoint control of power plant and propeller B64C)
B64D 31/10	... for preventing asymmetric thrust upon failure of one power plant
B64D 31/12	... for equalising or synchronising power plants
B64D 31/14	. Transmitting means between initiating means and power plants
B64D 33/00	Arrangements in aircraft of power plant parts or auxiliaries not otherwise provided for
B64D 33/02	. of combustion air intakes(air intakes for gas-turbine plants or jet-propulsion plants per se F02C 7/04 ; air intakes for combustion engines in general F02M 35/00)
B64D 2033/0206	.. {comprising noise reduction means, e.g. acoustic liners}
B64D 2033/0213	.. {specially adapted for auxiliary power units (APU's)}
B64D 2033/022	.. {comprising bird or foreign object protections}
B64D 2033/0226	.. {comprising boundary layer control means}
B64D 2033/0233	.. {comprising de-icing means}
B64D 2033/024	.. {comprising cooling means}
B64D 2033/0246	.. {comprising particle separators}

- B64D 2033/0253 . . {specially adapted for particular type of aircraft}
- B64D 2033/026 . . . {for supersonic or hypersonic aircraft}
- B64D 2033/0266 . . {specially adapted for particular type of power plants}
- B64D 2033/0273 . . . {for jet engines}
- B64D 2033/028 . . . {for piston engines}
- B64D 2033/0286 . . . {for turbofan engines}
- B64D 2033/0293 . . . {for turboprop engines}
- B64D 33/04 . of exhaust outlets or jet pipes(exhaust outlets for combustion engines in general [F01N](#); jet pipes or nozzles for jet-propulsion plants per se [F02K](#); plants characterised by the form or arrangement of the jet pipe or nozzle [F02K](#)) {attitude, flight direction, or altitude control by jet reaction [B64C](#)}
- B64D 2033/045 . . {comprising infrared suppressors}
- B64D 33/06 . . Silencing exhaust or propulsion jets(ground installations [B64F](#))
- B64D 33/08 . of power plant cooling systems(cooling of internal-combustion engines per se [F01P](#) ; cooling of gas-turbine plants or jet-propulsion plants per se [F02C](#) , K)
- B64D 33/10 . . Radiator arrangement
- B64D 33/12 . . . of retractable type
- B64D 35/00** **Transmitting power from power plant to propellers or rotors; Arrangements of transmissions(propellers or rotors per se, helicopter transmissions [B64C](#))**
- B64D 35/02 . characterised by the type of power plant
- B64D 35/04 . characterised by the transmission driving a plurality of propellers or rotors
- B64D 35/06 . . the propellers or rotors being counter-rotating
- B64D 35/08 . characterised by the transmission being driven by a plurality of power plants
- B64D 37/00** **Arrangements in connection with fuel supply for power plant(refuelling during flight [B64D 39/00](#))**
- B64D 37/005 . . { Accessories not provided for in the groups [B64D 37/02](#) to [B64D 37/28](#) }
- B64D 37/02 . Tanks(tanks constructed integrally with aircraft wings [B64C](#) ; shape or construction of tanks per se [B65D](#))
- B64D 37/04 . . Arrangement thereof in or on aircraft
- B64D 37/06 . . Constructional adaptations thereof
- B64D 37/08 . . . Internal partitioning
- B64D 37/10 . . . to facilitate fuel pressurisation
- B64D 37/12 . . . jettisonable
- B64D 37/14 . . Filling or emptying(transferring fuels to adjust aircraft trim [B64C](#))
- B64D 37/16 . . . Filling systems(ground installations for fuelling aircraft [B64F](#))
- B64D 37/18 Conditioning fuel during filling
- B64D 37/20 . . . Emptying systems
- B64D 37/22 facilitating emptying in any position of tank
- B64D 37/24 using gas pressure
- B64D 37/26 Jettisoning of fuel
- B64D 37/28 Control thereof

B64D 37/30	<ul style="list-style-type: none"> • Fuel systems for specific fuels
B64D 37/32	<ul style="list-style-type: none"> • Safety measures not otherwise provided for, e.g. preventing explosive conditions(extinguishing or preventing fires in aircraft A62C)
B64D 2037/325	<ul style="list-style-type: none"> .. {Fuel tanks with provisions for reduction hydraulic ram shocks due to projectile impacts}
B64D 37/34	<ul style="list-style-type: none"> • Conditioning fuel, e.g. heating(during filling B64D 37/18)
B64D 39/00	Refuelling during flight(filling or emptying fuel tanks B64D 37/14)
B64D 39/02	<ul style="list-style-type: none"> • Means for paying-in or out hose
B64D 39/04	<ul style="list-style-type: none"> • Adaptations of hose construction(pipes in general F16L)
B64D 39/06	<ul style="list-style-type: none"> • Connecting hose to aircraft; Disconnecting hose therefrom
B64D 41/00	Power installations for auxiliary purposes
B64D 2041/002	<ul style="list-style-type: none"> • {Mounting arrangements for auxiliary power units (APU's)}
B64D 2041/005	<ul style="list-style-type: none"> • {Fuel cells}
B64D 41/007	<ul style="list-style-type: none"> • {Ram air turbines}
B64D 43/00	Arrangements or adaptations of instruments(arrangements of cameras B64D 47/08; aeronautical measuring instruments per se G01C)
B64D 43/02	<ul style="list-style-type: none"> • for indicating aircraft speed or stalling conditions
B64D 45/00	Aircraft indicators or protectors not otherwise provided for(camouflage F41H 3/00)
B64D 45/0005	<ul style="list-style-type: none"> • {Devices specially adapted to indicate the position of a movable element of the aircraft, e.g. landing gear}
B64D 2045/001	<ul style="list-style-type: none"> .. {for indicating symmetry of flaps deflection}
B64D 45/0015	<ul style="list-style-type: none"> • {Devices specially adapted for the protection against criminal attack, e.g. anti-hijacking systems}
B64D 2045/002	<ul style="list-style-type: none"> .. {by disabling or restraining attackers}
B64D 2045/0025	<ul style="list-style-type: none"> ... {by spraying gases in cabins ,or by shooting darts with anesthetic effects}
B64D 2045/003	<ul style="list-style-type: none"> .. {by monitoring cabins}
B64D 2045/0035	<ul style="list-style-type: none"> ... {using cameras}
B64D 2045/004	<ul style="list-style-type: none"> ... {detecting passenger or pilot behaviors by sensors, e.g. biometrics}
B64D 2045/0045	<ul style="list-style-type: none"> .. {by communicating emergency situations to ground control, or between crew members}
B64D 2045/005	<ul style="list-style-type: none"> .. {by protecting cabin or luggage from bombs}
B64D 2045/0055	<ul style="list-style-type: none"> .. {by overriding pilot's controls, or by directing aircraft from ground control to avoid certain paths or zones}
B64D 2045/006	<ul style="list-style-type: none"> .. {by avoiding the use of electronic equipment during flight, e.g. of mobile phones or laptops}
B64D 2045/0065	<ul style="list-style-type: none"> • {Black boxes, devices automatically broadcasting distress signals}
B64D 2045/007	<ul style="list-style-type: none"> • {Indicators or signs in the cabin, e.g. exit signs or seat numbering}
B64D 2045/0075	<ul style="list-style-type: none"> • {Flight bags, including electronic type flight bags; Supports therefor in the cockpit}
B64D 2045/008	<ul style="list-style-type: none"> • {Devices for detecting or indicating hard landing}
B64D 2045/0085	<ul style="list-style-type: none"> • {Devices for aircraft health monitoring, e.g. monitoring flutter or vibration}

B64D 2045/009	. {Fire detection or protection; Erosion protection, e.g. from airborne particles}
B64D 2045/0095	. {Devices specially adapted to avoid bird strike}
B64D 45/02	. Lightning protectors; Static dischargers(in general H01T)
B64D 45/04	. Landing aids; Safety measures to prevent collision with earth`s surface
B64D 45/06	.. mechanical
B64D 45/08	.. optical
B64D 47/00	Equipment not otherwise provided for
B64D 47/02	. Arrangements or adaptations of signal or lighting devices
B64D 47/04	.. the lighting devices being primarily intended to illuminate the way ahead
B64D 47/06	.. for indicating aircraft presence
B64D 47/08	. Arrangements of cameras
B64D 2201/00	Airbags mounted in aircraft for any use
B64D 2203/00	Aircraft or airfield lights using LEDs
B64D 2205/00	Aircraft with means for ground manoeuvring, such as taxiing, using an auxiliary thrust system, e.g. jet-engines, propellers or compressed air
B64D 2211/00	Arrangements of solar panels on aircraft
B64D 2221/00	Electric power distribution systems onboard aircraft
B64D 2231/00	Emergency oxygen systems
B64D 2231/02	. Supply or distribution systems
B64D 2231/025	.. Oxygen masks; Mask storages (seats combined with storage means, said storage means being specially adapted for emergency equipment B64D 11/0629); Features related to mask deployment
B64D 2241/00	NACA type air intakes
B64D 2700/00	** to be decided **
B64D 2700/62	. ** to be decided **
B64D 2700/62008	.. Aircraft equipment
B64D 2700/62017	... Respiratory apparatus for high altitude
B64D 2700/62026 Pressurised cabins
B64D 2700/62035 Pressure control valves
B64D 2700/62043	... Indicators; Protective devices
B64D 2700/62052 De-icing or preventing icing
B64D 2700/62061 of structural elements, e.g. fuselage, wings and the like
B64D 2700/6207 by mechanical means
B64D 2700/62078 by electric heating
B64D 2700/62087 by ducted exhaust gas

B64D 2700/62096	of propellers
B64D 2700/62105	by mechanical means
B64D 2700/62114	by electric heating
B64D 2700/62122	by ducted exhaust gas
B64D 2700/62131	of windows or air intakes
B64D 2700/6214	by mechanical means
B64D 2700/62149	by electric heating
B64D 2700/62157	by ducted exhaust gas
B64D 2700/62166	...	Mounting of instruments
B64D 2700/62175	..	Dashboards; Radar antennae; Chart tables
B64D 2700/62184	..	Measuring instruments
B64D 2700/62192	...	not using electrical means
B64D 2700/62201	Turbulence detectors not using radar signals
B64D 2700/6221	...	using electrical means
B64D 2700/62219	Electric safety devices
B64D 2700/62228	Electric compensation or correction devices
B64D 2700/62236	Electrical circuits for acceleration indicators
B64D 2700/62245	Electric circuits for rate of change indicators
B64D 2700/62254	Airspeed indicators
B64D 2700/62263	Devices indicating or eliminating decrease of the airspeed
B64D 2700/62271	Roll, pitch or yaw indicators
B64D 2700/6228	Airflow direction indicators
B64D 2700/62289	...	Flight recorders, e.g. black boxes
B64D 2700/62298	..	Weight and center of gravity indicators
B64D 2700/62307	...	Tanks
B64D 2700/62315	..	Tanks or accessories
B64D 2700/62324	...	Manufacturing and materials
B64D 2700/62333	Special panels
B64D 2700/62342	Flexible or foldable panels
B64D 2700/6235	Self-sealing or double panels; Tanks suspended elastically
B64D 2700/62359	Thermally insulated walls
B64D 2700/62368	...	Fluid level indicators
B64D 2700/62377	...	Accessories, e.g. packs, floats, valves
B64D 2700/62385	..	Mounting of tanks; Supporting devices
B64D 2700/62394	...	Auxiliary tanks; Tanks convertible into floating devices
B64D 2700/62403	...	Wing parts used as fuel tanks
B64D 2700/62412	..	Emptying or filling of tanks
B64D 2700/62421	...	Emptying devices
B64D 2700/62429	Flow lines; Couplings
B64D 2700/62438	..	Safety devices for tanks

B64D 2700/62447	...	Fire preventing devices
B64D 2700/62456	Explosion preventing devices
B64D 2700/62464	...	Devices for degassing fuel or for controlling boiloff
B64D 2700/62473	...	Parachutes
B64D 2700/62482	..	Parts or accessories
B64D 2700/62491	...	Construction of canopies
B64D 2700/625	...	Load suspension; Harnesses or quick release boxes
B64D 2700/62508	..	Disposition or mounting in aircraft
B64D 2700/62517	..	Manufacturing or packing
B64D 2700/62526	...	Parachutes with a rigid armature
B64D 2700/62535	...	Means for deflating the parachute after use
B64D 2700/62543	...	Means to open or to close the parachute pack
B64D 2700/62552	...	Devices to open or to drive the parachute during fall
B64D 2700/62561	Devices to control the time or rate of the opening; Deceleration devices
B64D 2700/6257	Opening induced by means other than airstream
B64D 2700/62578	..	Special uses of parachutes or similar devices
B64D 2700/62587	..	Other emergency devices, e.g. balloons, parachutes with propellers
B64D 2700/62596	...	Dropping, ejecting, releasing or receiving articles during flight
B64D 2700/62605	..	Dropping, ejecting or releasing articles
B64D 2700/62614	...	the article being explosive, e.g. bombs
B64D 2700/62622	equipped with parachutes, rotary wings or rudders
B64D 2700/62631	...	Armaments
B64D 2700/6264	..	Mounting of flame-projectors
B64D 2700/62649	..	Mounting of firearms
B64D 2700/62657	..	Devices adapted to shoot through the hollow propeller shaft
B64D 2700/62666	...	Means for protecting aircraft against aerial barriers
B64D 2700/62675	...	Turrets which can be lowered
B64D 2700/62684	...	General disposition of the aircraft in relation to the propulsion means
B64D 2700/62692	..	Tractive or propulsive propellers
B64D 2700/62701	...	operated by hydraulic power
B64D 2700/6271	...	operated by electrical power
B64D 2700/62719	...	jet-driven
B64D 2700/62728	...	Specific for seaplanes or amphibian aircrafts
B64D 2700/62736	..	jet propulsion
B64D 2700/62745	...	combined with propellers
B64D 2700/62754	...	combined with jet-deflectors
B64D 2700/62763	...	Propulsion or transmission devices
B64D 2700/62771	..	General arrangements
B64D 2700/6278	...	in propeller driven aircraft
B64D 2700/62789	In seaplanes or amphibian aircraft

B64D 2700/62798	One propeller being driven by several engines
B64D 2700/62807	Several non-coaxial propellers driven by only one engine
B64D 2700/62815	Double propellers
B64D 2700/62824	co-rotating
B64D 2700/62833	counter-rotating
B64D 2700/62842	driven by only one engine
B64D 2700/6285	driven by several engines
B64D 2700/62859	...	in jet propulsion aircraft
B64D 2700/62868	..	Manufacturing of propellers or propulsive wheels
B64D 2700/62877	...	Variable-pitch blades
B64D 2700/62885	Torque transmission to the propeller shaft
B64D 2700/62894	Coupling between motor shaft and propeller shaft
B64D 2700/62903	through an overrunning coupling, a friction clutch, an adjustable slipping coupling, a hydraulic coupling or a retarding coupling
B64D 2700/62912	through a device which changes the direction of rotation of the propeller relative to the engine
B64D 2700/62921	Brakes arranged on the propeller shaft
B64D 2700/62929	Lubrication of the transmission
B64D 2700/62938	...	Arrangements of propulsion plants
B64D 2700/62947	in propeller driven aircraft
B64D 2700/62956	in jet propulsion aircraft
B64D 2700/62964	Engines ejectable during flight
B64D 2700/62973	Heating and cooling devices
B64D 2700/62982	Elastic suspension using rubber
B64D 2700/62991	...	Devices for braking or boosting aircraft, e.g. auxiliary propeller, rockets, jets, take-off assistance