

**CPC****COOPERATIVE PATENT CLASSIFICATION****B26B****HAND-HELD CUTTING TOOLS NOT OTHERWISE PROVIDED**

**FOR** (for harvesting [A01D](#); for horticulture, for forestry [A01G](#); for butchering or meat treatment [A22](#); for manufacturing or repairing footwear [A43D](#); nail clippers or cutters [A45D 29/02](#); kitchen equipment [A47J](#); { vegetable slicers, julienne cutters and similar devices and holders therefor, [B26D 3/28](#)}; for surgical purposes [A61B](#); for metal [B23D](#); cutting by abrasive fluid jets [B24C 5/02](#); plier-like tools with cutting edges [B25B 7/22](#); pincers [B25C 11/02](#); handles for hand implements, in general [B25G](#); guillotine-type cutters [B26D](#); { perforating by non-mechanical means, e.g. by fluid jet, [B26F 1/26](#)}; for erasing [B43L 19/00](#); for textile materials [D06H](#))

**Hand knives****B26B 1/00**

**Hand knives with adjustable blade; Pocket knives** ([B26B 11/00](#) takes precedence)

[B26B 1/02](#)

- . with pivoted blade

[B26B 1/04](#)

- .. lockable in adjusted position

[B26B 1/042](#)

- ... {by a spring biased locking lever pivoting around an axis parallel to the pivot axis of the blade}

[B26B 1/044](#)

- ... {by a spring tongue snapping behind or into the tang of the blade from a side part of the handle}

[B26B 1/046](#)

- ... {with a locking member acting in axial direction parallel to the pivot axis of the blade}

[B26B 1/048](#)

- ... {with a locking member being slidable or movable along the handle}

[B26B 1/06](#)

- .. with loosely-inserted spring

[B26B 1/08](#)

- . with sliding blade {(with detachable blades [B26B 5/001](#))}

[B26B 1/10](#)

- . Handles

**B26B 3/00**

**Hand knives with fixed blades** {(handles, attaching the handles [B25G](#))}

[B26B 3/02](#)

- . Table-knives ([B26B 9/02](#) takes precedence)

[B26B 3/03](#)

- . specially adapted for cutting-off slices one by one

[B26B 3/04](#)

- . for performing several incisions simultaneously; Multiple-blade knives

[B26B 3/06](#)

- . Scout or similar sheath knives ([sheaths therefor B26B 29/02](#))

[B26B 3/08](#)

- . specially adapted for cutting cardboard, or wall, floor, or like covering materials

**B26B 5/00**

**Hand knives with one or more detachable blades**

[B26B 5/001](#)

- . {with blades being slid out of handle immediately prior to use}

[B26B 5/002](#)

- .. {segmented blades}

[B26B 5/003](#)

- .. {comprising retraction means for the blade or the blade holder}

[B26B 5/005](#)

- . {specially adapted for cutting cardboard, or wall, floor or like covering materials}

[B26B 5/006](#)

- . {specially adapted for using razor blades as blades ([B26B 5/001](#) takes precedence)}

[B26B 5/007](#)

- . {for cutting slices one by one}

B26B 5/008 . {for performing several incisions simultaneously; for cutting cubes}

**B26B 7/00 Hand knives with reciprocating motor-driven blades**

B26B 7/005 . {Counter reciprocating blades}

**B26B 9/00 Blades for hand knives**

B26B 9/02 . characterised by the shape of the cutting edge, e.g. wavy

**B26B 11/00 Hand knives combined with other implements, e.g. with corkscrew, with scissors, with writing implement (combined table-ware [A47G 21/06](#))**

B26B 11/001 . {of the Swiss-knife type}

B26B 11/003 . {having folding handles}

B26B 11/005 . {Handle also acting as a part of a scissors}

B26B 11/006 . {Several functions combined in the blade}

B26B 11/008 . {comprising electronic or electrical features, e.g. illuminating means, computing devices or sensors}

**Hand shears; Scissors** (for horticultural purposes [A01G](#); bone shears [A22C 17/06](#); metal shears [B23D](#))

**B26B 13/00 Hand shears; Scissors**

B26B 13/005 . {Pocket or folding scissors}

B26B 13/02 . with moulded-in blades

B26B 13/04 . with detachable blades

B26B 13/06 . characterised by the shape of the blades

B26B 13/08 . . with cutting edges wavy or toothed in the plane of the blade

B26B 13/10 . . for producing wavy, zig-zag, or like cuts

B26B 13/12 . characterised by the shape of the handles

B26B 13/14 . . without gripping bows in the handle

B26B 13/16 . . . spring loaded, e.g. with provision for locking the blades or the handles

B26B 13/18 . . . without joint, i.e. having blades interconnected by a resilient member

B26B 13/20 . . with gripping bows in the handle

B26B 13/22 . combined with auxiliary implements, e.g. with cigar cutter, with manicure instrument ([cigar cutters per se A24F 13/24](#))

B26B 13/24 . . to aid hair cutting

B26B 13/26 . with intermediate links between the grips and the blades, e.g. for remote actuation

B26B 13/28 . Joints ([B25B 7/06](#) takes precedence)

B26B 13/285 . . {with means for applying pressure on the blades; with means for producing "drawing-cut" effect}

**B26B 15/00 Hand-held shears with motor-driven blades**

**B26B 17/00 Hand cutting tools {i.e. with the cutting action actuated by muscle power} with two jaws which come into abutting contact (nail clippers or cutters [A45D 29/02](#); joints therefor [B25B 7/06](#))**

- B26B 17/003 . {manually operated tools specially adapted for separating nuts attached to each other, e.g. by rust ([nut crackers A47J 43/26](#))}
- B26B 17/006 . {having cutting edges parallel to a pivot axis}
- B26B 17/02 . with jaws operated indirectly by the handles, e.g. through cams or toggle levers
- B26B 19/00** **Clippers or shavers operating with a plurality of cutting edges, e.g. hair clippers, dry shavers**
- B26B 19/02 . of the reciprocating-cutter type
- B26B 19/04 . . Cutting heads therefor; Cutters therefor; Securing equipment thereof
- B26B 19/042 . . . {Long hair cutters or older types comprising a cutting grid}
- B26B 19/044 . . . {Manufacture and assembly of cutter blocks}
- B26B 19/046 . . . {Cutters being movable in the cutting head}
- B26B 19/048 . . . {Complete cutting head being movable}
- B26B 19/06 . . . involving co-operating cutting elements both of which have shearing teeth
- B26B 19/063 . . . . {Movable or adjustable cutting head}
- B26B 19/066 . . . . {Manually operated}
- B26B 19/08 . . . . of nipper type
- B26B 19/10 . . . involving two or more different types of reciprocating cutting elements, e.g. a pair of toothed shearing elements combined with a pair of perforated cutting elements or a combined toothed and perforated cutting assembly
- B26B 19/102 . . . . {with a secondary cutting unit being translated or slid into an operating position}
- B26B 19/105 . . . . {with a secondary cutting unit being rotated into an operating position}
- B26B 19/107 . . . . {with means for selectively engaging the drive for a fixed-position secondary cutting unit}
- B26B 19/12 . of the oscillating- cutter type; Cutting heads therefor; Cutters therefor ([B26B 19/04 takes precedence](#))
- B26B 19/14 . of the rotary-cutter type; Cutting heads therefor; Cutters therefor ([B26B 19/04 takes precedence](#))
- B26B 19/141 . . {Details of inner cutters having their axes of rotation perpendicular to the cutting surface}
- B26B 19/143 . . {Details of outer cutters}
- B26B 19/145 . . {Cutters being movable in the cutting head}
- B26B 19/146 . . {Complete cutting head being movable}
- B26B 19/148 . . {specially adapted for removing hair from inaccessible places, e.g. nostrils}
- B26B 19/16 . . involving a knife cylinder or a knife cone or separate cutting elements moved like a rotating cylinder or a rotating cone
- B26B 19/18 . . . in combination with a fixed razor-blade without shearing perforations
- B26B 19/20 . with provision for shearing hair of preselected or variable length
- B26B 19/205 . . {by adjustment of the cutting members}
- B26B 19/22 . with provision for thinning-out hair
- B26B 19/24 . specially adapted for shearing animals, e.g. sheep

- B26B 19/26
  - of the type performing different methods of operation simultaneously, e.g. reciprocating and oscillating; of the type having two or more heads of differing mode of operation
- B26B 19/265
  - .. {of the type having two or more heads of differing mode of operation}
- B26B 19/28
  - Drive layout for hair clippers or dry shavers, e.g. providing for electromotive drive (electric motors per se [H02](#))
- B26B 19/282
  - .. {Motors without a rotating central drive shaft, e.g. linear motors}
- B26B 19/284
  - ... {with an actuator oscillating about a pivot axis}
- B26B 19/286
  - .. {providing for two or more different electrical power sources}
- B26B 19/288
  - .. {Balance by opposing oscillation}
- B26B 19/30
  - .. providing for muscle drive, e.g. by rolling over the skin
- B26B 19/32
  - .. providing for mechanical drive, e.g. installation of a spring motor
- B26B 19/34
  - .. providing for fluid drive
- B26B 19/36
  - .. providing for remote drive by means of a flexible shaft; Transmission means therefor
- B26B 19/38
  - Details of, or accessories for, hair clippers, or dry shavers, e.g. housings, casings, grips, guards (cutters, cutting heads [B26B 19/04](#), [B26B 19/12](#), [B26B 19/14](#); cleaning or disinfecting devices [A45D 27/46](#); drying devices [A45D 27/48](#); casings for electric apparatus in general [H05K](#))
- B26B 19/3806
  - .. {Accessories}
- B26B 19/3813
  - ... {Attachments}
- B26B 19/382
  - ... {Built-in accessories}
- B26B 19/3826
  - ... {Separate accessories}
- B26B 19/3833
  - ... {Storage and cleaning devices; Power cord storage}
- B26B 19/384
  - .. {Dry-shaver foils; Manufacture thereof}
- B26B 19/3846
  - .. {Blades; Cutters ([B26B 19/044](#), [B26B 19/141](#) take precedence)}
- B26B 19/3853
  - .. {Housing or handle}
- B26B 19/386
  - ... {Means for attaching the head thereto}
- B26B 19/3866
  - ... {Seals or dampers}
- B26B 19/3873
  - .. {Electric features; Charging; Computing devices}
- B26B 19/388
  - ... {Sensors; Control}
- B26B 19/3886
  - .. {Actuating members, e.g. switches or control knobs}
- B26B 19/3893
  - .. {Manufacturing of shavers or clippers or components thereof}
- B26B 19/40
  - .. Lubricating
- B26B 19/42
  - .. providing for straightening the hair to be cut, e.g. by means of bristles; providing for tensioning the skin, e.g. by means of rollers, ledges ([skin-stretchers for shaving per se A45D 27/38](#))
- B26B 19/44
  - .. Suction means for collecting severed hairs or for the skin to be shaved
- B26B 19/46
  - .. providing for illuminating the area to be shaved or clipped
- B26B 19/48
  - .. Accessory implements for carrying out a function other than cutting hair, e.g. attachable appliances for manicuring ([massage means per se A61H 7/00 to A61H 23/00](#))

<b>B26B 21/00</b>	<b>Razors of the open or knife type; Safety razors or other shaving implements of the planing type; Hair-trimming devices involving a razor-blade; Equipment therefor</b>
B26B 21/02	. involving unchangeable blades
B26B 21/04	.. Razors of the knife type
B26B 21/06	.. Safety razors with fixed blade, e.g. with moulded-in blade
B26B 21/08	. involving changeable blades
B26B 21/10	.. Safety razors with one or more blades arranged longitudinally to the handle
B26B 21/12	... combined with combs or other means for hair trimming
B26B 21/125	.... {Razor blades attached to ordinary combs}
B26B 21/14	.. Safety razors with one or more blades arranged transversely to the handle
B26B 21/16	... involving blades with only one cutting edge ( <a href="#">B26B 21/22 to B26B 21/38 take precedence</a> )
B26B 21/165	.... {with the blade moulded into, or attached to, a changeable unit}
B26B 21/18	... involving blades with two cutting edges ( <a href="#">B26B 21/22 to B26B 21/38 take precedence</a> )
B26B 21/185	.... {with adjustable guard clearance; with variable angle of rake}
B26B 21/20	... involving blades with more than two cutting edges; involving disc blades ( <a href="#">B26B 21/22 to B26B 21/38 take precedence</a> )
B26B 21/22	... involving several blades to be used simultaneously
B26B 21/222	.... {with the blades moulded into, or attached to, a changeable unit ( <a href="#">B26B 21/4006 takes precedence</a> )}
B26B 21/225	..... {the changeable unit being resiliently mounted on the handle}
B26B 21/227	..... {with blades being resiliently mounted in the changeable unit}
B26B 21/24	... of the magazine type; of the injector type ( <a href="#">containers for storing razor-blades A45D 27/24</a> )
B26B 21/26	... of the continuous ribbon type
B26B 21/28	... of the drawing cut type, i.e. with the cutting edge of the blade arranged obliquely { or curved } to the handle
B26B 21/30	... of the type carrying pivotally-mounted caps
B26B 21/32	.... in razors involving double-edged blades
B26B 21/34	... of the type carrying rollers
B26B 21/36	.... with provision for reciprocating the blade ( <a href="#">reciprocating the cutting elements of clippers or dry shavers B26B 19/00</a> )
B26B 21/38	... with provision for reciprocating the blade by means other than rollers ( <a href="#">reciprocating the cutting elements of clippers or dry shavers B26B 19/00</a> )
B26B 21/40	. Details or accessories
B26B 21/4006	.. {Blades or blade units with discontinuous cutting edges, e.g. wire-wrapped, notches}
B26B 21/4012	.. {Housing details, e.g. for cartridges}
B26B 21/4018	... {Guard elements}
B26B 21/4025	... {Cap elements}

- B26B 21/4031 . . . {characterised by special geometric shaving parameters, e.g. blade span or exposure}
- B26B 21/4037 . . {Details or parts covering the blades, e.g. caps for storage; Attachments}
- B26B 21/4043 . . {Contour trimming}
- B26B 21/405 . . {Electric features; Charging; Computing devices}
- B26B 21/4056 . . . {Sensors or controlling means}
- B26B 21/4062 . . {Actuating members, e.g. switches or control knobs; Adjustments}
- B26B 21/4068 . . {Mounting devices; Manufacture of razors or cartridges ([B26B 21/528](#) takes precedence)}
- B26B 21/4075 . . . {Mounting devices}
- B26B 21/4081 . . {Shaving methods; Usage or wear indication; Testing methods}
- B26B 21/4087 . . . {Usage or wear indication}
- B26B 21/4093 . . . {Testing of shaving razors or components thereof}
- B26B 21/42 . . for cutting hair of preselected or variable length ([combs, stencils or guides specially adapted for hair trimming devices A45D 24/36](#))
- B26B 21/44 . . Means integral with, or attached to, the razor for storing shaving-cream, styptic, or the like
- B26B 21/443 . . . {Lubricating strips attached to the razor head}
- B26B 21/446 . . . {Shaving aid stored in the razor handle}
- B26B 21/46 . . for illuminating the skin ([B26B 19/46](#) takes precedence)
- B26B 21/48 . . Heating means
- B26B 21/50 . . Means integral with, or attached to, the razor for stropping the blade
- B26B 21/52 . . Handles, e.g. tiltable, flexible {(handles and attaching handles in general [B25G](#))}
- B26B 21/521 . . . {Connection details, e.g. connection to razor heads}
- B26B 21/522 . . . {Ergonomic details, e.g. shape, ribs or rubber parts}
- B26B 21/523 . . . {Extendible or foldable handles; Extensions}
- B26B 21/525 . . . {for longitudinally arranged cutting edges}
- B26B 21/526 . . . {Electric features}
- B26B 21/527 . . . {attachable to fingers or to the human hand}
- B26B 21/528 . . . {Manufacture of razor handles}
- B26B 21/54 . . Razor-blades {([B26B 21/4006](#) takes precedence)}
- B26B 21/56 . . characterised by the shape
- B26B 21/565 . . . {Bent razor blades; Razor blades with bent carriers}
- B26B 21/58 . . characterised by the material
- B26B 21/60 . . . by the coating material
- B26B 23/00** **Axes; Hatchets {(attaching of the handles [B25G](#))}**
- B26B 25/00** **Hand cutting tools involving disc blades, e.g. motor-driven (details or components, e.g. casings, bodies, of portable power-driven tools not particularly related to the operation performed [B25F 5/00](#))**
- B26B 25/002 . . {Motor-driven knives with a rotating annular blade}

- B26B 25/005 . {Manually operated, e.g. pizza cutters}
- B26B 25/007 . . {Operable only in combination with guiding means, e.g. paper cutters}
  
- B26B 27/00** **Hand cutting tools not provided for in the preceding groups, e.g. finger rings for cutting string, devices for cutting by means of wires**
- B26B 27/002 . {Tools using wires as cutting means}
- B26B 27/005 . {Carton openers}
- B26B 27/007 . {with handles specifically adapted to be attached to a human hand or finger, e.g. thimbles (for razors [B26B 21/527](#))}
  
- B26B 29/00** **Guards or sheaths {or guides} for hand cutting tools; Arrangements for guiding hand cutting tools (guards for hair clippers or dry shavers [B26B 19/38](#))**
- B26B 29/02 . Guards or sheaths for knives
- B26B 29/025 . . {Knife sheaths or scabbards}
- B26B 29/04 . Guards or sheaths for scissors, e.g. combined with manicuring appliances (manicuring implements per se [A45D 29/00](#))
- B26B 29/06 . Arrangements for guiding hand cutting tools (guiding equipment or arrangements for specific cutting tools, see the particular places, e.g. for hair trimming devices [A45D 24/36](#), for saw blades [B27B 11/02](#), [B26B 13/10](#))
- B26B 29/063 . . {Food related applications}
- B26B 2029/066 . . {for slicing bread }