

**CPC****COOPERATIVE PATENT CLASSIFICATION****F41G****WEAPON SIGHTS; AIMING** (optical aspects thereof [G02B](#))**F41G 1/00**

**Sighting devices** (for indirect laying of fire [F41G 3/16](#); bombsights [F41G 3/24](#);{ structurally associated with laser telemeters [F41G 3/065](#); mounting tubular or beam shaped aiming devices on firearms [F41G 11/001](#)})

- F41G 1/01
  - . characterised by the visual combination effect of the respective geometrical forms of fore and rear sight ([F41G 1/42](#) takes precedence)
- F41G 1/02
  - . Foresights
- F41G 1/027
  - .. with lens
- F41G 1/033
  - .. adjustable
- F41G 1/04
  - .. Protection means therefor
- F41G 1/06
  - . Rearsights
- F41G 1/065
  - .. {Protection means therefor ([F41G 1/04](#) takes precedence)}
- F41G 1/08
  - .. with aperture; {tubular or of ring form; Peep sights ([F41G 1/42](#) takes precedence)}
- F41G 1/10
  - .. with notch
- F41G 1/12
  - .. with line or mark other than notch
- F41G 1/14
  - .. with lens
- F41G 1/16
  - .. Adjusting mechanisms therefor; Mountings therefor
- F41G 1/17
  - ... Convertible sights, i.e. sets of two or more sights brought into the sight line optionally
- F41G 1/18
  - ... Clicking-indicators with spring detents
- F41G 1/20
  - ... coarse and fine
- F41G 1/22
  - ... Friction clamps
- F41G 1/24
  - ... rack-and-pinion; lever; linkwork
- F41G 1/26
  - ... screw
- F41G 1/28
  - ... wedge; cam; eccentric
- F41G 1/30
  - . Reflecting-sights specially adapted for smallarms or ordnance ([reflecting-sights in general G02B](#))
- F41G 1/32
  - . Night sights, e.g. luminescent {(optical aspects of sighting devices [G02B 23/00](#), [G02B 27/00](#))}
- F41G 1/34
  - .. combined with light source, e.g. spot-light
- F41G 1/345
  - ... {for illuminating the sights}
- F41G 1/35
  - ... for illuminating the target, {e.g. flash lights}
- F41G 1/36
  - ... with infra-red light source
- F41G 1/38
  - . Telescopic sights specially adapted for smallarms or ordnance ([telescopic sights in general G02B](#)); Supports or mountings therefor
- F41G 1/383
  - .. {Protection means therefor}
- F41G 1/387
  - .. Mounting telescopic sights on smallarms
- F41G 1/393
  - .. Mounting telescopic sights on ordnance; Transmission of sight movements to the associated gun

- F41G 1/3935 . . . . . Transmission of sight movements to the associated gun
- F41G 1/40 . . . Periscopic sights specially adapted for smallarms or ordnance ([periscopic sights in general G02B](#)); Supports or mountings therefor
- F41G 1/41 . . . Mounting periscopic sights on smallarms
- F41G 1/42 . . . Tube sights; Bar sights ; [{Combinations of tubular fore and rearsights}](#)
- F41G 1/425 . . . [{Bar sights}](#)
- F41G 1/44 . . . Spirit-level adjusting means, e.g. for correcting tilt ; [{Means for indicating or correcting tilt or cant}](#)
- F41G 1/46 . . . for particular applications
- F41G 1/467 . . . for bows
- F41G 1/473 . . . for lead-indicating or range-finding, e.g. for use with rifles or shotguns
- F41G 1/48 . . . for firing grenades from rifles
- F41G 1/50 . . . for trench mortars [{or for other mortars}](#)
- F41G 1/52 . . . for rifles or shotguns having two or more barrels, or adapted to fire different kinds of ammunition, e.g. ball or shot
- F41G 1/54 . . . Devices for testing or checking; [{Tools for adjustment of sights}](#)
- F41G 1/545 . . . [{Tools for adjustment of sights}](#)
  
- F41G 3/00** **Aiming means; Laying means** ([sighting-devices F41G 1/00](#); [{ mounting tubular or beam shaped aiming devices on firearms F41G 11/001}](#); [determining direction, distance or velocity by use of radio or other waves G01S](#); [computer G06](#); [aerials H01Q](#))
- F41G 3/005 . . . [{with means for correcting the parallax between the sighting means and the muzzle axis}](#)
- F41G 3/02 . . . using an independent line of sight
- F41G 3/04 . . . for dispersing fire from a battery; [{for controlling spread of shots; for coordinating fire from spaced weapons}](#)
- F41G 3/06 . . . with rangefinder ([rangefinders per se G01C](#))
- F41G 3/065 . . . [{Structural association of sighting-devices with laser telemeters}](#)
- F41G 3/08 . . . with means for compensating for speed, direction, temperature, pressure, or humidity of the atmosphere ([measuring G01](#))
- F41G 3/10 . . . with means for compensating for canting of the trunnions
- F41G 3/12 . . . with means for compensating for muzzle velocity or powder temperature [{with means for compensating for gun vibrations}](#)
- F41G 3/14 . . . Indirect aiming means
- F41G 3/142 . . . [{based on observation of a first shoot; using a simulated shoot \(training F41G 3/26\)}](#)
- F41G 3/145 . . . [{using a target illuminator}](#)
- F41G 3/147 . . . [{based on detection of a firing weapon}](#)
- F41G 3/16 . . . Sighting devices adapted for indirect laying of fire
- F41G 3/165 . . . [{using a TV-monitor}](#)
- F41G 3/18 . . . Auxiliary target devices adapted for indirect laying of fire
- F41G 3/20 . . . specially adapted for mountain artillery

- F41G 3/22 . for vehicle-borne armament, e.g. on aircraft
- F41G 3/225 .. {Helmet sighting systems}
- F41G 3/24 .. Bombsights
- F41G 3/26 . Teaching or practice apparatus for gun-aiming or gun-laying ({shooting games [A63F 9/02](#); light- or radiation-emitting guns [F41A 33/02](#); targets therefor [F41J](#); responders, transponders for radar, sonar, lidar [G01S 13/767](#), [G01S 15/74](#), [G01S 17/74](#)})
- F41G 3/2605 .. {using a view recording device cosighted with the gun ([F41G 3/2616](#) takes precedence)}
- F41G 3/2611 ... {coacting with a TV-monitor}
- F41G 3/2616 .. {using a light emitting device}
- F41G 3/2622 ... {for simulating the firing of a gun or the trajectory of a projectile}
- F41G 3/2627 .... {Cooperating with a motion picture projector}
- F41G 3/2633 ..... {using a TV type screen, e.g. a CRT, displaying a simulated target}
- F41G 3/2638 ..... {giving hit coordinates by means of raster control signals, e.g. standard light pen}
- F41G 3/2644 .... {Displaying the trajectory or the impact point of a simulated projectile in the gunner's sight}
- F41G 3/265 .... {with means for selecting or varying the shape or the direction of the emitted beam}
- F41G 3/2655 .... {in which the light beam is sent from the weapon to the target}
- F41G 3/2661 .... {in which the light beam is sent from the target to the weapon ([F41G 3/2638](#) takes precedence)}
- F41G 3/2666 .... {with means for selecting or varying PRF or time coding of the emitted beam}
- F41G 3/2672 ..... {using PRF adapted receiver}
- F41G 3/2677 ..... {with PRF determination}
- F41G 3/2683 .... {with reflection of the beam on the target back to the weapon}
- F41G 3/2688 ..... {using target range measurement, e.g. with a laser rangefinder}
- F41G 3/2694 ... {for simulating a target ([F41G 3/2627](#) takes precedence; moving targets per se [F41J 9/00](#))}
- F41G 3/28 .. Small-scale apparatus ([relief models](#) or [maps G09B](#))
- F41G 3/30 .. Gun-laying apparatus
- F41G 3/32 . Devices for testing or checking
- F41G 3/323 .. {for checking the angle between the muzzle axis of the gun and a reference axis, e.g. the axis of the associated sighting device ([testing alignment of axes in general G01B 11/27](#))}
- F41G 3/326 .. {for checking the angle between the axis of the gun sighting device and an auxiliary measuring device ([F41G 3/323](#) takes precedence)}
- F41G 5/00 Elevating or traversing control systems for guns** ({means for inhibiting firing in a specified direction [F41A 17/08](#); gun mountings permitting traversing or elevating movement, e.g. gun carriages, [F41A 27/00](#); computers [G06](#))
- F41G 5/02 . using only mechanical means for remote control
- F41G 5/04 . using hydraulic means for remote control

- F41G 5/06 . using electric means for remote control
- F41G 5/08 . Ground-based tracking-systems for aerial targets
- F41G 5/12 . acoustically influenced
- F41G 5/14 . for vehicle-borne guns
- F41G 5/16 . . gyroscopically influenced
- F41G 5/18 . . Tracking systems for guns on aircraft
- F41G 5/20 . . for guns on ships
- F41G 5/22 . . . to compensate for rolling or pitching
- F41G 5/24 . . for guns on tanks
- F41G 5/26 . Apparatus for testing or checking

**F41G 7/00**

**Direction control systems for self-propelled missiles** (flight control [B64C](#), [G05D 1/00](#); { counter-measures against guided missiles [F41H 11/02](#); spin-stabilised missiles [F42B 10/26](#)}; self-propelled or guided missiles having direction control systems only installed aboard [F42B 15/01](#); rocket torpedoes [F42B 17/00](#); marine torpedoes or sea-mines having self-propulsion means [F42B 19/00](#); locating by use of radio or other waves [G01S](#); computing aspects [G06](#))

- F41G 7/001 . {Devices or systems for testing or checking}
- F41G 7/002 . . {target simulators}
- F41G 7/003 . . . {for seekers using radio waves}
- F41G 7/004 . . . {for infra-red seekers}
- F41G 7/005 . . {for testing benches or sets}
- F41G 7/006 . {Guided missiles training or simulation devices}
- F41G 7/007 . {Preparatory measures taken before the launching of the guided missiles}
- F41G 7/008 . {Combinations of different guidance systems}
- F41G 7/20 . based on continuous observation of target position
- F41G 7/22 . . Homing guidance systems
- F41G 7/2206 . . . {using a remote control station}
- F41G 7/2213 . . . {maintaining the axis of an orientable seeking head pointed at the target, e.g. target seeking gyro}
- F41G 7/222 . . . {for spin-stabilized missiles}
- F41G 7/2226 . . . {comparing the observed data with stored target data, e.g. target configuration data}
- F41G 7/2233 . . . {Multimissile systems}
- F41G 7/224 . . . {Deceiving or protecting means (jamming or anti-jamming of radio-wave systems in general [G01S 7/36](#), [G01S 7/38](#); defense installations in general [F41H 11/02](#); chaff dispensers [F42B 12/70](#))}
- F41G 7/2246 . . . {Active homing systems, i.e. comprising both a transmitter and a receiver}
- F41G 7/2253 . . . {Passive homing systems, i.e. comprising a receiver and do not requiring an active illumination of the target}
- F41G 7/226 . . . {Semi-active homing systems, i.e. comprising a receiver and involving auxiliary illuminating means, e.g. using auxiliary guiding missiles}
- F41G 7/2266 . . . . {Systems comparing signals received from a base station and reflected from the target}

F41G 7/2273	...	{characterised by the type of waves}
F41G 7/228	....	{using acoustic waves, e.g. for torpedoes}
F41G 7/2286	....	{using radio waves}
F41G 7/2293	....	{using electromagnetic waves other than radio waves}
F41G 7/24	..	Beam riding guidance systems ( <a href="#">conical-scan beam beacons therefor G01S 1/42</a> )
F41G 7/26	...	Optical guidance systems
F41G 7/263	....	{Means for producing guidance beams}
F41G 7/266	....	{for spin-stabilized missiles}
F41G 7/28	...	Radio guidance systems
F41G 7/30	..	Command link guidance systems {homing <a href="#">F41G 7/2206</a> }
F41G 7/301	...	{Details}
F41G 7/303	....	{Sighting or tracking devices especially provided for simultaneous observation of the target and of the missile}
F41G 7/305	....	{for spin-stabilized missiles}
F41G 7/306	....	{for transmitting guidance signals; ( <a href="#">F41G 7/308</a> takes precedence)}
F41G 7/308	....	{for guiding a plurality of missiles}
F41G 7/32	...	for wire-guided missiles
F41G 7/34	.	based on predetermined target position data
F41G 7/343	..	{comparing observed and stored data of target position or of distinctive marks along the path towards the target}
F41G 7/346	..	{using global navigation satellite systems, e.g. GPS, GALILEO, GLONASS}
F41G 7/36	..	using inertial references
<b>F41G 9/00</b>		<b>Systems for controlling missiles or projectiles, not provided for elsewhere</b>
F41G 9/002	.	{for guiding a craft to a correct firing position ( <a href="#">for bombing control F41G 9/02</a> )}
F41G 9/004	..	{Training or teaching apparatus therefor}
F41G 9/006	..	{for torpedo launchers ( <a href="#">torpedo launching-apparatus F41F 3/08</a> )}
F41G 9/008	.	{Means for controlling firing of torpedoes; Torpedo directors ( <a href="#">acoustic homing F41G 7/228</a> )}
F41G 9/02	.	for bombing control ( <a href="#">bombsights F41G 3/24</a> )
F41G 9/025	..	{Training or teaching apparatus therefor}
<b>F41G 11/00</b>		<b>Details of sighting or aiming apparatus; Accessories {(Tools for adjustment of sights <a href="#">F41G 1/545</a>)}</b>
F41G 11/001	.	{Means for mounting tubular or beam shaped sighting or aiming devices on firearms}
F41G 11/002	..	{Mountings with recoil absorbing means}
F41G 11/003	..	{Mountings with a dove tail element, e.g. "Picatinny rail systems"}
F41G 11/004	..	{Mountings with clamping means on the device embracing at least a part of the firearm, e.g. the receiver or a dustcover ( <a href="#">F41G 11/003</a> takes precedence)}
F41G 11/005	..	{Mountings using a pivot point and an anchoring point}
F41G 11/006	...	{the device being rotated in a horizontal plane}
F41G 11/007	...	{the device being tilted in a vertical plane}

F41G 11/008 . . . {the device being pivotable about an axis coaxial with the axis of the barrel, e.g. for loading}

**F41G 2700/00 Torpedoes**

F41G 2700/005 . Remote steering of torpedoes by means of electric or acoustic waves or otherwise