

**CPC****COOPERATIVE PATENT CLASSIFICATION****H05H**

**PLASMA TECHNIQUE** (fusion reactors [G21B](#); ion-beam tubes [H01J 27/00](#); magnetohydrodynamic generators [H02K 44/08](#); producing X-rays involving plasma generation [H05G 2/00](#)); **PRODUCTION OF ACCELERATED ELECTRICALLY-CHARGED PARTICLES OR OF NEUTRONS** (obtaining neutrons from radioactive sources [G21](#), e.g. [G21B](#), [G21C](#), [G21G](#)); **PRODUCTION OR ACCELERATION OF NEUTRAL MOLECULAR OR ATOMIC BEAMS** (atomic clocks [G04F 5/14](#); devices using stimulated emission [H01S](#); frequency regulation by comparison with a reference frequency determined by energy levels of molecules, atoms, or subatomic particles [H03L 7/26](#))

**H05H 1/00****Generating plasma; Handling plasma**

- H05H 1/0006 . {Investigating plasma, e.g. degree of ionisation (electron temperature)}
- H05H 1/0012 .. {by using radiation}
- H05H 1/0018 ... {Details}
- H05H 1/0025 ... {by using photoelectric means ([H05H 1/0031](#) to [H05H 1/0043](#) take precedence)}
- H05H 1/0031 ... {by interferometry}
- H05H 1/0037 ... {by spectrometry (see [G01N 3/00](#))}
- H05H 1/0043 ... {by using infra-red or ultra-violet radiation}
- H05H 1/005 ... {by using X-rays or alpha rays (see [G01N 23/00](#))}
- H05H 1/0056 ... {by using neutrons (see [G01N 23/00](#))}
- H05H 1/0062 ... {by using microwaves (see [G01N 23/223](#))}
- H05H 1/0068 .. {by thermal means (see [G01N 25/00](#))}
- H05H 1/0075 ... {Langmuir probes}
- H05H 1/0081 .. {by electric means (see [G01N 27/00](#), [G01R](#))}
- H05H 1/0087 .. {by magnetic means (see [G01N 27/00](#), [G01R](#))}
- H05H 1/0093 .. {by acoustic, e.g. ultrasonic means (see [G01N 29/02](#))}
- H05H 1/02 . Arrangements for confining plasma by electric or magnetic fields; Arrangements for heating plasma ({[G21B 1/00](#) takes precedence;} electron optics [H01J](#))
- H05H 1/03 .. using electrostatic fields
- H05H 1/04 .. using magnetic fields substantially generated by the discharge in the plasma
- H05H 1/06 ... longitudinal pinch devices
- H05H 1/08 ... Theta pinch devices {e.g. SCYLLA}
- H05H 1/10 .. using externally-applied magnetic field only {e.g. Q-machines, Yin-Yang, base-ball}
- H05H 1/105 ... {using magnetic pumping}
- H05H 1/11 ... using cusp configuration ([H05H 1/14](#) takes precedence)
- H05H 1/12 ... wherein the containment vessel forms a closed or nearly closed loop ({[G21B 1/05](#) takes precedence)}
- H05H 1/14 ... wherein the containment vessel is straight and has magnetic mirrors
- H05H 1/16 .. using externally-applied electric and magnetic field

- H05H 1/18 . . . wherein the field oscillate at very high frequency, e.g. in the microwave range {e.g. using cyclotron resonance}
- H05H 1/20 . . Ohmic heating
- H05H 1/22 . . for injection heating {(G21B 1/15 takes precedence)}
- H05H 1/24 . Generating plasma {(gas-filled discharge reactors H01J 37/32; nuclear fusion reactors G21B 1/00; ohmic heating H05H 1/20; injection heating H05H 1/22)}
- H05H 1/2406 . . {Dielectric barrier discharges}
- H05H 2001/2412 . . . {the dielectric being interposed between the electrodes}
- H05H 2001/2418 . . . {the electrodes being embedded in the dielectric}
- H05H 2001/2425 . . . {the electrodes being flush with the dielectric}
- H05H 2001/2431 . . . {Cylindrical electrodes}
- H05H 2001/2437 . . . {Multilayer systems}
- H05H 2001/2443 . . . {Flow through, i.e. the plasma fluid flowing in a dielectric tube}
- H05H 2001/245 . . . . {Internal electrodes}
- H05H 2001/2456 . . . . {External electrodes}
- H05H 2001/2462 . . . . {Ring electrodes}
- H05H 2001/2468 . . . . {Spiral electrodes}
- H05H 1/2475 . . {Acoustic pressure discharge}
- H05H 2001/2481 . . . {Piezoelectric actuators}
- H05H 2001/2487 . . . {Mechanical actuators}
- H05H 2001/2493 . . . {Horns}
- H05H 1/26 . . Plasma torches {(metal working with constricted arc B23K 10/00, **H05H10/02**; metal spraying B05B 7/18, B05B 7/20)}
- H05H 1/28 . . . Cooling arrangements
- H05H 1/30 . . . using applied electromagnetic fields, e.g. high frequency or microwave energy (H05H 1/28 takes precedence)
- H05H 1/32 . . . using an arc (H05H 1/28 takes precedence)
- H05H 1/34 . . . . Details, e.g. electrodes, nozzles {(cf. B23K 9/24)}
- H05H 1/3405 . . . . . {Arc stabilising or constricting arrangements, e.g. by an additional gas flow (by externally applied magnetic field H05H 1/40; by using powders or liquids H05H 1/42; using coaxial protecting fluid H05H 1/341)}
- H05H 1/341 . . . . . {using coaxial protecting fluid (arc stabilising or constricting arrangements H05H 1/3405; introducing materials into the plasma H05H 1/42)}
- H05H 2001/3415 . . . . . {indexing scheme associated with H05H 1/34}
- H05H 2001/3421 . . . . . {transferred arc mode}
- H05H 2001/3426 . . . . . {pilot arc}
- H05H 2001/3431 . . . . . {coaxial cylindrical electrodes}
- H05H 2001/3436 . . . . . {hollow cathode with internal coolant flow}
- H05H 2001/3442 . . . . . {cathode with inserted tip}
- H05H 2001/3447 . . . . . {rod-like cathode}
- H05H 2001/3452 . . . . . {supplementary electrodes between cathode and anode, e.g. cascade}

H05H 2001/3457	.....	{nozzle protection devices}
H05H 2001/3463	.....	{oblique nozzle}
H05H 2001/3468	.....	{vortex generator}
H05H 2001/3473	.....	{safety means}
H05H 2001/3478	.....	{geometrical details}
H05H 2001/3484	.....	{convergent/divergent nozzle}
H05H 2001/3489	.....	{contact starting}
H05H 2001/3494	.....	{discharge parameter control}
H05H 1/36	.....	Circuit arrangements ( <a href="#">H05H 1/38</a> , <a href="#">H05H 1/40</a> take precedence)
H05H 1/38	.....	Guiding or centering of electrodes
H05H 1/40	.....	using applied magnetic fields, e.g. for focusing or rotating the arc {(cf. <a href="#">B23K 9/08</a> , <a href="#">B23K 9/073</a> )}
H05H 1/42	....	with provision for introducing materials into the plasma, e.g. powder, liquid (electrostatic spraying, spraying apparatus with means for charging the spray electrically <a href="#">B05B 5/00</a> {cf. <a href="#">B23K 9/324</a> , <a href="#">B05B 7/22</a> ; arc stabilising or constricting arrangements <a href="#">H05H 1/3405</a> ; coaxial protecting fluids <a href="#">H05H 1/341</a> })
H05H 1/44	....	using more than one torch
H05H 1/46	..	using applied electromagnetic fields, e.g. high frequency or microwave energy ( <a href="#">H05H 1/26</a> takes precedence)
H05H 2001/4607	...	{Microwave discharges}
H05H 2001/4615	....	{Surface waves}
H05H 2001/4622	....	{Waveguides}
H05H 2001/463	....	{Antennas or applicators}
H05H 2001/4637	....	{Cables}
H05H 2001/4645	...	{Radiofrequency discharges}
H05H 2001/4652	....	{Inductively coupled}
H05H 2001/466	.....	{Electrodes}
H05H 2001/4667	.....	{Coiled antennas}
H05H 2001/4675	....	{Capacitively coupled}
H05H 2001/4682	....	{Associated power generators, e. G. Circuits, matching networks}
H05H 2001/469	...	{Flow through, i.e the plasma fluid flowing in a non-dielectric vessel}
H05H 2001/4692	....	{dielectric barrier discharge ( <a href="#">H05H 1/2406</a> takes precedence)}
H05H 2001/4695	....	{Arc discharge}
H05H 2001/4697	....	{Glow discharge}
H05H 1/48	..	using an arc ( <a href="#">H05H 1/26</a> takes precedence)
H05H 2001/481	...	{Corona discharges}
H05H 2001/483	....	{Pointed electrodes}
H05H 2001/485	....	{Cylindrical electrodes, e.g. Rotary drums electrodes}
H05H 2001/486	....	{Filamentary electrodes}
H05H 2001/488	....	{Segmented electrodes}
H05H 1/50	...	and using applied magnetic fields, e.g. for focusing or rotating the arc

- H05H 1/52 . . . using exploding wires or spark gaps ([H05H 1/26](#) takes precedence; spark gaps in general [H01T](#))
- H05H 1/54 . Plasma accelerators
- H05H 3/00** **Production or acceleration of neutral particle beams, e.g. molecular or atomic beams**
- H05H 3/02 . Molecular or atomic beam generation {(charge exchange devices [G21K 1/14](#); polarising devices [G21K 1/16](#); using resonance or molecular beams for analysing or investigating materials [G01N 24/002](#); atomic clock [G04F 5/14](#); beam masers [H01S 1/06](#)}
- H05H 3/04 . Acceleration by electromagnetic wave pressure
- H05H 3/06 . Generating neutron beams (targets for producing nuclear reactions [H05H 6/00](#); neutron sources [G21G 4/02](#))
- H05H 5/00** **Direct voltage accelerators; Accelerators using single pulses ([H05H 3/06](#) takes precedence)**
- H05H 5/02 . Details (targets for producing nuclear reactions [H05H 6/00](#))
- H05H 5/03 . . Accelerating tubes (vessels or containers of electric discharge tubes with improved potential distribution over surface of vessel [H01J 5/06](#); shields of X-ray tubes associated with vessels or containers [H01J 35/16](#))
- H05H 5/04 . {energised by electrostatic generators}
- H05H 5/042 . . {of the van de Graaf type}
- H05H 5/045 . . {High voltage cascades, e.g. Greinacher cascade}
- H05H 5/047 . . {Pulsed generators}
- H05H 5/06 . {Multistage accelerators}
- H05H 5/063 . . {Tandems}
- H05H 5/066 . . {Onion-like structures}
- H05H 5/08 . Particle accelerators using step-up transformers, e.g. resonance transformers
- H05H 6/00** **Targets for producing nuclear reactions (supports for targets or objects to be irradiated [G21K 5/08](#){preparation of tritium [C01B 4/00](#)}); {targets, e.g. pellets for fusion reactions by laser or charged particles beam injection [H05H 1/22](#)}**
- H05H 2006/002 . {Windows}
- H05H 6/005 . {Polarised targets (polarising devices, e.g. for obtaining a polarised ion beam [G21K 1/16](#))}
- H05H 2006/007 . {Radiation protection arrangements , e.g. screens}
- H05H 7/00** **Details of devices of the types covered by groups [H05H 9/00](#), [H05H 11/00](#), [H05H 13/00](#)**
- H05H 7/001 . {Arrangements for beam delivery or irradiation (irradiation systems per se [G21K 5/00](#))}
- H05H 2007/002 . . {for modifying beam trajectory , e.g. gantries}
- H05H 2007/004 . . {for modifying beam energy, e.g. spread out Bragg peak devices}
- H05H 2007/005 . . {for modifying beam emittance , e.g. stochastic cooling devices, stripper foils}
- H05H 2007/007 . . {for focusing the beam to irradiation target}
- H05H 2007/008 . . {for measuring beam parameters}

- H05H 7/02 . Circuits or systems for supplying or feeding radio-frequency energy ([radio-frequency generators H03B](#))
- H05H 2007/022 .. {Pulsed systems}
- H05H 2007/025 .. {Radiofrequency systems}
- H05H 2007/027 .. {Microwave systems}
- H05H 7/04 . Magnet systems {e.g. undulators, wigglers ([free-electron laser H01S 3/0903](#))}; Energisation thereof
- H05H 2007/041 .. {for beam bunching , e.g. undulators}
- H05H 2007/043 .. {for beam focusing}
- H05H 2007/045 .. {for beam bending}
- H05H 2007/046 .. {for beam deflection}
- H05H 2007/048 .. {for modifying beam trajectory , e.g. gantry systems}
- H05H 7/06 . Two-beam arrangements; Multi-beam arrangements {storage rings}; Electron rings
- H05H 2007/065 .. {Multi-beam merging , e.g. funneling}
- H05H 7/08 . Arrangements for injecting particles into orbits
- H05H 2007/081 .. {Sources}
- H05H 2007/082 ... {Ion sources, e.g. ECR, duoplasmatron, PIG, laser sources}
- H05H 2007/084 ... {Electron sources}
- H05H 2007/085 .. {by electrostatic means}
- H05H 2007/087 .. {by magnetic means}
- H05H 2007/088 .. {by mechanical means, e.g. stripping foils}
- H05H 7/10 . Arrangements for ejecting particles from orbits
- H05H 7/12 . Arrangements for varying final energy of beam
- H05H 2007/122 .. {by electromagnetic means , e.g. RF cavities}
- H05H 2007/125 .. {by mechanical means , e.g. stripping foils}
- H05H 2007/127 .. {by emittance variation , e.g. stochastic cooling}
- H05H 7/14 . Vacuum chambers ([H05H 5/03 takes precedence](#))
- H05H 7/16 .. of the waveguide type
- H05H 7/18 .. Cavities; Resonators {(travelling-wave tubes [H01J 23/18](#); hyperfrequency cavities in general [H01P 7/04](#), [H01P 7/06](#))}
- H05H 7/20 ... with superconductive walls
- H05H 7/22 . Details of linear accelerators, e.g. drift tubes ([H05H 7/02 to H05H 7/20 take precedence](#))
- H05H 2007/222 .. {drift tubes}
- H05H 2007/225 .. {coupled cavities arrangements}
- H05H 2007/227 .. {power coupling , e.g. coupling loops}
- H05H 9/00** **Linear accelerators**
- H05H 9/005 . {Dielectric wall accelerators}
- H05H 9/02 . Travelling-wave linear accelerators {(travelling-wave tubes [H01J 25/34](#))}
- H05H 9/04 . Standing-wave linear accelerators

H05H 9/041	.. {Hadron LINACS}
H05H 9/042	... {Drift tube LINACS}
H05H 9/044	... {Coupling cavity LINACS, e.g. side coupled}
H05H 9/045	... {Radio frequency quadrupoles}
H05H 9/047	... {Hybrid systems}
H05H 9/048	.. {Lepton LINACS}
<b>H05H 11/00</b>	<b>Magnetic induction accelerators, e.g. betatrons</b>
H05H 11/02	. Air-cored betatrons
H05H 11/04	. Biased betatrons
<b>H05H 13/00</b>	<b>Magnetic resonance accelerators; Cyclotrons {(strophotrons, turbine tubes <a href="#">H01J 25/62</a>)}</b>
H05H 13/005	. {Cyclotrons}
H05H 13/02	. Synchrocyclotrons, i.e. frequency modulated cyclotrons
H05H 13/04	. Synchrotrons
H05H 13/06	. Air-cored magnetic resonance accelerators
H05H 13/08	. Alternating-gradient magnetic resonance accelerators
H05H 13/085	.. {Fixed-field alternating gradient accelerators [FFAG]}
H05H 13/10	. Accelerators comprising one or more linear accelerating sections and bending magnets or the like to return the charged particles in a trajectory parallel to the first accelerating section, e.g. microtrons
<b>H05H 15/00</b>	<b>Methods or devices for acceleration of charged particles not otherwise provided for</b>
<b>H05H 2240/00</b>	<b>Test</b>
H05H 2240/10	. at atmospheric pressure
H05H 2240/20	. Non-thermal plasma
<b>H05H 2242/00</b>	<b>Auxiliary systems</b>
H05H 2242/10	. Cooling arrangements
H05H 2242/1005	.. Power supply other than for plasma torches
<b>H05H 2245/00</b>	<b>test</b>
H05H 2245/104	. spiral electrodes
H05H 2245/12	. Applications
H05H 2245/121	.. treatment of exhaust gas, e.g. Ambient air, ozonizers
H05H 2245/1215	... Exhaust gas
H05H 2245/122	.. medical applications { e.g. plasma scalpels, blades, bistouri}
H05H 2245/1225	... Sterilization of objects
H05H 2245/123	.. surface treatments
H05H 2245/1235	... coating of large volume items

- H05H 2245/124 . . production of nanostructures
- H05H 2245/125 . . portable devices

#### **H05H 2277/00**

#### **Applications**

- H05H 2277/10 . Medical devices
- H05H 2277/11 . . Radiotherapy
- H05H 2277/113 . . . Diagnostic systems
- H05H 2277/116 . . . Isotope production
- H05H 2277/12 . Ion implantation
- H05H 2277/13 . High energy applications , e.g. fusion
- H05H 2277/14 . Portable devices
- H05H 2277/1405 . . Detection systems