

CPC**COOPERATIVE PATENT CLASSIFICATION****D03C****SHEDDING MECHANISMS; PATTERN CARDS OR CHAINS;
PUNCHING OF CARDS; DESIGNING PATTERNS****WARNING**

The following IPC groups are not used in the CPC scheme.
Subject-matter covered by these groups is classified in
the following CPC groups: - [D03C 9/04](#) covered
by [D03C 9/028](#)

D03C 1/00**Dobbies****D03C 1/005**

- . {Electronic dobbies}

WARNING

Not complete pending the completion of a reclassification, see also group
[D03C 1/00](#)

D03C 1/02

- . Single-lift dobbies, i.e. dobbies in which the same draw-knife or equivalent operates for every pick ([D03C 1/10 takes precedence](#))

D03C 1/04

- .. Open-shed single-lift dobbies

D03C 1/06

- . Double-lift dobbies, i.e. dobbies in which separate draw-knives or equivalent operate on alternate picks

D03C 1/08

- .. reversible, i.e. correct sheds open automatically when the loom is driven backwards

D03C 1/10

- . Centre-shed dobbies, i.e. shed formed by lifting some threads and lowering the others from central shed-closed position

D03C 1/12

- . Dobbies employing toothed gearing instead of draw-knives

D03C 1/14

- . Features common to dobbies of different types ([stop motions acting on defective operation of shedding mechanisms D03D 51/46](#))

D03C 1/142

- .. {Leveling mechanisms}

WARNING

Not complete pending the completion of a reclassification, see also group
[D03C 1/14](#)

D03C 1/144

- .. {linking to the heald frame}

WARNING

Not complete pending the completion of a reclassification, see also group
[D03C 1/14](#)

D03C 1/146

- .. {Independent drive motor}

WARNING

D03C 1/146
(continued)

Not complete pending the completion of a reclassification, see also group
[D03C 1/14](#)

D03C 1/148 .. {Eccentrics}

WARNING

Not complete pending the completion of a reclassification, see also groups
[D03C 1/00](#) and [D03C 1/14](#)

- D03C 1/16 .. Arrangements of dobby in relation to loom
- D03C 1/18 .. Knives; Knife frames
- D03C 1/20 .. Hooks; Lifters
- D03C 1/22 .. Needles; Needle boxes; Needle boards
- D03C 1/24 .. Cylinders; Cylinder battens
- D03C 1/26 .. Facilitating engagement of lifting-hooks with draw-knives
- D03C 1/28 ... by creating and then eliminating back-lash between hooks and knives
- D03C 1/30 ... wherein all the hooks are disengaged from the knives, and selected hooks then re-engaged
- D03C 1/32 ... wherein all the hooks are engaged with the knives, and unselected hooks then disengaged
- D03C 1/34 .. Arrangements wherein warp threads pass one another at different heights to avoid congestion
- D03C 1/36 .. Card- or chain-saving arrangements, e.g. cross-border dobbies
- D03C 3/00** **Jacquards** (controlling jacquard by scanning design [D03C 17/06](#) ; for gripper Axminster looms [D03D 39/08](#))
- D03C 3/02 . Single-lift jacquards
- D03C 3/04 .. of open-shed type
- D03C 3/06 . Double-lift jacquards
- D03C 3/08 .. of open-shed type
- D03C 3/10 . Centre-shed jacquards
- D03C 3/12 . Multiple-shed jacquards, i.e. jacquards which move warp threads to several different heights, e.g. for weaving pile fabrics
- D03C 3/14 . Jacquards not employing lifting-hooks, e.g. employing knotted cords in conjunction with keyhole slots
- D03C 3/16 . Verdol or other jacquards having intermediate power-operated needles between reading needles and lifting-hooks
- D03C 3/18 . Selvage jacquards
- D03C 3/20 . Electrically-operated jacquards
- D03C 3/205 .. {Independently actuated lifting cords}

WARNING

D03C 3/205

(continued)

Not complete pending the completion of a reclassification, see also group [D03C 3/20](#)

D03C 3/22

- . Fluid-operated jacquards

D03C 3/24

- . Features common to jacquards of different types

D03C 3/26

- .. General arrangements of jacquards, or disposition in relation to loom

D03C 3/28

- .. Pick-finding arrangements; Arrangements for preventing next shed from being opened during stopping of loom

D03C 3/30

- .. Arrangement wherein hooks are positively operated to close shed

D03C 3/32

- .. Jacquard driving mechanisms

D03C 3/34

- ... Cylinder operating mechanisms

D03C 3/36

- ... Griffe operating mechanisms

D03C 3/38

- .. Comber boards

D03C 3/40

- .. Constructions of lifting-cords

D03C 3/42

- .. Arrangements of lifting-cords

D03C 3/44

- .. Linges

D03C 5/00

Cam or other direct-acting shedding mechanisms, i.e. operating heald frames without intervening power-supplying devices

D03C 5/005

- . {Leveling mechanisms}

WARNING

Not complete pending the completion of a reclassification, see also groups [D03C 5/00](#) and [D03C 5/02](#)

D03C 5/02

- . operated by rotating cams

D03C 5/04

- .. Construction or shape of cams ([cams in general F16H 53/00](#))

D03C 5/06

- . operated by cam devices other than rotating cams

D03C 7/00

Leno or similar shedding mechanisms

D03C 7/005

- . {Combined leno and patterned shedding motion}

WARNING

Not complete, classification to this group is a continuous process

D03C 7/02

- . Gauze healds

D03C 7/04

- . Mechanisms having discs oscillating about a weftwise axis and having apertures for warp threads

D03C 7/06

- . Mechanisms having eyed needles for moving warp threads from side to side of other warp threads

D03C 7/08

- . Devices for twisting warp threads repeatedly in the same direction

D03C 9/00

Healds; Heald frames ([for leno shedding D03C 7/00](#))

D03C 9/02

- . Healds

D03C 9/022 .. {anti-buckling}

WARNING

Not complete pending the completion of a reclassification, see also group [D03C 9/02](#)

D03C 9/024 .. {Eyelets}

WARNING

Not complete pending the completion of a reclassification, see also group [D03C 9/02](#)

D03C 9/026 .. {Material used}

WARNING

Not complete pending the completion of a reclassification, see also group [D03C 1/14](#)

D03C 9/028 ... {Metal}

D03C 2009/04 .. {Metal healds}

D03C 9/06 . Heald frames

D03C 9/0608 .. {Construction of frame parts}

D03C 9/0616 ... {Horizontal upper or lower rods}

D03C 9/0625 {Composition or used material}

D03C 9/0633 {Heald bars or their connection to other frame parts}

D03C 9/0641 {Distance guides for keeping distance to the next frame}

D03C 9/065 ... {Side stays}

D03C 9/0658 ... {Intermediate supports or their connection to other frame parts}

D03C 9/0666 .. {Connection of frame parts ([D03C 9/0633](#) and [D03C 9/0658](#) take precedence)}

D03C 9/0675 ... {Corner connections between horizontal rods and side stays}

D03C 9/0683 .. {Arrangements or means for the linking to the drive system}

D03C 9/0691 .. {Arrangements of means for damping or noise reduction}

D03C 11/00 **Selvage shedding mechanisms not forming part of main shedding mechanism** ([selvage jacquards D03C 3/18](#) ; [leno selvage mechanism D03C 7/00](#))

D03C 13/00 **Shedding mechanisms not otherwise provided for**

D03C 13/02 . {with independent drive motors ([D03C 1/146](#) and [D03C 3/205](#) take precedence)}

WARNING

Not complete pending the completion of a reclassification, see also groups [D03C 5/00](#) and [D03C 13/00](#)

D03C 13/025 . . {with independent frame drives}

WARNING

Not complete pending the completion of a reclassification, see also groups [D03C 5/00](#) and [D03C 13/00](#)

D03C 15/00

Pattern cards or chains

- D03C 15/02 . Chains of metal, wood, or similar material with projecting pattern-indicating elements
- D03C 15/04 . Cards or paper perforated to indicate pattern
- D03C 15/06 . Apparatus for setting pegs in, or removing pegs from, pattern cards
- D03C 15/08 . Apparatus for interconnecting, e.g. by lacing, or disconnecting pattern cards

D03C 17/00

Card-punching apparatus ([marking record carriers in digital fashion G06K](#))

- D03C 17/02 . manually-controlled, i.e. holes to be punched determined by the operator
- D03C 17/04 . . power-operated
- D03C 17/06 . automatic, i.e. design scanned optically or otherwise to control punching apparatus or to control loom jacquard directly

D03C 19/00

Miscellaneous methods or devices concerned with designing or making patterns

- D03C 19/005 . {Electronic}

D03C 2700/00

Shedding mechanisms

- D03C 2700/01 . Shedding mechanisms using heald frames
- D03C 2700/0105 . . Cam-driven heald frame movement
- D03C 2700/0111 . . . Devices for levelling the heald frames; Coupling and uncoupling the drive for the heald frames; Devices for holding the shed open
- D03C 2700/0116 . . . Arrangements in which warp threads pass one another at different heights
- D03C 2700/0122 . . . Devices for adjusting the geometric and time parameters of shed opening
- D03C 2700/0127 . . Programme-controlled heald frame movement
- D03C 2700/0133 . . . with mechanical transmission
- D03C 2700/0138 using hooks or lifters
- D03C 2700/0144 Single-lift mechanisms
- D03C 2700/015 of closed-shed type
- D03C 2700/0155 Double-lift mechanisms
- D03C 2700/0161 of negatively-driven type
- D03C 2700/0166 of positively-driven type
- D03C 2700/0172 Constructional details
- D03C 2700/0177 . . . Devices for levelling the heald frames; Coupling and uncoupling the drive for the heald frames; Devices for holding the shed open
- D03C 2700/0183 . . . Devices for adjusting the geometric and time parameters of shed opening
- D03C 2700/0188 . . Heald frame return devices

- [D03C 2700/0194](#) . . Frame-operating devices for ribbon looms
- [D03C 2700/14](#) . . Heald frame lifting devices