

**CPC****COOPERATIVE PATENT CLASSIFICATION****F42B****EXPLOSIVE CHARGES, e.g. FOR BLASTING, FIREWORKS, AMMUNITION** (explosive compositions [C06B](#); fuzes [F42C](#); blasting [F42D](#))**WARNING**

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

[F42B 5/14](#) covered by [F42B 12/40](#), [A01K 11/00](#)

[F42B 19/10](#) " " [F41G 7/24](#)

**F42B 1/00****Explosive charges characterised by form or shape but not dependent on shape of container**

- [F42B 1/02](#) . Shaped or hollow charges (blasting cartridges with cavities in the charge [F42B 3/08](#); oil winning using shaped-charge perforators [E21B 43/116](#))
- [F42B 1/024](#) . . provided with embedded bodies of inert material
- [F42B 1/028](#) . . characterised by the form of the liner
- [F42B 1/032](#) . . characterised by the material of the liner
- [F42B 1/036](#) . . Manufacturing processes therefor {([F42B 33/0214](#) to [F42B 33/0292](#) take precedence)}
- [F42B 1/04](#) . Detonator charges not forming part of the fuze

**F42B 3/00****Blasting cartridges, i.e. case and explosive** (fuse cords, e.g. detonating fuse cords [C06C 5/00](#); chemical aspects of detonators, blasting caps or primers [C06C 7/00](#))

- [F42B 3/003](#) . {Liquid-oxygen cartridges}
- [F42B 3/006](#) . {Explosive bolts; Explosive actuators (explosive valves [F16K 13/06](#); explosive cutting [B23D 15/145](#); explosive switches [H01H 39/00](#); pyrotechnical actuators [F15B 15/19](#))}
- [F42B 3/02](#) . adapted to be united into assemblies
- [F42B 3/04](#) . for producing gas under pressure {(generators of inflation fluid especially adapted for vehicle air bags [B60R 21/26](#))}
- [F42B 3/045](#) . . {Hybrid systems with previously pressurised gas using blasting to increase the pressure, e.g. causing the gas to be released from its sealed container}
- [F42B 3/06](#) . . with re-utilisable case
- [F42B 3/08](#) . with cavities in the charge, e.g. hollow-charge blasting cartridges
- [F42B 3/087](#) . Flexible or deformable blasting cartridges e.g. bags or hoses {for slurries} (loaded cartridge bags [F42B 5/38](#))
- [F42B 3/093](#) . . in mat or tape form
- [F42B 3/10](#) . Initiators therefor (percussion fuzes [F42C 7/00](#); percussion caps [F42C 19/10](#); electric primers [F42C 19/12](#))

**NOTE**

F42B 3/10  
(continued)

Group [F42B 3/18](#) takes precedence over groups [F42B 3/103](#) to [F42B 3/16](#).

- F42B 3/103 . . Mounting initiator heads in initiators; Sealing-plugs
- F42B 3/107 . . . Sealing-plugs characterised by the material used
- F42B 3/11 . . characterised by the material used, e.g. for initiator case or electric leads  
([F42B 3/107](#) takes precedence)
- F42B 3/113 . . activated by optical means, e.g. laser, flash-light
- F42B 3/117 . . activated by friction
- F42B 3/12 . . Bridge initiators {([F42B 3/103](#), [F42B 3/11](#), [F42B 3/195](#) take precedence; electric  
ignitors in propellant charges [F42C 19/12](#))}
- F42B 3/121 . . . {Initiators with incorporated integrated circuit}
- F42B 3/122 . . . {Programmable electronic delay initiators}
- F42B 3/124 . . {characterised by the configuration or material of the bridge ([F42B 3/13](#) takes  
precedence)}
- F42B 3/125 . . {characterised by the configuration of the bridge initiator case ([F42B 3/11](#) takes  
precedence)}
- F42B 3/127 . . . {the case having burst direction defining elements}
- F42B 3/128 . . {characterised by the composition of the pyrotechnic material}
- F42B 3/13 . . with semiconductive bridge
- F42B 3/14 . . Spark initiators {([F42B 3/195](#) takes precedence)}
- F42B 3/16 . . {Pyrotechnic} delay initiators ([F42B 3/195](#) takes precedence; {programmable  
electronic delay initiators [F42C 11/065](#))}
- F42B 3/18 . . Safety initiators resistant to premature firing by static electricity or stray currents
- F42B 3/182 . . . having shunting means {([F42B 3/185](#) takes precedence; details of shunting  
devices [H01R 13/7032](#))}
- F42B 3/185 . . . having semi-conductive {means, e.g.} sealing plugs
- F42B 3/188 . . . having radio-frequency filters, {e.g. containing ferrite cores or inductances  
([F42B 3/185](#) takes precedence)}
- F42B 3/192 . . designed for neutralisation on contact with water
- F42B 3/195 . . Manufacture
- F42B 3/198 . . . of electric initiator heads {e.g., testing, machines}
- F42B 3/22 . Elements for controlling or guiding the detonation wave, e.g. tubes (using inert bodies  
embedded in shaped or hollow charges [F42B 1/024](#))
- F42B 3/24 . Cartridge closures or seals (top closures for shotgun ammunition cartridges  
[F42B 7/12](#))
- F42B 3/26 . Arrangements for mounting initiators; Accessories therefor, e.g. tools
- F42B 3/28 . Cartridge cases characterised by the material used, e.g. coatings (for initiator cases  
[F42B 3/11](#))
- F42B 4/00** **Fireworks, i.e. pyrotechnic devices for amusement, display, illumination  
or signal purposes** (signalling by explosives [G08B](#); advertising by fireworks  
[G09F 13/46](#); {signalling by pyrotechnics in railway systems [B61L 5/20](#)})
- F42B 4/02 . in cartridge form, i.e. shell, propellant and primer
- F42B 4/04 . Firecrackers

- F42B 4/06 . Aerial display rockets ([rockets in general F42B 15/00](#))
- F42B 4/08 . . characterised by having vanes, wings, parachutes or balloons
- F42B 4/10 . . characterised by having means to separate article or charge from casing without destroying the casing
- F42B 4/12 . . . Parachute or flare separation
- F42B 4/14 . . characterised by having plural successively-ignited charges
- F42B 4/16 . Hand-thrown impact-exploded noise makers; {Other noise-makers generating noise via a pyrotechnic charge} ([cap pistols F41C 3/06](#))
- F42B 4/18 . Simulations, e.g. pine cone, house that is destroyed, warship, volcano
- F42B 4/20 . characterised by having holder or support other than casing, e.g. whirler or spike support {([supports for flares or torches F42B 4/26](#))}
- F42B 4/22 . characterised by having means to separate article or charge from casing without destroying the casing ([in aerial display rockets F42B 4/10](#))
- F42B 4/24 . characterised by having plural successively-ignited charges ([in aerial display rockets F42B 4/14](#))
- F42B 4/26 . Flares; Torches {([mines for practice or training containing flares or illuminating charges F42B 8/28](#); [projectiles of illuminating type F42B 12/42](#))}
- F42B 4/28 . . Parachute flares ([F42B 4/12 takes precedence](#))
- F42B 4/30 . Manufacture
  
- F42B 5/00** **Cartridge ammunition, e.g. separately-loaded propellant charges** ([shotgun ammunition F42B 7/00](#); [practice or training ammunition F42B 8/00](#); [missiles therefor F42B 12/00, F42B 14/00, F42B 15/00](#))
- F42B 5/02 . Cartridges, i.e. cases with charge and missile
- F42B 5/025 . . {characterised by the dimension of the case or the missile}
- F42B 5/03 . . containing more than one missile
- F42B 5/035 . . . {the cartridge or barrel assembly having a plurality of axially stacked projectiles each having a separate propellant charge}
- F42B 5/045 . . of telescopic type ([F42B 5/184 takes precedence](#))
- F42B 5/05 . . for recoilless guns ([recoilless guns using a counter-projectile to balance recoil F41A 1/10](#))
- F42B 5/067 . . Mounting or locking missiles in cartridge cases ([F42B 5/18 takes precedence](#))
- F42B 5/073 . . . using an auxiliary locking element
- F42B 5/08 . . modified for electric ignition
- F42B 5/10 . . with self-propelled bullet
- F42B 5/105 . . . {propelled by two propulsive charges, the rearwardly situated one being separated from the rest of the projectile during flight or in the barrel; Projectiles with self-ejecting cartridge cases}
- F42B 5/145 . . for dispensing gases, vapours, powders, particles or chemically-reactive substances ([from projectiles F42B 12/46](#))
- F42B 5/15 . . . for creating a screening or decoy effect, e.g. using radar chaff or infra-red flares [F42B 4/26](#)
- F42B 5/155 . . . . Smoke-pot projectors, e.g. arranged on vehicles

- F42B 5/16 .. characterised by composition or physical dimensions or form of propellant charge, {with or without projectile,} or powder (chemical composition C06B; {F42B 5/24 takes precedence})
- F42B 5/18 .. Caseless ammunition; Cartridges having combustible cases
- F42B 5/181 ... {consisting of a combustible casing wall and a metal base; Connectors therefor}
- F42B 5/182 ... {Caseless cartridges characterised by their shape}
- F42B 5/184 ... telescopic
- F42B 5/188 ... Manufacturing processes therefor
- F42B 5/192 ... Cartridge cases characterised by the material { of the casing wall (cartridge bags F42B 5/38)}
- F42B 5/196 .... Coatings
- F42B 5/24 .. for cleaning; for cooling; for lubricating; {for wear reducing}
- F42B 5/26 . Cartridge cases (F42B 5/18 takes precedence; {manufacturing of cartridge cases B21K 21/04})
- F42B 5/28 .. of metal {i.e. the cartridge-case tube is of metal}
- F42B 5/285 ... formed by assembling several elements
- F42B 5/29 .... wound from sheets or strips
- F42B 5/295 ... coated
- F42B 5/297 .... with plastics
- F42B 5/30 .. of plastics {i.e. the cartridge-case tube is of plastics}
- F42B 5/307 ... formed by assembling several elements
- F42B 5/313 .... all elements made of plastics
- F42B 5/32 .. for rim fire
- F42B 5/34 .. with provision for varying the length
- F42B 5/36 .. modified for housing an integral firing-cap
- F42B 5/38 . Separately-loaded propellant charges, e.g. cartridge bags {(F42B 5/16, F42B 5/192 take precedence)}
  
- F42B 6/00** **Projectiles or missiles specially adapted for projection without use of explosive or combustible propellant charge, e.g. for blow guns, bows or crossbows, hand-held spring or air guns (for delivering hypodermic charges F42B 12/54; projectiles or missiles incorporating springs as the projecting means F41B 7/02; {Arrows or darts for dispensing materials, for producing chemical or physical reaction, or for signalling F42B 12/362})**
- F42B 6/003 . {Darts}
- F42B 6/006 . {Projectiles for electromagnetic or plasma guns}
- F42B 6/02 . Arrows; Crossbow bolts; Harpoons for hand-held spring or air guns
- F42B 6/04 .. Archery arrows (F42B 6/08, F41B 5/06, {F42B 12/362} take precedence)
- F42B 6/06 ... Tail ends, e.g. nocks, fletching
- F42B 6/08 .. Arrow heads; Harpoon heads
- F42B 6/10 . Air gun pellets; {Ammunition for air guns, e.g. propellant-gas containers}
  
- F42B 7/00** **Shotgun ammunition**
- F42B 7/02 . Cartridges, i.e. cases with propellant charge and missile

- F42B 7/04 . . . of pellet type
- F42B 7/043 . . . {with shot-scattering means}
- F42B 7/046 . . . {Pellets or shot therefor}
- F42B 7/06 . . . with cartridge case of plastics {(F42B 5/30 takes precedence)}
- F42B 7/08 . . . Wads, {i.e. projectile or shot carrying devices,} therefor
- F42B 7/10 . . . Ball or slug shotgun cartridges
- F42B 7/12 . . . Cartridge top closures, i.e. for the missile side (closures for blasting cartridges F42B 3/24)

**F42B 8/00****Practice or training ammunition**

- F42B 8/02 . . Cartridges {(F41A 33/02, F42B 7/12 take precedence)}
- F42B 8/04 . . . Blank cartridges, i.e. primed cartridges without projectile but containing an explosive or combustible powder charge
- F42B 8/06 . . . . . for cap-firing pistols
- F42B 8/08 . . . Dummy cartridges, i.e. inert cartridges containing neither primer nor explosive or combustible powder charge
- F42B 8/10 . . . with sub-calibre adaptor
- F42B 8/12 . . Projectiles or missiles (F42B 10/48, F42B 12/36, F42B 19/36 take precedence)
- F42B 8/14 . . . disintegrating in flight or upon impact

**NOTE**

Group F42B 8/14 takes precedence over groups F42B 8/18 to F42B 8/26

- F42B 8/16 . . . . . containing an inert filler in powder or granular form
- F42B 8/18 . . . Rifle grenades
- F42B 8/20 . . . Mortar grenades
- F42B 8/22 . . . Fall bombs
- F42B 8/24 . . . Rockets
- F42B 8/26 . . . Hand grenades
- F42B 8/28 . . Land or marine mines; Depth charges

**F42B 10/00**

**Means for influencing, e.g. improving, the aerodynamic properties of projectiles or missiles; Arrangements on projectiles or missiles for stabilising, steering, range-reducing, range-increasing or fall-retarding (F42B 6/00 takes precedence)**

- F42B 10/02 . . Stabilising arrangements
- F42B 10/025 . . . {using giratory or oscillating masses for stabilising projectile trajectory}
- F42B 10/04 . . . using fixed fins (F42B 10/22 takes precedence)
- F42B 10/06 . . . . . Tail fins
- F42B 10/08 . . . . . Flechette-type projectiles
- F42B 10/10 . . . . . the fins being formed in the barrel by deformation or the projectile body
- F42B 10/12 . . . using fins longitudinally-slidable with respect to the projectile or missile
- F42B 10/14 . . . using fins spread or deployed after launch, e.g. after leaving the barrel

- F42B 10/143 . . . {Lattice or grid fins}
- F42B 10/146 . . . {Fabric fins, i.e. fins comprising at least one spar and a fin cover made of flexible sheet material}
- F42B 10/16 . . . Wrap-around fins
- F42B 10/18 . . . using a longitudinally slidable support member
- F42B 10/20 . . . deployed by combustion gas pressure, or by pneumatic or hydraulic forces
- F42B 10/22 . . Projectiles of cannellured type
- F42B 10/24 . . . with inclined grooves
- F42B 10/26 . . using spin ([F42B 10/04](#), [F42B 10/12](#), [F42B 10/14](#), [F42B 10/24](#), [F42B 14/02](#) take precedence)
- F42B 10/28 . . . induced by gas action
- F42B 10/30 . . . . using rocket motor nozzles
- F42B 10/32 . . Range-reducing or range-increasing arrangements; Fall-retarding means
- F42B 10/34 . . Tubular projectiles
- F42B 10/36 . . . Ring-foil projectiles
- F42B 10/38 . . Range-increasing arrangements ([F42B 10/34](#), [F42B 14/06](#){and [F42B 15/105](#)} take precedence)
- F42B 10/40 . . . with combustion of a slow-burning charge, e.g. fumers, base-bleed projectiles
- F42B 10/42 . . . Streamlined projectiles
- F42B 10/44 . . . . Boat-tails specially adapted for drag reduction
- F42B 10/46 . . . . Streamlined nose cones; Windshields; Radomes {([F42B 12/105](#) takes precedence)}
- F42B 10/48 . . Range-reducing, destabilising or braking arrangements, {e.g. impact-braking arrangements}; Fall-retarding means, {e.g. balloons, rockets for braking or fall-retarding} ([F42B 10/34](#) takes precedence)
- F42B 10/50 . . . Brake flaps, {e.g. inflatable}
- F42B 10/52 . . . Nose cones
- F42B 10/54 . . . Spin braking means
- F42B 10/56 . . . of parachute {or paraglider} type
- F42B 10/58 . . . of rotochute type
- F42B 10/60 . . Steering arrangements ([F42B 19/01](#) takes precedence)
- F42B 10/62 . . Steering by movement of flight surfaces
- F42B 10/64 . . . of fins
- F42B 10/66 . . Steering by varying intensity or direction of thrust (thrust vector control of rocket engine plants [F02K 9/80](#); {guiding or controlling apparatus using jets adapted for cosmonautic vehicles [B64G 1/26](#)})
- F42B 10/661 . . . {using several transversally acting rocket motors, each motor containing an individual propellant charge, e.g. solid charge}
- F42B 10/663 . . . {using a plurality of transversally acting auxiliary nozzles, which are opened or closed by valves}
- F42B 10/665 . . . {characterised by using a nozzle provided with at least a deflector mounted within the nozzle}

- F42B 10/666 . . . {characterised by using a nozzle rotatable about an axis transverse to the axis of the projectile}
- F42B 10/668 . . . {Injection of a fluid, e.g. a propellant, into the gas shear in a nozzle or in the boundary layer at the outer surface of a missile, e.g. to create a shock wave in a supersonic flow}
- F42B 12/00** **Projectiles, missiles or mines characterised by the warhead, the intended effect, or the material** ([F42B 6/00](#), [F42B 10/00](#), [F42B 14/00](#) take precedence; for practice or training [F42B 8/12](#), [F42B 8/28](#); self-propulsion or guidance aspects [F42B 15/00](#))
- F42B 12/02 . characterised by the warhead or the intended effect
- F42B 12/04 . . of armour-piercing type
- F42B 12/06 . . . with hard or heavy core; Kinetic energy penetrators ([F42B 12/16](#), [F42B 12/74](#) take precedence)
- F42B 12/08 . . . with armour-piercing caps; with armoured cupola
- F42B 12/10 . . . with shaped or hollow charge (shaped or hollow charges per se [F42B 1/02](#); {mines having hollow charges [F42B 23/04](#)})
- F42B 12/105 . . . . {Protruding target distance or stand-off members therefor, e.g. slidably mounted ([fuze aspects F42C 1/14](#))}
- F42B 12/12 . . . . rotatably mounted with respect to missile housing
- F42B 12/14 . . . . the symmetry axis of the hollow charge forming an angle with the longitudinal axis of the projectile
- F42B 12/16 . . . . in combination with an additional projectile or charge, acting successively on the target {(see also [F42B 12/625](#))}
- F42B 12/18 . . . . . Hollow charges in tandem arrangement
- F42B 12/20 . . of high-explosive type ([F42B 12/44](#) takes precedence)
- F42B 12/201 . . . {characterised by target class}
- F42B 12/202 . . . . {for attacking land area or area targets, e.g. airburst}
- F42B 12/204 . . . . {for attacking structures, e.g. specific buildings or fortifications, ships or vehicles}
- F42B 12/205 . . . . {for attacking aerial targets}
- F42B 12/207 . . . {characterised by the explosive material or the construction of the high explosive warhead, e.g. insensitive ammunition}
- F42B 12/208 . . . {characterised by a plurality of charges within a single high explosive warhead}
- F42B 12/22 . . . with fragmentation-hull construction
- F42B 12/24 . . . . with grooves, recesses or other wall weakenings {([F42B 12/26](#), [F42B 12/28](#) take precedence)}
- F42B 12/26 . . . . the projectile wall being formed by a spirally-wound element
- F42B 12/28 . . . . the projectile wall being built from annular elements
- F42B 12/30 . . . . Continuous-rod warheads
- F42B 12/32 . . . . the hull or case comprising a plurality of discrete bodies, e.g. steel balls, embedded therein {or disposed around the explosive charge}
- F42B 12/34 . . expanding before or on impact, i.e. of dum dum or mushroom type
- F42B 12/36 . . for dispensing materials; for producing chemical or physical reaction; for signalling; {for transmitting information}



F42B 12/362	...	{Arrows or darts (F42B 12/38 takes precedence, having means for implantation, e.g. hypodermic projectiles F42B 12/54; arrows or darts in general F42B 6/00)}
F42B 12/365	...	{Projectiles transmitting information to a remote location using optical or electronic means (F42B 12/385 takes precedence)}
F42B 12/367	...	{Projectiles fragmenting upon impact without the use of explosives, the fragments creating a wounding or lethal effect (practice or training projectiles disintegrating upon impact F42B 8/14; projectiles of high-explosive type with fragmentation-hull construction F42B 12/22)}
F42B 12/38	...	of tracer type
F42B 12/382	....	{emitting an electromagnetic radiation, e.g. laser beam or infra-red emission}
F42B 12/385	.....	{Arrow or dart carrying a radio transmitter for signalling}
F42B 12/387	....	{Passive tracers, e.g. using a reflector mounted on the projectile}
F42B 12/40	...	of target-marking, i.e. impact-indicating type (F42B 12/48, {F42B 12/50} take precedence)
F42B 12/42	...	of illuminating type, e.g. carrying flares
F42B 12/44	...	of incendiary type (F42B 12/46 takes precedence)
F42B 12/46	...	for dispensing gases, vapours, powders or chemically-reactive substances (F42B 12/70 takes precedence)
F42B 12/48	....	smoke-producing, {e.g. infrared clouds}
F42B 12/50	....	by dispersion
F42B 12/52	.....	Fuel-air explosive devices
F42B 12/54	....	by implantation, e.g. hypodermic projectiles
F42B 12/56	...	for dispensing discrete solid bodies (F42B 12/70 takes precedence)
F42B 12/58	....	Cluster or cargo ammunition, i.e. projectiles containing one or more submissiles (F42B 12/32 takes precedence)
F42B 12/60	.....	the submissiles being ejected radially
F42B 12/62	.....	the submissiles being ejected parallel to the longitudinal axis of the projectile
F42B 12/625	.....	{a single submissile arranged in a carrier missile for being launched or accelerated coaxially; Coaxial tandem arrangement of missiles which are active in the target one after the other (with shaped or hollow charges F42B 12/16)}
F42B 12/64	.....	the submissiles being of shot- or flechette-type
F42B 12/66	....	Chain-shot, i.e. the submissiles being interconnected by chains or the like; {(Ballistically deployed systems for restraining persons or animals F41H 13/0006)}
F42B 12/68	....	Line-carrying missiles, e.g. for life-saving (harpoons F42B 30/14, {mine-clearing snakes F41H 11/14})
F42B 12/70	....	for dispensing radar chaff or infra-red material (radar-reflector targets, active targets transmitting infra-red radiation F41J 2/00; radar-reflecting surfaces H01Q 15/14)
F42B 12/72	.	characterised by the material (heat treatment for explosive shells C21D 9/16)
F42B 12/74	..	of the core or solid body
F42B 12/745	...	{the core being made of plastics; Compounds or blends of plastics and other materials, e.g. fillers}



- F42B 12/76 . . of the casing
  - F42B 12/78 . . . of jackets for smallarm bullets; {Jacketed bullets or projectiles}
  - F42B 12/80 . . . Coatings
  - F42B 12/82 . . . . reducing friction
- F42B 14/00 Projectiles or missiles characterised by arrangements for guiding or sealing them inside barrels, or for lubricating or cleaning barrels**
- F42B 14/02 . Driving bands; Rotating bands (F42B 14/04 takes precedence)
  - F42B 14/04 . Lubrication means in missiles (coatings for reducing friction F42B 12/82)
  - F42B 14/06 . Sub-calibre projectiles having sabots; Sabots therefor
  - F42B 14/061 . . {Sabots for long rod fin stabilised kinetic energy projectiles, i.e. multisegment sabots attached midway on the projectile}
  - F42B 14/062 . . . {characterised by contact surfaces between projectile and sabot}
  - F42B 14/064 . . {Sabots enclosing the rear end of a kinetic energy projectile, i.e. having a closed disk shaped obturator base and petals extending forward from said base}
  - F42B 14/065 . . {Sabots carrying several projectiles}
  - F42B 14/067 . . {Sealing aspects in sabots, e.g. sealing between individual segments of the sabots or sealing between the outer surface of the sabot and the inner surface of the barrel}
  - F42B 14/068 . . {Sabots characterised by the material (F42B 14/067 takes precedence)}
  - F42B 14/08 . . Sabots filled with propulsive charges; Removing sabots by combustion of pyrotechnic elements or by propulsive-gas pressure (arrangements on barrels for removing sabots from projectiles F41A 21/46)
- F42B 15/00 Self-propelled projectiles or missiles, e.g. rockets; Guided missiles**  
(F42B 10/00, F42B 12/00, F42B 14/00 take precedence: for practice or training F42B 8/12; rocket torpedoes F42B 17/00; marine torpedoes F42B 19/00; cosmonautic vehicles B64G; jet-propulsion plants F02K)
- F42B 15/01 . Arrangements thereon for guidance or control ({steering arrangements F42B 10/60; aircraft flight control B64C; guidance systems other than those installed aboard F41G 7/00, F41G 9/00; locating by use of radio or other waves G01S; flight control in general G05D 1/00; computer aspects G06})
  - F42B 15/04 . . using wire, e.g. for guiding ground-to-ground rockets
  - F42B 15/08 . for carrying measuring instruments; {Arrangements for mounting sensitive cargo within a projectile} (adaptations for meteorology G01W 1/08); {Arrangements for acoustic sensitive cargo within a projectile}
  - F42B 15/10 . Missiles having a trajectory only in the air
  - F42B 15/105 . . {Air torpedoes, e.g. projectiles with or without propulsion, provided with supporting air foil surfaces}
  - F42B 15/12 . . Intercontinental ballistic missiles (F42B 15/01 takes precedence)
  - F42B 15/20 . Missiles having a trajectory beginning below water surface (having additional propulsion means for movement through water F42B 17/00)
  - F42B 15/22 . Missiles having a trajectory finishing below water surface (having additional propulsion means for movement through water F42B 17/00)
  - F42B 15/34 . Protection against overheating or radiation, e.g. heat shields; Additional cooling arrangements {(thermal protection fitted in or to cosmonautic vehicles B64G 1/58)}

- F42B 15/36
  - . Means for interconnecting rocket-motor and body section; Multi-stage connectors; Disconnecting means
- F42B 15/38
  - .. Ring-shaped explosive elements for the separation of rocket parts {(systems for coupling or separating cosmonautic vehicles or parts thereof [B64G 1/64](#))}
- F42B 17/00**

**Rocket torpedoes, i.e. missiles provided with separate propulsion means for movement through air and through water ([F42B 12/00](#) takes precedence)**
- F42B 19/00**

**Marine torpedoes, e.g. launched by surface vessels or submarines; Sea mines having self-propulsion means ([F42B 12/00](#) takes precedence; launching means [F41F](#); locating by use of radio or other waves [G01S](#); automatic control of course [G05D 1/00](#); firing directors or calculators [G06G](#))**
- F42B 19/005
  - . {Nose caps for torpedoes; Coupling torpedo-case parts together}
- F42B 19/01
  - . Steering control
- F42B 19/04
  - .. Depth control
- F42B 19/06
  - .. Directional control
- F42B 19/08
  - .. with means for preventing rolling or pitching
- F42B 19/12
  - . Propulsion specially adapted for torpedoes (having additional propulsion means for movement through air [F42B 17/00](#); marine propulsion in general [B63H](#))
- F42B 19/125
  - .. {Torpedoes provided with drag-reducing means (projectiles with drag-reducing means [F42B 10/38](#))}
- F42B 19/14
  - .. by compressed-gas motors
- F42B 19/16
  - ... of cylinder type
- F42B 19/18
  - ... of turbine type
- F42B 19/20
  - ... characterised by the composition of propulsive gas; Manufacture or heating thereof in torpedoes
- F42B 19/22
  - .. by internal-combustion engines
- F42B 19/24
  - .. by electric motors
- F42B 19/26
  - .. by jet propulsion
- F42B 19/28
  - .. with means for avoiding visible wake
- F42B 19/30
  - .. with timing control of propulsion
- F42B 19/36
  - . adapted to be used for exercise purposes, e.g. indicating position or course
- F42B 19/38
  - .. with means for causing torpedoes to surface at end of run
- F42B 19/40
  - ... by expelling liquid ballast
- F42B 19/42
  - ... by releasing solid ballast
- F42B 19/44
  - ... by enlarging displacement
- F42B 19/46
  - . adapted to be launched from aircraft
- F42B 21/00**

**Depth charges ([F42B 12/00](#) takes precedence; for practice or training [F42B 8/28](#); laying aspects [B63G](#))**
- F42B 22/00**

**Marine mines, e.g. launched by surface vessels or submarines ([F42B 12/00](#) takes precedence; for practice or training [F42B 8/28](#); mine laying or sweeping [B63G](#))**
- F42B 22/02
  - . Contact mines {e.g. antenne-type mines} (contact fuzes [F42C 7/02](#))

F42B 22/04	<ul style="list-style-type: none"> <li>· Influenced mines, e.g. by magnetic or acoustic effect</li> </ul>
F42B 22/06	<ul style="list-style-type: none"> <li>· Ground mines</li> </ul>
F42B 22/08	<ul style="list-style-type: none"> <li>· Drifting mines (with propulsion means <a href="#">F42B 19/00</a>)</li> </ul>
F42B 22/10	<ul style="list-style-type: none"> <li>· Moored mines</li> </ul>
F42B 22/12	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>· at a fixed depth setting</li> </ul> </li> </ul>
F42B 22/14	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>· at a variable depth setting</li> </ul> </li> </ul>
F42B 22/16	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>· using mechanical means, e.g. plummet and float</li> </ul> </li> </ul> </li> </ul>
F42B 22/18	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>· using hydrostatic means</li> </ul> </li> </ul> </li> </ul>
F42B 22/20	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>· using magnetic or acoustic depth-control means</li> </ul> </li> </ul> </li> </ul>
F42B 22/22	<ul style="list-style-type: none"> <li>· having self-contained sinking means</li> </ul>
F42B 22/24	<ul style="list-style-type: none"> <li>· Arrangement of mines in fields or barriers (net barriers for harbour defence <a href="#">F41H 11/05</a>)</li> </ul>
F42B 22/42	<ul style="list-style-type: none"> <li>· with anti-sweeping means, e.g. electrical</li> </ul>
F42B 22/44	<ul style="list-style-type: none"> <li>· adapted to be launched from aircraft</li> </ul>
<b>F42B 23/00</b>	<b>Land mines; {Land torpedoes}</b> ( <a href="#">F42B 12/00</a> takes precedence; for practice or training <a href="#">F42B 8/28</a> )
F42B 23/005	<ul style="list-style-type: none"> <li>· {Selfpropelled land mines}</li> </ul>
F42B 23/04	<ul style="list-style-type: none"> <li>· anti-vehicle {, e.g. anti-aircraft or anti tank (hollow charges per se <a href="#">F42B 1/02</a>; artillery projectiles having hollow charges <a href="#">F42B 12/10</a>)}</li> </ul>
F42B 23/08	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>· non-metallic</li> </ul> </li> </ul>
F42B 23/10	<ul style="list-style-type: none"> <li>· anti-personnel</li> </ul>
F42B 23/14	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>· non-metallic</li> </ul> </li> </ul>
F42B 23/16	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>· of missile type, i.e. {all kinds of mines launched} for detonation after ejection from ground (fuzes for initiating mine ejection <a href="#">F42C 1/09</a>)</li> </ul> </li> </ul>
F42B 23/24	<ul style="list-style-type: none"> <li>· Details</li> </ul>
<b>F42B 25/00</b>	<b>Fall bombs</b> ( <a href="#">F42B 10/00</a> , <a href="#">F42B 12/00</a> take precedence; for practice or training <a href="#">F42B 8/12</a> ; {gliding type bombs <a href="#">F42B 15/105</a> })
<b>F42B 27/00</b>	<b>Hand grenades</b> ( <a href="#">F42B 12/00</a> takes precedence; for practice or training <a href="#">F42B 8/12</a> )
F42B 27/08	<ul style="list-style-type: none"> <li>· with handle</li> </ul>
<b>F42B 29/00</b>	<b>Noiseless, smokeless, or flashless missiles launched by their own explosive propellant</b>
<b>F42B 30/00</b>	<b>Projectiles or missiles, not otherwise provided for, characterised by the ammunition class or type, e.g. by the launching apparatus or weapon used</b> ( <a href="#">F42B 10/00</a> , <a href="#">F42B 12/00</a> , <a href="#">F42B 14/00</a> take precedence)
F42B 30/003	<ul style="list-style-type: none"> <li>· {Closures or baseplates therefor (closures for blasting cartridges <a href="#">F42B 3/24</a>, for shotgun cartridges <a href="#">F42B 7/12</a>)}</li> </ul>
F42B 30/006	<ul style="list-style-type: none"> <li>· {Mounting of sensors, antennas or target trackers on projectiles}</li> </ul>
F42B 30/02	<ul style="list-style-type: none"> <li>· Bullets</li> </ul>
F42B 30/04	<ul style="list-style-type: none"> <li>· Rifle grenades</li> </ul>
F42B 30/06	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>· Bullet traps or bullet decelerators therefor</li> </ul> </li> </ul>

- F42B 30/08 . Ordnance projectiles or missiles, e.g. shells
- F42B 30/10 . . Mortar projectiles
- F42B 30/12 . . . with provision for additional propulsive charges, or for varying the length
- F42B 30/14 . Harpoons ([for hand-held spring or air guns F42B 6/02](#))
  
- F42B 33/00** **Manufacture or ammunition: Dismantling or ammunition; Apparatus therefor**  
[\(F42B 5/188 takes precedence; manufacturing processes for hollow charges F42B 1/036: manufacture of blasing cartridge initiators F42B 3/195\)](#)
- F42B 33/001 . {Devices or processes for assembling ammunition, cartridges or cartridge elements from parts}
- F42B 33/002 . {Orienting or guiding means for cartridges or cartridge parts during the manufacturing or packaging process; Feeding cartridge elements to automatic machines}
- F42B 33/004 . {Cartridge loaders of the rotatable-turret type}
- F42B 33/005 . {Crimping cartridge cases on projectiles}
- F42B 33/007 . {Making cavities in an explosive or propulsive charge}
- F42B 33/008 . {Cutting explosive or propulsive charges}
- F42B 33/02 . Filling cartridges, missiles, or fuzes; Inserting propellant or explosive charges  
[{\(F42B 33/004 takes precedence\)}](#)
- F42B 33/0207 . . {Processes for loading or filling propulsive or explosive charges in containers}
- F42B 33/0214 . . {by casting ([F42B 33/004 takes precedence](#))}
- F42B 33/0221 . . . {by centrifugal casting}
- F42B 33/0228 . . . {Funnel arrangements therefor}
- F42B 33/0235 . . . {Heating of casting equipment or explosive charge containers during the loading process}
- F42B 33/0242 . . . {by pressure casting}
- F42B 33/025 . . {by compacting ([F42B 33/004 takes precedence](#))}
- F42B 33/0257 . . . {by vibration compacting}
- F42B 33/0264 . . {by using screw-type feeders ([F42B 33/004 takes precedence](#))}
- F42B 33/0271 . . . {for extruding blasting cartridges}
- F42B 33/0278 . . {Safety arrangements therefor ([F42B 33/004 takes precedence](#))}
- F42B 33/0285 . . {Measuring explosive-charge levels in containers or cartridge cases; Methods or devices for controlling the quantity of material fed or filled ([F42B 33/004 takes precedence; controlling the quantity of material fed in packaging B65B 3/26](#))}
- F42B 33/0292 . . . {by volumetric measurement, i.e. the volume of the material being determined before filling}
- F42B 33/04 . Fitting or extracting primers in or from fuzes or charges [{\(F42B 33/004 takes precedence\)}](#)
- F42B 33/06 . Dismantling fuzes, cartridges, projectiles, missiles, rockets or bombs [{\(F42B 33/004 and F42B 33/04 take precedence; \(elimination of undesirable components of explosives C06B 21/0091\)\)}](#)
- F42B 33/062 . . {by high-pressure water jet means}
- F42B 33/065 . . {by laser means}
- F42B 33/067 . . {by combustion (incineration apparatuses or processes for used articles [F23G 7/003](#))}

F42B 33/10	<ul style="list-style-type: none"> <li>Reconditioning used cartridge cases {(F42B 33/004 takes precedence)}</li> </ul>
F42B 33/12	<ul style="list-style-type: none"> <li>Crimping shotgun cartridges {(F42B 33/004 takes precedence)}</li> </ul>
F42B 33/14	<ul style="list-style-type: none"> <li>Surface treatment of cartridges or cartridge cases {(F42B 33/004 takes precedence)}</li> </ul>
<b>F42B 35/00</b>	<b>Testing or checking of ammunition</b> {(apparatus for measuring the energy of projectiles G01L 5/14)}
F42B 35/02	<ul style="list-style-type: none"> <li>Gauging, sorting, trimming or shortening cartridges or missiles</li> </ul>
<b>F42B 39/00</b>	<b>Packaging or storage of ammunition or explosive charges; Safety features thereof; Cartridge belts or bags</b>
F42B 39/002	<ul style="list-style-type: none"> <li>{Cartridge containers provided with cartridge-dispensing means}</li> </ul>
F42B 39/005	<ul style="list-style-type: none"> <li>{Protection for driving bands}</li> </ul>
F42B 39/007	<ul style="list-style-type: none"> <li>{Packaging or storage of arrows or darts (quivers for arrows F41B 5/06)}</li> </ul>
F42B 39/02	<ul style="list-style-type: none"> <li>Cartridge bags; Bandoleers</li> </ul>
F42B 39/08	<ul style="list-style-type: none"> <li>Cartridge belts</li> </ul>
F42B 39/082	<ul style="list-style-type: none"> <li>.. {for caseless ammunition}</li> </ul>
F42B 39/085	<ul style="list-style-type: none"> <li>.. {for blank cartridges}</li> </ul>
F42B 39/087	<ul style="list-style-type: none"> <li>.. {Feed belts manufactured from fabric or plastics material}</li> </ul>
F42B 39/10	<ul style="list-style-type: none"> <li>.. Machines for charging or for extracting cartridges from feed belts</li> </ul>
F42B 39/14	<ul style="list-style-type: none"> <li>Explosion or fire protection arrangements on packages or ammunition (F42B 39/20{and F42B 39/24} take precedence; {wall or panel structure of fireproof safes or storage containers E05G 1/024})</li> </ul>
F42B 39/16	<ul style="list-style-type: none"> <li>.. Fire-extinguishing</li> </ul>
F42B 39/18	<ul style="list-style-type: none"> <li>.. Heat shields; Thermal insulation</li> </ul>
F42B 39/20	<ul style="list-style-type: none"> <li>Packages or ammunition having valves for pressure-equalising; Packages or ammunition having plugs for pressure release, e.g. meltable {Blow-out panels; Venting arrangements (ventilating arrangements on packages formed from foldable or erectable blanks B65D 5/4295; packages with pressure-relief valves incorporated in a container wall B65D 77/225)}</li> </ul>
F42B 39/22	<ul style="list-style-type: none"> <li>Locking of ammunition in transport containers</li> </ul>
F42B 39/24	<ul style="list-style-type: none"> <li>Shock-absorbing arrangements in packages, {e.g. for shock waves}</li> </ul>
F42B 39/26	<ul style="list-style-type: none"> <li>Packages or containers for a plurality of ammunition, e.g. cartridges (F42B 39/14 to F42B 39/24, F42B 39/28 take precedence)</li> </ul>
F42B 39/28	<ul style="list-style-type: none"> <li>Ammunition racks, e.g. in vehicles</li> </ul>
F42B 39/30	<ul style="list-style-type: none"> <li>Containers for detonators or fuzes (F42B 39/14, F42B 39/20 take precedence)</li> </ul>
<b>F42B 99/00</b>	<b>Subject matter not provided for in other groups of this subclass</b>