

CPC**COOPERATIVE PATENT CLASSIFICATION****F21V****DETAILS OF LIGHTING DEVICES, OF GENERAL APPLICATION****NOTE**

1. Groups [F21V 1/00-F21V 14/00](#) cover aspects related to light emission or distribution. Groups [F21V 15/00-F21V 31/00](#) cover aspects not related to light emission or distribution.
2. Details of non-electric lighting devices or systems are classified in groups [F21V 35/00-F21V 37/00](#) only if a special adaptation related to the use of a non-electric light source is of interest.
3. In this subclass, it is desirable to add the indexing codes of subclasses [F21W](#) and [F21Y](#)

WARNING

The following IPC groups are not used in the CPC system. Subject matter covered by these groups is classified in the following CPC groups:

[F21V 8/00](#) covered by [G02B 6/00](#)

{Aspects related to light emission or distribution}**F21V 1/00**

Shades for light sources { i.e. lampshades for table, floor, wall or ceiling lamps}

- F21V 1/02 . Frames
- F21V 1/04 .. rigid ([F21V 1/08](#) takes precedence)
- F21V 1/06 .. foldable or collapsible
- F21V 1/08 .. adjustable
- F21V 1/10 . Rotating shades
- F21V 1/12 . Composite shades { i.e. shades being made of distinct parts}
- F21V 1/14 . Covers for frames; Frameless shades
- F21V 1/143 .. {The cover being attached to a supporting lampshade frame}
- F21V 1/146 .. {Frameless shades}
- F21V 1/16 .. characterised by the material
- F21V 1/18 ... the material being paper
- F21V 1/20 ... the material being glass
- F21V 1/22 ... the material being plastics
- F21V 1/24 ... the material being metal
- F21V 1/26 . Manufacturing shades

F21V 3/00

Globes; Bowls; Cover glasses (with refracting properties [F21V 5/00](#); with reflecting properties [F21V 7/00](#); characterised by cooling arrangements [F21V 29/506](#))

- F21V 3/02 . characterised by the shape
- F21V 3/023 .. {Chinese lanterns; Balloons}
- F21V 3/026 ... {being inflatable}
- F21V 3/04 . characterised by the material; characterised by surface treatments or coatings
- F21V 3/0409 .. {characterised by the material}
- F21V 3/0418 ... {the material being glass}
- F21V 3/0427 {the material diffusing light, e.g. translucent glass}
- F21V 3/0436 ... {the material being plastics}
- F21V 3/0445 {the material diffusing light, e.g. translucent plastics}
- F21V 3/0454 ... {comprising air or water bubbles, e.g. foamed materials}
- F21V 3/0463 ... {comprising fluorescent or light-storing materials}
- F21V 3/0472 .. {Coatings}
- F21V 3/0481 ... {provided with fluorescent or light-storing materials}
- F21V 3/049 .. {Patterns or structured surfaces for diffusing light, e.g. frosted surfaces}

F21V 5/00**Refractors for light sources** (characterised by cooling arrangements
[F21V 29/504](#))

- F21V 5/002 . {using micro-optical elements for redirecting or diffusing light}
- F21V 5/003 .. {using holograms}
- F21V 5/004 .. {using micro-lenses}
- F21V 5/005 .. {using micro-prisms}
- F21V 5/006 . {applied to portable lighting devices}
- F21V 5/007 . {Array of lenses or refractors for a cluster of light sources, e.g. for arrangement of multiple light sources in one plane ([combination of two or more refractors F21V 5/008](#))}
- F21V 5/008 . {Combination of two or more successive refractors along an optical axis}
- F21V 5/02 . of prismatic shape ([F21V 5/04 takes precedence](#))
- F21V 5/04 . of lens shape
- F21V 5/041 .. {Ball lenses}
- F21V 5/043 .. {the lens having cylindrical faces, e.g. rod lenses, toric lenses}
- F21V 5/045 .. {the lens having discontinuous faces, e.g. Fresnel lenses}
- F21V 5/046 .. {the lens having a rotationally symmetrical shape about an axis for transmitting light in a direction mainly perpendicular to this axis, e.g. ring or annular lens with light source disposed inside the ring}
- F21V 5/048 .. {the lens being a simple lens adapted to cooperate with a point-like source for emitting mainly in one direction and having an axis coincident with the main light transmission direction, e.g. convergent or divergent lenses, plano-concave or plano-convex lenses}
- F21V 5/06 . Hanging lustres for chandeliers
- F21V 5/08 . producing an asymmetric light distribution

F21V 7/00**Reflectors for light sources** (characterised by cooling arrangements
[F21V 29/505](#))

- F21V 7/0008 . {providing for indirect lighting}
- F21V 7/0016 . . {on lighting devices that also provide for direct lighting, e.g. by means of independent light sources, by splitting of the light beam, by switching between both lighting modes}
- F21V 7/0025 . {Combination of two or more reflectors for a single light source (array of reflectors for a cluster of light sources [F21V 7/0083](#))}
- F21V 7/0033 . . {with successive reflections from one reflector to the next or following}
- F21V 7/0041 . . . {for avoiding direct view of the light source or to prevent dazzling}
- F21V 7/005 . {with an elongated shape to cooperate with linear light sources}
- F21V 7/0058 . {adapted to cooperate with light sources of shapes different from point-like or linear, e.g. circular light sources}
- F21V 7/0066 . {specially adapted to co operate with point like light sources; specially adapted to co operate with light sources the shape of which is unspecified ([F21V 7/16](#) to [F21V 7/22](#) take precedence)}
- F21V 7/0075 . {for portable lighting devices}
- F21V 7/0083 . {Array of reflectors for a cluster of light sources, e.g. arrangement of multiple light sources in one plane (combination of two or more reflectors [F21V 7/0025](#))}
- F21V 7/0091 . {using total internal reflection}
- F21V 7/04 . Optical design ([F21V 7/22](#) takes precedence)
- F21V 7/041 . . with conical or pyramidal surface
- F21V 7/043 . . with cylindrical surface
- F21V 7/045 . . with spherical surface
- F21V 7/046 . . with involute curvature
- F21V 7/048 . . with facets structure
- F21V 7/05 . . plane
- F21V 7/06 . . with parabolic curvature
- F21V 7/07 . . with hyperbolic curvature
- F21V 7/08 . . with elliptical curvature
- F21V 7/09 . . with a combination of different curvatures
- F21V 7/10 . Construction ([F21V 7/22](#) takes precedence)
- F21V 7/16 . . with provision for adjusting the curvature
- F21V 7/18 . . with provision for folding or collapsing
- F21V 7/22 . characterised by the material; characterised by surface treatments or coatings

- F21V 9/00** **Light filters** (coloured shades [F21V 1/00](#); characterised by cooling arrangements [F21V 29/502](#)); **Selection of luminescent materials for light screens**
- F21V 9/02 . for simulating daylight ([F21V 9/04](#), [F21V 9/06](#), [F21V 9/16](#) take precedence)
- F21V 9/04 . for filtering out infra-red radiation (using liquid-filled chambers [F21V 9/12](#))
- F21V 9/06 . for filtering out ultra-violet radiation ([F21V 9/16](#) takes precedence)
- F21V 9/08 . for producing coloured light, e.g. monochromatic; for reducing intensity of light ([F21V 9/16](#) takes precedence)
- F21V 9/083 . . {for portable lighting devices}
- F21V 9/10 . . with provision for variation of the colour or intensity ([F21V 9/12](#) takes precedence)

- F21V 9/12 . . . with liquid-filled chambers
- F21V 9/14 . . . for producing polarised light
- F21V 9/16 . . . Selection of luminescent materials for screens

- F21V 11/00** **Screens not covered by groups [F21V 1/00](#), [F21V 3/00](#), [F21V 7/00](#) or [F21V 9/00](#) (characterised by cooling arrangements [F21V 29/502](#))**
- F21V 11/02 . . . using parallel laminae or strips, e.g. of Venetian-blind type ([F21V 11/06](#) takes precedence)
- F21V 11/04 . . . adjustable
- F21V 11/06 . . . using crossed laminae or strips, { e.g. [grid-shaped louvers](#)}; using lattices or honeycombs
- F21V 11/065 . . . {adjustable}
- F21V 11/08 . . . using diaphragms containing one or more apertures
- F21V 11/10 . . . of iris type
- F21V 11/12 . . . of slot type
- F21V 11/14 . . . with many small apertures
- F21V 11/16 . . . using sheets without apertures, { i.e. [masks for shielding light](#),}e.g. fixed ([F21V 11/02](#), [F21V 11/06](#) take precedence; { for vehicle head lamps [F21S 48/145](#)})
- F21V 11/18 . . . movable, e.g. flaps, slides
- F21V 11/183 . . . {pivotal}
- F21V 11/186 . . . {slidable}

- F21V 13/00** **Producing particular characteristics or distribution of the light emitted by means of a combination of elements specified in two or more of main groups [F21V 1/00](#)[F21V 11/00](#) (by means of a combination of two or more elements covered by a single one of main groups [F21V 1/00](#)[F21V 11/00](#), see the relevant group; changing the characteristics or distribution of the light emitted by adjustment of parts [F21V 14/00](#))**
- F21V 13/02 . . . Combinations of only two kinds of elements
- F21V 13/04 . . . the elements being reflectors and refractors {(for vehicle rear lights [F21S 48/24](#))}
- F21V 13/045 . . . {for portable lighting devices}
- F21V 13/06 . . . a reflector being rotatable
- F21V 13/08 . . . the elements being reflectors and filters
- F21V 13/10 . . . the elements being reflectors and screens
- F21V 13/12 . . . Combinations of only three kinds of elements
- F21V 13/14 . . . the elements being reflectors, refractors, and filters

- F21V 14/00** **Changing the characteristics or distribution of the light emitted by adjustment of parts {or by interposition of elements with electrically controlled variable light transmissivity} (reflectors with provision for adjusting the curvature [F21V 7/16](#); light filters with provision for variation of colour or intensity [F21V 9/10](#); screens using iris-type diaphragms [F21V 11/10](#); adjustable mountings for lighting devices [F21V 21/14](#))**
- F21V 14/003 . . . {by interposition of elements with electrically controlled variable light transmissivity, e.g. liquid crystal elements or electrochromic devices (liquid crystal elements [G02F 1/13](#))}

- F21V 14/006 . {by means of optical elements, e.g. films, filters or screens, being rolled up around a roller}
- F21V 14/02 . by movement of light sources {(in vehicle head lamps [F21S 48/1742](#))}
- F21V 14/025 . . {in portable lighting devices}
- F21V 14/04 . by movement of reflectors {(in vehicle head lamps [F21S 48/1757](#))}
- F21V 14/045 . . {in portable lighting devices}
- F21V 14/06 . by movement of refractors {(in vehicle head lamps [F21S 48/1721](#))}
- F21V 14/065 . . {in portable lighting devices}
- F21V 14/08 . by movement of the screens { or filters}
- F21V 14/085 . . {in portable lighting devices}

{Aspects not related to light emission or distribution, e.g. fittings}

- F21V 15/00** **Protecting lighting devices from damage** (protection from thermal damage [F21V 29/00](#); gas-tight or water-tight arrangements [F21V 31/00](#))
- F21V 15/005 . {Measures against vandalism, stealing or tampering ([F21V 15/02](#), [F21V 15/04](#) take precedence)}
- F21V 15/01 . Housings, e.g. material or assembling of housing parts ([F21V 15/02](#) takes precedence { housings forming signs or letters [G09F 13/04](#)})

WARNING

Not complete, see [F21V 15/00](#)

- F21V 15/012 . . {Housings with variable shape or dimensions, e.g. by means of elastically deformable materials or by movement of parts forming telescopic extensions of the housing body}
- F21V 15/013 . . {the housing being an extrusion}
- F21V 15/015 . . Devices for covering joints between adjacent lighting devices; End coverings

WARNING

Not complete, see [F21V 15/00](#)

- F21V 15/02 . Cages
- F21V 15/04 . Resilient mountings, e.g. shock absorbers (in general [F16F 15/04](#){ shock absorbing devices of vehicle headlamp housings [B60Q 1/0491](#)})

- F21V 17/00** **Fastening of component parts of lighting devices, e.g. shades, globes, refractors, reflectors, filters, screens, grids or protective cages** (of light sources or light holders [F21V 19/00](#); gas-tight or water-tight arrangements [F21V 31/00](#); { for vehicle rear lights [F21S 48/20](#); for vehicle head lights [F21S 48/10](#)})

- F21V 17/002 . {with provision for interchangeability, i.e. component parts being especially adapted to be replaced by another part with the same or a different function ([F21V 17/10](#) takes precedence)}
- F21V 17/005 . {with keying means, i.e. for enabling the assembling of component parts in distinctive positions, e.g. for preventing wrong mounting}

- F21V 17/007 . {with provision for shipment or storage}
- F21V 17/02 . with provision for adjustment ([F21V 17/04](#), [F21V 17/06](#), {[F21V 17/08](#)} take precedence)
- F21V 17/04 . the fastening being onto or by the light source
- F21V 17/06 . the fastening being onto or by the lampholder
- F21V 17/08 . onto the supporting or suspending arrangements of the lighting device, e.g. power cords, standards

WARNING

Not complete, see [F21V 17/00](#)

- F21V 17/10 . characterised by specific fastening means or way of fastening ([F21V 17/02](#) to [F21V 17/08](#) take precedence)
- F21V 17/101 . . {permanently, e.g. welding, gluing or riveting}
- F21V 17/102 . . {using gravity or suction}
- F21V 17/104 . . {using feather joints, e.g. tongues and grooves, with or without friction}
- F21V 17/105 . . {using magnets}
- F21V 17/107 . . {using hinge joints}
- F21V 17/108 . . {using hook and loop-type fasteners}
- F21V 17/12 . . by screwing
- F21V 17/14 . . Bayonet-type fastening
- F21V 17/16 . . by deformation of parts; Snap action mounting
- F21V 17/162 . . . {the parts being subjected to traction or compression, e.g. coil springs}
- F21V 17/164 . . . {the parts being subjected to bending, e.g. snap joints}
- F21V 17/166 . . . {the parts being subjected to torsion, e.g. spiral springs}
- F21V 17/168 . . . {the parts being resilient rings acting substantially isotropically, e.g. split rings}
- F21V 17/18 . . Latch-type fastening, e.g. with rotary action
- F21V 17/20 . . by toggle-action levers

F21V 19/00

Fastening of light sources or lamp holders (fastening electric light source solely by the coupling device [H01R 33/00](#); { special means for attaching candle to candle holder [F21V 35/003](#)})

- F21V 19/0005 . {of sources having contact pins, wires or blades, e.g. pinch sealed lamp ([F21V 19/001](#) takes precedence)}
- F21V 19/001 . {the light sources being semiconductor devices, e.g. LEDs}
- F21V 19/0015 . . {Fastening arrangements intended to retain light sources}
- F21V 19/002 . . . {the fastening means engaging the encapsulation or the packaging of the semiconductor device}
- F21V 19/0025 . . . {the fastening means engaging the conductors of the light source, i.e. providing simultaneous fastening of the light sources and their electric connections}
- F21V 19/003 . . {Fastening of light source holders, e.g. of circuit boards or substrates holding light sources}
- F21V 19/0035 . . . {the fastening means being capable of simultaneously attaching of an other part, e.g. a housing portion or an optical component}

- F21V 19/004 . . . {by deformation of parts or snap action mountings, e.g. using clips}
- F21V 19/0045 . . . {by tongue and groove connections, e.g. dovetail interlocking means fixed by sliding}
- F21V 19/005 . . . {by permanent fixing means, e.g. gluing, riveting or embedding in a potting compound}
- F21V 19/0055 . . . {by screwing}
- F21V 19/006 . . {of point-like light sources, e.g. incandescent or halogen lamps, with screw-threaded or bayonet base (of sources having contact pins, wires or blades [F21V 19/0005](#); of LEDs or sources mounted on printed-circuit board [F21V 19/001](#))}
- F21V 19/0065 . . {at least one conductive element acting as a support means, e.g. spring-mounted contact plate in a bayonet base}
- F21V 19/007 . . {the support means engaging the vessel of the source}
- F21V 19/0075 . . {of tubular light sources, e.g. ring-shaped fluorescent light sources}
- F21V 19/008 . . {of straight tubular light sources, e.g. straight fluorescent tubes, soffit lamps}
- F21V 19/0085 . . . {at least one conductive element acting as a support means, e.g. resilient contact blades, piston-like contact}
- F21V 19/009 . . . {the support means engaging the vessel of the source}
- F21V 19/0095 . . {of U-shaped tubular light sources, e.g. compact fluorescent tubes}
- F21V 19/02 . . with provision for adjustment, e.g. for focusing
- F21V 19/04 . . with provision for changing light source, e.g. turret {(auxiliary devices for cleaning, placing, or removing incandescent lamps [H01K 3/32](#), fluorescent lamps [H01J 9/006](#))}
- F21V 19/042 . . {the light source being a semiconductor, e.g. an LED}
- F21V 19/045 . . {the light source being a semiconductor mounted on a holder, e.g. a circuit board}
- F21V 19/047 . . {by using spare light sources comprised in or attached to the lighting device and being intended to replace a defect light source by manual mounting}
- F21V 19/06 . . Attaching mantles or other incandescent bodies to lamp parts

F21V 21/00 **Supporting, suspending, or attaching arrangements for lighting devices** ([F21V 17/00](#), [F21V 19/00](#) take precedence; arrangement of signalling or lighting devices, the mounting or supporting thereof or circuits therefor, for vehicles in general [B60Q](#), stands for supporting apparatus or articles in general [F16M 11/00](#));

Hand grips

- F21V 21/002 . . making direct electrical contact, e.g. by piercing ([F21V 21/35](#) takes precedence)
- F21V 21/005 . . for several lighting devices in an end-to-end arrangement, i.e. light tracks

WARNING

Not complete, see [F21V 21/00](#)

- F21V 21/008 . . Suspending from a cable or suspension line

WARNING

Not complete, see [F21V 21/00](#)

- F21V 21/02 . . Wall, ceiling, or floor bases; Fixing pendants or arms to the bases ([F21V 21/08](#) takes precedence; bases for movable standing lamps [F21V 21/06](#))

- F21V 21/025 .. {Elongated bases having a U-shaped cross section}
- F21V 21/03 .. Ceiling bases, e.g. ceiling roses ([F21V 21/04](#) takes precedence)
- F21V 21/04 .. Recessed bases
- F21V 21/041 ... {Mounting arrangements specially adapted for false ceiling panels or partition walls made of plates ([F21V 21/047](#) takes precedence)}
- F21V 21/042 {using clamping means, e.g. for clamping with panel or wall}
- F21V 21/043 {actuated by screwing}
- F21V 21/044 {with elastically deformable elements, e.g. spring tongues}
- F21V 21/045 {being tensioned by translation of parts, e.g. by pushing or pulling}
- F21V 21/046 {being tensioned by rotation of parts}
- F21V 21/047 ... {Mounting arrangements with fastening means engaging the inner surface of a hole in a ceiling or wall, e.g. for solid walls or for blind holes}
- F21V 21/048 ... {Mounting arrangements for fastening lighting devices to false ceiling frameworks}
- F21V 21/049 ... {Mounting arrangements for attaching lighting devices to the ceiling, the lighting devices being recessed in a false or stretched ceiling}
- F21V 21/06 . Bases for movable standing lamps; Fixing standards to the bases ([F21V 21/08](#) takes precedence)
- F21V 21/08 . Devices for easy attachment to any desired place, e.g. clip, clamp, magnet
- F21V 21/0808 .. {Adhesive means}
- F21V 21/0816 .. {Strap fasteners, e.g. fasteners with a buckle}
- F21V 21/0824 .. {Ground spikes}
- F21V 21/0832 .. {Hook and loop-type fasteners}
- F21V 21/084 .. Head fittings (for medical purposes [A61B 1/06](#){ hats or helmets with lamps [A42B 3/044](#)})
- F21V 21/088 .. Clips; Clamps
- F21V 21/0885 ... {for portable lighting devices}
- F21V 21/092 .. Suction devices
- F21V 21/0925 ... {for portable lighting devices}
- F21V 21/096 .. Magnetic devices
- F21V 21/0965 ... {for portable lighting devices}
- F21V 21/10 . Pendants, arms, or standards; Fixing lighting devices to pendants, arms, or standards (adjustable mounting [F21V 21/14](#); construction of posts not peculiar to use with lighting devices [E04H 12/00](#))
- F21V 21/104 .. Pendants

WARNING

Not complete, see [F21V 21/10](#)

- F21V 21/108 .. Arms

WARNING

F21V 21/108
(continued)

Not complete, see [F21V 21/10](#)

F21V 21/112

- .. Fixing lighting devices to pendants ([F21V 21/002](#) takes precedence)

WARNING

Not complete, see [F21V 21/10](#)

F21V 21/116

- .. Fixing lighting devices to arms or standards ([F21V 21/002](#) takes precedence)

WARNING

Not complete, see [F21V 21/10](#)

F21V 21/12

- .. capable of being elongated or shortened by the insertion or removal of intermediate pieces

F21V 21/13

- . Spring-loaded poles fixed at both ends

WARNING

Not complete, see [F21V 21/00](#)

F21V 21/14

- . Adjustable mountings

F21V 21/145

- .. {for portable lighting devices}

F21V 21/15

- .. specially adapted for power operation, e.g. by remote control

WARNING

Not complete, see [F21V 21/14](#)

F21V 21/16

- .. using wires or cords

F21V 21/18

- ... operated by springs

F21V 21/20

- ... operated by weights

F21V 21/22

- .. telescopic

F21V 21/24

- .. Lazy-tongs

F21V 21/26

- .. Pivoted arms

F21V 21/28

- ... adjustable in more than one plane

F21V 21/29

- employing universal joints

F21V 21/30

- .. Pivoted housings or frames

F21V 21/32

- .. Flexible tubes

F21V 21/34

- . Supporting elements displaceable along a guiding element {(telescopic mounting of lighting devices [F21V 21/22](#))}

F21V 21/35

- .. with direct electrical contact between the supporting element and electric conductors running along the guiding element

WARNING

Not complete, see [F21V 21/34](#)

- F21V 21/36 . Hoisting or lowering devices, e.g. for maintenance ([F21V 21/14 takes precedence](#))
- F21V 21/38 . . with a cable
- F21V 21/40 . Hand grips

WARNING

Not complete, see [F21V 21/00](#)

- F21V 21/403 . . {for operation or dentist lamps}
- F21V 21/406 . . {for portable lighting devices}

F21V 23/00

Arrangement of electric circuit elements in or on lighting devices **{(characterised by cooling arrangements [F21V 29/508](#))}**

- F21V 23/001 . {the elements being electrical wires or cables}
- F21V 23/002 . . {Arrangements of cables or conductors inside a lighting device, e.g. means for guiding along parts of the housing or in a pivoting arm}
- F21V 23/003 . {the elements being electronics drivers or controllers for operating the light source, e.g. for a LED array}
- F21V 23/004 . . {arranged on a substrate, e.g. a printed circuit board}
- F21V 23/005 . . . {the substrate is supporting also the light source}
- F21V 23/006 . . . {the substrate being distinct from the light source holder}
- F21V 23/007 . . {enclosed in a casing}
- F21V 23/008 . . . {the casing being outside the housing of the lighting device}
- F21V 23/009 . . . {the casing being inside the housing of the lighting device}
- F21V 23/02 . the elements being transformers, impedances { or power supply units, e.g. a transformer with a rectifier}
- F21V 23/023 . . {Power supplies in a casing ([F21V 23/003 takes precedence](#))}
- F21V 23/026 . . {Fastening of transformers or ballasts}
- F21V 23/04 . the elements being switches ([safety devices \[F21V 25/00\]\(#\)](#))
- F21V 23/0407 . . {for flashing}
- F21V 23/0414 . . {specially adapted to be used with portable lighting devices}
- F21V 23/0421 . . . {the switch being part of, or disposed on the tail cap portion thereof}
- F21V 23/0428 . . . {the switch being part of, or disposed on the lamp head portion thereof}
- F21V 23/0435 . . {activated by remote control means}
- F21V 23/0442 . . {activated by means of a sensor, e.g. motion or photodetectors}
- F21V 23/045 . . . {the sensor receiving a signal from a remote controller}
- F21V 23/0457 . . . {the sensor sensing the operating status of the lighting device, e.g. to detect failure of a light source or to provide feedback to the device}
- F21V 23/0464 . . . {the sensor sensing the level of ambient illumination, e.g. dawn or dusk sensors}
- F21V 23/0471 . . . {the sensor detecting the proximity, the presence or the movement of an object or a person}
- F21V 23/0478 {by means of an image recording device, e.g. a camera}

- F21V 23/0485 . . . {the sensor sensing the physical interaction between a user and certain areas located on the lighting device, e.g. a touch sensor}
- F21V 23/0492 . . . {the sensor detecting a change in orientation, a movement or an acceleration of the lighting device, e.g. a tilt switch}
- F21V 23/06 . the elements being coupling devices, { e.g. connectors}
- F21V 25/00** **Safety devices structurally associated with lighting devices** (gas- tight or water-tight arrangements [F21V 31/00](#); in general [F16P](#); protective circuit arrangements per se [H02H 7/00](#))
 - F21V 25/02 . coming into action when lighting device is disturbed, dismounted, or broken
 - F21V 25/04 . . breaking the electric circuit
 - F21V 25/06 . . feeding a quenching fluid to the light source
 - F21V 25/08 . . cutting the incandescent filament
 - F21V 25/10 . coming into action when lighting device is overloaded, e.g. thermal switch
 - F21V 25/12 . Flame-proof or explosion-proof arrangements
 - F21V 25/125 . . {using intumescent material, i.e. using materials which swells up as a result of heat exposure}
- F21V 27/00** **Cable-stowing arrangements structurally associated with lighting devices, e.g. reels** (storing lengths of cable in general [B65H](#){ the lighting devices being vehicle headlamps [F21S 48/1109](#); the lighting devices being vehicle lights [F21S 48/212](#)})
 - F21V 27/005 . {for portable lighting devices}
 - F21V 27/02 . Cable inlets

WARNING

Not complete, see [F21V 27/00](#)

- F21V 29/00** **Protecting lighting devices from thermal damage; Cooling or heating arrangements specially adapted for lighting devices or systems** (lighting fixtures combined with outlets for air-treatment systems [F24F 13/078](#))

WARNING

Groups [F21V 29/002](#) - [F21V 29/006](#), [F21V 29/02](#), [F21V 29/20](#), [F21V 29/2212](#), [F21V 29/30](#), [F21V 29/40](#), and [F21V 29/402](#) are no longer used for the classification of documents as of January 15, 2015. The backfile of these groups is being reclassified into groups [F21V 29/002](#) - [F21V 29/89](#).

Until reclassification is complete, groups [F21V 29/002](#) - [F21V 29/006](#) and [F21V 29/02](#), [F21V 29/20](#), [F21V 29/2212](#), [F21V 29/30](#), [F21V 29/40](#), and [F21V 29/402](#) should be considered in order to perform a complete search.

- F21V 29/002 . {Cooling arrangements ([F21V 29/02](#) takes precedence)}

WARNING

F21V 29/002
(continued)

Group [F21V 29/002](#) is no longer used for the classification of documents as of January 15, 2015. The backfile of this group is being reclassified into groups [F21V 29/00](#) - [F21V 29/89](#).

Until reclassification is complete, group [F21V 29/002](#) should also be considered in order to perform a complete search.

F21V 29/004

- .. {Natural cooling, i.e. by natural convection, conduction or radiation}

WARNING

Group [F21V 29/004](#) is no longer used for the classification of documents as of January 15, 2015. The backfile of this group is being reclassified into groups [F21V 29/00](#) - [F21V 29/89](#).

Until reclassification is complete, group [F21V 29/004](#) should also be considered in order to perform a complete search.

F21V 29/006

- .. {Cooling devices or systems using condensation or evaporation of a fluid, e.g. heat pipes or two phase cooling systems}

WARNING

Group [F21V 29/006](#) is no longer used for the classification of documents as of January 15, 2015. The backfile of this group is being reclassified into groups [F21V 29/51](#) and [F21V 29/52](#).

Until reclassification is complete, groups [F21V 29/006](#), [F21V 29/51](#) and [F21V 29/52](#) should also be considered in order to perform a complete search.

F21V 29/02

- . Cooling by forcing air { or gas} over or around the light source (cooling arrangements structurally associated with electric { discharge or incandescent} lamps [H01J 61/52](#), [H01K 1/58](#))

WARNING

Group [F21V 29/02](#) is no longer used for the classification of documents as of January 15, 2015. The backfile of this group is being reclassified into groups [F21V 29/503](#), and [F21V 29/60](#) - [F21V 29/89](#).

Until reclassification is complete, group [F21V 29/02](#) should also be considered in order to perform a complete search.

F21V 29/10

- . Arrangement of heat-generating components to reduce thermal damage, e.g. by distancing heat-generating components from other components to be protected

WARNING

Group [F21V 29/10](#) is incomplete pending reclassification of documents from groups [F21V 29/002](#), [F21V 29/004](#) and [F21V 29/02](#).

Until reclassification is complete, groups [F21V 29/002](#), [F21V 29/004](#) and [F21V 29/02](#) should also be considered in order to perform a complete search.

F21V 29/15

- . Thermal insulation

- F21V 29/20 . {Cooling devices, cooling systems or arrangements thereof}

WARNING

Group [F21V 29/20](#) is no longer used for the classification of documents as of January 15, 2015. The backfile of this group is being reclassified into groups [F21V 29/00](#) - [F21V 29/89](#).

Until reclassification is complete, group [F21V 29/20](#) should also be considered in order to perform a complete search.

- F21V 29/2212 . . {the fins or blades being planar}

WARNING

Group [F21V 29/2212](#) is no longer used for the classification of documents as of January 15, 2015. The backfile of this group is being reclassified into groups [F21V 29/76](#) - [F21V 29/78](#).

Until reclassification is complete, group [F21V 29/2212](#) should also be considered in order to perform a complete search.

- F21V 29/30 . {Forced cooling using liquids, e.g. water}

WARNING

Group [F21V 29/30](#) is no longer used for the classification of documents as of January 15, 2015. The backfile of this group is being reclassified into groups [F21V 29/56](#) - [F21V 29/59](#).

Until reclassification is complete, groups [F21V 29/30](#) should also be considered in order to perform a complete search.

- F21V 29/40 . {Forced cooling by electrically-powered actuators (fans [F21V29/025](#))}

WARNING

Groups [F21V 29/40](#) and [F21V 29/402](#) are no longer used for the classification of documents as of January 15, 2015. The backfile of these groups is being reclassified into groups [F21V 29/51](#) - [F21V 29/677](#).

Until reclassification is complete, groups [F21V 29/40](#) and [F21V 29/402](#) should also be considered in order to perform a complete search.

- F21V 29/402 . . {Multi-phase cooling systems actuated by pumps}

- F21V 29/50 . Cooling arrangements (air-treatment systems dissipating or using the heat of lighting fixtures [F24F 3/056](#))

WARNING

Groups [F21V 29/50](#) - [F21V 29/503](#) are incomplete pending reclassification of documents from groups [F21V 29/002](#), [F21V 29/004](#), and [F21V 29/02](#).

Until reclassification is complete, groups [F21V 29/002](#), [F21V 29/004](#), and [F21V 29/02](#) should also be considered in order to perform a complete search.

- F21V 29/502 . . characterised by the adaption for cooling of specific components

- F21V 29/503 . . . of light sources (cooling arrangements structurally associated with gas-discharge or vapour-discharge lamps [H01J 61/52](#); cooling arrangements structurally associated with electric incandescent lamps [H01K 1/58](#); cooling arrangements structurally associated with light-emitting diodes [H01L 33/64](#))
- F21V 29/504 . . . of refractors
- F21V 29/505 . . . of reflectors
- F21V 29/506 . . . of globes, bowls or cover glasses
- F21V 29/507 . . . of means for protecting lighting devices from damage, e.g. housings
- F21V 29/508 . . . of electrical circuits
- F21V 29/51 . . using condensation or evaporation of a fluid, e.g. heat pipes

WARNING

Groups [F21V 29/51](#) - [F21V 29/52](#) are incomplete pending reclassification of documents from groups [F21V 29/006](#), [F21V 29/40](#), and [F21V 29/402](#).

Until reclassification is complete, groups [F21V 29/006](#), [F21V 29/40](#) and [F21V 29/402](#) should also be considered in order to perform a complete search.

- F21V 29/52 . . . electrically powered, e.g. refrigeration systems
- F21V 29/54 . . using thermoelectric means, e.g. Peltier elements

WARNING

Group [F21V 29/54](#) is incomplete pending reclassification of documents from groups [F21V 29/40](#) and [F21V 29/402](#).

Until reclassification is complete, groups [F21V 29/40](#) and [F21V 29/402](#) should also be considered in order to perform a complete search.

- F21V 29/56 . . using liquid coolants ([F21V 29/51](#) takes precedence)

WARNING

Groups [F21V 29/56](#) - [F21V 29/59](#) are incomplete pending reclassification of documents from groups [F21V 29/30](#), [F21V 29/40](#) and [F21V 29/402](#)

Until reclassification is complete, groups [F21V 29/30](#), [F21V 29/40](#) and [F21V 29/402](#) should also be considered in order to perform a complete search.

- F21V 29/57 . . . characterised by control arrangements
- F21V 29/58 . . . characterised by the coolants
- F21V 29/59 . . . {with forced flow of the coolant}
- F21V 29/60 . . characterised by the use of a forced flow of gas, e.g. air

WARNING

Groups [F21V 29/60](#) - [F21V 29/677](#) are incomplete pending reclassification of documents from groups [F21V 29/02](#), [F21V 29/40](#) and [F21V 29/402](#)

F21V 29/60
(continued)

Until reclassification is complete, groups [F21V 29/02](#), [F21V 29/40](#) and [F21V 29/402](#) should also be considered in order to perform a complete search.

- F21V 29/61 . . . characterised by control arrangements
- F21V 29/63 . . . using electrically-powered vibrating means; using ionic wind
- F21V 29/65 . . . the gas flowing in a closed circuit
- F21V 29/67 . . . characterised by the arrangement of fans
- F21V 29/673 {the fans being used for intake}
- F21V 29/677 {the fans being used for discharging}
- F21V 29/70 . . characterised by passive heat-dissipating elements, e.g. heat-sinks

WARNING

Groups [F21V 29/70](#) - [F21V 29/83](#) are incomplete pending reclassification of documents from group [F21V 29/02](#).

Until reclassification is complete, group [F21V 29/02](#) should be considered in order to perform a complete search.

- F21V 29/71 . . . using a combination of separate elements interconnected by heat-conducting means, e.g. with heat pipes or thermally conductive bars between separate heat-sink elements
- F21V 29/713 {in direct thermal and mechanical contact of each other to form a single system}
- F21V 29/717 {using split or remote units thermally interconnected, e.g. by thermally conductive bars or heat pipes}
- F21V 29/73 . . . the elements being adjustable with respect to each other, e.g. hinged
- F21V 29/74 . . . with fins or blades
- F21V 29/745 {the fins or blades being planar and inclined with respect to the joining surface from which the fins or blades extend}
- F21V 29/75 with fins or blades having different shapes, thicknesses or spacing
- F21V 29/76 with essentially identical parallel planar fins or blades, e.g. with comb-like cross-section

WARNING

Groups [F21V 29/76](#) - [F21V 29/767](#) are incomplete pending reclassification of documents from group [F21V 29/2212](#).

Until reclassification is complete, group [F21V 29/2212](#) should also be considered in order to perform a complete search.

- F21V 29/763 {the planes containing the fins or blades having the direction of the light emitting axis}
- F21V 29/767 {the planes containing the fins or blades having directions perpendicular to the light emitting axis}

F21V 29/77 with essentially identical diverging planar fins or blades, e.g. with fan-like or star-like cross-section

WARNING

Groups [F21V 29/77](#) - [F21V 29/777](#) are incomplete pending reclassification of documents from group [F21V 29/2212](#).

Until reclassification is complete, group [F21V 29/2212](#) should also be considered in order to perform a complete search.

F21V 29/773 {the planes containing the fins or blades having the direction of the light emitting axis}

F21V 29/777 {the planes containing the fins or blades having directions perpendicular to the light emitting axis}

F21V 29/78 with helically or spirally arranged fins or blades

WARNING

Group [F21V 29/78](#) is incomplete pending reclassification of documents from group [F21V 29/2212](#).

Until reclassification is complete, group [F21V 29/2212](#) should also be considered in order to perform a complete search.

F21V 29/80 with pins or wires

F21V 29/81 with pins or wires having different shapes, lengths or spacing

F21V 29/83 the elements having apertures, ducts or channels, e.g. heat radiation holes

F21V 29/85 characterised by the material ([liquid coolants F21V 29/56](#))

WARNING

Groups [F21V 29/85](#) - [F21V 29/89](#) are incomplete pending reclassification of documents from group [F21V 29/02](#).

Until reclassification is complete, group [F21V 29/02](#) should also be considered in order to perform a complete search.

F21V 29/86 . . {Ceramics or glass}

F21V 29/87 . . Organic material, e.g. filled polymer composites; Thermo-conductive additives or coatings therefor

F21V 29/89 . . Metals

F21V 29/90 . . Heating arrangements

F21V 31/00 Gas-tight or water-tight arrangements

F21V 31/005 . {Sealing arrangements therefor}

F21V 31/03 . with provision for venting {(for vehicle head lights [F21S 48/335](#); for vehicle rear lights [F21S 48/337](#))}

F21V 31/04 . Provision of filling media ([safety devices F21V 25/00](#); [cooling arrangements F21V 29/50](#))

F21V 33/00**Structural combinations of lighting devices with other articles, not otherwise provided for**

- F21V 33/0004 . {Personal or domestic articles}
- F21V 33/0008 .. {Clothing or clothing accessories, e.g. scarfs, gloves or belts}
- F21V 33/0012 .. {Furniture ([hospital beds F21V 33/0072](#))}
- F21V 33/0016 ... {Furnishing for windows and doors ([sunshades F21V 33/006](#))}
- F21V 33/002 ... {Racks for compact discs or the like}
- F21V 33/0024 .. {Household or table equipment}
- F21V 33/0028 ... {Decorative household equipment, e.g. plant holders or food dummies}
- F21V 33/0032 {Paintings, pictures or photographs; Frames therefor}
- F21V 33/0036 ... {Table-ware or table equipment, e.g. dishes, cutlery or trays}
- F21V 33/004 .. {Sanitary equipment, e.g. mirrors, showers, toilet seats or paper dispensers}
- F21V 33/0044 .. {Household appliances, e.g. washing machines or vacuum cleaners}
- F21V 33/0048 .. {Office articles, e.g. bookmarks, desk lamps with drawers, stands for books or music scores}
- F21V 33/0052 .. {Audio or video equipment, e.g. televisions, telephones, cameras or computers; Remote control devices therefor}
- F21V 33/0056 ... {Audio equipment, e.g. music instruments, radios or speakers}
- F21V 33/006 . {General building constructions or finishing work for buildings, e.g. roofs, gutters, stairs or floors; Garden equipment; Sunshades or parasols}
- F21V 33/0064 . {Health, life-saving or fire-fighting equipment}
- F21V 33/0068 .. {Medical equipment}
- F21V 33/0072 ... {Hospital beds}
- F21V 33/0076 .. {Safety or security signalisation, e.g. smoke or burglar alarms, earthquake detectors; Self-defence devices}
- F21V 33/008 . {Leisure, hobby or sport articles, e.g. toys, games or first-aid kits; Hand tools; Toolboxes}
- F21V 33/0084 .. {Hand tools; Toolboxes}
- F21V 33/0088 . {Ventilating systems ([lighting fixtures combined with outlets for air treatment systems F24F 13/078](#))}
- F21V 33/0092 .. {with heating or cooling devices}
- F21V 33/0096 .. {Fans, e.g. ceiling fans ([forced cooling of lighting devices characterised by the arrangement of fans F21V 29/67](#))}

F21V 35/00**Candle holders**

- F21V 35/003 . {Special means for attaching the candle to the candle holder}
- F21V 35/006 . {Drop catchers; Shade holders}

F21V 36/00**Arrangements of mantles or other incandescent bodies on burners ([attaching to lamp parts F21V 19/06](#))**

- F21V 36/02 . in ceiling lamps

F21V 37/00**Details of lighting devices employing combustion as light source, not otherwise provided for; Night lamps; Votive lamps**

- F21V 37/0004 . {using liquid fuel}
- F21V 37/0008 .. {Fuel containers}
- F21V 37/0012 ... {Filling or level checking}
- F21V 37/0016 ... {Fastening of the container to other parts of the lamp}
- F21V 37/002 .. {Wicks}
- F21V 37/0025 ... {vegetal ([F21V 37/0033](#) takes precedence)}
- F21V 37/0029 ... {mineral ([F21V 37/0033](#) takes precedence)}
- F21V 37/0033 ... {combination of vegetal and mineral}
- F21V 37/0037 ... {Cleaning devices}
- F21V 37/0041 .. {Fuel supply}
- F21V 37/0045 ... {using hydrostatic pressure or weights}
- F21V 37/005 ... {using air or gas pressure}
- F21V 37/0054 ... {Controlling means, e.g. floaters}
- F21V 37/0058 .. {Reflectors, cover glasses, chimneys; Smoke-removing devices; Preheaters}
- F21V 37/0062 ... {Reflectors}
- F21V 37/0066 ... {Chimneys}
- F21V 37/007 ... {Globs}
- F21V 37/0075 .. {Fastening or safety devices for reflectors, cover glasses or chimneys}
- F21V 37/0079 ... {Fastening of chimneys ([F21V 37/0087](#) takes precedence)}
- F21V 37/0083 ... {Fastening of cover glasses ([F21V 37/0087](#) takes precedence)}
- F21V 37/0087 ... {Devices for lifting chimneys or cover glasses}
- F21V 37/0091 ... {Protections against shocks}
- F21V 37/0095 . {Night lamps; Votive lamps}
- F21V 37/02 . Special adaptation for protection against draughts {(for lanterns [F21L 19/006](#)); Draft controllers}

F21V 99/00**Subject matter not provided for in other groups of this subclass****F21V 2200/00****Use of light guides, e.g. fibre optic devices, in lighting devices or systems**

- F21V 2200/10 . of light guides of the optical fibres type
- F21V 2200/13 .. the light being emitted at the end of the guide
- F21V 2200/15 .. the light being emitted along at least a portion of the outer surface of the guide
- F21V 2200/17 .. characterised by the admission of light into the guide
- F21V 2200/20 . of light guides of a generally planar shape
- F21V 2200/30 . of light guides doped with fluorescent agents
- F21V 2200/40 . of hollow light guides