

**CPC****COOPERATIVE PATENT CLASSIFICATION****B60Q**

**VEHICLE LIGHTING OR SIGNALLING** (arrangement of signalling or lighting devices, the mounting or supporting thereof for rail vehicles [B61D](#), for cycles [B62J](#), for ships [B63B](#), for aircrafts [B64D](#); lighting in general, lighting devices per se [F21](#), [H05B](#); signalling in general [G08](#); electric switches per se [H01H](#))

**NOTE**

1. This subclass covers also:
  - electric signalling of lighting circuits so far as specially arranged in vehicles;
  - arrangements or adaptations of lighting switches or signal-initiating means
2. Attention is drawn to the Note following the title of class [B60](#)
3. Attention is drawn to the following places :
 

<a href="#">B60K 28/00</a>	Safety devices, e.g. sleeping driver
<a href="#">B60R 25/00</a>	Anti theft
<a href="#">B62D</a>	Driving assistance
<a href="#">B62D 15/02</a>	Steering aids
<a href="#">B60K 31/0008</a>	Cruise control
<a href="#">F21S 48/00</a>	Lighting devices or systems specially adapted for vehicles
<a href="#">G01S</a>	Infra red night vision
<a href="#">G01S 13/931</a>	Anti Collision
<a href="#">G05D 1/00</a>	Automatic pilot
<a href="#">G06K 9/00</a>	Pattern recognition
<a href="#">G06T 3/00</a>	Image transformation
<a href="#">G06T 5/00</a>	Image enhancement
<a href="#">G06T 7/00</a>	Image analysis
<a href="#">G08B 21/00</a>	Alarms in general
<a href="#">G08G</a>	Traffic control
<a href="#">G08G 1/16</a>	Anti-collision systems
<a href="#">H04N</a>	Television systems

**WARNING**

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

<a href="#">B60Q 1/128</a>	covered by	<a href="#">B60Q 1/124</a>
<a href="#">B60Q 1/132</a>	covered by	<a href="#">B60Q 1/124</a>
<a href="#">B60Q 1/136</a>	covered by	<a href="#">B60Q 1/124</a>

**B60Q 1/00**

**Arrangements or adaptations of optical signalling or lighting devices** (for lighting vehicle interior [B60Q 3/00](#); {circuit arrangements for electric light sources in general [H05B 37/00](#)})

- B60Q 1/0005 . {Devices preventing the lights from becoming dirty or damaged (protecting lighting devices from damage in general [F21V 15/00](#)), e.g. protection grids (fastening of grids or protective cages in general [F21V 17/00](#)), cleaning by air flow (windshield wipers for cleaning optical devices of vehicles [B60S 1/04](#))}
- B60Q 1/0011 . {with light guides for distributing the light between several lighting or signalling devices (using light guides inside a single device [F21S 8/00](#), light guides per se [G02B 6/0001](#))}
- B60Q 1/0017 . {Devices integrating an element dedicated to another function}
- B60Q 1/0023 .. {the element being a sensor, e.g. distance sensor, camera}
- B60Q 1/0029 . {Spatial arrangement}
- B60Q 1/0035 .. {relative to the vehicle}
- B60Q 1/0041 .. {of several lamps in relation to each other}
- B60Q 1/0047 ... {Signalling unit mounted on a headlamp unit}
- B60Q 1/0052 ... {concentric}
- B60Q 1/0058 ... {Stacked, i.e. one lamp located behind the other in the optical axis direction}
- B60Q 1/0064 . {with provision for maintenance, e.g. changing the light bulb (swivel arrangements [B60Q 1/0425](#); fastening of covers [F21S 48/15](#); changing light sources in general [F21V 19/04](#); fastening of light sources or lamp holders [F21S 48/1104](#), [F21S 48/211](#))}
- B60Q 1/007 .. {via a removable cap (fastening of the light source by a cap holding the light source [F21S 48/1104](#), [F21S 48/211](#))}
- B60Q 1/0076 . {Switches therefor ([B60Q 1/1446](#), [B60Q 1/343](#), [B60Q 1/40](#) take precedence, arrangements or fitting of control knobs on dashboard [B60K 37/06](#))}
- B60Q 1/0082 .. {mounted on the steering wheel}
- B60Q 1/0088 . {Details of electrical connections ([B60Q 1/305](#) takes precedence; electrical connectors in general [H01R](#); electrical connection of the light source itself [F21S 48/1109](#), [F21S 48/212](#))}
- B60Q 1/0094 .. {Arrangement of electronic circuits separated from the light source (e.g. mounting of housings for starter circuits for discharge lamps, circuits per se [H05B](#), arrangements being part of the light source holder [F21V 17/06](#), [F21S 48/1109](#), [F21S 48/212](#))}
- B60Q 1/02 . the devices being primarily intended to illuminate the way ahead or to illuminate other areas of way or environments
- B60Q 1/04 .. the devices being headlights
- B60Q 1/0408 ... {built into the vehicle body, e.g. details concerning the mounting of the headlamps on the vehicle body ([B60Q 1/0491](#), [B60Q 1/05](#) take precedence, integrated front ends [B62D 25/00](#))}
- B60Q 1/0416 .... {the housing being mounted on the vehicle body using rails}
- B60Q 1/0425 .... {the housing being swivel mounted on the vehicle body}
- B60Q 1/0433 .... {the housing being fastened onto the vehicle body using screws (adjustable headlamp by rotation of a screw [B60Q 1/0683](#))}
- B60Q 1/0441 .... {the housing being fastened onto the vehicle body using means other than screws}
- B60Q 1/045 .... {with provision for adjusting the alignment of the headlamp housing with respect to the vehicle body (adjusting the light beam [B60Q 1/06](#))}
- B60Q 1/0458 .... {the front cover being directly mounted onto the vehicle body (mounting the cover on the housing [F21S 48/15](#))}

B60Q 1/0466	....	{with arrangement for sealing the headlamp with respect to the vehicle body, or for concealing gaps between the headlamp and the vehicle body}
B60Q 1/0475	....	{with provisions for pre-mounting, for temporary holding the headlamp before or during final mounting}
B60Q 1/0483	...	{mounted on a bracket, e.g. details concerning the mounting of the lamps on the vehicle body}
B60Q 1/0491	...	{Shock absorbing devices therefor (resilient mounting of lighting devices in general <a href="#">F21V 15/04</a> ; shock absorbing devices in general <a href="#">F16F 15/04</a> )}
B60Q 1/05	...	Retractable
B60Q 1/06	...	adjustable, e.g. remotely controlled from inside vehicle ( <a href="#">B60Q 1/05</a> takes precedence; {changing the characteristics or distribution of the light by adjustment of parts, e.g. reflectors, light sources, lenses, screens <a href="#">F21V 14/00</a> })
B60Q 1/064	....	by fluid means
B60Q 1/068	....	by mechanical means
B60Q 1/0683	.....	{Adjustable by rotation of a screw}
B60Q 1/0686	.....	{using a position indicator mounted on the headlight and permanently attached thereto}
B60Q 1/072	.....	comprising a flexible element, e.g. chain
B60Q 1/076	....	by electrical means {including means to transmit the movements, e.g. shafts or joints}
B60Q 1/08	....	automatically
B60Q 1/085	.....	{due to special conditions, e.g. adverse weather, type of road, badly illuminated road signs or potential dangers ( <a href="#">B60Q 1/10</a> , <a href="#">B60Q 1/12</a> , <a href="#">B60Q 1/1423</a> take precedence)}
B60Q 1/10	.....	due to vehicle inclination, e.g. due to load distribution
B60Q 1/105	.....	by fluid means
B60Q 1/11	.....	by mechanical means
B60Q 1/115	.....	by electric means {(details of the electric drive components, e.g. motors, shafts, ball joints <a href="#">B60Q 1/076</a> )}
B60Q 1/12	.....	due to steering position
B60Q 1/121	.....	{with fluid actuating means}
B60Q 1/122	.....	{with electrical actuating means (details of the electric drive components, e.g. motors, shafts, ball joints <a href="#">B60Q 1/076</a> )}
B60Q 1/124	.....	by mechanical means
B60Q 1/14	...	having dimming means {(lighting power supply circuits in general <a href="#">H05B</a> )}
B60Q 1/1407	....	{General lighting circuits comprising dimming circuits (dimming circuits per se <a href="#">B60Q 1/1415</a> )}
B60Q 1/1415	....	{Dimming circuits}
B60Q 1/1423	.....	{Automatic dimming circuits, i.e. switching between high beam and low beam due to change of ambient light or light level in road traffic}
B60Q 1/143	.....	{combined with another condition, e.g. using vehicle recognition from camera images or activation of wipers}
B60Q 1/1438	....	{Actuating means for dimming masks or screens (adjustable screens per se <a href="#">F21V 11/04</a> )}
B60Q 1/1446	....	{controlled by mechanically actuated switches}

B60Q 1/1453	.....	{Hand actuated switches}
B60Q 1/1461	.....	{Multifunction switches for dimming headlights and controlling additional devices, e.g. for controlling direction indicating lights}
B60Q 1/1469	.....	{controlled by or attached to a single lever, e.g. steering column stalk switches}
B60Q 1/1476	.....	{comprising switch controlling means located near the free end of the lever, e.g. press buttons, rotatable rings}
B60Q 1/1484	.....	{mounted on the steering wheel}
B60Q 1/1492	.....	{Foot actuated switches}
B60Q 1/16	...	illuminating the way asymmetrically
B60Q 1/18	...	being additional front lights {(bracket mounted headlights <a href="#">B60Q 1/0483</a> )}
B60Q 1/20	....	Fog lights {(single shaped beam lighting devices specially adapted for vehicles for penetrating fog or preventing glare <a href="#">F21S 8/12</a> )}
B60Q 1/22	..	for reverse drive
B60Q 1/24	..	for lighting other areas than only the way ahead
B60Q 1/245	...	{using spotlights adjustable from within the vehicle (adjustable headlights <a href="#">B60Q 1/06</a> )}
B60Q 1/26	.	the devices being primarily intended to indicate the vehicle, or parts thereof, or to give signals, to other traffic {(such devices mounted on the vehicle rear part <a href="#">F21S 48/20</a> ; means for the lighting or illuminating of aerials, e.g. for purpose of warning <a href="#">H01Q 1/06</a> )}
B60Q 1/2603	..	{Attenuation of the light according to ambient luminosity, e.g. for braking or direction indicating lamps}
B60Q 1/2607	..	{comprising at least two indicating lamps}
B60Q 1/2611	..	{Indicating devices mounted on the roof of the vehicle (flashing light sources in general <a href="#">F21S 10/06</a> )}
B60Q 1/2615	..	{mounted on the vehicle body, e.g. with magnets}
B60Q 1/2619	..	{built in the vehicle body}
B60Q 1/2623	...	{Details of the fastening means}
B60Q 1/2626	....	{Screw-nut fasteners}
B60Q 1/263	....	{Snap-in fasteners}
B60Q 1/2634	....	{Fastening by rotating the device housing about its longitudinal axis, e.g. bayonet fasteners}
B60Q 1/2638	...	{Positioning the device housing by indexing means separate from the fastening means, e.g. pins, rails}
B60Q 1/2642	...	{with provision for adjusting the alignment of the device housing with respect to the vehicle body}
B60Q 1/2646	....	{using dowels or expansible elements}
B60Q 1/2649	...	{with provision for pre-mounting or temporary holding the device before or during final mounting}
B60Q 1/2653	...	{with arrangement for sealing the device with respect to the vehicle body, or for concealing gaps between the device and the vehicle body}
B60Q 1/2657	..	{mounted on a shaft, e.g. telescopic (lamps on antennas or powerlines <a href="#">F21S 8/085</a> )}
B60Q 1/2661	..	{mounted on parts having other functions (on wheels <a href="#">B60Q 1/323</a> )}

B60Q 1/2665	...	{on rear-view mirrors (lighting devices for vehicle interior on or for rear-view mirrors <a href="#">B60Q 3/023</a> ; adaptations or arrangements of mirrors for use on cycles <a href="#">B62J 29/00</a> ; rear-view mirror arrangements <a href="#">B60R 1/02</a> ; mirror assemblies combined with lamps <a href="#">B60R 1/1207</a> )}
B60Q 1/2669	...	{on door or boot handles (lighting devices for vehicle interior on door handles <a href="#">B60Q 3/0233</a> ; vehicle doors <a href="#">B60J 5/00</a> illuminating devices on or for locks or keys <a href="#">E05B 17/10</a> ; Keyhole finders <a href="#">E05B 15/08</a> )}
B60Q 1/2673	...	{on parts worn by the driver, e.g. clothes (professional or sporting clothes with reflecting or luminous means <a href="#">A41D 13/01</a> ), gloves (protective gloves with reflecting or luminous means <a href="#">A41D 19/0157</a> ), or bags, specially adapted to provide auxiliary vehicle signalling}
B60Q 1/2676	....	{Helmets (helmets in general <a href="#">A42B 3/00</a> ; helmets with signalling or lighting devices <a href="#">A42B 3/0433</a> )}
B60Q 1/268	...	{on windscreens or windows ( <a href="#">B60Q 1/302</a> takes precedence; windows or windscreens in general <a href="#">B60J 1/00</a> ; lighting devices for vehicle interior on or for windows <a href="#">B60Q 3/0213</a> )}
B60Q 1/2684	...	{on wipers or windscreen washers (vehicle wipers <a href="#">B60S 1/04</a> ; windscreen washers <a href="#">B60S 1/46</a> )}
B60Q 1/2688	...	{on exhaust pipes (exhaust or silencing apparatuses in general <a href="#">F01N</a> )}
B60Q 1/2692	..	{retractable lights (retractable headlights <a href="#">B60Q 1/05</a> )}
B60Q 1/2696	..	{Mounting of devices using LEDs (fastening of LEDs on printed circuits <a href="#">F21V 19/001</a> )}
B60Q 1/28	..	for indicating front of vehicle
B60Q 1/30	..	for indicating rear of vehicle, e.g. by means of reflecting surfaces
B60Q 1/302	...	{mounted in the vicinity, e.g. in the middle, of a rear window}
B60Q 1/305	...	{Indicating devices for towed vehicles}
B60Q 1/307	...	{mounted on loading platforms (warning signals on loading platforms <a href="#">B60P 1/4464</a> )}
B60Q 1/32	..	for indicating vehicle sides, {e.g. clearance lights}
B60Q 1/323	...	{on or for doors or running boards, e.g. to facilitate access to the vehicle (illumination of door locks <a href="#">E05B 17/10</a> )}
B60Q 1/326	...	{on or for wheels}
B60Q 1/34	..	for indicating change of drive direction ( <a href="#">B60Q 1/22</a> takes precedence)
B60Q 1/343	...	{Manually actuated switching arrangements therefor (Hand actuated multifunction switches <a href="#">B60Q 1/1461</a> ; <a href="#">B60Q 1/40</a> takes precedence)}
B60Q 1/346	...	with automatic actuation
B60Q 1/36	...	using movable members, e.g. arms with built-in flashing lamps
B60Q 1/38	...	using immovably-mounted light sources, e.g. fixed flashing lamps
B60Q 1/382	....	{Electronic temporisation with semiconductor amplification}
B60Q 1/385	....	{Electronic temporisation with relay amplification}
B60Q 1/387	....	{Mechanical temporisation}
B60Q 1/40	...	having {mechanical, electric or electronic} automatic return to inoperative position
B60Q 1/42	....	{having mechanical automatic return to inoperative position} due to steering-wheel position, {e.g. with roller wheel control}

B60Q 1/425	.....	{using a latching element for resetting a switching element (Hand actuated multifunction switches <a href="#">B60Q 1/1461</a> )}
B60Q 1/44	..	for indicating braking action or preparation for braking, {e.g. by detection of the foot approaching the brake pedal}
B60Q 1/441	...	{Electric switches operable by the driver's pedals (electric switches in general <a href="#">H01H</a> )}
B60Q 1/442	...	{visible on the front side of the vehicle, e.g. for pedestrians}
B60Q 1/444	...	{with indication of the braking strength or speed changes, e.g. by changing shape or intensity of the indication ( <a href="#">B60Q 1/1407</a> , <a href="#">B60Q 1/442</a> , <a href="#">B60Q 1/447</a> take precedence)}
B60Q 1/445	...	{controlled by inertial devices}
B60Q 1/447	.....	{with indication of the braking strength or speed changes, e.g. by changing the shape or intensity of the indication}
B60Q 1/448	...	{specially adapted for vehicles with ABS}
B60Q 1/46	..	for giving flashing caution signals during drive, other than signalling change of direction, e.g. flashing the headlights, {hazard lights (flashing lights in general <a href="#">F21S 10/06</a> )}
B60Q 1/48	..	for parking purposes {(warning arrangements in garages <a href="#">E04H 6/42</a> )}
B60Q 1/482	...	{for locating vehicle in parking lot}
B60Q 1/484	...	{for showing outline of vehicle}
B60Q 1/486	...	{for indicating that vehicle is in a parked state}
B60Q 1/488	...	{for indicating intention to park}
B60Q 1/50	..	for indicating other intentions or conditions, e.g. request for waiting or overtaking
B60Q 1/503	...	{using luminous text displays}
B60Q 1/506	...	{for signaling silent vehicles, e.g. for warning that a hybrid or electric vehicle is approaching}
B60Q 1/52	...	for indicating emergencies {(braking indicating devices <a href="#">B60Q 1/44</a> , portable emergency signal devices <a href="#">B60Q 7/00</a> )}
B60Q 1/525	.....	{indicating risk of collision between vehicles or with pedestrians (using video cameras <a href="#">B62D 1/00</a> ; Radars designed for anti-collision purposes between land vehicles or between land vehicle and fixed obstacles <a href="#">G01S 13/931</a> ; Control of position or course in two dimensions for land vehicles <a href="#">G05D 1/021</a> ; Anti-collision systems for road vehicles <a href="#">G08G 1/16</a> )}
B60Q 1/54	...	for indicating speed {outside of the vehicle (automatic vehicle speed controlling fittings including unintended speed signalling devices to the vehicle driver <a href="#">B60K 31/18</a> )}
B60Q 1/56	..	for illuminating registrations or the like, {e.g. for licence plates (license plates <a href="#">B60R 13/10</a> )}
<b>B60Q 3/00</b>		<b>Arrangements or adaptations of lighting devices for vehicle interior</b>
B60Q 3/001	.	{manually adjustable, e.g. colours, orientation, intensity (automatically adjusted <a href="#">B60Q 3/0293</a> )}
B60Q 3/002	.	{using light guides}
B60Q 3/004	..	{inside a single lighting device}
B60Q 3/005	..	{to distribute light between several lighting devices}



- B60Q 3/007 . {with means for electrical plugging into vehicle, e.g. in cigarette lighter, in special plug (arrangement of electrically heated lighters [B60N 3/14](#))}
- B60Q 3/008 . {using UV light}
- B60Q 3/02 . for lighting passenger or driving compartment
- B60Q 3/0203 .. {Details of mounting onto vehicle interior, e.g. onto ceiling, floor (mounting of lighting devices [F21V 21/04](#), vehicle liners [B60R 13/02](#), connectors [H01R 33/00](#))}
- B60Q 3/0206 ... {Modular mounting systems, e.g. using tracks, rails, multiple plugs (for lighting devices in general [F21V 21/005](#))}
- B60Q 3/0209 .. {mounted onto or for lighting specific vehicle fittings}
- B60Q 3/0213 ... {on or for sun roofs, or windows (windows per se [B60J 1/00](#), sun roofs per se [B60J 7/00](#))}
- B60Q 3/0216 ... {on or for doors or steps (vehicle doors [B60J 5/00](#))}
- B60Q 3/022 ... {on or for small compartments, e.g. glove compartment (stowing small appliances in vehicles [B60R 7/00](#))}
- B60Q 3/0223 ... {on or for seats, arm rests or head rests (vehicle seats per se [B60N 2/00](#))}
- B60Q 3/0226 ... {on or for sun visors (sun visors per se [B60J 3/0204](#))}
- B60Q 3/023 ... {on or for rear view mirrors (rear view mirror per se [B60R 1/00](#))}
- B60Q 3/0233 ... {on or for door handles or hand grabs (door handles per se [B60N 3/02](#))}
- B60Q 3/0236 ... {on or for smoking related tools, e.g. cigarette lighters, ashtrays (cigarette lighters [B60N 3/14](#), ashtrays [B60N 3/083](#))}
- B60Q 3/024 ... {on or for steering wheel or gear shift (steering wheels [B62D 1/04](#), gear shifts [B60K 20/00](#))}
- B60Q 3/0243 ... {others, e.g. cup holders, ignition locks (lighting for door locks [E05B 15/08](#), [E05B 17/10](#))}
- B60Q 3/0246 .. {for mass transit vehicles ([B60Q 3/0209](#), [B60Q 3/04](#) take precedence, illumination of sides, boards or panels in general [G09F 13/00](#))}
- B60Q 3/025 ... {Overall lighting}
- B60Q 3/0253 ... {Specific lighting, e.g. reading lamps}
- B60Q 3/0256 ... {Emergency lighting, e.g. escape routes (illumination of emergency signs [G09F 13/00](#))}
- B60Q 3/0259 ... {Circuits or control therefore}
- B60Q 3/0263 .. {Mounted on a shaft (for lighting devices in general [F21V 21/26](#) and [F21V 21/32](#))}
- B60Q 3/0266 .. {Retractable, concealable lamps}
- B60Q 3/0269 .. {with provision for being portable (portable lighting devices in general [F21L](#))}
- B60Q 3/0273 .. {Specifically arranged for convertibles}
- B60Q 3/0276 .. {additional interior lighting specifically arranged to prevent conductor dazzling, e.g. by constricting the conductor's pupil}
- B60Q 3/0279 .. {overall lighting alone or in combination with specific lighting, e.g. arrangement of room lamps, combination of room lamps with reading lamps (fastening of components within lighting devices [F21V 17/00](#), [F21V 19/00](#) and [F21V 23/00](#))}
- B60Q 3/0283 ... {using lighting panels or mats, e.g. electro-luminescent panels, LED mats (electroluminescent light sources [H05B 33/00](#))}
- B60Q 3/0286 .. {Specific lighting, e.g. reading lamps, directional or focussed lighting towards small surfaces, e.g. using blends (fastening of components within lighting devices [F21V 17/00](#), [F21V 19/00](#) and [F21V 23/00](#))}

- B60Q 3/0289 .. {Strip lighting, edge marking, e.g. using elongated light sources along or around parts to be illuminated}
- B60Q 3/0293 .. {circuits or control for interior lights (circuits for light sources in general [H05B 37/00](#) and [H05B 39/00](#), for electric vehicles [B60L 1/14](#), electronic switching [H03K 17/00](#), remote control [H04Q 9/00](#))}
- B60Q 3/0296 .. {Switches specifically designed for interior lights, e.g. switching by tilting the lens (mechanical switches in general [H01H](#), electronic switches in general [H03K 17/00](#), arrangement of instruments in vehicles in general [B60K 35/00](#) and [B60K 37/00](#))}
- B60Q 3/04 .. for dashboard {(lighting of individual instruments [G01D](#), association of lighting devices with LCDs [G02F 1/1335](#))}
- B60Q 3/042 ... {lighting onto the surface to be illuminated}
- B60Q 3/044 ... {lighting through the surface to be illuminated}
- B60Q 3/046 ... {Circuits or control therefore (for electric vehicles [B60L 1/14](#); electronic switching [H03K 17/00](#); remote control [H04Q 9/00](#); circuits for light sources in general [H05B 37/00](#), [H05B 39/00](#))}
- B60Q 3/048 .... {for varying the light intensity (controlling the light intensity of displays [G09G](#); circuits for controlling the light intensity emitted by particular light sources [H05B](#))}
- B60Q 3/06 . for lighting compartments other than passenger or driving space, e.g. luggage or engine compartment
- B60Q 3/065 .. {with provision for being portable (portable lighting devices in general [F21L](#))}
- B60Q 5/00 Arrangements or adaptations of acoustic signal devices {(sound producing devices in general [G10K](#))}**
- B60Q 5/001 . {Switches therefor}
- B60Q 5/003 .. {mounted on the steering wheel}
- B60Q 5/005 . {automatically actuated}
- B60Q 5/006 .. {indicating risk of collision between vehicles or with pedestrians (using video cameras [B62D 1/00](#); Radars designed for anti-collision purposes between land vehicles or between land vehicle and fixed obstacles [G01S 13/931](#); Control of position or course in two dimensions for land vehicles [G05D 1/021](#); Anti-collision systems for road vehicles [G08G 1/16](#))}
- B60Q 5/008 .. {for signaling silent vehicles, e.g. for warning that a hybrid or electric vehicle is approaching}
- B60Q 7/00 Arrangement or adaptation of portable emergency signal devices on {board} vehicles {to be placed on roadways or vehicles, e.g. warning triangles}, (arrangements for enforcing caution on roads, e.g. marker posts, [E01F 9/00](#); signs [G09F](#), e.g. reflecting warning triangles [G09F 13/16](#))**
- B60Q 7/005 . {Devices without lamps}
- B60Q 7/02 . to be attached to overhanging loads or extending parts of vehicle
- B60Q 9/00 Arrangements or adaptations of signal devices not provided for in one of the preceding main groups, {e.g. haptic signalling}**
- B60Q 9/001 . {Alarm devices when the motor is stopped and the lights are on}
- B60Q 9/002 . {for parking purposes, e.g. for warning the driver that his vehicle has contacted or is about to contact an obstacle (warning arrangements in garages [E04H 6/42](#))}
- B60Q 9/003 .. {using physical contactors, e.g. arms that trigger alarm upon contact with obstacle}



B60Q 9/004	.. {using wave sensors (radar designed for anti-collision purposes between land vehicles or between land vehicles and fixed obstacles <a href="#">G01S 13/931</a> )}
B60Q 9/005	... {using a video camera}
B60Q 9/006	... {using a distance sensor}
B60Q 9/007	.. {providing information about the distance to an obstacle, e.g. varying sound}
B60Q 9/008	. {for anti-collision purposes}
<b>B60Q 11/00</b>	<b>Arrangements of monitoring devices for devices provided for in groups <a href="#">B60Q 1/00</a> to <a href="#">B60Q 9/00</a> {(testing of electric installations on road vehicle <a href="#">G01R 31/00</a>)}</b>
B60Q 11/002	. {Emergency driving lights in the event of failure of the principal lighting circuit}
B60Q 11/005	. {for lighting devices, e.g. indicating if lamps are burning or not}
B60Q 11/007	.. {the lighting devices indicating change of drive direction (change of drive direction indicators <a href="#">B60Q 1/34</a> )}
<b>B60Q 2200/00</b>	<b>Special features or arrangements of vehicle headlamps</b>
B60Q 2200/30	. Special arrangements for adjusting headlamps, e.g. means for transmitting the movements for adjusting the lamps
B60Q 2200/32	.. Ball-joints
B60Q 2200/34	.. Deformable parts, i.e. the adjustment is performed by bending or stretching a part
B60Q 2200/36	.. Conjoint adjustments, i.e. a mechanical link allows conjoint adjustment of several units
B60Q 2200/38	.. Automatic calibration of motor-driven means for adjusting headlamps, i.e. when switching on the headlamps, not during mounting at factories
<b>B60Q 2300/00</b>	<b>Indexing codes for automatically adjustable headlamps or automatically dimmable headlamps</b>
B60Q 2300/05	. Special features for controlling or switching of the light beam
B60Q 2300/052	.. Switching delay, i.e. the beam is not switched or changed instantaneously upon occurrence of a condition change
B60Q 2300/054	.. Variable non-standard intensity, i.e. emission of various beam intensities different from standard intensities, e.g. continuous or stepped transitions of intensity
B60Q 2300/056	.. Special anti-blinding beams, e.g. a standard beam is chopped or moved in order not to blind
B60Q 2300/10	. Indexing codes relating to particular vehicle conditions
B60Q 2300/11	.. Linear movements of the vehicle
B60Q 2300/112	... Vehicle speed
B60Q 2300/114	... Vehicle acceleration or deceleration
B60Q 2300/116	... Vehicle at a stop
B60Q 2300/12	.. Steering parameters
B60Q 2300/122	... Steering angle
B60Q 2300/124	... Steering speed
B60Q 2300/126	... Hysteresis behavior based on steering
B60Q 2300/128	... Steering dead zone

B60Q 2300/13	..	Attitude of the vehicle body
B60Q 2300/132	...	Pitch
B60Q 2300/134	...	Yaw
B60Q 2300/136	...	Roll
B60Q 2300/14	..	Other vehicle conditions
B60Q 2300/142	...	Turn signal actuation
B60Q 2300/144	...	Rearward ratio actuation
B60Q 2300/146	...	Abnormalities, e.g. fail-safe
B60Q 2300/20	.	Indexing codes relating to the driver or the passengers
B60Q 2300/21	..	Manual control
B60Q 2300/22	..	Seat occupation
B60Q 2300/23	..	Driver's line of sight
B60Q 2300/30	.	Indexing codes relating to the vehicle environment
B60Q 2300/305	..	Calendar date or clock time
B60Q 2300/31	..	Atmospheric conditions
B60Q 2300/312	...	Adverse weather
B60Q 2300/314	...	Ambient light
B60Q 2300/32	..	Road surface or travel path
B60Q 2300/322	...	Road curvature
B60Q 2300/324	...	Road inclination, e.g. uphill or downhill
B60Q 2300/33	..	Driving situation
B60Q 2300/331	...	characterised by the driving side, e.g. on the left or right hand side
B60Q 2300/332	...	on city roads
B60Q 2300/3321	....	Detection of streetlights
B60Q 2300/333	...	on suburban or country roads
B60Q 2300/334	...	on motorways
B60Q 2300/335	...	Number or size of road lanes
B60Q 2300/336	...	Crossings
B60Q 2300/337	...	Tunnels or bridges
B60Q 2300/338	...	Overtaking
B60Q 2300/40	.	Indexing codes relating to other road users or special conditions
B60Q 2300/41	..	preceding vehicle
B60Q 2300/42	..	oncoming vehicle
B60Q 2300/43	..	following vehicle
B60Q 2300/45	..	Special conditions, e.g. pedestrians, road signs or potential dangers
B60Q 2300/47	..	Direct command from other road users, i.e. the command for switching or changing the beam is sent by other vehicles or road devices
<b>B60Q 2400/00</b>		<b>Special features or arrangements of exterior signal lamps for vehicles</b>
B60Q 2400/10	.	Electroluminescent surfaces, i.e. signalling by way of electroluminescent strips or panels

- B60Q 2400/20
  - . Multi-color single source or LED matrix, e.g. yellow blinker and red brake lamp generated by single lamp
- B60Q 2400/30
  - . Daytime running lights [DRL], e.g. circuits or arrangements therefor
- B60Q 2400/40
  - . Welcome lights, i.e. specific or existing exterior lamps to assist leaving or approaching the vehicle
- B60Q 2400/50
  - . Projected signs, i.e. symbol or information is projected onto the road
- B60Q 2500/00**
  - Special features or arrangements of vehicle interior lamps**
- B60Q 2500/10
  - . embedded in interior trim, e.g. integrated in headliner layers
- B60Q 2500/20
  - . associated with air conditioning arrangements
- B60Q 2900/00**
  - Features of lamps not covered by other groups in [B60Q](#)**
- B60Q 2900/10
  - . Retrofit arrangements
- B60Q 2900/20
  - . Arrangements for easy recycling, e.g. for easy dismantling or use of special materials
- B60Q 2900/30
  - . Lamps commanded by wireless transmissions