

CPC**COOPERATIVE PATENT CLASSIFICATION****C10N****INDEXING SCHEME ASSOCIATED WITH SUBCLASS [C10M](#)
RELATING TO LUBRICATING COMPOSITIONS****C10N 2010/00****Metal present as such or in compounds****NOTE**

In this group, metals should be indexed according to their group of the Periodic Table.

C10N 2010/02

- . Group 1

C10N 2010/04

- . Group 2

C10N 2010/06

- . Group 3

C10N 2010/08

- . Group 4

C10N 2010/10

- . Group 5

C10N 2010/12

- . Group 6

C10N 2010/14

- . Group 7

C10N 2010/16

- . Group 8

C10N 2020/00**Specified physical properties of component of lubricating compositions**

C10N 2020/02

- . Viscosity; Viscosity index

C10N 2020/04

- . Molecular weight; Molecular weight distribution

C10N 2020/06

- . Particles of special shape or size

C10N 2030/00**Specified physical or chemical property which is improved by the additive characterising the lubricating composition, e.g. multifunctional additives**

C10N 2030/02

- . Pour-point; Viscosity index

C10N 2030/04

- . Detergent or dispersant property

C10N 2030/06

- . Oiliness; Film-strength; Anti-wear; Resistance to extreme pressure

C10N 2030/08

- . Resistance to extreme temperature

C10N 2030/10

- . Inhibition of oxidation, e.g. anti-oxidants

C10N 2030/12

- . Inhibition of corrosion, e.g. anti-rust agents, anti-corrosives

C10N 2030/14

- . Metal deactivation

C10N 2030/16

- . Antiseptic; Biocidal

C10N 2030/18

- . Anti-foaming property

C10N 2030/20

- . Colour, e.g. dyes

C10N 2040/00**Specified use or application for which the lubricating composition is intended**

C10N 2040/02

- . Bearings

C10N 2040/04

- . Oil-bath; Gear-boxes; Automatic transmissions; Traction drives

C10N 2040/06

- . Instruments or other precision apparatus, e.g. damping fluids

C10N 2040/08	<ul style="list-style-type: none"> Hydraulic fluids, e.g. brake-fluids
C10N 2040/10	<ul style="list-style-type: none"> Running-in oil
C10N 2040/12	<ul style="list-style-type: none"> Gas-turbines
C10N 2040/13	<ul style="list-style-type: none"> <ul style="list-style-type: none"> Aircraft turbines
C10N 2040/14	<ul style="list-style-type: none"> Electric or magnetic purposes
C10N 2040/16	<ul style="list-style-type: none"> <ul style="list-style-type: none"> dielectric; Insulating oil
C10N 2040/18	<ul style="list-style-type: none"> <ul style="list-style-type: none"> in connection with recordings on magnetic tape or disc
C10N 2040/20	<ul style="list-style-type: none"> Metal working
C10N 2040/22	<ul style="list-style-type: none"> <ul style="list-style-type: none"> with essential removal of material, {e.g. cutting; Cooling oil}
C10N 2040/24	<ul style="list-style-type: none"> <ul style="list-style-type: none"> without essential removal of material {Oil for deformation operations, e.g. drawing, rolling}
C10N 2040/25	<ul style="list-style-type: none"> Internal combustion engines
C10N 2040/26	<ul style="list-style-type: none"> <ul style="list-style-type: none"> Two-stroke
C10N 2040/28	<ul style="list-style-type: none"> <ul style="list-style-type: none"> Rotary
C10N 2040/30	<ul style="list-style-type: none"> Refrigerator lubricant
C10N 2040/32	<ul style="list-style-type: none"> Wire, rope or cable lubricants
C10N 2040/34	<ul style="list-style-type: none"> Lubricating-sealants
C10N 2040/36	<ul style="list-style-type: none"> Release agents
C10N 2050/00	Form in which the lubricant is applied to the material being lubricated
C10N 2050/02	<ul style="list-style-type: none"> dissolved or suspended in a carrier which subsequently evaporates to leave a lubricant coating
C10N 2050/04	<ul style="list-style-type: none"> Aerosol
C10N 2050/06	<ul style="list-style-type: none"> Gaseous phase, at least during working conditions
C10N 2050/08	<ul style="list-style-type: none"> solid
C10N 2050/10	<ul style="list-style-type: none"> semi-solids; greasy
C10N 2060/00	Chemical after-treatment of the constituents of the lubricating composition
C10N 2060/003	<ul style="list-style-type: none"> {by organic hydroxy group containing compounds}
C10N 2060/006	<ul style="list-style-type: none"> {by nitrogen containing compounds}
C10N 2060/02	<ul style="list-style-type: none"> Reduction, e.g. hydrogenation
C10N 2060/04	<ul style="list-style-type: none"> Oxidation, e.g. ozonisation
C10N 2060/06	<ul style="list-style-type: none"> by epoxides
C10N 2060/08	<ul style="list-style-type: none"> Halogenation
C10N 2060/10	<ul style="list-style-type: none"> by sulfur or a compound containing sulfur
C10N 2060/12	<ul style="list-style-type: none"> by phosphorus or a compound containing phosphorus, e.g. P_xS_y
C10N 2060/14	<ul style="list-style-type: none"> by boron or a compound containing boron
C10N 2070/00	Special methods of preparation
C10N 2080/00	Special pretreatment of the material to be lubricated, e.g. phosphatising or chromatising of a metal

C10N 2210/00**Nature of the metal present as such or in compounds, i.e. in salts****NOTE**

Indexing codes [C10N 2210/01](#) to [C10N 2210/08](#) are only to be used as linked codes in combination with codes chosen from subclass [C10M](#) identifying the chemical nature of the compounds concerned:

Example: [C10M 2201/084](#) + [C10N 2210/02](#)

- [C10N 2210/01](#) . Group I, e.g. Li, Na, K, Cs, Cu, Ag, Au
- [C10N 2210/02](#) . Group II, e.g. Mg, Ca, Ba, Zn, Cd, Hg
- [C10N 2210/03](#) . Group III, e.g. Al, In, La
- [C10N 2210/04](#) . Group IV, e.g. Sn, Pb, Ti, Zr
- [C10N 2210/05](#) . Group V, e.g. V, As, Sb, Bi
- [C10N 2210/06](#) . Group VI, e.g. Cr, Mo, W
- [C10N 2210/07](#) . Group VII or VIII
- [C10N 2210/08](#) . . Mn, Fe, Co, Ni

C10N 2220/00**Specified physical or chemical properties or characteristics, i.e. function, of single compounds in lubricating compositions**

- [C10N 2220/02](#) . Physico-chemical properties
- [C10N 2220/021](#) . . Molecular weight
- [C10N 2220/022](#) . . Viscosity
- [C10N 2220/023](#) . . Cloud point
- [C10N 2220/024](#) . . Iodine value
- [C10N 2220/025](#) . . Saturated compounds
- [C10N 2220/026](#) . . Unsaturated compounds
- [C10N 2220/027](#) . . Linear chain compounds
- [C10N 2220/028](#) . . Branched chain compounds
- [C10N 2220/029](#) . . Star-shaped polymers
- [C10N 2220/03](#) . . Dendrimers
- [C10N 2220/031](#) . . Distillation range
- [C10N 2220/032](#) . . Specific gravity or density
- [C10N 2220/033](#) . . Shear stability
- [C10N 2220/04](#) . . Ionic liquids
- [C10N 2220/06](#) . . Liquid crystals
- [C10N 2220/08](#) . . Particles related characteristics
- [C10N 2220/082](#) . . . Particle size or shape
- [C10N 2220/084](#) . . . Coated particles
- [C10N 2220/086](#) . . . Fibrous forms
- [C10N 2220/10](#) . . Biodegradable compounds
- [C10N 2220/12](#) . . Volatile compounds
- [C10N 2220/13](#) . . Non-volatile compounds

- C10N 2220/14 . Characteristics associated with water
- C10N 2220/142 . . Water solubility
- C10N 2220/144 . . Onsolubility in water
- C10N 2220/146 . . Crystal water containing compounds
- C10N 2220/30 . . Refrigerants

NOTE

Indexing codes [C10N 2220/301](#) to [C10N 2220/306](#) are only used in association with group [C10M 171/008](#) to provide information about the specific refrigerant.

- C10N 2220/301 . . . Chlorofluorocarbons
- C10N 2220/302 . . . Hydrofluorocarbons
- C10N 2220/303 . . . Hydrocarbons
- C10N 2220/304 . . . Nitrogen
- C10N 2220/305 . . . Ammonia
- C10N 2220/306 . . . Carbon dioxide

C10N 2230/00**Specified physical or chemical properties of lubricating compositions**

- C10N 2230/02 . Viscosity or viscosity index
- C10N 2230/04 . Detergent properties, e.g. for cleaning, inhibition or removing varnish;
Dispersion properties, e.g. for dispersing solids, carbon residues, sludge
- C10N 2230/041 . . Soot induced viscosity control
- C10N 2230/06 . Resistance to extreme pressure; Oiliness; Abrasion resistance; Friction; Anti-wear
- C10N 2230/08 . Resistance to extreme heat; Resistance to extreme temperature
- C10N 2230/10 . Anti-oxidation characteristics
- C10N 2230/12 . Resistance to rust or corrosion
- C10N 2230/14 . Metal deactivation, i.e. passivation
- C10N 2230/16 . Bactericidal or (micro)biocidal
- C10N 2230/18 . Defoaming properties
- C10N 2230/20 . Colour
- C10N 2230/22 . Degreasing properties
- C10N 2230/24 . Emulsion properties
- C10N 2230/26 . Waterproofing or water-resistance
- C10N 2230/28 . Anti-static
- C10N 2230/30 . Anti-misting
- C10N 2230/32 . Light or X-ray resistance
- C10N 2230/34 . Fragrance or deodorising properties
- C10N 2230/36 . Seal compatibility, e.g. with rubber
- C10N 2230/38 . Catalyst protection, e.g. in exhaust gas converters
- C10N 2230/40 . Low content or no content compositions
- C10N 2230/41 . . Chlorine free or low chlorine content compositions

C10N 2230/42	. . Phosphor free or low phosphor content compositions
C10N 2230/43	. . Sulfur free or low sulfur content compositions
C10N 2230/44	. . Boron free or low contentn boron compositions
C10N 2230/45	. . Ashless or low ash content
C10N 2230/50	. Emission or smoke controlling properties
C10N 2230/52	. Base number (TBN)
C10N 2230/54	. Fuel economy
C10N 2230/56	. Boundary lubrication or thin film lubrication
C10N 2230/58	. Elastohydrodynamic lubrication, e.g. for high compressibility layers
C10N 2230/60	. Electro rheological properties
C10N 2230/62	. Food grade properties
C10N 2230/64	. Environmental friendly compositions
C10N 2230/66	. Hydrolytic stability
C10N 2230/68	. Shear stability
C10N 2230/70	. Soluble oils
C10N 2230/72	. Extended drain
C10N 2230/74	. Noack Volatility
C10N 2230/76	. Reduction of noise, shudder or vibrations
C10N 2230/78	. Fuel contamination

C10N 2240/00**Specified uses or applications of lubricating compositions**

C10N 2240/02	. Bearings
C10N 2240/04	. Gear oil
C10N 2240/042	. . for automatic transmissions
C10N 2240/044	. . for manual transmissions
C10N 2240/045	. . for Continuous Variable Transmission [CVT]
C10N 2240/046	. . for traction drives
C10N 2240/06	. Precision machinery, instruments
C10N 2240/08	. Hydraulic fluids, e.g. for brakes, clutches
C10N 2240/10	. Internal-combustion engines
C10N 2240/101	. . Alcohol fuelled engines
C10N 2240/102	. . Diesel engines
C10N 2240/103	. . . Small diesel engines
C10N 2240/104	. . Gasoline engines
C10N 2240/105	. . . Two-cycle engines
C10N 2240/106	. . . Rotary engines
C10N 2240/108	. . for running in; grinding
C10N 2240/12	. Gas turbines
C10N 2240/121	. . Aircraft turbines
C10N 2240/14	. Steam engines or turbines

C10N 2240/20	. Electrical or magnetic applications
C10N 2240/201	. . Dielectrics or insulators
C10N 2240/202	. . for electric contacts
C10N 2240/203	. . Pantographs, i.e. printing devices
C10N 2240/204	. . Magnetic recording mediums
C10N 2240/205	. . Magnetic fluids
C10N 2240/22	. Lubricating sealants
C10N 2240/30	. Refrigerators; Compressors
C10N 2240/40	. Metal working
C10N 2240/401	. . with removal of material, e.g. cutting, grinding, drilling
C10N 2240/402	. . without removal of material, e.g. forming, gorging, drawing, pressing, stamping, rolling, extruding
C10N 2240/403	. . Manufacturing joint less pipes
C10N 2240/404	. . Hot working
C10N 2240/405	. . Cold working
C10N 2240/406	. . of specific metals
C10N 2240/407	. . . Soft metals, e.g. aluminium
C10N 2240/408	. . . Iron or steel
C10N 2240/409	. . . stainless steel
C10N 2240/50	. Wires, ropes or cables
C10N 2240/52	. Conveyors; Chain belts
C10N 2240/54	. Generators or electric motors in oil or gas winning field
C10N 2240/56	. Flashing oils; Marking oils
C10N 2240/58	. Mould release agents
C10N 2240/60	. Supervacuum or supercritical use
C10N 2240/62	. Textile oils
C10N 2240/64	. Slushing oils
C10N 2240/66	. Medical uses
C10N 2250/00	Form or state of lubricant compositions in which they are used
C10N 2250/02	. Emulsions; Colloids; Micelles
C10N 2250/021	. . Oil-in-water
C10N 2250/022	. . Water-in-oil
C10N 2250/04	. Aerosols
C10N 2250/06	. Gaseous form
C10N 2250/08	. Solids
C10N 2250/10	. Semi-solids or greases
C10N 2250/12	. Dispersions of solid lubricants
C10N 2250/121	. . compositions providing a coating after evaporation of a medium, e.g. of solvent, water
C10N 2250/14	. Multi layer lubricant coatings

- C10N 2250/141 . . . in the form of films or sheets
- C10N 2250/16 . Micro capsules
- C10N 2250/18 . Composite materials, or sliding materials in which lubricants are integrally moulded

C10N 2260/00**Chemical after-treatment or modifications of compounds**

- C10N 2260/02 . Reduction
- C10N 2260/04 . Oxidation
- C10N 2260/06 . Treatment with epoxides or oxyalkylation reactions
- C10N 2260/08 . Halogenation
- C10N 2260/09 . Treatment with nitrogen containing compounds
- C10N 2260/10 . Treatment with sulfur or sulfur-containing compounds
- C10N 2260/12 . Treatment with phosphorus or phosphorus-containing compounds
- C10N 2260/14 . Treatment with boron or boron-containing compounds

C10N 2270/00**Specific manufacturing methods for lubricant compositions or compounds not covered by groups [C10N 2210/00](#) to [C10N 2260/00](#)**

- C10N 2270/02 . concentrating of additives

C10N 2280/00**Specific pretreatment of the surface to be lubricated, e.g. phosphatising**