

CPC**COOPERATIVE PATENT CLASSIFICATION****F23G****CREMATION FURNACES; CONSUMING WASTE PRODUCTS BY COMBUSTION****NOTE**

This subclass covers also the burning of low-grade fuel of solid, liquid, or gaseous nature.

F23G 1/00**Furnaces for cremation of human or animal carcasses****F23G 5/00****Incineration of waste (of specific waste [F23G 7/00](#)); Incinerator constructions; Details, accessories or control therefor****F23G 5/002**

- {characterised by their grates ([F23G 5/05](#) takes precedence)}

F23G 5/004

- . {with endless travelling grates}

F23G 5/006

- {General arrangement of incineration plant, e.g. flow sheets}

F23G 5/008

- {adapted for burning two or more kinds, e.g. liquid and solid, of waste being fed through separate inlets}

F23G 5/02

- with pretreatment

F23G 5/027

- . pyrolysing or gasifying stage ([pyrolysis of sludge C02F 11/00](#); [destructive distillation of carbonaceous materials C10B 53/00](#))

F23G 5/0273

- . . {using indirect heating}

F23G 5/0276

- . . {using direct heating}

F23G 5/033

- . comminuting or crushing

F23G 5/04

- . drying

F23G 5/05

- . . using drying grates

F23G 5/08

- having supplementary heating

F23G 5/085

- . {High-temperature heating means, e.g. plasma, for partly melting the waste}

F23G 5/10

- . electric

F23G 5/12

- . using gaseous or liquid fuel ([F23G 5/14](#) takes precedence)

F23G 5/14

- . including secondary combustion

F23G 5/16

- . . in a separate combustion chamber

F23G 5/165

- . . . {arranged at a different level}

F23G 5/18

- . . in a stack

F23G 5/20

- having rotating or oscillating drums

F23G 5/22

- . the drums being conically shaped

F23G 5/24

- having a vertical, substantially cylindrical, combustion chamber

F23G 5/245

- . {with perforated bottom or grate}

F23G 5/26

- . having rotating bottom

F23G 5/28

- . having raking arms

F23G 5/30

- having a fluidised bed

F23G 5/32

- the waste being subjected to a whirling movement, e.g. cyclonic incinerators

- F23G 5/34 . the waste being burnt in a pit or arranged in a heap for combustion
 - F23G 5/36 . having a conical combustion chamber, e.g. "teepee" incinerators ([F23G 5/22](#) takes precedence)
 - F23G 5/38 . Multi-hearth arrangements
 - F23G 5/40 . Portable or mobile incinerators
 - F23G 5/42 . . of the basket type
 - F23G 5/44 . Details; Accessories
 - F23G 5/442 . . {Waste feed arrangements}
 - F23G 5/444 . . . {for solid waste ([F23G 5/448](#) takes precedence)}
 - F23G 5/446 . . . {for liquid waste ([F23G 5/448](#) takes precedence)}
 - F23G 5/448 . . . {in which the waste is fed in containers or the like}
 - F23G 5/46 . . Recuperation of heat
 - F23G 5/48 . . Preventing corrosion
 - F23G 5/50 . Control or safety arrangements
- F23G 7/00 Incinerators or other apparatus for consuming industrial waste, e.g. chemicals** (incinerator closets [A47K 11/02](#); oxidation of sludge [C02F 11/06](#); burners in general, burner details [F23D](#); incinerating radioactive waste [G21F 9/00](#))
- F23G 7/001 . {for sludges or waste products from water treatment installations ([F23G 5/008](#) takes precedence)}
 - F23G 7/003 . {for used articles}
 - F23G 7/005 . . {cars, vehicles}
 - F23G 7/006 . . {wires, cables (production and refining of metals [C22B](#), e.g. from scrap to produce non-ferrous metals [C22B 7/00](#); salvaging material from cables [H01B 15/003](#))}
 - F23G 7/008 . {for liquid waste (waste oil [F23G 7/05](#), waste liquors [F23G 7/04](#), sludges [F23G 7/001](#))}
 - F23G 7/02 . of bagasse, megasse or the like
 - F23G 7/04 . of waste liquors, e.g. sulfite liquors
 - F23G 7/05 . of waste oils
 - F23G 7/06 . of waste gases or noxious gases, e.g. exhaust gases (exhaust apparatus for engines with means for rendering the exhaust innocuous, e.g. by thermal or catalytic conversion, [F01N 3/08](#); combustion of uncombusted material from primary combustion within apparatus for combustion of solid or fluent fuel [F23B](#), {of non combusted material from primary combustion of solid fuels [F23B 5/00](#); of gases produced by primary combustion of solid fuels [F23B 90/04](#), [F23C](#))
 - F23G 7/061 . . {with supplementary heating}
 - F23G 7/063 . . . {electric heating}
 - F23G 7/065 . . . {using gaseous or liquid fuel}
 - F23G 7/066 {preheating the waste gas by the heat of the combustion, e.g. recuperation type incinerator}
 - F23G 7/068 {using regenerative heat recovery means}

- F23G 7/07
 - in which combustion takes place in the presence of catalytic material

WARNING

This subgroup [IPC8] introduced in January 2006 is not complete. Documents from IPC7-based groups are in the process of being reorganised to this new group

- F23G 7/08
 - using flares, e.g. in stacks
- F23G 7/085
 - {in stacks}
- F23G 7/10
 - of field or garden waste {or biomasses}
- F23G 7/105
 - {of wood waste}
- F23G 7/12
 - of plastics, e.g. rubber
- F23G 7/14
 - of contaminated soil, e.g. by oil

F23G 2200/00

Waste incineration

F23G 2201/00

Pretreatment

- F23G 2201/10
 - Drying by heat
- F23G 2201/101
 - using indirect heat transfer
- F23G 2201/20
 - Dewatering by mechanical means
- F23G 2201/30
 - Pyrolysing
- F23G 2201/301
 - Treating pyrogases
- F23G 2201/302
 - Treating pyrosolids
- F23G 2201/303
 - Burning pyrogases
- F23G 2201/304
 - Burning pyrosolids
- F23G 2201/40
 - Gasification
- F23G 2201/50
 - Devolatilising; from soil, objects
- F23G 2201/60
 - Separating
- F23G 2201/601
 - different calorific values
- F23G 2201/602
 - different sizes
- F23G 2201/603
 - recyclible material
- F23G 2201/70
 - Blending
- F23G 2201/701
 - with additives
- F23G 2201/702
 - with other waste
- F23G 2201/80
 - Shredding
- F23G 2201/90
 - Cooling

F23G 2202/00

Combustion

- F23G 2202/10
 - in two or more stages
- F23G 2202/101
 - with controlled oxidant supply
- F23G 2202/102
 - with supplementary heating
- F23G 2202/103
 - in separate chambers
- F23G 2202/104
 - with ash melting stage

- F23G 2202/105 . . with waste supply in stages
- F23G 2202/106 . . with recirculation of unburned solid or gaseous matter into combustion chamber
- F23G 2202/20 . to temperatures melting waste
- F23G 2202/30 . in a pressurised chamber
- F23G 2202/40 . in a pulsed combustion chamber
- F23G 2202/50 . in a matrix bed combustion chamber
- F23G 2202/60 . in a catalytic combustion chamber
- F23G 2202/70 . with application of specific energy
- F23G 2202/701 . . Electrical fields
- F23G 2202/703 . . Acoustic energy

F23G 2203/00**Furnace arrangements**

- F23G 2203/10 . Stoker grate furnace
- F23G 2203/101 . with stepped or inclined grate
- F23G 2203/103 . with roller grate
- F23G 2203/105 . with endless chain or travelling grate
- F23G 2203/107 . with vibrating grate
- F23G 2203/20 . Rotary drum furnace
- F23G 2203/201 . . using oscillating movement
- F23G 2203/202 . . rotating around substantially vertical axis
- F23G 2203/203 . . with conically shaped drum
- F23G 2203/204 . . having non-circular inner cross-section
- F23G 2203/205 . . with water-cooled wall
- F23G 2203/206 . . with charging ports in the sidewall
- F23G 2203/207 . . with air supply ports in the sidewall
- F23G 2203/208 . . with interior agitating members
- F23G 2203/209 . . with variable inclination of rotation axis
- F23G 2203/21 . . with variable speed of rotation
- F23G 2203/211 . . Arrangement of a plurality of drums
- F23G 2203/212 . . Sealing arrangements between rotary and stationary parts
- F23G 2203/30 . Cyclonic combustion furnace
- F23G 2203/40 . Stationary bed furnace
- F23G 2203/401 . . with support for a grate or perforated plate
- F23G 2203/403 . . with substantial cylindrical combustion chamber
- F23G 2203/50 . Fluidised bed furnace
- F23G 2203/501 . . with external recirculation of entrained bed material
- F23G 2203/502 . . with recirculation of bed material inside combustion chamber
- F23G 2203/503 . . with two or more fluidised beds
- F23G 2203/504 . . with essentially horizontal flow of bed material
- F23G 2203/505 . . with fluidised bed rotated as a whole

- F23G 2203/60 . Mobile furnace
- F23G 2203/601 . . carried by a vehicle
- F23G 2203/70 . Modular furnace
- F23G 2203/80 . Furnaces with other means for moving the waste through the combustion zone
- F23G 2203/801 . . using conveyors
- F23G 2203/8013 . . . Screw conveyors
- F23G 2203/8016 . . . Belt conveyors
- F23G 2203/803 . . Rams or pushers
- F23G 2203/805 . . using a rotating hearth

F23G 2204/00**Supplementary heating arrangements**

- F23G 2204/10 . using auxiliary fuel
- F23G 2204/101 . . solid fuel
- F23G 2204/103 . . gaseous or liquid fuel
- F23G 2204/20 . using electric energy
- F23G 2204/201 . . Plasma
- F23G 2204/202 . . Laser
- F23G 2204/203 . . Microwave
- F23G 2204/204 . . Induction

F23G 2205/00**Waste feed arrangements**

- F23G 2205/10 . using ram or pusher
- F23G 2205/101 . . sequentially operated
- F23G 2205/12 . using conveyors
- F23G 2205/121 . . Screw conveyor
- F23G 2205/122 . . Belt conveyor
- F23G 2205/123 . . Roller conveyor
- F23G 2205/124 . . Chain conveyor
- F23G 2205/125 . . Vibrating conveyor
- F23G 2205/14 . using hopper or bin
- F23G 2205/16 . using chute
- F23G 2205/18 . using airlock systems
- F23G 2205/20 . using airblast or pneumatic feeding

F23G 2206/00**Waste heat recuperation**

- F23G 2206/10 . reintroducing the heat in the same process, e.g. for predrying
- F23G 2206/20 . using the heat in association with another installation
- F23G 2206/201 . . with an industrial furnace
- F23G 2206/202 . . with an internal combustion engine
- F23G 2206/203 . . with a power/heat generating installation

F23G 2207/00**Control**

- F23G 2207/10 . Arrangement of sensing devices
- F23G 2207/101 . . for temperature
- F23G 2207/1015 . . . Heat pattern monitoring of flames
- F23G 2207/102 . . for pressure
- F23G 2207/103 . . for oxygen
- F23G 2207/104 . . for CO or CO₂
- F23G 2207/105 . . for NO_x
- F23G 2207/106 . . for SO_x
- F23G 2207/107 . . for halogen concentration
- F23G 2207/108 . . for hydrocarbon concentration
- F23G 2207/112 . . for waste supply flowrate
- F23G 2207/113 . . for oxidant supply flowrate
- F23G 2207/114 . . for combustion bed level
- F23G 2207/20 . Waste supply
- F23G 2207/30 . Oxidant supply
- F23G 2207/40 . Supplementary heat supply
- F23G 2207/50 . Cooling fluid supply
- F23G 2207/60 . Additives supply

F23G 2208/00**Safety aspects**

- F23G 2208/10 . Preventing or abating fire or explosion, e.g. by purging

F23G 2209/00**Specific waste**

- F23G 2209/10 . Liquid waste
- F23G 2209/101 . . Waste liquor
- F23G 2209/102 . . Waste oil
- F23G 2209/103 . . Bagasse, megasse
- F23G 2209/12 . Sludge, slurries or mixtures of liquids
- F23G 2209/14 . Gaseous waste or fumes
- F23G 2209/141 . . Explosive gases
- F23G 2209/142 . . Halogen gases, e.g. silane
- F23G 2209/16 . Warfare materials, e.g. ammunition
- F23G 2209/18 . Radioactive materials
- F23G 2209/20 . Medical materials
- F23G 2209/22 . Waste papers
- F23G 2209/24 . Contaminated soil; foundry sand
- F23G 2209/26 . Biowaste
- F23G 2209/261 . . Woodwaste
- F23G 2209/262 . . Agricultural waste

- F23G 2209/28 . Plastics or rubber like materials
- F23G 2209/281 . . Tyres
- F23G 2209/30 . Solid combustion residus, e.g. bottom or flyash

F23G 2900/00**Special features of, or arrangements for incinerators**

- F23G 2900/00001 . Exhaust gas recirculation ([using the heat thereof F23G 2206/10](#))
- F23G 2900/50001 . Combination of two or more furnaces
- F23G 2900/50002 . Burning with downwards directed draft through the waste mass
- F23G 2900/50003 . Waste oxidation, pyrolysis or gasification in water under supercritical conditions
- F23G 2900/50004 . Furnace with inclined hearth
- F23G 2900/50005 . Waste in combustion chamber supported on bed made of special materials
- F23G 2900/50006 . Combustion chamber walls reflecting radiant energy within the chamber
- F23G 2900/50007 . Co-combustion of two or more kinds of waste, separately fed into the furnace
- F23G 2900/50008 . Combustion of waste suspended or lifted by upward gas flows
- F23G 2900/50009 . Furnace with progressive waste movements in vertical or steeply inclined direction
- F23G 2900/50201 . Waste pyrolysis, gasification or cracking by indirect heat transfer
- F23G 2900/50202 . Waste pyrolysis, gasification or cracking in presence of catalysts
- F23G 2900/50203 . Waste pyrolysis, gasification or cracking in a mechanically fluidised bed, e.g. obtained by a centrifugal force
- F23G 2900/50204 . Waste pre-treatment by pyrolysis, gasification or cracking
- F23G 2900/50205 . Waste pre-treatment by pyrolysis, gasification or cracking followed by condensation of gas into combustible oil or fat
- F23G 2900/50206 . Pelletising waste before combustion
- F23G 2900/50207 . Thermoforming of plastic waste materials before combustion
- F23G 2900/50208 . Biologic treatment before burning, e.g. biogas generation
- F23G 2900/50209 . Compacting waste before burning
- F23G 2900/50211 . Evaporating, e.g. liquid waste before burning
- F23G 2900/50212 . Extruding waste before combustion
- F23G 2900/50213 . Preheating processes other than drying or pyrolysis
- F23G 2900/50214 . Separating non combustible matters
- F23G 2900/50401 . Drying waste by mixing with drying chemicals, e.g. with CaO
- F23G 2900/508 . Providing additional energy for combustion, e.g. by using supplementary heating
 - F23G 2900/50801 . using the heat from externally heated bodies, e.g. steel balls
 - F23G 2900/50802 . . using solid propellant
 - F23G 2900/50803 . . using solar energy
 - F23G 2900/50804 . . using thermit or other compositions of metal oxides as auxiliary fuel
 - F23G 2900/51001 . . using arc discharge electrodes to provide heat
- F23G 2900/52001 . Rotary drums with co-current flows of waste and gas
- F23G 2900/52002 . Rotary drum furnaces with counter-current flows of waste and gas

- F23G 2900/52003 . Rotary drum furnaces with foramenous drum walls, e.g. grate drums
- F23G 2900/53801 . Multi-hearth furnaces with vertical axis
- F23G 2900/54001 . Hearths or supports movable into and from the furnace, e.g. by a conveyor
- F23G 2900/54401 . Feeding waste in containers, bags or barrels
- F23G 2900/54402 . Injecting fluid waste into incinerator
- F23G 2900/54601 . using waste heat for desalinating sea water
- F23G 2900/55 . Controlling; Monitoring or measuring
 - F23G 2900/55001 . . Controlling combustion air preheating
 - F23G 2900/55002 . . Sensing exhaust gas opacity
 - F23G 2900/55003 . . Sensing for exhaust gas properties, e.g. O₂ content
 - F23G 2900/55004 . . Sensing exhaust gas radioactivity
 - F23G 2900/55005 . . Sensing ash or slag properties
 - F23G 2900/55006 . . Measuring material flow rates
 - F23G 2900/55007 . . Sensors arranged in waste loading zone, e.g. feed hopper level
 - F23G 2900/55008 . . Measuring produced steam flow rate
 - F23G 2900/55009 . . Controlling stoker grate speed or vibrations for waste movement
 - F23G 2900/55011 . . Detecting the properties of waste to be incinerated, e.g. heating value, density
- F23G 2900/70 . Incinerating particular products or waste
 - F23G 2900/7001 . . Air bags or seat belt pre-tensioners
 - F23G 2900/7002 . . Animal fat, e.g. lard, tallow, stearin
 - F23G 2900/7003 . . Incinerating litter from animals, e.g. poultry litter
 - F23G 2900/7004 . . Incinerating contaminated animal meals
 - F23G 2900/7005 . . Incinerating used asbestos
 - F23G 2900/7006 . . Incinerating used automobiles
 - F23G 2900/7007 . . Incinerating or pyrolysing used batteries
 - F23G 2900/7008 . . Incinerating remains of building materials after demolishing, e.g. fibreglass asphalt shingles
 - F23G 2900/7009 . . Incinerating human or animal corpses or remains
 - F23G 2900/7011 . . Incinerating PCB-materials
 - F23G 2900/7012 . . Incinerating rice or grain husks, hulls or bran
 - F23G 2900/7013 . . Incinerating oil shales
 - F23G 2900/70401 . . Incinerating drainage water from waste pits of incinerators
 - F23G 2900/70601 . Temporary storage means, e.g. buffers for accumulating fumes or gases, between treatment stages