

CPC COOPERATIVE PATENT CLASSIFICATION

B29K INDEXING SCHEME ASSOCIATED WITH SUBCLASSES [B29B](#), [B29C](#) OR [B29D](#), RELATING TO MOULDING MATERIALS

NOTES

1. This subclass constitutes an indexing scheme associated with subclasses [B29B](#), [B29C](#) or [B29D](#).
2. In this subclass, the following term is used with the meaning indicated:
 - "rubber" covers:
 - a. natural or conjugated diene rubbers;
 - b. rubber in general (for a specific rubber, other than a natural rubber or a conjugated diene rubber, see the group provided for such macromolecular compounds
3. Documents relating to compositions or properties of the materials to be shaped, said compositions having a particular influence on the shaping technique, should be classified in the shaping technique, e.g. [B29C 39/003](#), [B29C 41/003](#), [B29C 43/003](#), [B29C 45/0001](#), [B29C 47/0004](#), [B29C 49/0005](#), [B29C 51/002](#), [B29C 53/005](#), [B29C 55/005](#), [B29C 61/003](#), [B29C 63/0017](#) and **B2965/00S**

Copolymers are indexed with the same indexing code as the majority polymers

WARNINGS

1. The following IPC indexing codes are not being used: [B29K 105/02](#), [B29K 105/22](#), [B29K 105/28](#), [B29K 105/30](#), [B29K 105/32](#) and [B29K 105/34](#)
 - The aspect of [B29K 105/02](#) is covered by [B29K 2995/0064](#)
 - The aspect of [B29K 105/22](#) is covered by [B29K 2705/00](#)
 - The aspect of [B29K 105/28](#) is covered by [B29K 2995/0025](#)
 - The aspect of [B29K 105/30](#) is covered by [B29K 2995/003](#)
 - The aspect of [B29K 105/32](#) is covered by [B29K 2995/0026](#)
 - The aspects of [B29K 105/34](#) are covered by [B29K 2995/002](#), [B29K 2995/0007](#) and [B29K 2995/0015](#)Subclass indexes
 - Compositions for moulding materials, condition, form or state of moulded material: **B29K1/00 - B29K105/00**
 - Compositions for reinforcements: **B29K201/00 - B29K313/00**
 - Compositions for fillers: **B29K401/00 - B29K511/00**
 - Compositions for preformed parts: **B29K601/00 - B29K713/00**
 - Compositions for moulds: **B29K801/00 - B29K913/00**
 - Properties of moulding materials, reinforcements, fillers, preformed parts or moulds: **B29K995/00**
 - Compositions for moulding materials;
 - Condition, form or state of moulded material
2. From the date indicated below, the following groups have been deleted from the classification scheme. The documents of these groups have been transferred to the new groups as follows :
 - B29K105/28** transfered to [B29K 2995/0025](#)
 - B29K105/30** transfered to [B29K 2995/003](#)
 - B29K105/32** transfered to [B29K 2995/0026](#)
 - B29K105/34** transfered to [B29K 2995/002](#), [B29K 2995/0007](#), **B29K00D4**

2001/00	Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as moulding material {(as such C08L 1/00)}	2007/00	Use of natural rubber as moulding material {(as such C08L 7/00)}
2001/08	. {Cellulose derivatives (as such C08L 1/08)}	2009/00	Use of rubber derived from conjugated dienes, as moulding material {(as such C08L 9/00)}
2001/12	. . {Cellulose acetate (as such C08L 1/12)}	2009/06	. {SBR}, i.e. butadiene-styrene {rubbers (as such C08L 9/06)}
2001/14	. . {Cellulose acetate-butyrate (as such C08L 1/14)}	2011/00	Use of {rubber derived from chloroprene as moulding material (as such C08L 11/00)}
2001/18	. . {Cellulose nitrate (as such C08L 1/18)}	2019/00	Use of rubber not provided for in a single one of main groups B29K7/00 - {B29K 2011/00} , as moulding material
2003/00	Use of {starch or derivatives as moulding material (as such C08L 3/00)}	2021/00	Use of {unspecified rubbers as moulding material (as such C08L 21/00)}
2005/00	{Polysaccharides or derivatives (as such C08L 5/00)}		

- 2021/003 . {Thermoplastic elastomers}
- 2021/006 . {Thermosetting elastomers}
- 2023/00 Use of polyalkenes {or derivatives thereof} as moulding material {(as such C08L 23/00)}**
- 2023/04 . {Polymers of ethylene (as such C08L 23/04)}
- 2023/06 . . {PE, i.e. polyethylene (as such C08L 23/06)}
- 2023/0608 . . . {characterised by its density}
- 2023/0616 {VLDPE, i.e. very low density polyethylene}
- 2023/0625 {LLDPE, i.e. linear low density polyethylene}
- 2023/0633 {LDPE, i.e. low density polyethylene}
- 2023/0641 {MDPE, i.e. medium density polyethylene}
- 2023/065 {HDPE, i.e. high density polyethylene}
- 2023/0658 . . . {characterised by its molecular weight}
- 2023/0666 {ULMWPE, i.e. ultra low molecular weight polyethylene}
- 2023/0675 {HMWPE, i.e. high molecular weight polyethylene}
- 2023/0683 {UHMWPE, i.e. ultra high molecular weight polyethylene}
- 2023/0691 . . . {PEX, i.e. crosslinked polyethylene}
- 2023/08 . . {Use of copolymers of ethylene as moulding material (as such C08L 23/08; B29K 2023/16 takes precedence)}
- 2023/083 . . . {EVA, i.e. ethylene vinyl acetate copolymer}
- 2023/086 . . . {EVOH, i.e. ethylene vinyl alcohol copolymer}
- 2023/10 . {Polymers of propylene (as such C08L 23/10)}
- 2023/12 . . {PP, i.e. polypropylene (as such C08L 23/12)}
- 2023/14 . . {Copolymers of polypropylene (as such C08L 23/14; B29K 2023/16 takes precedence)}
- 2023/16 . {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such C08L 23/16)}
- 2023/18 . {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such C08L 23/18)}
- 2023/22 . . {Copolymers of isobutene, e.g. butyl rubber (as such C08L 23/22)}
- 2023/38 . {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
- 2025/00 Use of polymers of vinyl-aromatic compounds {or derivatives thereof} as moulding material {(as such C08L 25/00)}**
- 2025/04 . {Polymers of styrene (as such C08L 25/04)}
- 2025/06 . . {PS, i.e. polystyrene (as such C08L 25/06)}
- 2025/08 . . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such C08L 25/08; B29K55/02 takes precedence)}
- 2027/00 Use of polyvinylhalogenides {or derivatives thereof} as moulding material {(as such C08L 27/00)}**
- 2027/06 . {PVC, i.e. polyvinylchloride (as such C08L 27/06)}
- 2027/08 . {PVDC, i.e. polyvinylidene chloride (as such C08L 27/08)}
- 2027/12 . containing fluorine {(as such C08L 27/12)}
- 2027/14 . . {PVF, i.e. polyvinyl fluoride (as such C08L 27/14)}
- 2027/16 . . {PVDF, i.e. polyvinylidene fluoride (as such C08L 27/16)}
- 2027/18 . . PTFE, i.e. polytetrafluorethene {(as such C08L 27/18), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
- 2029/00 Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof} as moulding material {(as such C08L 29/00)}**
- 2029/04 . {PVOH, i.e. polyvinyl alcohol (as such C08L 29/04; B29K 2031/04 takes precedence)}
- 2029/14 . {Polyvinylacetals}
- 2031/00 Use of polyvinylesters {or derivatives thereof} as moulding material {(as such C08L 31/00)}**
- 2031/04 . {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such C08L 31/04)}
- 2033/00 Use of polymers of unsaturated acids or derivatives thereof as moulding material {(as such C08L 33/00; B29K35/00 takes precedence)}**
- 2033/04 . Polymers of esters {(as such C08L 33/04)}
- 2033/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such C08L 33/08)}
- 2033/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such C08L 33/12)}
- 2033/18 . Polymers of nitriles {(as such C08L 33/18)}
- 2033/20 . . PAN, i.e. polyacrylonitrile {(as such C08L 33/20)}
- 2033/26 . {Polymers of acrylamide or methacrylamide (as such C08L 33/26)}
- 2035/00 Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} as moulding material {(as such C08L 35/00)}**
- 2039/00 {Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof as moulding material (as such C08L 39/00)}**
- 2039/06 . {Polymers of N-vinyl-pyrrolidones (as such C08L 39/06)}
- 2039/08 . {Polymers of vinyl-pyridine (as such C08L 39/08)}
- 2045/00 Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, as moulding material {(as such C08L 45/00)}**
- 2049/00 {Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, as moulding material (as such C08L 49/00)}**
- 2055/00 Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups B29K23/00 - {B29K49/00, e.g. having a vinyl group}, as moulding material {(as such C08L 55/00)}**
- 2055/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such C08L 55/02)}
- 2059/00 Use of polyacetals {, e.g. POM, i.e. polyoxymethylene; or derivatives thereof}, as moulding material {(as such C08L 59/00)}**

- 2061/00** Use of condensation polymers of aldehydes or ketones **{or derivatives thereof}** as moulding material **{(as such C08L 61/00)}**
- 2061/04 . Phenoplasts **{(as such C08L 61/04)}**
- 2061/20 . Aminoplasts **{(as such C08L 61/20)}**
- 2063/00** Use of **{EP, i.e.} epoxy resins {or derivatives thereof}** as moulding material **{(as such C08L 63/00)}**
- 2065/00** **{Use of polyphenylenes (as such C08L 65/02) or polyxylylenes (as such C08L 65/04) as moulding material}**
- 2067/00** Use of polyesters **{or derivatives thereof}** as moulding material **{(as such C08L 67/00)}**
- 2067/003 . {PET, i.e. poylethylene terephthalate}
- 2067/006 . {PBT, i.e. polybutylene terephthalate}
- 2067/04 . {Polyesters derived from hydroxycarboxylic acids (as such C08L 67/04)}
- 2067/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
- 2067/046 . . {PLA, i.e. polylactic acid or polylactide}
- 2067/06 . {Unsaturated polyesters (as such C08L 67/06)}
- 2069/00** Use of **{PC, i.e.} polycarbonates {or derivatives thereof}** as moulding material **{(as such C08L 69/00)}**
- 2071/00** Use of polyethers, **{e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}** as moulding material **{(as such C08L 71/00)}**
- 2071/02 . {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such C08L 71/02)}
- 2071/12 . {PPO, i.e. polyphenylene oxide (as such C08L 71/12); PPE, i.e. polyphenylene ether}
- 2073/00** Use of other polymers having oxygen as the only hetero atom in the main chain as moulding material **{(as such C08L 73/00)}**
- 2075/00** Use of **{PU, i.e.} polyureas or polyurethanes {or derivatives thereof}** as moulding material **{(as such C08L 75/00)}**
- 2075/02 . {Polyureas (as such C08L 75/02)}
- 2077/00** Use of **{PA, i.e.} polyamides, e.g. polyesteramides {or derivatives thereof}** as moulding material **{(as such C08L 77/00)}**
- 2077/10 . {Aromatic polyamides (Polyaramides) or derivatives thereof (such as C08L 77/10)}
- 2079/00** Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain **{not provided for in groups B29K61/00 - B29K77/00}, as moulding material {(as such C08L 79/00)}**
- 2079/08 . {PI, i.e. polyimides or derivatives thereof (as such C08L 79/08)}
- 2079/085 . . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}
- 2081/00** Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as moulding material **{(as such C08L 81/00)}**
- 2081/04 . {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such C08L 81/04)}
- 2081/06 . {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such C08L 81/06)}
- 2083/00** Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as moulding material **{(as such C08L 83/00)}**
- 2083/005 . {Liquid Silicone Rubbers [LSR] or derivatives thereof}
- 2085/00** Use of polymers having other elements **{than silicon, sulfur, nitrogen, oxygen, and carbon}** in the main chain, as moulding material **{(as such C08L 85/00)}**
- 2086/00** Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups **B29K59/00 - B29K85/00**, as moulding material
- 2089/00** **{Use of proteins, e.g. casein, gelatine or derivatives thereof, as moulding material (as such C08L 89/00)}**
- 2091/00** Use of waxes as moulding material **{(as such C08L 91/06)}**
- 2093/00** **{Use of natural resins (as such C08L 93/00), e.g. shellac (as such C08L 93/02) or derivatives thereof, as moulding material (B29K1/00, B29K 2003/00, B29K 2005/00, B29K7/00 and B29K 2089/00 take precedence)}**
- 2095/00** Use of bituminous materials as moulding material **{(as such C08L 95/00)}**
- 2096/00** Use of specified macromolecular materials not provided for in a single one of main groups **B29K1/00 - B29K95/00**, as moulding material
- 2096/005 . {Ionomers}
- 2096/02 . Graft polymers (**B29K55/02 takes precedence**)
- 2096/04 . Block polymers (**B29K55/02 takes precedence**)
- 2101/00** Use of unspecified macromolecular compounds as moulding material (unspecified rubbers **B29K21/00** {as such C08L 101/00})
- 2101/10 . Thermosetting resins
- 2101/12 . Thermoplastic materials
- 2103/00** Use of resin-bonded materials as moulding material
- 2103/04 . Inorganic materials
- 2103/06 . . Metal powders, metal carbides or the like
- 2103/08 . . Mineral aggregates, e.g. sand, clay or the like
- 2105/00** **Condition, form or state of moulded material {or of the material to be shaped}**
- 2105/0002 . {monomers or prepolymers}
- 2105/0005 . {containing compounding ingredients (releasing, lubricating or separating agents **B29C 33/56**, fibers **B29K105/08**, **B29K105/12**; fillers **B29K105/16**, recycled material **B29K105/26**)}
- 2105/0008 . . {Anti-static agents}
- 2105/0011 . . {Biocides}
- 2105/0014 . . {Catalysts}
- 2105/0017 . . {Agents activating degradation}
- 2105/002 . . {Agents changing electric characteristics}
- 2105/0023 . . . {improving electric conduction}
- 2105/0026 . . {Flame proofing or flame retarding agents}

2105/0029	. . {Perfuming, odour masking or flavouring agents}	2105/122	. . . {microfibres, nanofibres}
2105/0032	. . {Pigments, colouring agents or opacifying agents}	2105/124 {nanofibres}
2105/0035	. . {Medical or pharmaceutical agents}	2105/126	. . . {Whiskers, i.e. reinforcement in the form of monocrystals}
2105/0038	. . {Plasticisers}	2105/128	. . . {in the form of a mat}
2105/0041	. . {Anti-odorant agents, e.g. active carbon}	2105/14	. . . oriented
2105/0044	. . {Stabilisers, e.g. against oxydation, light, heat}	2105/145 {and crossing at substantial angles}
2105/0047	. . {Agents changing thermal characteristics}	2105/16	. . Fillers
2105/005	. . . {Heat sensitisers or absorbers}	2105/162	. . . {Nanoparticles}
2105/0052	. . {Tracing elements, e.g. to detect the origin of articles}	2105/165	. . . {Hollow fillers, e.g. microballoons, expanded particles}
2105/0055	. {Gaseous}	2105/167 {Nanotubes}
2105/0058	. {Liquid or visquous}	2105/18	. . . oriented
2105/0061	. . {Gel or sol}	2105/20	. . Inserts
2105/0064	. . {Latex, emulsion or dispersion}	2105/203	. . . {Magnetic parts}
2105/0067	. . {Melt}	2105/206	. . . {Meshes, lattices, nets}
2105/007	. . {Paste, dough}	2105/24	. crosslinked or vulcanised
2105/0073	. . {Solution}	2105/243	. . {Partially cured}
2105/0076	. {Micro capsules}	2105/246	. . {Uncured, e.g. green}
2105/0079	. {Liquid crystals}	2105/25	. {Solid}
2105/0082	. {Plasma}	2105/251	. . {Particles, powder, granules (expandable particles B29K 2105/046)}
2105/0085	. {Copolymers}	2105/253	. . {Preform}
2105/0088	. {Blends of polymers}	2105/255	. . . {Block, tablet}
2105/0091	. . {IPN, i.e. interpenetrating polymer networks}	2105/256	. . . {Sheet, plate, blank, film}
2105/0094	. {having particular viscosity}	2105/258	. . . {tubular}
2105/0097	. {Glues, adhesives, e.g. hot melts, thermofusible adhesives}	2105/26	. Scrap {recycled material}
2105/02	. heat-shrinkable	2201/00	Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as reinforcement {(as such C08L 1/00)}
2105/04	. cellular or porous		NOTE
2105/041	. . {Microporous}		Copolymers are indexed with the same indexing code as the majority polymers
2105/043	. . {Skinned foam}	2201/08	. {Cellulose derivatives (as such C08L 1/08)}
2105/045	. . {with open cells}	2201/12	. . {Cellulose acetate (as such C08L 1/12)}
2105/046	. . {with closed cells}	2201/14	. . {Cellulose acetate-butyrate (as such C08L 1/14)}
2105/048	. . {Expandable particles, beads or granules}	2201/18	. . {Cellulose nitrate (as such C08L 1/18)}
2105/06	. containing reinforcements, fillers or inserts	2203/00	Use of {starch or derivatives as reinforcement (as such C08L 3/00)}
2105/065	. . {containing impurities}	2205/00	{Polysaccharides or derivatives (as such C08L 5/00)}
2105/08	. . of continuous length, e.g. cords, rovings, mats, fabrics, strands, yarns	2207/00	Use of natural rubber as reinforcement {(as such C08L 7/00)}
2105/0809	. . . {Fabrics}	2209/00	Use of rubber derived from conjugated dienes as reinforcement {(as such C08L 9/00)}
2105/0818 {Fleece}	2209/06	. {SBR}, i.e. butadiene-styrene {rubbers (as such C08L 9/06)}
2105/0827 {Braided fabrics}	2211/00	Use of {rubber derived from chloroprene as reinforcement (as such C08L 11/00)}
2105/0836 {Knitted fabrics}	2219/00	Use of rubber not provided for in a single one of main groups B29K 207/00 - {B29K 2211/00}, as reinforcement
2105/0845 {Woven fabrics}	2221/00	Use of {unspecified rubbers as reinforcement (as such C08L 21/00)}
2105/0854	. . . {in the form of a non-woven mat}	2221/003	. {Thermoplastic elastomers}
2105/0863 {Sheet moulding compound [SMC]}	2221/006	. {Thermosetting elastomers}
2105/0872	. . . {Prepregs}		
2105/0881 {unidirectional}		
2105/089 {fabric}		
2105/10	. . . {Cords, strands or rovings, e.g.} oriented {cords, strands or rovings}		
2105/101 {oriented}		
2105/102 {circonfentially}		
2105/103 {helically}		
2105/105 {uni directionally}		
2105/106 {longitudinally}		
2105/107 {transversally, i.e. perpendicular to the 2D reinforcement direction}		
2105/108 {arranged in parallel planes and crossing at substantial angles (B29K 2105/206 takes precedence)}		
2105/12	. . of short lengths, e.g. chopped filaments, staple fibres, bristles		

2223/00	Use of polyalkenes {or derivatives thereof} as reinforcement {(as such C08L 23/00)}	2229/00	Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof}, as reinforcement {(as such C08L 29/00)}
2223/04	. {Polymers of ethylene (as such C08L 23/04)}		
2223/06	. . {PE, i.e. polyethylene (as such C08L 23/06)}	2229/04	. {PVOH, i.e. polyvinyl alcohol (as such C08L 29/04 ; B29K 2231/04 takes precedence)}
2223/0608	. . . {characterised by its density}		
2223/0616 {VLDPE, i.e. very low density polyethylene}	2229/14	. {Polyvinylacetals}
2223/0625 {LLDPE, i.e. linear low density polyethylene}		
2223/0633 {LDPE, i.e. low density polyethylene}	2231/00	Use of polyvinylesters {or derivatives thereof} as reinforcement {(as such C08L 31/00)}
2223/0641 {MDPE, i.e. medium density polyethylene}	2231/04	. {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such C08L 31/04)}
2223/065 {HDPE, i.e. high density polyethylene}		
2223/0658	. . . {characterised by its molecular weight}	2233/00	Use of polymers of unsaturated acids or derivatives thereof as reinforcement {(as such C08L 33/00)} (B29K35/00 takes precedence)
2223/0666 {ULMWPE, i.e. ultra low molecular weight polyethylene}	2233/04	. Polymers of esters {(as such C08L 33/04)}
2223/0675 {HMWPE, i.e. high molecular weight polyethylene}	2233/08	. . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such C08L 33/08)}
2223/0683 {UHMWPE, i.e. ultra high molecular weight polyethylene}	2233/12	. . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such C08L 33/12)}
2223/0691	. . . {PEX, i.e. crosslinked polyethylene}	2233/18	. Polymers of nitriles {(as such C08L 33/18)}
2223/08	. . {Use of copolymers of ethylene as reinforcement (as such C08L 23/08 ; B29K 2223/16 takes precedence)}	2233/20	. . PAN, i.e. polyacrylonitrile {(as such C08L 33/20)}
2223/083	. . . {EVA, i.e. ethylene vinyl acetate copolymer}	2233/26	. {Polymers of acrylamide or methacrylamide (as such C08L 33/26)}
2223/086	. . . {EVOH, i.e. ethylene vinyl alcohol copolymer}		
2223/10	. {Polymers of propylene (as such C08L 23/10)}	2235/00	Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} as reinforcement {(as such C08L 35/00)}
2223/12	. . {PP, i.e. polypropylene (as such C08L 23/12)}		
2223/14	. . {Copolymers of polypropylene (as such C08L 23/14 ; B29K 2023/16 takes precedence)}	2239/00	{Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, as reinforcement (as such C08L 39/00)}
2223/16	. {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such C08L 23/16)}	2239/06	. {Polymers of N-vinyl-pyrrolidones (as such C08L 39/06)}
2223/18	. {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such C08L 23/18)}	2239/08	. {Polymers of vinyl-pyridine (as such C08L 39/08)}
2223/22	. . {Copolymers of isobutene, e.g. butyl rubber (as such C08L 23/22)}		
2223/38	. {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}	2245/00	Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, as reinforcement {(as such C08L 45/00)}
2225/00	Use of polymers of vinyl-aromatic compounds {or derivatives thereof} as reinforcement {(as such C08L 25/00)}	2249/00	{Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to-carbon triple bonds or derivatives thereof, as reinforcement (as such C08L 49/00)}
2225/04	. {Polymers of styrene (as such C08L 25/04)}		
2225/06	. . {PS, i.e. polystyrene (as such C08L 25/06)}	2255/00	Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups B29K223/00 - {B29K 2249/00, e.g. having a vinyl group}, as reinforcement {(as such C08L 55/00)}
2225/08	. . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such C08L 25/08 ; B29K255/02 takes precedence)}	2255/02	. ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such C08L 55/02)}
2227/00	Use of polyvinylhalogenides {or derivatives thereof} as reinforcement {(as such C08L 27/00)}		
2227/06	. PVC, i.e. polyvinylchloride {(as such C08L 27/06)}	2259/00	Use of polyacetals {, e.g. POM, i.e. polyoxymethylene; or derivatives thereof}, as reinforcement {(as such C08L 59/00)}
2227/08	. {PVDC, i.e. polyvinylidene chloride (as such C08L 27/08)}		
2227/12	. containing fluorine {(as such C08L 27/12)}	2261/00	Use of condensation polymers of aldehydes or ketones {or derivatives thereof}, as reinforcement {(as such C08L 61/00)}
2227/14	. . {PVF, i.e. polyvinyl fluoride (as such C08L 27/14)}	2261/04	. Phenoplasts {(as such C08L 61/04)}
2227/16	. . {PVDF, i.e. polyvinylidene fluoride (as such C08L 27/16)}	2261/20	. Aminoplasts {(as such C08L 61/20)}
2227/18	. . PTFE, i.e. polytetrafluorethene {(as such C08L 27/18), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}		

2263/00	Use of {EP, i.e.} epoxy resins {or derivatives thereof} as reinforcement {(as such C08L 63/00)}	2285/00	Use of polymers having other elements {than silicon, sulfur, nitrogen, oxygen, and carbon} in the main chain, as reinforcement {(as such C08L 85/00)}
2265/00	{Use of polyphenylenes (as such C08L 65/02) or polyxylylenes (as such C08L 65/04), as reinforcement}	2286/00	Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups B29K259/00 - B29K285/00, as reinforcement
2267/00	Use of polyesters {or derivatives thereof} as reinforcement {(as such C08L 67/00)}	2289/00	{Use of proteins, e.g. casein, gelatine or derivatives thereof, as reinforcement (as such C08L 89/00)}
2267/003	. {PET, i.e. polyethylene terephthalate}	2291/00	Use of waxes as reinforcement {(as such C08L 91/06)}
2267/006	. {PBT, i.e. polybutylene terephthalate}	2293/00	{Use of natural resins (as such C08L 93/00), e.g. shellac (as such C08L 93/02) or derivatives thereof, as reinforcement (B29K201/00, B29K 2203/00, B29K 2205/00, B29K207/00 and B29K 2289/00 take precedence)}
2267/04	. {Polyesters derived from hydroxycarboxylic acids (as such C08L 67/04)}	2295/00	Use of bituminous materials, as reinforcement {(as such C08L 95/00)}
2267/043	. . {PGA, i.e. polyglycolic acid or polyglycolide}	2296/00	Use of specified macromolecular materials not provided for in a single one of main groups B29K201/00 - B29K295/00, as reinforcement
2267/046	. . {PLA, i.e. polylactic acid or polylactide}	2296/005	. {Ionomers}
2267/06	. {Unsaturated polyesters (as such C08L 67/06)}	2296/02	. Graft polymers (B29K255/02 takes precedence)
2269/00	Use of {PC, i.e.} polycarbonates {or derivatives thereof} as reinforcement {(as such C08L 69/00)}	2296/04	. Block polymers (B29K255/02 takes precedence)
2271/00	Use of polyethers, {e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, as reinforcement {(as such C08L 71/00)}	2301/00	Use of unspecified macromolecular compounds as reinforcement (unspecified rubbers B29K221/00) {(as such C08L 101/00)}
2271/02	. {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such C08L 71/02)}	2301/10	. Thermosetting resins
2271/12	. {PPO, i.e. polyphenylene oxide (as such C08L 71/12); PPE, i.e. polyphenylene ether}	2301/12	. Thermoplastic materials
2273/00	Use of other polymers having oxygen as the only hetero atom in the main chain, as reinforcement {(as such C08L 73/00)}	2303/00	Use of resin-bonded materials as reinforcement
2275/00	Use of {PU, i.e.} polyureas or polyurethanes {or derivatives thereof}, as reinforcement {(as such C08L 75/00)}	2303/04	. Inorganic materials
2275/02	. Polyureas {(as such C08L 75/02)}	2303/06	. . Metal powders, metal carbides or the like
2277/00	Use of {PA, i.e.} polyamides, e.g. polyesteramides {or derivatives thereof}, as reinforcement {(as such C08L 77/00)}	2303/08	. . Mineral aggregates, e.g. sand, clay or the like
2277/10	. {Aromatic polyamides (Polyaramides) or derivatives thereof (as such C08L 77/10)}	2305/00	Use of metals, their alloys or their compounds, as reinforcement
2279/00	Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain {not provided for in groups B29K261/00 - B29K277/00}, as reinforcement {(as such C08L 79/00)}	NOTE Alloys or compounds of specified metals are indexed with the same code as the specified metals.	
2279/08	. {PI, i.e. polyimides or derivatives thereof (as such C08L 79/08)}	2305/02	. Aluminium
2279/085	. . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}	2305/04	. Lead
2281/00	Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as reinforcement {(as such C08L 81/00)}	2305/06	. Tin
2281/04	. {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such C08L 81/04)}	2305/08	. Transition metals
2281/06	. {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such C08L 81/06)}	2305/10	. . Copper
2283/00	Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as reinforcement {(as such C08L 83/00)}	2305/12	. . Iron
2283/005	. {Liquid Silicone Rubbers [LSR] or derivatives thereof}	2305/14	. . {Noble metals, e.g. Silver, Gold, Platinum}
		2307/00	Use of elements other than metals as reinforcement
		2307/02	. Boron
		2307/04	. Carbon
		2307/045	. . {Diamond}
		2309/00	Use of inorganic materials not provided for in groups B29K303/00 - B29K307/00, as reinforcement
		2309/02	. Ceramics
		2309/04	. . Carbides; Nitrides

2309/06	• Concrete	2423/0625	• {LLDPE, i.e. linear low density polyethylene}
2309/08	• Glass	2423/0633	• {LDPE, i.e. low density polyethylene}
2309/10	• Mica	2423/0641	• {MDPE, i.e. medium density polyethylene}
2309/12	• Asbestos	2423/065	• {HDPE, i.e. high density polyethylene}
2309/14	• {Stones}	2423/0658	• . . . {characterised by its molecular weight}
2311/00	Use of natural products or their composites, not provided for in groups B29K201/00 - B29K309/00, as reinforcement	2423/0666	• {ULMWPE, i.e. ultra low molecular weight polyethylene}
2311/02	• Cork	2423/0675	• {HMWPE, i.e. high molecular weight polyethylene}
2311/04	• Linoleum	2423/0683	• {UHMWPE, i.e. ultra high molecular weight polyethylene}
2311/06	• Bone, horn, ivory	2423/0691	• . . . {PEX, i.e. crosslinked polyethylene}
2311/08	• Leather	2423/08	• . {Use of copolymers of ethylene as filler (as such C08L 23/08; B29K 2423/16 takes precedence)}
2311/10	• Natural fibres, e.g. wool, cotton	2423/083	• . . . {EVA, i.e. ethylene vinyl acetate copolymer}
2311/12	• Paper, e.g. cardboard	2423/086	• . . . {EVOH, i.e. ethylene vinyl alcohol copolymer}
2311/123	• . {Coated}	2423/10	• {Polymers of propylene (as such C08L 23/10)}
2311/126	• . {Impregnated}	2423/12	• . {PP, i.e. polypropylene (as such C08L 23/12)}
2311/14	• Wood, e.g. woodboard, fibreboard	2423/14	• . {Copolymers of polypropylene (as such C08L 23/14; B29K 2423/16 takes precedence)}
2313/00	{Textile products, fabrics (B29K105/06 takes precedence)}	2423/16	• {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such C08L 23/16)}
2313/02	• {coated}	2423/18	• {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such C08L 23/18)}
2401/00	Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as filler {(as such C08L 1/00)}	2423/22	• . {Copolymers of isobutene, e.g. butyl rubber (as such C08L 23/22)}
	NOTE	2423/38	• {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
	Copolymers are indexed with the same indexing code as the majority polymers	2425/00	Use of polymers of vinyl-aromatic compounds {or derivatives thereof} as filler {(as such C08L 25/00)}
2401/08	• {Cellulose derivatives (as such C08L 1/08)}	2425/04	• {Polymers of styrene (as such C08L 25/04)}
2401/12	• . {Cellulose acetate (as such C08L 1/12)}	2425/06	• . {PS, i.e. polystyrene (as such C08L 25/06)}
2401/14	• . {Cellulose acetate-butyrate (as such C08L 1/14)}	2425/08	• . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such C08L 25/08; B29K455/02 takes precedence)}
2401/18	• . {Cellulose nitrate (as such C08L 1/18)}	2427/00	Use of polyvinylhalogenides {or derivatives thereof} as filler {(as such C08L 27/00)}
2403/00	Use of {starch or derivatives as filler (as such C08L 3/00)}	2427/06	• PVC, i.e. polyvinylchloride {(as such C08L 27/06)}
2405/00	{Polysaccharides or derivatives (as such C08L 5/00)}	2427/08	• {PVDC, i.e. polyvinylidene chloride (as such C08L 27/08)}
2407/00	Use of natural rubber as filler {(as such C08L 7/00)}	2427/12	• containing fluorine {(as such C08L 27/12)}
2409/00	Use of rubber derived from conjugated dienes as filler {(as such C08L 9/00)}	2427/14	• . {PVF, i.e. polyvinyl fluoride (as such C08L 27/14)}
2409/06	• {SBR}, i.e. butadiene-styrene {rubbers (as such C08L 9/06)}	2427/16	• . {PVDF, i.e. polyvinylidene fluoride (as such C08L 27/16)}
2411/00	Use of {rubber derived from chloroprene as filler (as such C08L 11/00)}	2427/18	• . PTFE, i.e. polytetrafluorethene {(as such C08L 27/18), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
2419/00	Use of rubber not provided for in a single one of main groups B29K407/00 - {B29K 2411/00}, as filler	2429/00	Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof}, as filler {(as such C08L 29/00)}
2421/00	Use of {unspecified rubbers as filler (as such C08L 21/00)}	2429/04	• {PVOH, i.e. polyvinyl alcohol (as such C08L 29/04; B29K 2431/04 takes precedence)}
2421/003	• {Thermoplastic elastomers}	2429/14	• {Polyvinylacetals}
2421/006	• {Thermosetting elastomers}	2431/00	Use of polyvinylesters {or derivatives thereof} as filler {(as such C08L 31/00)}
2423/00	Use of polyalkenes {or derivatives thereof} as filler {(as such C08L 23/00)}		
2423/04	• {Polymers of ethylene (as such C08L 23/04)}		
2423/06	• . {PE, i.e. polyethylene (as such C08L 23/06)}		
2423/0608	• . . {characterised by its density}		
2423/0616	• . . . {VLDPE, i.e. very low density polyethylene}		

- 2431/04 . {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such [C08L 31/04](#))}
- 2433/00 Use of polymers of unsaturated acids or derivatives thereof as filler {(as such [C08L 33/00](#))} (B29K435/00 takes precedence)**
- 2433/04 . Polymers of esters {(as such [C08L 33/04](#))}
- 2433/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))}
- 2433/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))}
- 2433/18 . Polymers of nitriles {(as such [C08L 33/18](#))}
- 2433/20 . . PAN, i.e. polyacrylonitrile {(as such [C08L 33/20](#))}
- 2435/00 Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} as filler {(as such [C08L 35/00](#))}**
- 2439/00 {Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, as filler (as such [C08L 39/00](#))}**
- 2439/06 . {Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))}
- 2439/08 . {Polymers of vinyl-pyridine (as such [C08L 39/08](#))}
- 2445/00 Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, as filler {(as such [C08L 45/00](#))}**
- 2449/00 {Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, as filler (as such [C08L 49/00](#))}**
- 2455/00 Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups B29K23/00 - {B29K49/00, e.g. having a vinyl group}, as filler {(as such [C08L 55/00](#))}**
- 2455/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such [C08L 55/02](#))}
- 2459/00 Use of polyacetals {, e.g. POM, i.e. polyoxymethylene; or derivatives thereof}, as filler {(as such [C08L 59/00](#))}**
- 2461/00 Use of condensation polymers of aldehydes or ketones {or derivatives thereof}, as filler {(as such [C08L 61/00](#))}**
- 2461/04 . Phenoplasts {(as such [C08L 61/04](#))}
- 2461/20 . Aminoplasts {(as such [C08L 61/20](#))}
- 2463/00 Use of {EP, i.e.} epoxy resins {or derivatives thereof} as filler {(as such [C08L 63/00](#))}**
- 2465/00 {Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylylenes (as such [C08L 65/04](#)), as filler}**
- 2467/00 Use of polyesters {or derivatives thereof} as filler {(as such [C08L 67/00](#))}**
- 2467/003 . {PET, i.e. polyethylene terephthalate}
- 2467/006 . {PBT, i.e. polybutylene terephthalate}
- 2467/04 . {Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))}
- 2467/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
- 2467/046 . . {PLA, i.e. polylactic acid or polylactide}
- 2467/06 . {Unsaturated polyesters (as such [C08L 67/06](#))}
- 2469/00 Use of {PC, i.e.} polycarbonates {or derivatives thereof} as filler {(as such [C08L 69/00](#))}**
- 2471/00 Use of polyethers, {e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, as filler {(as such [C08L 71/00](#))}**
- 2471/02 . {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such [C08L 71/02](#))}
- 2471/12 . {PPO, i.e. polyphenylene oxide (as such [C08L 71/12](#)); PPE, i.e. polyphenylene ether}
- 2473/00 Use of other polymers having oxygen as the only hetero atom in the main chain, as filler {(as such [C08L 73/00](#))}**
- 2475/00 Use of {PU, i.e.} polyureas or polyurethanes {or derivatives thereof}, as filler {(as such [C08L 75/00](#))}**
- 2475/02 . Polyureas {(as such [C08L 75/02](#))}
- 2477/00 Use of {PA, i.e.} polyamides, e.g. polyesteramides {or derivatives thereof}, as filler {(as such [C08L 77/00](#))}**
- 2477/10 . {Aromatic polyamides (Polyaramides) or derivatives thereof (as such [C08L 77/10](#))}
- 2479/00 Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain {not provided for in groups B29K461/00 - B29K477/00}, as filler {(as such [C08L 79/00](#))}**
- 2479/08 . {PI, i.e. polyimides or derivatives thereof (as such [C08L 79/08](#))}
- 2479/085 . . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}
- 2481/00 Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as filler {(as such [C08L 81/00](#))}**
- 2481/04 . {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such [C08L 81/04](#))}
- 2481/06 . {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such [C08L 81/06](#))}
- 2483/00 Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as filler {(as such [C08L 83/00](#))}**
- 2483/005 . {Liquid Silicone Rubbers [LSR] or derivatives thereof}
- 2485/00 Use of polymers having other elements {than silicon, sulfur, nitrogen, oxygen, and carbon} in the main chain, as filler {(as such [C08L 85/00](#))}**
- 2486/00 Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups B29K459/00 - B29K485/00, as filler**
- 2489/00 {Use of proteins, e.g. casein, gelatine or derivatives thereof, as filler (as such [C08L 89/00](#))}**
- 2491/00 Use of waxes as filler {(as such [C08L 91/06](#))}**

2493/00	{Use of natural resins (as such C08L 93/00), e.g. shellac (as such C08L 93/02) or derivatives thereof, as filler (B29K401/00, B29K 2403/00, B29K 2405/00, B29K407/00 and B29K 2489/00 take precedence)}	2511/123	. . {Coated}
2495/00	Use of bituminous materials, as filler {(as such C08L 95/00)}	2511/126	. . {Impregnated}
2496/00	Use of specified macromolecular materials not provided for in a single one of main groups B29K401/00 - B29K495/00, as filler	2511/14	. Wood, e.g. woodboard, fibreboard
2496/005	. {Ionomers}	2601/00	Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, for preformed parts, e.g. inserts {(as such C08L 1/00)}
2496/02	. Graft polymers (B29K455/02 takes precedence)	NOTE	Copolymers are indexed with the same indexing code as the majority polymers
2496/04	. Block polymers (B29K455/02 takes precedence)	2601/08	. {Cellulose derivatives (as such C08L 1/08)}
2501/00	Use of unspecified macromolecular compounds as filler (unspecified rubbers B29K421/00) {(as such C08L 101/00)}	2601/12	. . {Cellulose acetate (as such C08L 1/12)}
2501/10	. Thermosetting resins	2601/14	. . {Cellulose acetate-butyrate (as such C08L 1/14)}
2501/12	. Thermoplastic materials	2601/18	. . {Cellulose nitrate (as such C08L 1/18)}
2503/00	Use of resin-bonded materials as filler	2603/00	Use of {starch or derivatives for preformed parts, e.g. inserts (as such C08L 3/00)}
2503/04	. Inorganic materials	2605/00	{Polysaccharides or derivatives (as such C08L 5/00)}
2503/06	. . Metal powders, metal carbides or the like	2607/00	Use of natural rubber for preformed parts, e.g. inserts {(as such C08L 7/00)}
2503/08	. . Mineral aggregates, e.g. sand, clay or the like	2609/00	Use of rubber derived from conjugated dienes for preformed parts, e.g. inserts {(as such C08L 9/00)}
2505/00	Use of metals, their alloys or their compounds, as filler	2609/06	. {SBR}, i.e. butadiene-styrene {rubbers (as such C08L 9/06)}
NOTE	Alloys or compounds of specified metals are indexed with the same code as the specified metals.	2611/00	Use of {rubber derived from chloroprene for preformed parts, e.g. inserts (as such C08L 11/00)}
2505/02	. Aluminium	2619/00	Use of rubber not provided for in a single one of main groups B29K607/00 - {B29K 2611/00}, for preformed parts, e.g. inserts
2505/04	. Lead	2621/00	Use of {unspecified rubbers for preformed parts, e.g. inserts (as such C08L 21/00)}
2505/06	. Tin	2621/003	. {Thermoplastic elastomers}
2505/08	. Transition metals	2621/006	. {Thermosetting elastomers}
2505/10	. . Copper	2623/00	Use of polyalkenes {or derivatives thereof} for preformed parts, e.g. inserts {(as such C08L 23/00)}
2505/12	. . Iron	2623/04	. {Polymers of ethylene (as such C08L 23/04)}
2505/14	. . Noble metals, e.g. Silver, Gold, Platinum	2623/06	. . {PE, i.e. polyethylene (as such C08L 23/06)}
2507/00	Use of elements other than metals as filler	2623/0608	. . . {characterised by its density}
2507/02	. Boron	2623/0616 {VLDPE, i.e. very low density polyethylene}
2507/04	. Carbon	2623/0625 {LLDPE, i.e. linear low density polyethylene}
2507/045	. . {Diamond}	2623/0633 {LDPE, i.e. low density polyethylene}
2509/00	Use of inorganic materials not provided for in groups B29K503/00 - B29K507/00, as filler	2623/0641 {MDPE, i.e. medium density polyethylene}
2509/02	. Ceramics	2623/065 {HDPE, i.e. high density polyethylene}
2509/04	. . Carbides; Nitrides	2623/0658	. . . {characterised by its molecular weight}
2509/06	. Concrete	2623/0666 {ULMWPE, i.e. ultra low molecular weight polyethylene}
2509/08	. Glass	2623/0675 {HMWPE, i.e. high molecular weight polyethylene}
2509/10	. Mica	2623/0683 {UHMWPE, i.e. ultra high molecular weight polyethylene}
2509/12	. Asbestos	2623/0691	. . . {PEX, i.e. crosslinked polyethylene}
2509/14	. {Stones}	2623/08	. . {Use of copolymers of ethylene for preformed parts, e.g. inserts (as such C08L 23/08; B29K 2623/16 takes precedence)}
2511/00	Use of natural products or their composites, not provided for in groups B29K401/00 - B29K509/00, as filler	2623/083	. . . {EVA, i.e. ethylene vinyl acetate copolymer}
2511/02	. Cork	2623/086	. . . {EVOH, i.e. ethylene vinyl alcohol copolymer}
2511/04	. Linoleum	2623/10	. {Polymers of propylene (as such C08L 23/10)}
2511/06	. Bone, horn, ivory		
2511/08	. Leather		
2511/10	. Natural fibres, e.g. wool, cotton		
2511/12	. Paper, e.g. cardboard		

- 2623/12 . . {PP, i.e. polypropylene (as such [C08L 23/12](#))}
- 2623/14 . . {Copolymers of polypropylene (as such [C08L 23/14](#); **B29K 2623/16** takes precedence)}
- 2623/16 . {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such [C08L 23/16](#))}
- 2623/18 . {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such [C08L 23/18](#))}
- 2623/22 . . {Copolymers of isobutene, e.g. butyl rubber (as such [C08L 23/22](#))}
- 2623/38 . {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
- 2625/00** Use of polymers of vinyl-aromatic compounds {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 25/00](#))}
- 2625/04 . {Polymers of styrene (as such [C08L 25/04](#))}
- 2625/06 . . {PS, i.e. polystyrene (as such [C08L 25/06](#))}
- 2625/08 . . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such [C08L 25/08](#); **B29K655/02** takes precedence)}
- 2627/00** Use of polyvinylhalogenides {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 27/00](#))}
- 2627/06 . PVC, i.e. polyvinylchloride {(as such [C08L 27/06](#))}
- 2627/08 . {PVDC, i.e. polyvinylidene chloride (as such [C08L 27/08](#))}
- 2627/12 . containing fluorine {(as such [C08L 27/12](#))}
- 2627/14 . . {PVF, i.e. polyvinyl fluoride (as such [C08L 27/14](#))}
- 2627/16 . . {PVDF, i.e. polyvinylidene fluoride (as such [C08L 27/16](#))}
- 2627/18 . . PTFE, i.e. polytetrafluorethene {(as such [C08L 27/18](#)), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
- 2629/00** Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals {or derivatives thereof}, for preformed parts, e.g. inserts {(as such [C08L 29/00](#))}
- 2629/04 . {PVOH, i.e. polyvinyl alcohol (as such [C08L 29/04](#); **B29K 2631/04** takes precedence)}
- 2629/14 . {Polyvinylacetals}
- 2631/00** Use of polyvinylesters {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 31/00](#))}
- 2631/04 . {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such [C08L 31/04](#))}
- 2633/00** Use of polymers of unsaturated acids or derivatives thereof for preformed parts, e.g. inserts {(as such [C08L 33/00](#))} (**B29K635/00** takes precedence)
- 2633/04 . Polymers of esters {(as such [C08L 33/04](#))}
- 2633/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))}
- 2633/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))}
- 2633/18 . Polymers of nitriles {(as such [C08L 33/18](#))}
- 2633/20 . . PAN, i.e. polyacrylonitrile {(as such [C08L 33/20](#))}
- 2633/26 . {Polymers of acrylamide or methacrylamide (as such [C08L 33/26](#))}
- 2635/00** Use of polymers of unsaturated polycarboxylic acids {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 35/00](#))}
- 2639/00** {Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, for preformed parts, e.g. inserts (as such [C08L 39/00](#))}
- 2639/06 . {Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))}
- 2639/08 . {Polymers of vinyl-pyridine (as such [C08L 39/08](#))}
- 2645/00** Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins {or derivatives thereof}, for preformed parts, e.g. inserts {(as such [C08L 45/00](#))}
- 2649/00** {Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, for preformed parts, e.g. inserts (as such [C08L 49/00](#))}
- 2655/00** Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups **B29K623/00** - {**B29K 2649/00**, e.g. having a vinyl group}, for preformed parts, e.g. inserts {(as such [C08L 55/00](#))}
- 2655/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers {(as such [C08L 55/02](#))}
- 2659/00** Use of polyacetals {, e.g. POM, i.e. polyoxymethylene; or derivatives thereof}, for preformed parts, e.g. inserts {(as such [C08L 59/00](#))}
- 2661/00** Use of condensation polymers of aldehydes or ketones {or derivatives thereof}, for preformed parts, e.g. inserts {(as such [C08L 61/00](#))}
- 2661/04 . Phenoplasts {(as such [C08L 61/04](#))}
- 2661/20 . Aminoplasts {(as such [C08L 61/20](#))}
- 2663/00** Use of {EP, i.e.} epoxy resins {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 63/00](#))}
- 2665/00** {Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylylenes (as such [C08L 65/04](#)), for preformed parts, e.g. inserts}
- 2667/00** Use of polyesters {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 67/00](#))}
- 2667/003 . {PET, i.e. polyethylene terephthalate}
- 2667/006 . {PBT, i.e. polybutylene terephthalate}
- 2667/04 . {Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))}
- 2667/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
- 2667/046 . . {PLA, i.e. polylactic acid or polylactide}
- 2667/06 . {Unsaturated polyesters (as such [C08L 67/06](#))}
- 2669/00** Use of {PC, i.e.} polycarbonates {or derivatives thereof} for preformed parts, e.g. inserts {(as such [C08L 69/00](#))}

2671/00	Use of polyethers, {e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, for preformed parts, e.g. inserts {(as such C08L 71/00)}	2693/00	{Use of natural resins (as such C08L 93/00), e.g. shellac (as such C08L 93/02) or derivatives thereof, for preformed parts, e.g. inserts (B29K601/00, B29K 2603/00, B29K 2605/00, B29K607/00 and B29K 2689/00 take precedence)}
2671/02	. {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such C08L 71/02)}	2695/00	Use of bituminous materials, for preformed parts, e.g. inserts {(as such C08L 95/00)}
2671/12	. {PPO, i.e. polyphenylene oxide (as such C08L 71/12); PPE, i.e. polyphenylene ether}	2696/00	Use of specified macromolecular materials not provided for in a single one of main groups B29K601/00 - B29K695/00, for preformed parts, e.g. inserts
2673/00	Use of other polymers having oxygen as the only hetero atom in the main chain, for preformed parts, e.g. inserts {(as such C08L 73/00)}	2696/005	. {Ionomers}
2675/00	Use of {PU, i.e.} polyureas or polyurethanes {or derivatives thereof}, for preformed parts, e.g. inserts {(as such C08L 75/00)}	2696/02	. Graft polymers (B29K655/02 takes precedence)
2675/02	. Polyureas {(as such C08L 75/02)}	2696/04	. Block polymers (B29K655/02 takes precedence)
2677/00	Use of {PA, i.e.} polyamides, e.g. polyesteramides {or derivatives thereof}, for preformed parts, e.g. inserts {(as such C08L 77/00)}	2701/00	Use of unspecified macromolecular compounds for preformed parts, e.g. inserts (unspecified rubbers B29K621/00) {(as such C08L 101/00)}
2677/10	. {Aromatic polyamides (Polyaramides) or derivatives thereof (as such C08L 77/10)}	2701/10	. Thermosetting resins
2679/00	Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain {not provided for in groups B29K661/00 - B29K677/00}, for preformed parts, e.g. inserts {(as such C08L 79/00)}	2701/12	. Thermoplastic materials
2679/08	. {PI, i.e. polyimides or derivatives thereof (as such C08L 79/08)}	2703/00	Use of resin-bonded materials for preformed parts, e.g. inserts
2679/085	. . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}	2703/04	. Inorganic materials
2681/00	Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, for preformed parts, e.g. inserts {(as such C08L 81/00)}	2703/06	. . Metal powders, metal carbides or the like
2681/04	. {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such C08L 81/04)}	2703/08	. . Mineral aggregates, e.g. sand, clay or the like
2681/06	. {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such C08L 81/06)}	2705/00	Use of metals, their alloys or their compounds, for preformed parts, e.g. for inserts
2683/00	Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, for preformed parts, e.g. inserts {(as such C08L 83/00)}	NOTE	Alloys or compounds of specified metals are indexed with the same code as the specified metals.
2683/005	. {Liquid Silicone Rubbers [LSR] or derivatives thereof}	2705/02	. Aluminium
2685/00	Use of polymers having other elements {than silicon, sulfur, nitrogen, oxygen, and carbon} in the main chain, for preformed parts, e.g. inserts {(as such C08L 85/00)}	2705/04	. Lead
2686/00	Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups B29K659/00 - B29K685/00, for preformed parts, e.g. inserts	2705/06	. Tin
2689/00	{Use of proteins, e.g. casein, gelatine or derivatives thereof, for preformed parts, e.g. inserts (as such C08L 89/00)}	2705/08	. Transition metals
2691/00	Use of waxes for preformed parts, e.g. inserts {(as such C08L 91/06)}	2705/10	. . Copper
		2705/12	. . Iron
		2705/14	. . Noble metals, e.g. Silver, Gold, Platinum
		2707/00	Use of elements other than metals for preformed parts, e.g. for inserts
		2707/02	. Boron
		2707/04	. Carbon
		2707/045	. . {Diamond}
		2709/00	Use of inorganic materials not provided for in groups B29K 2603/00 - B29K607/00, for preformed parts, e.g. for inserts
		2709/02	. Ceramics
		2709/04	. . Carbides; Nitrides
		2709/06	. Concrete
		2709/08	. Glass
		2709/10	. Mica
		2709/12	. Asbestos
		2709/14	. {Stones}
		2711/00	Use of natural products or their composites, not provided for in groups B29K601/00 - B29K709/00, for preformed parts, e.g. for inserts
		2711/02	. Cork
		2711/04	. Linoleum

2711/06	. Bone, horn, ivory	2823/0658	. . . {characterised by its molecular weight}
2711/08	. Leather	2823/0666 {ULMWPE, i.e. ultra low molecular weight polyethylene}
2711/10	. Natural fibres, e.g. wool, cotton	2823/0675 {HMWPE, i.e. high molecular weight polyethylene}
2711/12	. Paper, e.g. cardboard	2823/0683 {UHMWPE, i.e. ultra high molecular weight polyethylene}
2711/123	. . {Coated}	2823/0691	. . . {PEX, i.e. crosslinked polyethylene}
2711/126	. . {Impregnated}	2823/08	. . {Use of copolymers of ethylene as mould material (as such C08L 23/08 ; B29K 2823/16 takes precedence)}
2711/14	. Wood, e.g. woodboard, fibreboard	2823/083	. . . {EVA, i.e. ethylene vinyl acetate copolymer}
2713/00	{Textile products, fabrics (B29K105/06 takes precedence)}	2823/086	. . . {EVOH, i.e. ethylene vinyl alcohol copolymer}
2713/005	. {Fleece}	2823/10	. {Polymers of propylene (as such C08L 23/10)}
2713/02	. {coated}	2823/12	. . {PP, i.e. polypropylene (as such C08L 23/12)}
	NOTE	2823/14	. . {Copolymers of polypropylene (as such C08L 23/14 ; B29K 2823/16 takes precedence)}
	Copolymers are indexed with the same indexing code as the majority polymers	2823/16	. {EPM, i.e. ethylene-propylene copolymers; EPDM, i.e. ethylene-propylene-diene copolymers; EPT, i.e. ethylene-propylene terpolymers (as such C08L 23/16)}
2715/00	{Condition, form or state of preformed parts, e.g. inserts}	2823/18	. {Polymers of hydrocarbons having four or more carbon atoms, e.g. polymers of butylene (e.g. PB, i.e. polybutylene) (as such C08L 23/18)}
2715/003	. {Cellular or porous}	2823/22	. . {Copolymers of isobutene, e.g. butyl rubber (as such C08L 23/22)}
2715/006	. {Glues, adhesives, e.g. hot melts, thermofusible adhesives}	2823/38	. {Polymers of cycloalkenes, e.g. norbornene, cyclopentene}
2801/00	{Use of cellulose, modified cellulose or cellulose derivatives, e.g. viscose, as mould material (as such C08L 1/00)}	2825/00	{Use of polymers of vinyl-aromatic compounds or derivatives thereof as mould material (as such C08L 25/00)}
2801/08	. {Cellulose derivatives (as such C08L 1/08)}	2825/04	. {Polymers of styrene (as such C08L 25/04)}
2801/12	. . {Cellulose acetate (as such C08L 1/12)}	2825/06	. . {PS, i.e. polystyrene (as such C08L 25/06)}
2801/14	. . {Cellulose acetate-butyrate (as such C08L 1/14)}	2825/08	. . {Copolymers of styrene, e.g. AS or SAN, i.e. acrylonitrile styrene (as such C08L 25/08 ; B29K 2855/02 takes precedence)}
2801/18	. . {Cellulose nitrate (as such C08L 1/18)}	2827/00	{Use of polyvinylhalogenides or derivatives thereof as mould material (as such C08L 27/00)}
2803/00	{Use of starch or derivatives as mould material (as such C08L 3/00)}	2827/06	. {PVC, i.e. polyvinylchloride (as such C08L 27/06)}
2805/00	{Polysaccharides or derivatives (as such C08L 5/00)}	2827/08	. {PVDC, i.e. polyvinylidene chloride (as such C08L 27/08)}
2807/00	{Use of natural rubber as mould material (as such C08L 7/00)}	2827/12	. {containing fluorine (as such C08L 27/12)}
2809/00	{Use of rubber derived from conjugated dienes as mould material (as such C08L 9/00)}	2827/14	. . {PVF, i.e. polyvinyl fluoride (as such C08L 27/14)}
2809/06	. {SBR}, i.e. butadiene-styrene {rubbers (as such C08L 9/06)}	2827/16	. . {PVDF, i.e. polyvinylidene fluoride (as such C08L 27/16)}
2811/00	{Use of rubber derived from chloroprene as mould material (as such C08L 11/00)}	2827/18	. . {PTFE, i.e. polytetrafluorethene (as such C08L 27/18), e.g. ePTFE, i.e. expanded polytetrafluorethene, Gore Tex (R)}
2819/00	{Use of rubber not provided for in a single one of main groups B29K 2807/00 - B29K 2811/00, as mould material}	2829/00	{Use of polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals or derivatives thereof, as mould material (as such C08L 29/00)}
2821/00	{Use of unspecified rubbers as mould material (as such C08L 21/00)}	2829/04	. {PVOH, i.e. polyvinyl alcohol (as such C08L 29/04 ; B29K 2831/04 takes precedence)}
2821/003	. {Thermoplastic elastomers}	2829/14	. {Polyvinylacetals}
2821/006	. {Thermosetting elastomers}	2831/00	{Use of polyvinylesters or derivatives thereof as mould material (as such C08L 31/00)}
2823/00	{Use of polyalkenes or derivatives thereof as mould material (as such C08L 23/00)}	2831/04	. {Polymers of vinyl acetate, e.g. PVAc, i.e. polyvinyl acetate (as such C08L 31/04)}
2823/04	. {Polymers of ethylene (as such C08L 23/04)}		
2823/06	. . {PE, i.e. polyethylene (as such C08L 23/06)}		
2823/0608	. . . {characterised by its density}		
2823/0616 {VLDPE, i.e. very low density polyethylene}		
2823/0625 {LLDPE, i.e. linear low density polyethylene}		
2823/0633 {LDPE, i.e. low density polyethylene}		
2823/0641 {MDPE, i.e. medium density polyethylene}		
2823/065 {HDPE, i.e. high density polyethylene}		

- 2833/00** {Use of polymers of unsaturated acids or derivatives thereof as mould material (as such [C08L 33/00](#); [B29K 2835/00](#) takes precedence)}
- 2833/04 . {Polymers of esters (as such [C08L 33/04](#))}
- 2833/08 . . {Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate (as such [C08L 33/08](#))}
- 2833/12 . . {Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate (as such [C08L 33/12](#))}
- 2833/18 . {Polymers of nitriles (as such [C08L 33/18](#))}
- 2833/20 . . {PAN, i.e. polyacrylonitrile (as such [C08L 33/20](#))}
- 2833/26 . {Polymers of acrylamide or methacrylamide (as such [C08L 33/26](#))}
- 2835/00** {use of polymers of unsaturated polycarboxylic acids or derivatives thereof as mould material (as such [C08L 35/00](#))}
- 2839/00** {Use of polymers with unsaturated aliphatic radicals and with a nitrogen or a heterocyclic ring containing nitrogen in a side chain or derivatives thereof, as mould material (as such [C08L 39/00](#))}
- 2839/06 . {Polymers of N-vinyl-pyrrolidones (as such [C08L 39/06](#))}
- 2839/08 . {Polymers of vinyl-pyridine (as such [C08L 39/08](#))}
- 2845/00** {Use of polymers of unsaturated cyclic compounds having no unsaturated aliphatic groups in a side-chain, e.g. coumarone-indene resins or derivatives thereof, as mould material (as such [C08L 45/00](#))}
- 2849/00** {Use of polyacetylene or cyanic ester resins, i.e. polymers having one or more carbon-to carbon triple bonds or derivatives thereof, as mould material (as such [C08L 49/00](#))}
- 2855/00** {Use of specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of main groups [B29K 2823/00](#) - [B29K 2849/00](#), e.g. having a vinyl group, as mould material (as such [C08L 55/00](#))}
- 2855/02 . {ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers (as such [C08L 55/02](#))}
- 2859/00** {Use of polyacetals, e.g. POM, i.e. polyoxymethylene; or derivatives thereof, as mould material (as such [C08L 59/00](#))}
- 2861/00** {Use of condensation polymers of aldehydes or ketones or derivatives thereof, as mould material (as such [C08L 61/00](#))}
- 2861/04 . {Phenoplasts (as such [C08L 61/04](#))}
- 2861/20 . {Aminoplasts (as such [C08L 61/20](#))}
- 2863/00** {Use of EP, i.e. epoxy resins or derivatives thereof as mould material (as such [C08L 63/00](#))}
- 2865/00** {Use of polyphenylenes (as such [C08L 65/02](#)) or polyxylylenes (as such [C08L 65/04](#)), as mould material}
- 2867/00** {Use of polyesters or derivatives thereof as mould material (as such [C08L 67/00](#))}
- 2867/003 . {PET, i.e. polyethylene terephthalate}
- 2867/006 . {PBT, i.e. polybutylene terephthalate}
- 2867/04 . {Polyesters derived from hydroxycarboxylic acids (as such [C08L 67/04](#))}
- 2867/043 . . {PGA, i.e. polyglycolic acid or polyglycolide}
- 2867/046 . . {PLA, i.e. polylactic acid or polylactide}
- 2867/06 . {Unsaturated polyesters (as such [C08L 67/06](#))}
- 2869/00** {Use of PC, i.e. polycarbonates or derivatives thereof as mould material (as such [C08L 69/00](#))}
- 2871/00** {Use of polyethers, e.g. PEEK, i.e. polyether-etherketone or PEK, i.e. polyetherketone or derivatives thereof}, as mould material (as such [C08L 71/00](#))}
- 2871/02 . {Polyalkylene oxides, e.g. PEO, i.e. polyethylene oxide or derivatives thereof (as such [C08L 71/02](#))}
- 2871/12 . {PPO, i.e. polyphenylene oxide (as such [C08L 71/12](#)); PPE, i.e. polyphenylene ether}
- 2873/00** {use of other polymers having oxygen as the only hetero atom in the main chain, as mould material (as such [C08L 73/00](#))}
- 2875/00** {Use of PU, i.e. polyureas or polyurethanes or derivatives thereof, as mould material (as such [C08L 75/00](#))}
- 2875/02 . {Polyureas (as such [C08L 75/02](#))}
- 2877/00** {Use of PA, i.e. polyamides, e.g. polyesteramides or derivatives thereof, as mould material [(as such [C08L 77/00](#))}
- 2877/10 . {Aromatic polyamides (Polyaramides) or derivatives thereof (as such [C08L 77/10](#))}
- 2879/00** {Use of polymers having nitrogen, with or without oxygen, or carbon only, in the main chain not provided for in groups [B29K 2861/00](#) - [B29K 2877/00](#)}, as mould material { (as such [C08L 79/00](#))}
- 2879/08 . {PI, i.e. polyimides or derivatives thereof (as such [C08L 79/08](#))}
- 2879/085 . . {Thermoplastic polyimides, e.g. polyesterimides, polyetherimides [PEI], polyamideimides; Derivatives thereof}
- 2881/00** {Use of polymers having sulfur, with or without nitrogen, oxygen, or carbon only, in the main chain, as mould material (as such [C08L 81/00](#))}
- 2881/04 . {Polysulfides, e.g. PPS, i.e. polyphenylene sulfide or derivatives thereof (as such [C08L 81/04](#))}
- 2881/06 . {PSU, i.e. polysulfones; PES, i.e. polyethersulfones or derivatives thereof (as such [C08L 81/06](#))}
- 2883/00** {Use of polymers having silicon, with or without sulfur, nitrogen, oxygen, or carbon only, in the main chain, as mould material (as such [C08L 83/00](#))}
- 2883/005 . {Liquid Silicone Rubbers [LSR] or derivatives thereof}
- 2885/00** {Use of polymers having other elements than silicon, sulfur, nitrogen, oxygen, and carbon in the main chain, as mould material (as such [C08L 85/00](#))}
- 2886/00** {Use of specific polymers obtained by polycondensation or polyaddition, not provided for in a single one of main groups [B29K 2859/00](#) - [B29K 2885/00](#), as mould material}
- 2889/00** {Use of proteins, e.g. casein, gelatine or derivatives thereof, as mould material (as such [C08L 89/00](#))}

2891/00	{Use of waxes as mould material (as such C08L 91/06)}	2911/04	. {Linoleum}
2893/00	{Use of natural resins (as such C08L 93/00), e.g. shellac (as such C08L 93/02) or derivatives thereof, as mould material (B29K 2801/00, B29K 2803/00, B29K 2805/00, B29K 2807/00 and B29K 2889/00 take precedence)}	2911/06	. {Bone, horn, ivory}
2895/00	{Use of bituminous materials, as mould material (as such C08L 95/00)}	2911/08	. {Leather}
2896/00	{Use of specified macromolecular materials not provided for in a single one of main groups B29K 2801/00 - B29K 2895/00, as mould material}	2911/10	. {Natural fibres, e.g. wool, cotton}
2896/005	. {Ionomers}	2911/12	. {Paper, e.g. cardboard}
2896/02	. {Graft polymers (B29K 2855/02 takes precedence)}	2911/123	. . {Coated}
2896/04	. {Block polymers (B29K 2855/02 takes precedence)}	2911/126	. . {Impregnated}
2901/00	{Use of unspecified macromolecular compounds as mould material (unspecified rubbers B29K 2821/00; as such C08L 101/00)}	2911/14	. {Wood, e.g. woodboard, fibreboard}
2901/10	. {Thermosetting resins}	2913/00	{Textile products, fabrics}
2901/12	. {Thermoplastic materials}	2913/02	. {coated}
2903/00	{Use of resin-bonded materials as mould material}	2995/00	{Properties of moulding materials, reinforcements, fillers, preformed parts or moulds}
2903/04	. {Inorganic materials}	2995/0001	. {having particular acoustical properties}
2903/06	. . {Metal powders, metal carbides or the like}	2995/0002	. . {insulating}
2903/08	. . {Mineral aggregates, e.g. sand, clay or the like}	2995/0003	. {having particular electrical or magnetic properties, e.g. piezoelectric}
2905/00	{Use of metals, their alloys or their compounds, as mould material}	2995/0005	. . {Conductive}
NOTE		2995/0006	. . {Dielectric}
Alloys or compounds of specified metals are indexed with the same code as the specified metals.		2995/0007	. . {Insulating}
2905/02	. {Aluminium}	2995/0008	. . {Magnetic, paramagnetic}
2905/04	. {Lead}	2995/001	. . {Electrostatic}
2905/06	. {Tin}	2995/0011	. . {Electromagnetic wave shielding material}
2905/08	. {Transition metals}	2995/0012	. {having particular thermal properties}
2905/10	. . {Copper}	2995/0013	. . {Conductive}
2905/12	. . {iron}	2995/0015	. . {Insulating}
2905/14	. . {Noble metals, e.g. Silver, Gold, Platinum}	2995/0016	. . {Non-inflammable, resistant to heat}
2907/00	{Use of elements other than metals as mould material}	2995/0017	. . {Heat stable}
2907/02	. {Boron}	2995/0018	. {having particular optical properties, e.g. fluorescent, phosphorescent}
2907/04	. {Carbon}	2995/002	. . {Coloured}
2907/045	. . {Diamond}	2995/0021	. . . {Multi-coloured}
2909/00	{Use of inorganic materials not provided for in groups B29K 2803/00 - B29K 2807/00, as mould material}	2995/0022	. . {Bright, glossy, shiny surface}
2909/02	. {Ceramics}	2995/0024	. . {Matt surface}
2909/04	. . {Carbides; Nitrides}	2995/0025	. . {Opaque}
2909/06	. {Concrete}	2995/0026	. . {Transparent}
2909/08	. {Glass}	2995/0027	. . . {for light outside the visible spectrum}
2909/10	. {Mica}	2995/0029	. . {Translucent}
2909/12	. {Asbestos}	2995/003	. . {Reflective}
2909/14	. {Stones}	2995/0031	. . {Refractive}
2911/00	{Use of natural products or their composites, not provided for in groups B29K 2801/00 - B29K 2809/00, as mould material}	2995/0032	. . . {Birefringent}
2911/02	. {Cork}	2995/0034	. . {Polarising}
		2995/0035	. . {Fluorescent}
		2995/0036	. . {Electroluminescent}
		2995/0037	. {Other properties}
		2995/0039	. . {Amorphous}
		2995/004	. . {Semi-crystalline}
		2995/0041	. . {Crystalline}
		2995/0043	. . . {non-uniform}
		2995/0044	. . {Anisotropic}
		2995/0045	. . {Isotropic}
		2995/0046	. . {Elastic}
		2995/0048	. . {Without internal tensions}
		2995/0049	. . {Heat shrinkable}
		2995/005	. . {Oriented}
		2995/0051	. . . {mono-axially}
		2995/0053	. . . {bi-axially}
		2995/0054	. . . {multi-axially}
		2995/0055	. . {Resistive to light}
		2995/0056	. . {Biocompatible, e.g. biopolymers, bioelastomers (bio-degradable B29K 2995/006)}
		2995/0058	. . {Inert to chemical degradation}

2995/0059	. .	{Degradable}
2995/006	. . .	{Bio-degradable, e.g. bioabsorbable, bioresorbable or bioerodible}
2995/0062	. . .	{water-soluble}
2995/0063	. .	{Density}
2995/0064	. . .	{Non-uniform density}
2995/0065	. .	{Permeability to gases}
2995/0067	. . .	{non-permeable}
2995/0068	. .	{Permeability to liquids, adsorption}
2995/0069	. . .	{non-permeable}
2995/007	. .	{Hardness}
2995/0072	. .	{Roughness, e.g. anti-slip}
2995/0073	. . .	{smooth}
2995/0074	. . .	{patterned, grained}
2995/0075	. . .	{flocked}
2995/0077	. .	{Yield strength; Tensile strength}
2995/0078	. .	{Shear strength}
2995/0079	. .	{Torsion strength; Torsion stiffness}
2995/0081	. .	{Tear strength}
2995/0082	. .	{Flexural strength; Flexion stiffness}
2995/0083	. .	{Creep}
2995/0084	. .	{Cryogenic properties}
2995/0086	. .	{Fatigue strength}
2995/0087	. .	{Wear resistance}
2995/0088	. .	{Molecular weight}
2995/0089	. .	{Impact strength, toughness}
2995/0091	. .	{Damping, energy absorption}
2995/0092	. .	{hydrophilic}
2995/0093	. .	{hydrophobic}
2995/0094	. .	{Geometrical properties}
2995/0096	. . .	{Dimensional stability}
2995/0097	. . .	{Thickness}
2995/0098	. .	{Peel strength, peelable}