

# CPC COOPERATIVE PATENT CLASSIFICATION

## E21C MINING OR QUARRYING

### NOTES

1. This subclass covers methods or apparatus specific to mining or quarrying
2. This subclass does not cover, even though they may be disclosed only for mining or quarrying, drill bits, bore reamers, core taking devices, drilling pipes or rods, handling, racking or connecting arrangements for drilling pipes or rods, counterboring or enlarging drilled holes, flame drilling, or other drilling apparatus, which are covered by subclass [E21B](#)

### WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

<a href="#">E21B 3/02</a>	covered by	<a href="#">E21B 3/02</a>
<a href="#">E21B 3/035</a>	covered by	<a href="#">E21B 3/035</a>
<a href="#">E21B 3/025</a>	covered by	<a href="#">E21B 3/025</a>
<a href="#">E21B 3/03</a>	covered by	<a href="#">E21B 3/03</a>
<a href="#">E21B 6/00</a>	covered by	<a href="#">E21B 6/00</a>
<b>E21C3/08</b>	covered by	<a href="#">B25D 9/06</a> , <b>B25D15/00</b>
<b>E21C3/10</b>	covered by	<b>B25D15/02</b>
<b>E21C3/12</b>	covered by	<a href="#">B25D 11/00</a>
<b>E21C3/14</b>	covered by	<a href="#">B25D 11/00</a>
<b>E21C3/20</b>	covered by	<a href="#">B25D 9/12</a>
<b>E21C3/22</b>	covered by	<a href="#">B25D 9/125</a>
<b>B25D11/005</b>	covered by	<a href="#">B25D 9/265</a>
<b>E21C3/34</b>	covered by	<a href="#">B25D 17/08</a>
<a href="#">E21B 19/081</a>	covered by	<a href="#">E21B 19/081</a>
<a href="#">E21B 19/083</a>	covered by	<a href="#">E21B 19/083</a>
<a href="#">E21B 19/084</a>	covered by	<a href="#">E21B 19/084</a>
<a href="#">E21B 19/089</a>	covered by	<a href="#">E21B 19/089</a>
<a href="#">E21B 44/08</a>	covered by	<a href="#">E21B 44/08</a>
<a href="#">E21B 44/00</a>	covered by	<a href="#">E21B 44/00</a>
<a href="#">E21B 21/14</a>	covered by	<a href="#">E21B 21/14</a>
<a href="#">E21B 7/02</a>	covered by	<a href="#">E21B 7/02</a>
<a href="#">E21C 37/24</a>	covered by	<a href="#">B25D</a>
<a href="#">E21C 37/26</a>	covered by	<a href="#">B25D</a>
<a href="#">E21C 41/18</a>	covered by	<a href="#">E21C 41/16</a>
<a href="#">E21C 41/20</a>	covered by	<a href="#">E21C 41/16</a>
<a href="#">E21C 41/22</a>	covered by	<a href="#">E21C 41/16</a>
<a href="#">E21C 41/24</a>	covered by	<a href="#">E21C 41/16</a>
<a href="#">E21C 41/28</a>	covered by	<a href="#">E21C 41/26</a>
<a href="#">E21C 41/30</a>	covered by	<a href="#">E21C 41/26</a>
<a href="#">E21C 45/02</a>	covered by	<a href="#">E21C 25/60</a> , <a href="#">E21C 45/00</a>
<a href="#">E21C 45/04</a>	covered by	<a href="#">E21C 25/60</a> , <a href="#">E21C 45/00</a>
<a href="#">E21C 45/06</a>	covered by	<a href="#">E21C 25/60</a> , <a href="#">E21C 45/00</a>
<a href="#">E21C 45/08</a>	covered by	<a href="#">E21C 25/60</a> , <a href="#">E21C 45/00</a>
<a href="#">E21C 50/00</a>	covered by	<a href="#">E02F 3/88</a>
<a href="#">E21C 50/02</a>	covered by	<a href="#">E02F 3/88</a>

### Drilling machines

<b>1/00</b>	<b>{Rotary-drilling machines}</b> (rotary-drilling machines in general <a href="#">B23B</a> ; rotary earth drilling <a href="#">E21B 3/00</a> ; driving of shafts, galleries or tunnels <a href="#">E21D</a> not used, see subgroup and <a href="#">E21B 3/00</a> )	3/04	• {Hammer drilling machines in which the tool is hit by an impulse member}
		3/06	• {Means for driving the impulse member (not used, see subgroups and <a href="#">B25D</a> )}
		3/16	• • {by electromagnets}
1/10	• {with a built-in feeding device (feeding devices <a href="#">E21C 5/00</a> )}	3/18	• • {directly by a piston of an internal-combustion engine}
		3/24	• • {directly by air, steam, or gas pressure}
<b>3/00</b>	<b>{Drilling machines with reciprocating tool that is intermittently turned when out of contact with the working face}</b> (portable percussion tools in general <a href="#">B25D</a> )	3/26	• • • {working with pulses}
<b>Details of drilling apparatus</b>			
3/02	• {Machines in which the tool is connected to an impulse member}	<b>5/00</b>	<b>{Devices for feeding tool to working face}</b> (feeding devices for metal-boring machines <a href="#">B23B</a> not used, see subgroups and <a href="#">E21B 19/08</a> )

5/08	• {Means for driving feed mechanism (not used, <a href="#">see subgroups and E21B 19/08</a> )}	25/52	• Machines incorporating two or more of the slitting means according to groups <a href="#">E21C 25/02</a> , <a href="#">E21C 25/06</a> , <a href="#">E21C 25/16</a> , <a href="#">E21C 25/20</a> and <a href="#">E21C 25/22</a>
5/10	• • {Separate motor, e.g. compressed-air motor or cylinder}	25/54	• Slitting by unguided cutter cables or cutter chains, or by unguided tools drawn along the working face by cables or the like ( <a href="#">dislodging by planing means E21C 27/32</a> ; propulsion by haulage cables <a href="#">E21C 29/14</a> )
7/00	<b>{Dust eliminating or dust removing while drilling (see also <a href="#">E21B 21/00</a>; equipment for preventing the formation of dust by slitting or dislodging machines <a href="#">E21C 35/22</a>; by foam <a href="#">E21B 21/14</a>; exhausting dust from mines <a href="#">E21F 5/20</a>)}</b>	25/56	• Slitting by cutter cables or cutter chains or by tools drawn along the working face by cables or the like, in each case guided parallel to the face, e.g. by a conveyor, by a guide parallel to a conveyor ( <a href="#">pressing the conveyor equipped with tools towards the working face E21C 35/14</a> )
7/04	• {using exhaust air from the drill motor for blowing-off the dust}	25/58	• Machines slitting by drilling hole on hole
7/08	• {by liquids}	25/60	• Slitting by jets of water or other liquid ( <a href="#">picks with arrangements of fluid-spraying nozzles E21C 35/187</a> ; distribution of spraying fluids in rotating cutter-heads <a href="#">E21C 35/23</a> )
7/10	• • {Liquid flushing installations}	25/62	• Machines for making slits approximately perpendicular to the seams either level with, or above or below the level of, the machine
7/12	• {Preventing exhaust air from the drill motor from blowing-off towards the working face}	25/64	• Slitting machines guided solely by hand and either carried by hand or mounted on supports ( <a href="#">supports or guides for drilling machines E21C 11/00</a> ; hand-held power-operated tools <a href="#">E21C 37/22</a> )
11/00	<b>{Supports or guides for drilling machines; Columns to which the machine is clamped (feed legs <a href="#">E21C5/11</a>; slitting machines mounted on supports <a href="#">E21C 25/64</a>; guiding, slitting, or dislodging machines <a href="#">E21C 35/08</a>)}</b>	25/66	• Machines for making slits with additional arrangements for drilling
<b>Cutting, Slitting, Dislodging</b>		25/68	• Machines for making slits combined with equipment for removing, e.g. by loading, material won by other means ( <a href="#">slitting machines combined with planing means E21C 27/18</a> ; removing chippings <a href="#">E21C 35/20</a> )
25/00	<b>Cutting machines, i.e. for making slits approximately parallel or perpendicular to the seam (dislodging machines with slitting means <a href="#">E21C 27/02</a>, <a href="#">E21C 27/10</a>, <a href="#">E21C 27/18</a>)</b>	27/00	<b>Machines which completely free the mineral from the seam</b>
25/02	• Machines slitting solely by one or more percussive tools moved through the seam	27/01	• specially adapted for removing overhanging coal
25/04	• • Cutting crowns or other tools ( <a href="#">percussion drill bits E21B 10/36</a> )	27/02	• solely by slitting (rods, drums, for same <a href="#">E21C 25/10</a> ; saws, discs, wheels <a href="#">E21C 25/18</a> ; chains, chain guides, for same <a href="#">E21C 25/28</a> )
25/06	• Machines slitting solely by one or more cutting rods or cutting drums which rotate, move through the seam, and may or may not reciprocate	27/04	• • by a single chain guided on a frame with or without auxiliary slitting means
25/08	• • Mountings for the rods or drums	27/06	• • • with a slewing frame
25/10	• • Rods; Drums	27/08	• • with additional means for cutting the mineral into blocks
25/14	• • with equipment for cleaning the slit ( <a href="#">associated with cutter chain machines E21C 25/50</a> )	27/10	• by both slitting and breaking-down
25/145	• • • {Cowls}	27/12	• • breaking-down effected by acting on the vertical face of the mineral, e.g. by percussive tools
25/16	• Machines slitting solely by one or more rotating saws, cutting discs, or wheels	27/122	• • • {with breaking-down members having a striking action}
25/18	• • Saws; Discs; Wheels	27/124	• • • {with rotatable cutters provided with breaking-down members}
25/20	• Machines slitting solely by one or more reciprocating sawing implements or reciprocating cutter chains; Shaker conveyors with cutting means	27/126	• • • {with slitting and breaking-down members situated in parallel on an intermediary level}
25/22	• Machines slitting solely by one or more cutter chains moving unidirectionally along jibs	27/128	• • • {with breaking-down members functioning on the slitting level}
25/24	• • with flat jibs only	27/14	• • breaking-down effected by force or pressure applied to side of slit, e.g. by wedges ( <a href="#">breaking-down by means inserted in boreholes E21C 37/00</a> )
25/26	• • with curved jibs only	27/16	• • • with means for both slitting and breaking-down
25/28	• • Chains or chain guides	27/18	• by both slitting and planing
25/30	• • • Chain guides	27/20	• Mineral freed by means not involving slitting
25/32	• • • • specially adapted for curved jibs		
25/34	• • • Chains		
25/36	• • • • Couplings for links		
25/365	• • • • • {allowing the bending into at least two planes (chains for conveyors which are allowed to bend into at least two planes <a href="#">B65G 17/385</a> )}		
25/40	• • • • having links with integrally formed picks		
25/50	• • with equipment for cleaning the slit ( <a href="#">associated with rotary-rod or rotary-drum machines E21C 25/14</a> )		

27/22	<ul style="list-style-type: none"> <li>by rotary drills with breaking-down means, e.g. wedge-shaped drills, {i.e. the rotary axis of the tool carrier being substantially perpendicular to the working face, e.g. MARIETTA-type (similar machines for tunneling E21D 9/102)}</li> </ul>	31/00	<b>Driving means incorporated in machines for slitting or completely freeing the mineral from the seam</b>
27/24	<ul style="list-style-type: none"> <li>by milling means acting on the full working face, {i.e. the rotary axis of the tool carrier being substantially parallel to the working face (similar machines for tunneling E21D 9/1026)}</li> </ul>	31/02	<ul style="list-style-type: none"> <li>for cutting or breaking-down devices</li> </ul>
27/26	<ul style="list-style-type: none"> <li>by closely adjacent cutter chains acting on the full working face</li> </ul>	31/025	<ul style="list-style-type: none"> <li>{by another slitting or extracting member}</li> </ul>
27/28	<ul style="list-style-type: none"> <li>by percussive drills with breaking-down means, e.g. wedge-shaped tools</li> </ul>	31/04	<ul style="list-style-type: none"> <li>imparting both a rotary and reciprocating motion</li> </ul>
27/30	<ul style="list-style-type: none"> <li>by jaws, buckets or scoops that scoop-out the mineral</li> </ul>	31/06	<ul style="list-style-type: none"> <li>actuated by an endless cable or chain</li> </ul>
27/32	<ul style="list-style-type: none"> <li>by adjustable or non-adjustable planing means with or without loading arrangements (by percussed planing means E21C 27/46)</li> </ul>	31/08	<ul style="list-style-type: none"> <li>for adjusting parts of the machines</li> </ul>
27/34	<ul style="list-style-type: none"> <li>Machine propelled along the working face by cable or chain</li> </ul>	31/10	<ul style="list-style-type: none"> <li>for slewing parts of the machines</li> </ul>
27/35	<ul style="list-style-type: none"> <li>Ram-ploughs</li> </ul>	31/12	<ul style="list-style-type: none"> <li>Component parts</li> </ul>
27/36	<ul style="list-style-type: none"> <li>Machine self-propelled along the working face</li> </ul>	33/00	<b>Trucks or other devices for transporting machines for slitting or completely freeing the mineral from the seam</b>
27/38	<ul style="list-style-type: none"> <li>Machine stationary while planing in an arc</li> </ul>	33/02	<ul style="list-style-type: none"> <li>with equipment for loading or unloading the machine on to or from the truck</li> </ul>
27/40	<ul style="list-style-type: none"> <li>Machine and its planing tool making alternative step-wise movements along the working face</li> </ul>	33/025	<ul style="list-style-type: none"> <li>{the unloaded machine remaining connected to the transport vehicle}</li> </ul>
27/42	<ul style="list-style-type: none"> <li>combined with scraper or collector box</li> </ul>	35/00	<b>Miscellaneous items relating to machines for slitting or completely freeing the mineral from the seam</b>
27/44	<ul style="list-style-type: none"> <li>Planing knives (mining picks E21C 35/18)</li> </ul>	35/02	<ul style="list-style-type: none"> <li>Locking equipment for slewable parts</li> </ul>
27/46	<ul style="list-style-type: none"> <li>by percussed planing means</li> </ul>	35/04	<ul style="list-style-type: none"> <li>Safety devices (operating in the event of breakage of a haulage cable or chain E21C 29/20)</li> </ul>
29/00	<b>Propulsion of machines for slitting or completely freeing the mineral from the seam</b>	35/043	<ul style="list-style-type: none"> <li>{Protection against overload during transfer of machines for slitting or completely freeing the mineral from the seam}</li> </ul>
29/02	<ul style="list-style-type: none"> <li>by means on the machine exerting a thrust against fixed supports</li> </ul>	35/046	<ul style="list-style-type: none"> <li>{Protection of cables or pipes for supplying power}</li> </ul>
29/04	<ul style="list-style-type: none"> <li>by cable or chains</li> </ul>	35/06	<ul style="list-style-type: none"> <li>Equipment for positioning the whole machine in relation to its substructure</li> </ul>
29/06	<ul style="list-style-type: none"> <li>anchored at one or both ends to the mine working face {(propulsion using fixed racks along which the machine is running E21C 29/02)}</li> </ul>	35/08	<ul style="list-style-type: none"> <li>Guiding the machine</li> </ul>
29/08	<ul style="list-style-type: none"> <li>Anchoring arrangements (for anchoring of conveyors only E21F 13/00)</li> </ul>	35/10	<ul style="list-style-type: none"> <li>by feelers contacting the working face</li> </ul>
29/10	<ul style="list-style-type: none"> <li>Cable or chain co-operating with a winch or the like on the machine</li> </ul>	35/12	<ul style="list-style-type: none"> <li>along a conveyor for the cut mineral</li> </ul>
29/12	<ul style="list-style-type: none"> <li>Machines propelled by thrust or pull against a part alternately anchored to and released from a cable or chain</li> </ul>	35/125	<ul style="list-style-type: none"> <li>{Means for inclining the conveyor}</li> </ul>
29/14	<ul style="list-style-type: none"> <li>by haulage cable or chain pulling the machine along the working face</li> </ul>	35/14	<ul style="list-style-type: none"> <li>Equipment for pressing the conveyor towards the working face</li> </ul>
29/145	<ul style="list-style-type: none"> <li>{Means for tensioning the haulage chains or cables}</li> </ul>	35/16	<ul style="list-style-type: none"> <li>by making use of the timbering, filling, or other supports</li> </ul>
29/16	<ul style="list-style-type: none"> <li>Winches or other means for pulling cable or chain (winches in general B66D)</li> </ul>	35/18	<ul style="list-style-type: none"> <li>Mining picks; Holders therefor (planing knives E21C 27/44; {pick-like bits for milling stone like materials B28D 1/186})</li> </ul>
29/18	<ul style="list-style-type: none"> <li>Coupling and uncoupling machine to cable or chain</li> </ul>	2035/1803	<ul style="list-style-type: none"> <li>{Inserts or layers of wear-resistant material}</li> </ul>
29/185	<ul style="list-style-type: none"> <li>{with coupling or uncoupling of the machine at will}</li> </ul>	2035/1806	<ul style="list-style-type: none"> <li>{Fixing methods or devices}</li> </ul>
29/20	<ul style="list-style-type: none"> <li>with safety devices operating in the event of breakage of the cable or chain</li> </ul>	2035/1809	<ul style="list-style-type: none"> <li>{Multiple inserts}</li> </ul>
29/22	<ul style="list-style-type: none"> <li>by wheels, endless tracks or the like {(propulsion using fixed racks along which the machine is running E21C 29/02)}</li> </ul>	2035/1813	<ul style="list-style-type: none"> <li>{Chemical composition or specific material}</li> </ul>
29/24	<ul style="list-style-type: none"> <li>Trucks carrying the machine while working</li> </ul>	2035/1816	<ul style="list-style-type: none"> <li>{characterised by the shape}</li> </ul>
29/26	<ul style="list-style-type: none"> <li>with means for adjustably positioning the machine on the truck</li> </ul>	2035/182	<ul style="list-style-type: none"> <li>{Reversible picks, i.e. having two working ends, one operating, the other in reserve}</li> </ul>
29/28	<ul style="list-style-type: none"> <li>adjusting the height of the whole machine</li> </ul>	2035/1823	<ul style="list-style-type: none"> <li>{using a locking piston actuated hydraulically, e.g. by spraying-fluid pressure}</li> </ul>
		2035/1826	<ul style="list-style-type: none"> <li>{characterised by adaptations to use an extraction tool}</li> </ul>
		35/183	<ul style="list-style-type: none"> <li>with inserts or layers of wear-resistant material {(drill bits with wear-resistant parts E21B 10/46)}</li> </ul>
		35/187	<ul style="list-style-type: none"> <li>with arrangement of fluid-spraying nozzles (supply of fluid to the nozzles E21C 35/22)</li> </ul>
		35/19	<ul style="list-style-type: none"> <li>Means for fixing picks or holders</li> </ul>
		2035/191	<ul style="list-style-type: none"> <li>{for fixing holders}</li> </ul>
		35/193	<ul style="list-style-type: none"> <li>using bolts as main fixing elements</li> </ul>
		35/1933	<ul style="list-style-type: none"> <li>{the picks having a cylindrical shank}</li> </ul>
		35/1936	<ul style="list-style-type: none"> <li>{the picks having a square- or rectangular-section shank}</li> </ul>

- 35/197 . . . using sleeves, rings or the like, as main fixing elements
- 35/20 . General features of equipment for removal of chippings, e.g. for loading on conveyer
- 35/22 . Equipment for preventing the formation of, or for removal of, dust ([removing dust while drilling E21C 7/00](#); picks with arrangement of fluid-spraying nozzles [E21C 35/187](#))
- 35/223 . . {Equipment associated with mining machines for sucking dust-laden air from the cutting area, with or without cleaning of the air}
- 2035/226 . . {Control valves for the spraying liquid used in dust suppression systems}
- 35/23 . . Distribution of spraying-fluids in rotating cutter-heads
- 35/24 . Remote control specially adapted for machines for slitting or completely freeing the mineral ([control in general G05](#))
- 37/00 Other methods or devices for dislodging with or without loading (breaking-down by means inserted in slits [E21C 27/14](#))**
  - 37/005 . {by projectiles}
  - 37/02 . by wedges
  - 37/04 . by devices with parts pressed mechanically against the wall of a borehole {or a slit}
  - 37/06 . by making use of hydraulic or pneumatic pressure in a borehole
  - 37/08 . . Devices with pistons, plungers, or the like, pressed locally against the wall of the borehole {([E21C 37/10](#) takes precedence)}
  - 37/10 . . Devices with expanding elastic casings
  - 37/12 . . by injecting into the borehole a liquid, either initially at high pressure or subsequently subjected to high pressure, e.g. by pulses, by explosive cartridges acting on the liquid ([slitting by jets of water E21C 25/60](#); [blasting by explosives F42D](#))
  - 37/14 . . by compressed air; by gas blast; by gasifying liquids
  - 37/16 . by fire-setting or by similar methods based on a heat effect ([drilling by use of heat E21B 7/14](#))
  - 37/18 . by electricity
  - 37/20 . by ultrasonics
  - 37/22 . Hand tools or hand-held power-operated tools specially adapted for dislodging minerals ([slitting machines guided solely by hand E21C 25/64](#))
  - 37/24 . . Pick hammers ([pneumatic hammers in general B25D](#); [percussion drilling E21B 1/00](#))
  - 37/26 . Chisels or other cutting tools not mentioned before
- 39/00 Devices for testing *in situ* the hardness or other properties of minerals, e.g. for giving information as to the selection of suitable mining tools**

**Methods of mining or quarrying; Open-pit mining; Layouts therefor** (methods or apparatus for obtaining oil, gas, water, soluble or meltable materials or a slurry of minerals from wells [E21B 43/00](#))

**41/00 Methods of underground or surface mining ([E21C 45/00](#) takes precedence); Lay-outs therefor** (for peat [E21C 49/00](#))

#### **WARNING**

Groups [E21C 41/28](#) - [E21C 41/14](#) are no longer used for classification. Documents are reclassified to groups [E21C 41/16](#), [E21C 41/26](#) and [E21C 41/32](#)

- 41/04 . {for hard coal}
- 41/10 . {for oil-bearing deposits}
- 41/14 . {for other specified minerals, e.g. gold, mercury, other heavy metals, sulfur, slate; for clay}
- 41/16 . Methods of underground mining ([winning machines therefor E21C 25/00](#) - [E21C 39/00](#)); Layouts therefor

#### **WARNING**

Group [E21C 41/16](#) is incomplete. See Warning after [E21C 41/00](#)

- 41/18 . . for brown or hard coal
- 41/20 . . for rock salt or potash salt
- 41/22 . . for ores, e.g. mining placers
- 41/24 . . for oil-bearing deposits
- 41/26 . Methods of surface mining ([machines for obtaining, or the removal of, materials in open-pit mines E21C 47/00](#)); Layouts therefor

#### **WARNING**

Group [E21C 41/26](#) is incomplete. See Warning after [E21C 41/00](#)

- 41/28 . . for brown or hard coal
- 41/30 . . for ores, e.g. mining placers
- 41/31 . . {for oil-bearing deposits}
- 41/32 . Reclamation of surface-mined areas ([machines or methods for treating or working soil for agricultural purposes A01B 77/00](#), [A01B 79/00](#); [machines for back-filling E02F 5/22](#))

#### **WARNING**

Group [E21C 41/32](#) is incomplete, see other groups of [E21C 41/00](#)

**43/00 {Methods for preparing for the gasification of coal underground (methods for generating gas [C10B](#))}**

**45/00 Methods of hydraulic mining; Hydraulic monitors ([E21C 25/60](#) takes precedence)**

- 45/02 . Means for generating pulsating fluid jets
- 45/04 . . by use of highly pressurised liquid
- 45/06 . . by use of compressed gases
- 45/08 . Automatic or remote control of hydraulic monitors

**47/00 Machines for obtaining or the removal of materials in open-pit mines ([obtaining peat E21C 49/00](#))**

- 47/02 . for coal, brown coal, or the like ([dredgers or soil-shifting machines in general E02F](#))
- 47/04 . . Conveyor bridges used in co-operation with the winning apparatus

- 47/06 . . Cableway conveyors used in co-operation with the winning apparatus ([underground hauling E21F 13/00](#))
- 47/08 . . Devices for cutting-out partings, e.g. layers of sand between seams of coal
- 47/10 . for quarrying stone, sand, gravel, or clay
- 49/00    Obtaining peat; Machines therefor** ([treating peat C10F](#))
  - 49/02 . by excavating
  - 49/04 . by digging in the form of peat sods
- 50/00    Obtaining minerals from underwater, not otherwise provided for** ([suction dredgers or component parts thereof E02F 3/88](#); [equipment for conveying or separating excavated material E02F 7/00](#); [dippers G01N 1/12](#))
- 50/02 . dependent on the ship movements ([vessels or floating structures adapted for special purposes B63B 35/00](#))
- 51/00    Apparatus for, or methods of, winning materials from extraterrestrial sources** ([cosmonautics B64G](#))