

CPC COOPERATIVE PATENT CLASSIFICATION

F23N **REGULATING OR CONTROLLING COMBUSTION** (control devices specially adapted for fluidised-bed combustion apparatus [F23C 10/28](#); condition responsive controls for regulating combustion in domestic stoves with open fires for solid fuel [F24B 1/187](#))

- 1/00** **Regulating fuel supply**
- 1/002
 - . {using electronic means ([F23N 1/04](#) - [F23N 1/10](#) take precedence)}
- 1/005
 - . {using electrical or electromechanical means ([F23N 1/04](#) - [F23N 1/10](#) take precedence)}
- 1/007
 - . {using mechanical means ([F23N 1/04](#) - [F23N 1/10](#) take precedence)}
- 1/02
 - . conjointly with air supply
- 1/022
 - . . {using electronic means}
- 1/025
 - . . {using electrical or electromechanical means}
- 1/027
 - . . {using mechanical means}
- 1/04
 - . conjointly with air supply and with draught
- 1/042
 - . . {using electronic means}
- 1/045
 - . . {using electrical or electromechanical means}
- 1/047
 - . . {using mechanical means}
- 1/06
 - . conjointly with draught
- 1/062
 - . . {using electronic means}
- 1/065
 - . . {using electrical or electromechanical means}
- 1/067
 - . . {using mechanical means}
- 1/08
 - . conjointly with another medium, e.g. boiler water
- 1/082
 - . . {using electronic means}
- 1/085
 - . . {using electrical or electromechanical means}
- 1/087
 - . . {using mechanical means}
- 1/10
 - . . and with air supply or draught
- 1/102
 - . . . {using electronic means}
- 1/105
 - . . . {using electrical or electromechanical means}
- 1/107
 - . . . {using mechanical means}
- 3/00** **Regulating air supply or draught (conjointly with fuel supply [F23N 1/00](#))**
- 3/002
 - . {using electronic means ([F23N 3/02](#) - [F23N 3/08](#) take precedence)}
- 3/005
 - . {using electrical or electromechanical means ([F23N 3/02](#) - [F23N 3/08](#) take precedence)}
- 3/007
 - . {using mechanical means ([F23N 3/02](#) - [F23N 3/08](#) take precedence)}
- 3/02
 - . Regulating draught by direct pressure operation of single valves or dampers
- 3/04
 - . by operation of single valves or dampers by temperature sensitive elements
- 3/042
 - . . {using electronic means}
- 3/045
 - . . {using electrical or electromechanical means}
- 3/047
 - . . {using mechanical means}
- 3/06
 - . by conjoint operation of two or more valves or dampers ([F23N 3/08](#) takes precedence)
- 3/065
 - . . {using mechanical means}
- 3/08
 - . by power-assisted systems
- 3/082
 - . . {using electronic means}
- 3/085
 - . . {using electrical or electromechanical means}
- 3/087
 - . . {using mechanical means}
- 5/00** **Systems for controlling combustion** ([F23N 1/00](#), [F23N 3/00](#) take precedence)
- 5/003
 - . {using detectors sensitive to combustion gas properties ([F23N 5/02](#), [F23N 5/18](#) - [F23N 5/26](#) take precedence)}
- 5/006
 - . . {the detector being sensitive to oxygen}
- 5/02
 - . using devices responsive to thermal changes or to thermal expansion of a medium
- 5/022
 - . . {using electronic means ([F23N 5/04](#) - [F23N 5/14](#) take precedence)}
- 5/025
 - . . {using electrical or electromechanical means ([F23N 5/04](#) - [F23N 5/14](#) take precedence)}
- 5/027
 - . . {using mechanical means ([F23N 5/04](#) - [F23N 5/14](#) take precedence)}
- 5/04
 - . . using bimetallic elements
- 5/042
 - . . . {using electronic means}
- 5/045
 - . . . {using electrical or electromechanical means}
- 5/047
 - . . . {using mechanical means}
- 5/06
 - . . using bellows; using diaphragms
- 5/062
 - . . . {using electronic means}
- 5/065
 - . . . {using electrical or electromechanical means}
- 5/067
 - . . . {using mechanical means}
- 5/08
 - . . using light-sensitive elements
- 5/082
 - . . . {using electronic means}
- 5/085
 - . . . {using electrical or electromechanical means}
- 5/087
 - . . . {using mechanical means}
- 5/10
 - . . using thermocouples
- 5/102
 - . . . {using electronic means}
- 5/105
 - . . . {using electrical or electromechanical means}
- 5/107
 - . . . {using mechanical means, e.g. safety valves}
- 5/12
 - . . using ionisation-sensitive elements, i.e. flame rods {(testing of other ignition means, e.g. flame [F02P 17/12](#); analysing gases by investigating the ionisation by using heat [G01N 27/626](#))}
- 5/123
 - . . . {using electronic means}
- 5/126
 - . . . {using electrical or electromechanical means}
- 5/14
 - . . using thermo-sensitive resistors
- 5/143
 - . . . {using electronic means}
- 5/146
 - . . . {using electrical or electromechanical means}
- 5/16
 - . using noise-sensitive detectors
- 2005/165
 - . . {with ultrasonic means}
- 5/18
 - . using detectors sensitive to rate of flow of air or fuel
- 2005/181
 - . . {using detectors sensitive to rate of flow of air}
- 2005/182
 - . . . {Air flow switch}
- 5/184
 - . . {using electronic means}
- 2005/185
 - . . {using detectors sensitive to rate of flow of fuel}
- 5/187
 - . . {using electrical or electromechanical means}
- 5/188
 - . . {using mechanical means}
- 5/20
 - . with a time programme acting through electrical means, e.g. using time-delay relays
- 5/203
 - . . {using electronic means}
- 5/206
 - . . {using electrical or electromechanical means}
- 5/22
 - . with a time programme acting through mechanical means, e.g. using cams

5/24	. Preventing development of abnormal or undesired conditions, i.e. safety arrangements (F23N 5/02 - F23N 5/18 take precedence)	2025/30	. . measuring lambda
5/242	. . {using electronic means}	2027/00	Ignition or checking
5/245	. . {using electrical or electromechanical means}	2027/02	. Starting or ignition cycles
5/247	. . {using mechanical means}	2027/04	. Prepurge
5/26	. Details	2027/06	. Postpurge
5/265	. . {using electronic means}	2027/08	. Hold fire apparatus
2021/00	Pretreatment or prehandling	2027/10	. Sequential burner running
2021/02	. using belt conveyors	2027/12	. Burner simulation or checking
2021/04	. Preheating liquid fuel	2027/14	. . Flame simulation
2021/06	. Preheating gaseous fuel	2027/16	. . Checking components, e.g. electronic
2021/08	. Preheating the air	2027/18	. Applying test signals, e.g. periodic
2021/10	. Analysing fuel properties, e.g. density, calorific	2027/20	. Calibrating devices
2021/12	. Recycling exhaust gases	2027/22	. Pilot burners (ignition circuits therefor F23N 2027/32)
2023/00	Signal processing; Details thereof	2027/24	. . the pilot burner not burning continuously
2023/02	. Multiplex transmission	2027/26	. . comprising two or more distinct pilot burners
2023/04	. Memory	2027/28	. Ignition circuits
2023/06	. Sampling	2027/30	. . for pilot burners
2023/08	. Microprocessor; Microcomputer	2027/32	. Igniting for a predetermined number of cycles
2023/10	. Correlation	2027/34	. Continuously applied ignition cycles
2023/12	. Integration	2027/36	. Spark ignition, e.g. by means of a high voltage
2023/14	. Differentiation	2027/38	. Electrical resistance ignition
2023/16	. Measuring bridge	2027/40	. Catalytic ignition
2023/18	. Chopper	2027/42	. Ceramic glow ignition
2023/20	. Opto-coupler	2029/00	Flame sensors
2023/22	. Timing network	2029/02	. Pilot flame sensors
2023/24	. . with bimetallic elements	2029/04	. sensitive to the colour of flames
2023/26	. . with capacitors	2029/06	. with periodical shutters; Modulation signals
2023/28	. . with more than one timing element	2029/08	. detecting flame flicker
2023/30	. Switches	2029/10	. comprising application of periodical fuel flow fluctuations
2023/32	. . Reed switches	2029/12	. with flame rectification current detecting means
2023/34	. with feedforward processing	2029/14	. using two or more different types of flame sensor
2023/36	. PID signal processing	2029/16	. using two or more of the same types of flame sensor
2023/38	. Remote control	2029/18	. Flame sensor cooling means
2023/40	. Simulation	2029/20	. Camera viewing
2023/42	. Function generator	2029/22	. the sensor's sensitivity being variable
2023/44	. Optimum control	2031/00	Fail safe
2023/46	. Identification	2031/02	. using electric energy accumulators
2023/48	. Learning / Adaptive control	2031/04	. for electrical power failures
2023/50	. Human control	2031/06	. for flame failures
2023/52	. Fuzzy logic	2031/08	. . for pilot flame failures
2023/54	. Recording	2031/10	. for component failures
2025/00	Measuring	2031/12	. for ignition failures
2025/02	. filling height in burners	2031/14	. for earthquakes
2025/04	. pressure	2031/16	. using melting materials or shape memory alloys
2025/06	. . for determining flow	2031/18	. Detecting fluid leaks
2025/08	. temperature	2031/20	. Warning devices
2025/10	. . stack temperature	2031/22	. . using warning lamps
2025/12	. . room temperature	2031/24	. Freezing
2025/13	. . outdoor temperature	2031/26	. for clogging air inlet
2025/14	. . Ambient temperature around burners	2031/28	. preventing flash-back or blow-back
2025/16	. . burner temperature	2031/30	. Representation of working time
2025/18	. . feedwater temperature	2033/00	Ventilators
2025/19	. . outlet temperature water heat-exchanger	2033/02	. in stacks
2025/20	. . entrant temperature	2033/04	. . with variable speed
2025/21	. . outlet temperature	2033/06	. at the air intake
2025/22	. heat losses	2033/08	. . with variable speed
2025/24	. . indicated in an amount of money	2033/10	. forcing air through heat exchangers
2025/26	. humidity		

2035/00 Valves, nozzles or pumps

- 2035/02 . Air or combustion gas valves or dampers
- 2035/04 . . in stacks
- 2035/06 . . at the air intake
- 2035/08 . . used with heat exchanges
- 2035/10 . . power assisted, e.g. using electric motors
- 2035/12 . Fuel valves
- 2035/14 . . electromagnetically operated
- 2035/16 . . variable flow or proportional valves
- 2035/18 . . Groups of two or more valves
- 2035/20 . . Membrane valves
- 2035/22 . . cooperating with magnets
- 2035/24 . . Valve details
- 2035/26 . Fuel nozzles
- 2035/28 . . Spray fuel nozzles
- 2035/30 . Pumps

2037/00 Controlling (F23N 5/00 takes precedence)

- 2037/02 . two or more burners
- 2037/04 . at two or more different localities
- 2037/06 . two predetermining temperatures, e.g. day-night
- 2037/08 . two or more different types of fuel simultaneously
- 2037/10 . High or low fire
- 2037/12 . catalytic burners
- 2037/14 . burners with gasification or vaporizer elements
- 2037/16 . secondary air
- 2037/18 . fluidized bed burners
- 2037/20 . one or more bypass conduits
- 2037/22 . water injection
- 2037/24 . height of burner
- 2037/26 . . oxygen-air ratio
- 2037/28 . . oxygen as pure oxydant
- 2037/30 . . matrix burners
- 2037/32 . . Nox

2039/00 Fuels

- 2039/02 . Solid fuels
- 2039/04 . Gaseous fuels
- 2039/06 . Liquid fuels

2041/00 Applications

- 2041/02 . Space-heating
- 2041/04 . Heating water
- 2041/06 . Space-heating and heating water
- 2041/08 . Household apparatus
- 2041/10 . Generating vapour
- 2041/11 . Torches
- 2041/12 . Stack-torches
- 2041/14 . Vehicle heating, the heat being derived otherwise than from the propulsion plant
- 2041/16 . Spectrometer burners
- 2041/18 . Incinerating apparatus
- 2041/20 . Gas turbines
- 2041/22 . Absorption refrigerator

2900/00 Special features of, or arrangements for controlling combustion

- 2900/01001 . Micro Electro Mechanical Systems [MEMS] for controlling fuel supply to burners
- 2900/01002 . Electromagnetically operated fuel valves with a single solenoid controlling two or more cores
- 2900/05001 . Measuring CO content in flue gas
- 2900/05002 . Measuring CO₂ content in flue gas

- 2900/05003 . Measuring NO_x content in flue gas
- 2900/05004 . Details of components, e.g. connecting adaptors
- 2900/05005 . Mounting arrangements for sensing, detecting or measuring devices
- 2900/05006 . Controlling systems using neuronal networks
- 2900/05101 . Connections between thermocouple and magnetic valves, e.g. by plug and socket connectors
- 2900/05181 . Controlling air to fuel ratio by using a single differential pressure detector