

CPC COOPERATIVE PATENT CLASSIFICATION

C08K USE OF INORGANIC OR NON-MACROMOLECULAR ORGANIC SUBSTANCES AS COMPOUNDING INGREDIENTS (pesticides, herbicides [A01N](#); pharmaceuticals, cosmetics [A61K](#); explosives [C06B](#); paints, inks, varnishes, dyes, polishes, adhesives [C09](#); lubricants [C10M](#); detergents [C11D](#); artificial filaments or fibres [D01F](#); textile treating compositions [D06](#))

NOTES

1. The use of an ingredient for a specific polymer is classified by adding, in a C-set, to the group symbol of [C08K](#), the subdivision of [C08L 1/00](#) - [C08L 99/00](#). Example: Polystyrene containing a carboxylic amide is classified in ([C08K 5/20](#), [C08L 25/06](#)).
2. From April 2012, the use of an ingredient for a specific polymer is classified by adding, in a C-set, to the group symbol of [C08K](#), the subdivision of [C08L 1/00](#) - [C08L 99/00](#). Example: Polystyrene containing a carboxylic amide is classified in ([C08K 5/20](#), [C08L 25/06](#)).
3. In this subclass, in the absence of an indication to the contrary, an ingredient is classified in the last appropriate place.
4. In this subclass:
 - a mixture of ingredients is classified in the most indented group covering all the essential ingredients of the mixture, e.g.:
 - a mixture of a monohydric and a polyhydric alcohol [C08K 5/05](#)
 - a mixture of two polyhydric alcohols [C08K 5/053](#)
 - a mixture of an alcohol and an ether [C08K 5/04](#)
 - a mixture of an ether and an amine [C08K 5/00](#)
 - a mixture of an amine and a metal [C08K 13/02](#)
 - { This note is applied only for mixtures with more than three essential ingredients. Mixtures with two or three ingredients are classified in the appropriate groups of [C08K](#), e.g. a mixture of Al₂O₃, an ether and an amine is classified in [C08K 3/22](#), [C08K 5/06](#) and [C08K 5/17](#)}
 - ammonium salts are classified in the same way as metal salts
5. In this subclass, organic acid salts, alcoholates, phenolates or mercaptides are classified in the groups or subgroups of the parent compounds
6. The use of an ingredient for a specific polymer is classified by adding to the group symbol of [C08K](#) and separated therefrom by a "+" sign, the subdivision of [C08L 1/00](#) - [C08L 99/00](#).
Example: Polystyrene containing a carboxylic amide is classified in [C08K 5/20](#) + [C08L 25/06](#)
7. In this subclass are considered as compounding ingredients:
 - inert additives
 - radical crosslinking agents, e.g. peroxides, S-containing vulcanisation agents
 - coupling agents, i.e. compounds able to improve the adhesion between filler and macromoleculeAre not considered as compounding ingredients:
 - chemical modifying or crosslinking agents which react via a condensation or addition mechanism (for [C08B](#) polymers [C08B](#), for diene rubbers [C08C 19/30](#), for other vinyl polymers [C08F 8/00](#), for polysiloxanes [C08L 83/00](#), for other [C08G](#) polymers [C08G](#))
 - solvents or dispersion agents for making polymer solutions, emulsions or dispersions ([C08J 3/02](#))
 - blowing agents ([C08J 9/04](#))

WARNING

The following IPC group is not used in the CPC system. Subject matter covered by this group is classified in the following CPC groups:

[C08K 5/5445](#)

covered by

[C08K 5/544](#)

3/00	Use of inorganic ingredients	3/0075	. {Metal containing compounds according to more than one of the "one dot" groups of C08K 3/10 - C08K 3/40 }
3/0008	. {Inorganic ingredients according to more than one of the "one dot" groups of C08K 3/02 - C08K 3/40 }	3/0083	. . {Compounds containing metals of the 1st to 3rd Group of the Periodic system}
3/0016	. . {Crosslinking or vulcanising agents, including accelerators}	3/0091	. . {Compounds containing metals of the 4th to 8th Group of the Periodic system, e.g. nickel compounds}
3/0025	. . {Additives activating the degradation of the macromolecular compound}	3/02	. Elements
3/0033	. . {Fillers, pigments, reinforcing additives}	2003/023	. . {Silicon}
3/0041	. . {Stabilisers against oxidation, heat, light, ozone}	2003/026	. . {Phosphorus}
3/005	. . {Biocides; (macromolecular substances as carriers for biocide material A01N 25/10)}	3/04	. . Carbon
3/0058	. . {Flame-proofing or flame-retarding additives}	2003/045	. . . {Fullerenes}
3/0066	. . {Antistatics}	3/06	. . Sulfur

3/08	. . Metals	2003/265 {Calcium, strontium or barium carbonate}
2003/0806	. . . {Silver}	2003/267 {Magnesium carbonate}
2003/0812	. . . {Aluminium}	3/28	. Nitrogen-containing compounds
2003/0818	. . . {Alkali metal}	2003/282	. . {Binary compounds of nitrogen with aluminium}
2003/0825 {Potassium}	2003/285	. . {Ammonium nitrates}
2003/0831	. . . {Gold}	2003/287	. . {Calcium, strontium or barium nitrates}
2003/0837	. . . {Bismuth}	3/30	. Sulfur-, selenium- or tellurium-containing compounds
2003/0843	. . . {Cobalt}	2003/3009	. . {Sulfides}
2003/085	. . . {Copper}	2003/3018	. . . {of magnesium, calcium, strontium or barium}
2003/0856	. . . {Iron}	2003/3027	. . . {of cadmium}
2003/0862	. . . {Nickel}	2003/3036	. . . {of zinc}
2003/0868	. . . {Osmium}	2003/3045	. . {Sulfates}
2003/0875	. . . {Antimony}	2003/3054	. . . {Ammonium sulfates}
2003/0881	. . . {Titanium}	2003/3063	. . . {Magnesium sulfate}
2003/0887	. . . {Tungsten}	2003/3072	. . . {Iron sulfates}
2003/0893	. . . {Zinc}	2003/3081	. . . {Aluminum sulfate}
3/10	. Metal compounds	2003/309	. . {Sulfur containing acids}
3/12	. . Hydrides	3/32	. Phosphorus-containing compounds
3/14	. . Carbides	2003/321	. . {Phosphates}
3/16	. Halogen-containing compounds	2003/322	. . . {Ammonium phosphate}
2003/162	. . {Calcium, strontium or barium halides, e.g. calcium, strontium or barium chloride}	2003/323 {Ammonium polyphosphate}
2003/164	. . {Aluminum halide, e.g. aluminium chloride}	2003/324	. . . {Alkali metal phosphate}
2003/166	. . {Magnesium halide, e.g. magnesium chloride}	2003/325	. . . {Calcium, strontium or barium phosphate}
2003/168	. . {Zinc halides}	2003/326	. . . {Magnesium phosphate}
3/18	. Oxygen-containing compounds, e.g. metal carbonyls	2003/327	. . . {Aluminium phosphate}
3/20	. . Oxides; Hydroxides	2003/328	. . . {Phosphates of heavy metals}
3/22	. . . of metals	2003/329	. . {Phosphorus containing acids}
2003/2203 {of lithium}	3/34	. Silicon-containing compounds
2003/2206 {of calcium, strontium or barium}	2003/343	. . {Peroxyhydrates, peroxyacids or salts thereof}
2003/221 {of rare earth metal}	3/346	. . {Clay}
2003/2213 {of cerium}	3/36	. . Silica
2003/2217 {of magnesium}	3/38	. Boron-containing compounds
2003/222 {Magnesia, i.e. magnesium oxide}	2003/382	. . {and nitrogen}
2003/2224 {Magnesium hydroxide}	2003/385	. . . {Binary compounds of nitrogen with boron}
2003/2227 {of aluminium}	2003/387	. . {Borates}
2003/2231 {of tin}	3/40	. Glass
2003/2234 {of lead}	5/00	Use of organic ingredients
2003/2237 {of titanium}	5/0008	. {Organic ingredients according to more than one of the "one dot" groups of C08K 5/01 - C08K 5/59 }
2003/2241 {Titanium dioxide}	5/0016	. . {Plasticisers}
2003/2244 {of zirconium}	5/0025	. . {Crosslinking or vulcanising agents; including accelerators}
2003/2248 {of copper}	5/0033	. . {Additives activating the degradation of the macromolecular compound}
2003/2251 {of chromium}	5/0041	. . {Optical brightening agents, organic pigments}
2003/2255 {of molybdenum}	5/005	. . {Stabilisers against oxidation, heat, light, ozone}
2003/2258 {of tungsten}	5/0058	. . {Biocides; (macromolecular substances as carriers for biocide material A01N 25/10)}
2003/2262 {of manganese}	5/0066	. . {Flame-proofing or flame-retarding additives}
2003/2265 {of iron}	5/0075	. . {Antistatics}
2003/2268 {Ferrous oxide (FeO)}	5/0083	. . {Nucleating agents promoting the crystallisation of the polymer matrix}
2003/2272 {Ferric oxide (Fe ₂ O ₃)}	5/0091	. {Complexes with metal-heteroatom-bonds}
2003/2275 {Ferroso-ferric oxide (Fe ₃ O ₄)}	5/01	. Hydrocarbons {(C08K 5/0091 takes precedence)}
3/2279 {of antimony}	5/02	. Halogenated hydrocarbons {(C08K 5/0091 takes precedence)}
2003/2282 {Antimonates}	5/03	. . aromatic, [e.g. C ₆ H ₅ -CH ₂ -Cl]
2003/2286 {of silver}	5/04	. Oxygen-containing compounds {(C08K 5/0091 takes precedence)}
2003/2289 {of cobalt}	5/05	. . Alcohols; Metal alcoholates
2003/2293 {of nickel}		
2003/2296 {of zinc}		
3/24	. . Acids; Salts thereof {(C08K 3/16 takes precedence)}		
3/26	. . . Carbonates; Bicarbonates		
2003/262 {Alkali metal carbonates}		

- 5/053 . . . Polyhydroxylic alcohols
- 5/057 . . . Metal alcoholates {(metal enolates
C08K 5/0091)}
- 5/06 . . Ethers; Acetals; Ketals; Ortho-esters
- 5/07 . . Aldehydes; Ketones
- 5/08 . . . Quinones
- 5/09 . . Carboxylic acids; Metal salts thereof; Anhydrides thereof
- 5/092 . . . Polycarboxylic acids
- 5/095 . . . Carboxylic acids containing halogens
- 5/098 . . . Metal salts of carboxylic acids
- 5/10 . . Esters; Ether-esters
- 5/101 . . . of monocarboxylic acids
- 5/103 with polyalcohols
- 5/105 with phenols
- 5/107 with polyphenols
- 5/109 . . . of carbonic acid, {e.g. R-O-C(=O)-O-R}
- 5/11 . . . of acyclic polycarboxylic acids
- 5/12 . . . of cyclic polycarboxylic acids
- 5/13 . . Phenols; Phenolates
- 5/132 . . . Phenols containing keto groups, {e.g.
benzophenones}
- 5/134 . . . Phenols containing ester groups
- 5/1345 {Carboxylic esters of phenolcarboxylic
acids}
- 5/136 . . . Phenols containing halogens
- 5/138 . . . Phenolates
- 5/14 . . Peroxides
- 5/15 . . Heterocyclic compounds having oxygen in the
ring
- 5/151 . . . having one oxygen atom in the ring
- 5/1515 Three-membered rings
- 5/1525 Four-membered rings
- 5/1535 Five-membered rings
- 5/1539 Cyclic anhydrides
- 5/1545 Six-membered rings
- 5/156 . . . having two oxygen atoms in the ring
- 5/1565 Five-membered rings
- 5/1575 Six-membered rings
- 5/159 . . . having more than two oxygen atoms in the ring
- 5/16 . . Nitrogen-containing compounds {(C08K 5/0091
takes precedence)}
- 5/17 . . Amines; Quaternary ammonium compounds
- 5/175 . . . {containing COOH-groups; Esters or salts
thereof}
- 5/18 . . . with aromatically bound amino groups
- 5/19 . . . Quaternary ammonium compounds
- 5/20 . . Carboxylic acid amides
- 5/205 . . Compounds containing $\begin{array}{c} \text{O} \\ \parallel \\ -\text{O}-\text{C}-\text{N} \end{array}$ groups, e.g.
carbamates
- 5/21 . . Urea; Derivatives thereof, e.g. biuret
- 5/22 . . Compounds containing nitrogen bound to another
nitrogen atom
- 5/23 . . . Azo-compounds
- 5/235 {Diazo and polyazo compounds}
- 5/24 . . . Derivatives of hydrazine
- 5/25 Carboxylic acid hydrazides
- 5/26 Semicarbazides
- 5/27 . . . Compounds containing a nitrogen atom bound
to two other nitrogen atoms, e.g. diazoamino-
compounds
- 5/28 Azides
- 5/29 . . Compounds containing {one or more} carbon-to-
nitrogen double bonds
- 5/30 . . . Hydrazones; Semicarbazones
- 5/31 . . . Guanidine; Derivatives thereof
- 5/315 . . Compounds containing carbon-to-nitrogen triple
bonds
- 5/3155 . . . {Dicyandiamide}
- 5/32 . . Compounds containing nitrogen bound to oxygen
- 5/33 . . . Oximes
- 5/34 . . Heterocyclic compounds having nitrogen in the
ring
- 5/3412 . . . having one nitrogen atom in the ring
- 5/3415 Five-membered rings
- 5/3417 condensed with carbocyclic rings
- 5/3432 Six-membered rings
- 5/3435 Piperidines
- 5/3437 condensed with carbocyclic rings
- 5/3442 . . . having two nitrogen atoms in the ring
- 5/3445 Five-membered rings
- 5/3447 condensed with carbocyclic rings
- 5/3462 Six-membered rings
- 5/3465 condensed with carbocyclic rings
- 5/3467 . . . having more than two nitrogen atoms in the
ring
- 5/3472 Five-membered rings
- 5/3475 condensed with carbocyclic rings
- 5/3477 Six-membered rings
- 5/3492 Triazines
- 5/34922 {Melamine; Derivatives thereof}
- 5/34924 {containing cyanurate groups;
Tautomers thereof}
- 5/34926 {also containing heterocyclic groups
other than triazine groups}
- 5/34928 {Salts}
- 5/3495 condensed with carbocyclic rings
- 5/35 . . . having also oxygen in the ring
- 5/353 Five-membered rings
- 5/357 Six-membered rings
- 5/36 . . Sulfur-, selenium-, or tellurium-containing
compounds {(C08K 5/0091 takes precedence)}
- 5/37 . . Thiols
- 5/372 . . . Sulfides, {e.g. R-(S)_x-R'}
- 5/3725 {containing nitrogen}
- 5/375 . . . containing six-membered aromatic rings
{(C08K 5/3725 takes precedence)}
- 5/378 . . . containing heterocyclic rings
- 5/38 . . Thiocarbonic acids; Derivatives thereof, e.g.
xanthates; {i.e. compounds containing -X-C(=X)-
groups, X being oxygen or sulfur, at least one X
being sulfur}
- 5/39 . . Thiocarbamic acids; Derivatives thereof, e.g.
dithiocarbamates
- 5/40 . . . Thiurams, {i.e. compounds
containing $\begin{array}{c} \text{N}-\text{C}(\text{S})-\text{C}(\text{N}) \\ \parallel \quad \parallel \\ \text{S} \quad \text{S} \end{array}$ groups}
- 5/405 . . . Thioureas; Derivatives thereof
- 5/41 . . Compounds containing sulfur bound to oxygen
- 5/42 . . . Sulfonic acids; Derivatives thereof

- 5/43 . . Compounds containing sulfur bound to nitrogen
- 5/435 . . . Sulfonamides
- 5/44 . . . Sulfenamides
- 5/45 . . Heterocyclic compounds having sulfur in the ring
- 5/46 . . . with oxygen or nitrogen in the ring
- 5/47 Thiazoles
- 5/48 . . Selenium- or tellurium-containing compounds
- 5/49 . Phosphorus-containing compounds {(C08K 5/0091 takes precedence)}
- 5/50 . . Phosphorus bound to carbon only
- 5/51 . . Phosphorus bound to oxygen
- 5/52 . . . Phosphorus bound to oxygen only
- 5/5205 {Salts of P-acids with N-bases}
- 5/521 Esters of phosphoric acids, e.g. of H₃PO₄
- 5/523 with hydroxyaryl compounds
- 5/524 Esters of phosphorous acids, e.g. of H₃PO₃
- 5/526 with hydroxyaryl compounds
- 5/527 Cyclic esters
- 5/529 Esters containing heterocyclic rings not representing cyclic esters of phosphoric or phosphorous acids
- 5/53 . . . bound to oxygen and to carbon only
- 5/5313 Phosphinic compounds, e.g. R₂=P(:O)OR'
- 5/5317 Phosphonic compounds, e.g. R-P(:O)(OR')₂
- 5/5333 Esters of phosphonic acids
- 5/5337 containing also halogens
- 5/5353 containing also nitrogen
- 5/5357 cyclic
- 5/5373 containing heterocyclic rings not representing cyclic esters of phosphonic acids
- 5/5377 Phosphinous compounds, e.g. R₂=P-OR'
- 5/5393 Phosphonous compounds, e.g. R-P(OR')₂
- 5/5397 Phosphine oxides
- 5/5398 . . Phosphorus bound to sulfur
- 5/5399 . . Phosphorus bound to nitrogen
- 5/54 . Silicon-containing compounds {(C08K 5/0091 takes precedence)}
- 5/5403 . . {containing no other elements than carbon or hydrogen}
- 5/5406 . . {containing elements other than oxygen or nitrogen}
- 5/541 . . containing oxygen
- 5/5415 . . . containing at least one Si-O bond
- 5/5419 . . . containing at least one Si-C bond
- 5/5425 . . . containing at least one C=C bond
- 5/5435 . . . containing oxygen in a ring
- 5/544 . . containing nitrogen
- 5/5442 . . . {containing nitrogen in a heterocyclic ring}
- 5/5455 . . . containing at least one $\begin{array}{c} \text{O} \\ \parallel \\ >\text{N}-\text{C}- \end{array}$ group
{(C08K 5/5442 takes precedence)}
- 5/5465 . . . containing at least one C=N bond
{(C08K 5/5442 takes precedence)}
- 5/5475 . . . containing at least one C-N {triple} bond
{(C08K 5/5442 takes precedence)}
- 5/548 . . containing sulfur {(C08K 5/5442 takes precedence)}
- 5/549 . . containing silicon in a ring
- 5/55 . Boron-containing compounds {(C08K 5/0091 takes precedence)}
- 5/56 . Organo-metallic compounds, i.e. organic compounds containing a metal-to-carbon bond
- 5/57 . . Organo-tin compounds
- 5/58 . . . containing sulfur
- 5/59 . Arsenic- or antimony-containing compounds
- 7/00 Use of ingredients characterised by shape**
- 7/02 . Fibres or whiskers
- 7/04 . . Inorganic
- 7/06 . . . Elements
- 7/08 . . . Oxygen-containing compounds
- 7/10 . . . Silicon-containing compounds
- 7/12 Asbestos
- 7/14 . . . Glass
- 7/16 . Solid spheres
- 7/18 . . Inorganic
- 7/20 . . . Glass
- 7/22 . Expanded, porous or hollow particles
- 7/24 . . Inorganic
- 7/26 . . . Silicon- containing compounds
- 7/28 . . . Glass
- 9/00 Use of pretreated ingredients**
- 9/02 . Ingredients treated with inorganic substances
- 9/04 . Ingredients treated with organic substances {(treated with macromolecular compounds C08K 9/08)}
- 9/06 . . with silicon-containing compounds
- 9/08 . Ingredients agglomerated by treatment with a binding agent
- 9/10 . Encapsulated ingredients
- 9/12 . Adsorbed ingredients {, e.g. ingredients on carriers}
- 11/00 Use of ingredients of unknown constitution, e.g. undefined reaction products**
- 11/005 . {Waste materials, e.g. treated or untreated sewage sludge}
- 13/00 Use of mixtures of ingredients not covered by one single of the preceding main groups, each of these compounds being essential**
- 13/02 . Organic and inorganic ingredients
- 13/04 . Ingredients characterised by their shape and organic or inorganic ingredients
- 13/06 . Pretreated ingredients and ingredients covered by the main groups C08K 3/00 - C08K 7/00
- 13/08 . Ingredients of unknown constitution and ingredients covered by the main groups C08K 3/00 - C08K 9/00
- 2201/00 Specific properties of additives**
- 2201/001 . Conductive additives
- 2201/002 . Physical properties
- 2201/003 . . Additives being defined by their diameter
- 2201/004 . . Additives being defined by their length
- 2201/005 . . Additives being defined by their particle size in general
- 2201/006 . . Additives being defined by their surface area
- 2201/007 . Fragrance additive
- 2201/008 . Additives improving gas barrier properties
- 2201/009 . Additives being defined by their hardness
- 2201/01 . Magnetic additives
- 2201/011 . Nanostructured additives
- 2201/012 . Additives improving oxygen scavenging properties
- 2201/013 . Additives applied to the surface of polymers or polymer particles

C08K

- 2201/014 . Additives containing two or more different additives of the same subgroup in [C08K](#)
- 2201/015 . Additives for heat shrinkable compositions
- 2201/016 . Additives defined by their aspect ratio
- 2201/017 . Additives being an antistatic agent
- 2201/018 . Additives for biodegradable polymeric composition
- 2201/019 . the composition being defined by the absence of a certain additive