

# CPC COOPERATIVE PATENT CLASSIFICATION

## A HUMAN NECESSITIES

### HEALTH; AMUSEMENT

#### A63 SPORTS; GAMES; AMUSEMENTS

#### A63C SKATES; SKIS; ROLLER SKATES; DESIGN OR LAYOUT OF COURTS, RINKS OR THE LIKE (devices for underwater sports [A63B 31/00](#), [A63B 33/00](#), [B63C 11/00](#); devices for gliding on water, e.g. water skis, [B63B 35/79](#), [B63B 35/81](#), [B63B 35/83](#))

##### WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

[A63C 5/025](#)

covered by

[A63C 5/00](#)

[A63C 5/14](#)

covered by

[A63C 5/12](#)

##### Skates; Accessories for skating

- |             |   |
|-------------|---|
| <b>1/00</b> | <b>Skates</b> ( <a href="#">roller skates or skate boards A63C 17/00</a> )                      |
| 1/02        | • rigidly mounted on the sole of the boot   |
| 1/04        | • fastened by means of clamps   |
| 1/06        | • . with sole and heel plates each equipped with clamps   |
| 1/08        | • . with simultaneously-tightened sole and heel clamps  |
| 1/10        | • . tightened by the movement of the foot   |
| 1/12        | • . tightened by lateral swinging or shifting of the blade or of the whole skate                |
| 1/14        | • . tightened by means of springs   |
| 1/16        | • . Special structure of the clamp fastening devices  |
| 1/18        | • fastened by means of straps   |
| 1/20        | • with fastening means on special metal parts   |
| 1/22        | • with special foot-plates of the boot  |
| 1/24        | • . Elastic plates  |
| 1/26        | • . divided into two parts permitting adjustment to the size of the foot                        |
| 1/28        | • . Pivotaly-mounted plates   |
| 1/30        | • with special blades   |
| 1/303       | • . {removably fastened to the blade holder}  |
| 1/306       | • . {Ice wheels}  |
| 1/32        | • . Special constructions of the simple blade   |
| 1/34        | • . Multi-part blades   |
| 1/36        | • . with several blades   |
| 1/38        | • of the tubular type   |
| 1/40        | • manufactured of one piece of material   |
| 1/42        | • Manufacture of skates   |
| <b>3/00</b> | <b>Accessories for skates</b>   |
| 3/02        | • Supports for the foot-joint ( <a href="#">footwear with foot-supporting parts A43B 7/14</a> ) |
| 3/04        | • Supporting frames or gliders for skaters  |
| 3/06        | • Supports for use whilst strapping skates on to boots  |
| 3/08        | • Special spikes for the blades of skates   |
| 3/10        | • Auxiliary devices for sharpening blades   |
| 3/12        | • Guards for skate blades   |
| 3/14        | • Keys for skates   |

##### Skis; Accessories for skiing

- |             |  |
|-------------|--|
| <b>5/00</b> | <b>Skis or snowboards</b> (sledges with runners, e.g. ski-bobs, <a href="#">B62B 13/00</a> ; runners for sledges <a href="#">B62B 17/02</a> ; runners for carrying wheeled vehicles to facilitate travel on snow or ice <a href="#">B62B 19/00</a> ) |
| 5/003       | • {Structure, covering or decoration of the upper ski surface}   |
| 5/006       | • {Appearance of the ski-tip, the rear end or the upper ski-edge}  |
| 5/02        | • collapsible; divided   |
| 5/03        | • Mono skis; Snowboards  |
| 5/031       | • . {Snow-ski boards with two or more runners or skis connected together by a rider-supporting platform}   |
| 5/033       | • . {Devices for enabling the use of a normal ski as mono-ski, e.g. platforms fixed on the ski for supporting the ski boots side-by-side}  |
| 5/035       | • with ground engaging rolls or belts  |
| 5/04        | • Structure of the surface thereof   |
| 5/0405      | • . {Shape thereof when projected on a plane, e.g. sidecut, camber, rocker}  |
| 5/0411      | • . . {asymmetric}   |
| 5/0417      | • . {with fins or longitudinal protrusions on the running sole}  |
| 5/0422      | • . {Longitudinal guiding grooves}   |
| 5/0428      | • . {Other in-relief running soles (tooth-shaped running sole-plates <a href="#">A63C 7/06</a> )}  |
| 5/0434      | • . . {of the side walls}  |
| 5/044       | • . of the running sole  |
| 5/048       | • . of the edges   |
| 5/0485      | • . . {Complementary or supplementary ski edges}   |
| 5/052       | • . of the tips or rear ends   |
| 5/056       | • . Materials for the running sole   |
| 5/06        | • with special devices thereon, e.g. steering devices  |
| 5/061       | • . {Ski-boot sole-scrapers}   |
| 5/062       | • . {Protection or reinforcement devices for the ski-tip or the ski rear end}  |
| 2005/063    | • . {Rolling or like devices}  |
| 5/065       | • . Anti-crossing devices  |
| 5/07        | • . comprising means for adjusting stiffness   |

- 5/075 . . Vibration dampers ([vibration dampers per se F16F 7/00](#))
- 5/08 . motor-driven ([A63C 5/035 takes precedence; {apparatus for towing skis A63C 11/10}](#))
- 5/085 . . {with rolling or like devices}
- 5/11 . combined with sails or the like; Accessories specially adapted for sail-skiing}
- 5/12 . Making thereof; Selection of particular materials ([materials for the running sole A63C 5/056](#))
- 5/122 . . {Selection of particular materials for damping purposes, e.g. rubber or the like}
- 5/124 . . {Selection of particular materials for the upper ski surface}
- 5/126 . . {Structure of the core}
- 5/128 . . {A part for the binding being integrated within the board structure, e.g. plate, rail, insert}
- 5/16 . Devices enabling skis to be used whilst held in a particular configuration with respect to each other, e.g. for training purposes
- 7/00 Devices preventing skis from slipping back; Ski-stoppers or ski-brakes**
- 7/005 . {Devices preventing skis from slipping back, actuated by the boot}
- 7/02 . Skins; Substitutes for skins
- 7/04 . Fastening-devices for skins
- 7/06 . Tooth-shaped running sole-plates
- 7/08 . Stoppage blades attachable to the skis in such manner that these blades are permanently in the operative position
- 7/10 . Hinged stoppage blades attachable to the skis in such manner that these blades can be moved out of the operative position ([not used, see subgroups](#))
- 7/1006 . . {Ski-stoppers ([not used, see subgroups](#))}
- 7/1013 . . . {actuated by the boot ([A63C 7/106 takes precedence; not used, see subgroups](#))}
- 7/102 . . . . {articulated about one transverse axis}
- 7/1026 . . . . . {laterally retractable above the ski surface}
- 7/1033 . . . . . {articulated about at least two transverse axes}
- 7/104 . . . . . {laterally retractable above the ski surface}
- 7/1046 . . . {actuated by the ski-binding ([A63C 7/106 takes precedence](#))}
- 7/1053 . . . . {laterally retractable above the ski surface}
- 7/106 . . . {articulated about a longitudinal axis}
- 7/1066 . . . {for mono-skis or snow-ski boards}
- 7/1073 . . {Ski-brakes ([not used, see subgroups](#))}
- 7/108 . . . {operated by hand, e.g. using a stick, by leg or by boot}
- 7/1086 . . . {operated by other means, e.g. by electric, pneumatic or hydraulic means}
- 7/1093 . . {Details}
- 7/12 . Ski crampons preventing lateral slipping
- 9/00 Ski bindings**
- 9/001 . {Anti-friction devices}
- 9/002 . {Strap closures or latches; Leashes}
- 9/003 . {Non-swivel sole plate fixed on the ski}
- 9/005 . {adjustable in length or height}
- 9/006 . {with a climbing wedge}
- 9/007 . {Systems preventing accumulation of forces on the binding when the ski is bending}
- 2009/008 . {with a binding element sliding along a rail during use or setting}
- 9/02 . Non-self-releasing bindings with swivel sole-plate or swivel parts, i.e. Ellefsen-type
- 9/04 . Non-self-releasing long strap bindings
- 9/06 . Non-self-releasing heel-engaging cable bindings fastened to the front end of the ski
- 9/065 . . {Details, e.g. cables, guides for cables, sockets, hooks, claws or stretchers}
- 9/08 . yieldable or self-releasing in the event of an accident, i.e. safety bindings
- 9/0802 . . {other than mechanically controlled, e.g. electric, electronic, hydraulic, pneumatic, magnetic, pyrotechnic devices; Remote control ([A63C 9/0885 takes precedence](#))}
- 9/0805 . . {Adjustment of the toe or heel holders; Indicators therefor ([adjusting toe-clamps A63C 9/22](#))}
- 9/0807 . . {for both towing and downhill skiing}
- 9/081 . . with swivel sole-plate
- 9/082 . . with swivel heel-plate
- 9/083 . . with loosenable cable strap
- 9/084 . . with heel hold-downs, e.g. swingable
- 9/0841 . . . {with a single jaw}
- 9/0842 . . . . {the jaw pivoting on the body or base about a transverse axis}
- 9/0843 . . . . {with a plurality of mobile jaws}
- 9/0844 . . . . {the body pivoting about a transverse axis}
- 9/0845 . . . . {the body or base or a jaw pivoting about a vertical axis, i.e. side release}
- 9/0846 . . . . {Details of the release or step-in mechanism}
- 9/0847 . . . . {Details of the manual release}
- 9/0848 . . . . {Structure or making}
- 9/085 . . with sole hold-downs, e.g. swingable
- 9/08507 . . . . {with a plurality of mobile jaws}
- 9/08514 . . . . . {pivoting about a transversal axis}
- 9/08521 . . . . . {pivoting about a vertical axis, e.g. side release}
- 9/08528 . . . . . {pivoting about a longitudinal axis}
- 9/08535 . . . . {with a mobile body or base or single jaw}
- 9/08542 . . . . . {pivoting about a transversal axis}
- 9/0855 . . . . . {pivoting about a vertical axis}
- 9/08557 . . . . {Details of the release mechanism}
- 9/08564 . . . . . {using cam or slide surface}
- 9/08571 . . . . . {using axis and lever}
- 9/08578 . . . . . {using a plurality of biasing elements}
- 9/08585 . . . . . {using transverse biasing element}
- 9/08592 . . . . {Structure or making}
- 9/086 . . using parts which are fixed on the shoe of the user and are releasable from the ski binding
- 9/088 . . with electronically controlled locking devices
- 9/0885 . . . {remotely operated, e.g. by the skier}
- 9/10 . Non-self-releasing toe jaw-irons; Non-self-releasing binding hooks made of one piece
- 9/12 . Non-self-releasing elastic heel-straps
- 9/14 . Non-self-releasing bindings without heel-straps, but with both guiding cheeks and toe-straps
- 9/16 . Non-self-releasing bindings without straps, but with guiding cheeks
- 9/18 . Non-self-releasing bindings without heel-straps, but with a clamping device arranged at the front end of, or behind, the binding
- 9/20 . Non-self-releasing bindings with special sole edge holders instead of toe-straps

- 9/22 . Arrangements for adjusting the toe-clamps
- 9/24 . Tighteners for ski bindings ([tighteners for self-releasing ski bindings A63C 9/08](#))
- 9/245 . . {forming part of a cable binding}
- 10/00 Snowboard bindings**
- 10/005 . {of the baseless type, i.e. without structural part under the shoe}
- 10/02 . characterised by details of the shoe holders
- 10/04 . . Shoe holders for passing over the shoe
- 10/045 . . . {with means to ease introduction of the shoe, e.g. by collapsing upstanding shoe holder parts}
- 10/06 . . . Straps therefor, e.g. adjustable straps
- 10/08 . . Toe or heel stirrups; Clamps
- 10/10 . . using parts which are fixed on the shoe, e.g. means to facilitate step-in
- 10/103 . . . {on the sides of the shoe}
- 10/106 . . . {to the front and back of the shoe}
- 10/12 . Yieldable or self-releasing in the event of an accident, i.e. safety bindings
- 10/14 . Interfaces, e.g. in the shape of a plate
- 10/145 . . {between two superimposed binding systems, e.g. cradle}
- 10/16 . Systems for adjusting the direction or position of the bindings
- 10/18 . . about a vertical rotation axis relative to the board
- 10/20 . . in longitudinal or lateral direction relative to the board
- 10/22 . . to fit the size of the shoe ([A63C 10/06 takes precedence](#))
- 10/24 . Calf or heel supports, e.g. adjustable high back or heel loops
- 10/26 . Shock or vibration dampers
- 10/28 . characterised by auxiliary devices or arrangements on the bindings
- 10/285 . . {Pads as foot or binding supports, e.g. pads made of foam}
- 11/00 Accessories for skiing or snowboarding ([fittings on vehicles for carrying skis B60R 9/12](#))**
- 11/001 . {Seats formed of skis or of accessories for skis}
- 11/002 . {Stretchers formed of skis or of accessories for skis}
- 11/003 . {Signalling devices, e.g. acoustical or visual ([A63C 11/225 takes precedence](#); means for indicating the location of accidentally snow-buried persons [A63B 29/021](#))}
- 11/004 . {Anti-theft devices for skis or ski equipment ([A63C 11/003 takes precedence](#))}
- 11/005 . . {on the ski or pole}
- 11/006 . . {Portable locking means}
- 11/007 . . {Lockable ski racks, cupboards or the like}
- 11/008 . . . {coin-operated}
- 11/009 . . {for carrying devices}
- 11/02 . Devices for stretching, clamping or pressing skis or snowboards for transportation or storage
- 11/021 . . {Devices for binding skis in pairs, e.g. straps, clips ([A63C 11/023 takes precedence](#))}
- 11/022 . . . {with magnets}
- 11/023 . . {Carrying-devices}
- 11/025 . . . {for skis or ski-sticks}
- 11/026 . . . . {on wheels}
- 11/027 . . {Protectors for skis, e.g. containers on the roof of cars}
- 11/028 . . {Storage in cupboards or ski-racks, e.g. with clamping devices}
- 11/04 . for treating skis or snowboards
- 11/06 . . Edge-sharpeners
- 11/08 . . Apparatus for waxing or dewaxing ([ski waxes C09G 3/00](#))
- 11/10 . Apparatus for towing skis ([ski-lifts B61B 11/00](#))
- 11/12 . Apparatus for hooking the heel part of the boot to the ski
- 11/14 . Apparatus for repairing damaged skis or snowboards
- 11/16 . Special devices on boots for fastening skis thereto ([A63C 9/00 takes precedence](#))
- 11/18 . Devices for removing snow from skis, snowboards, boots or bindings
- 11/20 . Snow protectors on skis or snowboards
- 11/22 . Ski-sticks
- 11/221 . . {telescopic, e.g. for varying the length or for damping shocks}
- 11/222 . . {Ski-stick handles or hand-straps}
- 11/224 . . . {associated with timing devices}
- 11/225 . . {with signalling devices, e.g. acoustical or visual (means for indicating the location of accidentally snow-buried persons [A63B 29/021](#))}
- 11/227 . . {Details; Structure}
- 11/228 . . {Accessories}
- 11/24 . . Rings for ski-sticks
- 11/26 . Devices for use in mounting ski-bindings to skis, e.g. jigs; {Testing or measuring devices specially adapted therefor}
- 11/265 . . {Devices for testing or measuring the release force of safety ski bindings}
- 13/00 Snow shoes**
- 13/001 . {Bindings therefor}
- 13/003 . {Means thereof for preventing slipping, e.g. crampons, e.g. on frame or shoe plate}
- 13/005 . {Frames therefor}
- 13/006 . {Shoe support thereof, e.g. plate, movable relative to the frame}
- 13/008 . {Adjustable heel support therefor, e.g. climbing wedge}
- 13/02 . Snow shoe rings
- 17/00 Roller skates; Skate-boards**
- 17/0006 . {Accessories}
- 17/0013 . . {Devices used in combination with the skate but not fixed to it, e.g. supporting frames, sail, sticks, auxiliary wheel aid ([uniauxle walk-type tractors B62D 51/06](#))}
- 17/002 . . {Covers; Guards}
- 17/0026 . {Roller skates used otherwise than standing or sitting on them, e.g. body skates}
- 17/0033 . {with a castor wheel, i.e. a swiveling follow-up wheel}
- 17/004 . {with auxiliary wheels not contacting the riding surface during steady riding}
- 17/0046 . {with shock absorption or suspension system}
- 2017/0053 . {with foot plate quick release or shoe binding}
- 17/006 . {with wheels of different size or type}
- 17/0066 . {with inclined wheel, i.e. not perpendicular to the surface it rolls on}

17/0073	. {with offset wheel, i.e. wheel contact point to surface offset from other associated wheel}	17/20	. with fixable wheels permitting the skates to be used for walking
17/008	. {with retractable wheel, i.e. movable relative to the chassis out of contact from surface}	17/22	. Wheels for roller skates
17/0086	. {Roller skates adjustable in length to fit the size of the foot}	17/223	. . {Wheel hubs}
17/0093	. {Mechanisms transforming leaning into steering through an inclined geometrical axis, e.g. truck ( <a href="#">A63C 17/011</a> takes precedence)}	17/226	. . {Wheel mounting, i.e. arrangement connecting wheel and axle mount}
17/01	. Skateboards ( <a href="#">A63C 17/02</a> - <a href="#">A63C 17/28</a> take precedence; {rolling devices on skis <a href="#">A63C 5/035</a> })	17/24	. . with ball-shaped or spherical running surfaces
17/011	. . {with steering mechanisms}	17/26	. with special auxiliary arrangements, e.g. illuminating, marking, or push-off devices
17/012	. . . {with a truck, i.e. with steering mechanism comprising an inclined geometrical axis to convert lateral tilting of the board in steering of the wheel axis}	17/262	. . {with foot bindings or supports therefor}
17/013	. . . {with parallelograms, follow up wheels or direct steering action}	17/265	. . {with handles or hand supports}
17/014	. . {Wheel arrangements}	17/267	. . {combined with wings or sails}
17/015	. . . {with wheels arranged in two pairs}	17/28	. with arrangements for sitting
17/016	. . . {with wheels arranged in one track}	<b>19/00</b>	<b>Design or layout of playing courts, rinks, bowling greens or areas for water-skiing; Covers therefor</b> ( <a href="#">golf courses A63B 69/3691</a> ); <a href="#">water roundabouts A63G 3/00</a> ; <a href="#">construction of surfaces of foundations E01C</a> ; <a href="#">roofs E04B 7/00</a> ; <a href="#">buildings or groups of buildings for sports E04H 3/10</a> ; <a href="#">swimming or splash baths or pools E04H 4/00</a> ; <a href="#">coverings for baths E04H 4/06</a> )
17/017	. . {Production or mounting thereof}	19/005	. {Boxing rings}
17/018	. . {Ice skateboards}	19/02	. Shaping of the surface of courts according to the necessities of the different games ({ <a href="#">surface construction E01C</a> })
17/02	. with wheels arranged in two pairs ( <a href="#">A63C 17/01</a> takes precedence)}	19/04	. Mats or carpets for courts
17/04	. with wheels arranged otherwise than in two pairs ({ <a href="#">A63C 17/01</a> takes precedence})	19/06	. Apparatus for setting-out or dividing courts
17/045	. . {Roller skis}	19/062	. . {Slalom gate poles, posts or marking sticks for sport fields}
17/06	. . single-track type	19/065	. . {Line markings, e.g. tapes; Methods therefor}
17/061	. . . {with relative movement of sub-parts on the chassis}	2019/067	. . . {Machines for marking}
17/062	. . . . {with a pivotal frame or cradle around transversal axis for relative movements of the wheels}	19/08	. . Mechanical means for marking-out
17/064	. . . . {comprising steered wheels, i.e. wheels supported on a vertical axis}	2019/085	. . . {Fences; Nets; Barriers}
17/065	. . . {with movements during use of the foot plate or shoe relative to the chassis, e.g. inline clap skate}	19/10	. Ice-skating or roller-skating rinks; Slopes or trails for skiing, ski-jumping or tobogganing ( <a href="#">chutes A63G 21/00</a> ; <a href="#">ski-lifts B61B 11/00</a> ; <a href="#">making or maintaining surfaces of snow or ice suitable for traffic or sporting purposes E01H 4/00</a> ; <a href="#">removing snow or ice E01H 5/00</a> ; <a href="#">production of ice or snow F25C 3/00</a> )
17/067	. . . {with adjustable position of the foot plate or shoe relative to the chassis}	19/12	. Removable protective covers for courts, rinks, or game pitches or the like
17/068	. . . {Production or mounting thereof}		
17/08	. . . single-wheel type {with single axis}		
17/10	. with endless tracks		
17/12	. with driving mechanisms		
17/14	. with brakes, e.g. toe stoppers, freewheel roller clutches		
17/1409	. . {contacting one or more of the wheels}	<b>2201/00</b>	<b>Use of skates, skis, roller-skates, snowboards and courts</b>
17/1418	. . . {with radial movement against the roll surface of the wheel}	2201/02	. Aggressive riding, e.g. grinding
17/1427	. . . {the brake contacting other wheel associated surfaces, e.g. hubs, brake discs or wheel flanks}	2201/04	. Ski jumping
17/1436	. . {contacting the ground}	2201/06	. Telemark
17/1445	. . {contacting the ground and one or more of the wheels}	2201/10	. for handicapped people
17/1454	. . {Freewheel roller clutches}	2201/12	. Tandem riding
2017/1463	. . {Foot or toe operated}	<b>Skates; Accessories for skating</b>	
2017/1472	. . {Hand operated}	<b>2203/00</b>	<b>Special features of skates, skis, roller-skates, snowboards and courts</b>
2017/1481	. . {Leg or ankle operated}	2203/02	. enabling transverse riding, i.e. with one runner or skate per foot and direction transverse to the foot
2017/149	. . {Stick operated}	2203/06	. enabling conversion into another device
17/16	. for use on specially shaped or arranged runways	2203/065	. . replacing in the binding the shoe by another device
17/18	. convertible into ice or snow-running skates	2203/08	. Decoration
		2203/10	. enabling folding, collapsing

- 2203/12 . Electrically powered or heated
- 2203/14 . Lighting means
- 2203/16 . Inflatable
- 2203/18 . Measuring a physical parameter, e.g. speed, distance
- 2203/20 . Shock or vibration absorbing
- 2203/22 . Radio waves emitting or receiving, e.g. remote control, RFID
- 2203/24 . Processing or storing data, e.g. with electronic chip
- 2203/40 . Runner or deck of boards articulated between both feet
- 2203/42 . Details of chassis of ice or roller skates, of decks of skateboards
- 2203/44 . Storage or transportation means for ice or roller skates
- 2203/46 . Skateboards or boards for snow having superimposed decks
- 2203/48 . Roller or ice skates adjustable in width
- 2203/50 . Skis, skates or boards with shoe-like cradles comprising additional leg support
- 2203/52 . Direct actuation of steering of roller skate or skateboards, e.g. by a foot plate
- 2203/54 . Snowboard or ski binding or interface allowing pivoting motion during riding