

CPC COOPERATIVE PATENT CLASSIFICATION

C CHEMISTRY; METALLURGY

(NOTES omitted)

CHEMISTRY

C07 ORGANIC CHEMISTRY (such compounds as the oxides, sulfides, or oxysulfides of carbon, cyanogen, phosgene, hydrocyanic acid or salts thereof [C01](#); products obtained from layered base-exchange silicates by ion-exchange with organic compounds such as ammonium, phosphonium or sulfonium compounds or by intercalation of organic compounds [C01B 33/44](#); macromolecular compounds [C08](#); dyes [C09](#); fermentation products [C12](#); fermentation or enzyme-using processes to synthesise a desired chemical compound or composition or to separate optical isomers from a racemic mixture [C12P](#); production of organic compounds by electrolysis or electrophoresis [C25B 3/00](#), [C25B 7/00](#))
(NOTES omitted)

C07K PEPTIDES (peptides in foodstuffs [A23](#); obtaining protein compositions for foodstuffs, working-up proteins for foodstuffs [A23J](#); preparations for medicinal purposes [A61K](#); peptides containing beta-lactam rings [C07D](#); cyclic dipeptides not having in their molecule any other peptide link than those which form their ring, e.g. piperazine-2,5-diones, [C07D](#); ergot alkaloids of the cyclic peptide type [C07D 519/02](#); macromolecular compounds having statistically distributed amino acid units in their molecules, i.e. when the preparation does not provide for a specific; but for a random sequence of the amino acid units, homopolyamides and block copolyamides derived from amino acids [C08G 69/00](#); macromolecular products derived from proteins [C08H 1/00](#); preparation of glue or gelatine [C09H](#); single cell proteins, enzymes [C12N](#); genetic engineering processes for obtaining peptides [C12N 15/00](#); compositions for measuring or testing processes involving enzymes [C12Q](#); investigation or analysis of biological material [G01N 33/00](#))

NOTES

1. In this subclass, the following terms or expressions are used with the meanings indicated:
 - "amino acids" are compounds in which at least one amino group and at least one carboxyl group are bound to the same carbon skeleton and the nitrogen atom of the amino group may form part of a ring;
 - "normal peptide link" is one between an alpha-amino group of an amino acid and the carboxyl group - in position 1 - of another alpha-amino acid;
 - "abnormal peptide link" is a link where at least one of the linked amino acids is not an alpha-amino acid or a link formed by at least one carboxyl or amino group being part of the side chain of a alpha-amino acid;
 - "peptides" are compounds containing at least two amino acid units, which are bound through at least one normal peptide link, including oligopeptides, polypeptides and proteins, where:
 - i. "linear peptides" may comprise rings formed through S-S bridges, or through a hydroxy or a mercapto group of an hydroxy- or mercapto-amino acid and the carboxyl group of another amino acid, (e.g. peptide lactones) but do not comprise rings which are formed only through peptide links;
 - ii. "cyclic peptides" are peptides comprising at least one ring formed only through peptide links; the cyclisation may occur only through normal peptide links or through abnormal peptide links, e.g. through the 4-amino group of 2,4-diaminobutanoic acid. Thus, cyclic compounds in which at least one link in the ring is a non-peptide link are considered as "linear peptides";
 - iii. "depsipeptides" are compounds containing a sequence of at least two alpha-amino acids and at least one alpha-hydroxy carboxylic acid, which are bound through at least one normal peptide link and ester links, derived from the hydroxy carboxylic acids, where:
 - a. "linear depsipeptides" may comprise rings formed through S-S bridges, or through an hydroxy or a mercapto group of an hydroxy- or mercapto-amino acid and the carboxyl group of another amino- of hydroxy-acid but do not comprise rings formed only through peptide or ester links derived from hydroxy carboxylic acids, e.g. Gly-Ala-Gly-OCH₂CO₂H and Gly-OCH₂CO-Ala-Gly are considered as "linear depsipeptides", but HOCH₂CO-Gly-Ala-Gly does not contain an ester link, and is thus a derivative of Gly-Ala-Gly which is covered by [C07K 5/08](#);
 - b. "cyclic depsipeptides" are peptides containing at least one ring formed only through peptide or ester links - derived from hydroxy carboxylic acids -, e.g. Gly-Ala-Gly-OCH₂CO.

C07K

C07K

(continued)

2. Fragments of peptides or peptides modified by removal or addition of amino acids, by substitution of amino acids by others, or by combination of these modifications, are classified as the parent peptides. However, fragments of peptides having only four or less amino acids are also classified in group [C07K 5/00](#).
3. Peptides prepared by chemical processes and having an amino acid sequence derived from naturally occurring peptides are classified with the natural one.
4. Peptides prepared by recombinant DNA technology are not classified according to the host, but according to the original peptide expressed, e.g. HIV peptide expressed in E. coli is classified with HIV peptides.
5. When classifying in this subclass, classification is also made in group [B01D 15/08](#) insofar as subject matter of general interest relating to chromatography is concerned.

WARNING

The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

C07K 5/023	covered by	C07K 5/0202
C07K 5/027	covered by	C07K 5/0205
C07K 5/03	covered by	C07K 5/0207
C07K 5/033	covered by	C07K 5/021
C07K 5/037	covered by	C07K 5/0215
C07K 5/062	covered by	C07K 5/06017
C07K 5/065	covered by	C07K 5/06078
C07K 5/068	covered by	C07K 5/06086
C07K 5/072	covered by	C07K 5/06104
C07K 5/075	covered by	C07K 5/0613
C07K 5/078	covered by	C07K 5/06139
C07K 5/083	covered by	C07K 5/0804
C07K 5/087	covered by	C07K 5/0812
C07K 5/09	covered by	C07K 5/0815
C07K 5/093	covered by	C07K 5/0819
C07K 5/097	covered by	C07K 5/0821
C07K 5/103	covered by	C07K 5/1005
C07K 5/107	covered by	C07K 5/1016
C07K 5/11	covered by	C07K 5/1019
C07K 5/113	covered by	C07K 5/1021
C07K 5/117	covered by	C07K 5/1024
C07K 14/185	covered by	C07K 14/1816
C07K 14/725	covered by	C07K 14/705
C07K 14/73	covered by	C07K 14/70514
C07K 14/735	covered by	C07K 14/70535
C07K 14/74	covered by	C07K 14/70539

1/00	General methods for the preparation of peptides {, i.e. processes for the organic chemical preparation of peptides or proteins of any length}	1/065	. . . {for hydroxy functions, not being part of carboxy functions}
1/003	. {by transforming the C-terminal amino acid to amides}	1/066	. . . {for omega-amido functions}
1/006	. {of peptides containing derivatised side chain amino acids}	1/067	. . . {for sulfur-containing functions}
1/02	. in solution {(C07K 1/003 , C07K 1/006 take precedence)}	1/068	. . . {for heterocyclic side chains}
1/023	. . {using racemisation inhibiting agents}	1/08	. . using activating agents {(C07K 1/003 , C07K 1/006 take precedence)}
1/026	. . {by fragment condensation in solution}	1/082	. . . {containing phosphorus}
1/04	. on carriers {(C07K 1/003 , C07K 1/006 take precedence)}	1/084	. . . {containing nitrogen}
1/042	. . {characterised by the nature of the carrier}	1/086	. . . {containing sulfur}
1/045	. . {using devices to improve synthesis, e.g. reactors, special vessels}	1/088	. . . {containing other elements, e.g. B, Si, As}
1/047	. . {Simultaneous synthesis of different peptide species; Peptide libraries}	1/10	. using coupling agents {(C07K 1/006 takes precedence)}
1/06	. using protecting groups or activating agents {(C07K 1/003 , C07K 1/006 take precedence)}	1/107	. by chemical modification of precursor peptides
1/061	. . {using protecting groups}	1/1072	. . {by covalent attachment of residues or functional groups}
1/062	. . . {for alpha- or omega-carboxy functions}	1/1075	. . . {by covalent attachment of amino acids or peptide residues}
1/063	. . . {for alpha-amino functions}	1/1077	. . . {by covalent attachment of residues other than amino acids or peptide residues, e.g. sugars, polyols, fatty acids}
1/064	. . . {for omega-amino or -guanidino functions}	1/113	. . without change of the primary structure
		1/1133	. . . {by redox-reactions involving cystein/cystin side chains}

- 1/1136 . . . {by reversible modification of the secondary, tertiary or quarternary structure, e.g. using denaturing or stabilising agents}
- 1/12 . by hydrolysis {, i.e. solvolysis in general}
- 1/122 . . {Hydrolysis with acids different from HF}
- 1/124 . . {Hydrazinolysis}
- 1/126 . . {Aminolysis}
- 1/128 . . {sequencing}
- 1/13 . Labelling of peptides
- 1/14 . Extraction; Separation; Purification
- 1/145 . . {by extraction or solubilisation}
- 1/16 . . by chromatography
- 1/165 . . . {mixed-mode chromatography}
- 1/18 . . . Ion-exchange chromatography
- 1/20 . . . Partition-, reverse-phase or hydrophobic interaction chromatography
- 1/22 . . . Affinity chromatography or related techniques based upon selective absorption processes
- 1/24 . . by electrochemical means
- 1/26 . . . Electrophoresis
- 1/28 Isoelectric focusing
- 1/285 {multi dimensional electrophoresis}
- 1/30 . . by precipitation
- 1/303 . . . {by salting out}
- 1/306 . . . {by crystallization}

NOTE

Large single crystals of proteins from solutions are classified in [C30B 7/00](#) for the method and in [C30B 29/58](#) for the crystal

- 1/32 . . . as complexes
- 1/34 . . by filtration, ultrafiltration or reverse osmosis
- 1/36 . . by a combination of two or more processes of different types

2/00 Peptides of undefined number of amino acids; Derivatives thereof

4/00 Peptides having up to 20 amino acids in an undefined or only partially defined sequence; Derivatives thereof

- 4/02 . from viruses
- 4/04 . from bacteria
- 4/06 . from fungi
- 4/08 . from algae; from lichens
- 4/10 . from plants
- 4/12 . from animals; from humans

NOTE

If no indication to the contrary is given, all amino acids are considered to be in the natural L-form

5/00 Peptides containing up to four amino acids in a fully defined sequence; Derivatives thereof

- 5/02 . containing at least one abnormal peptide link
- 5/0202 . . {containing the structure -NH-X-X-C(=O)-, X being an optionally substituted carbon atom or a heteroatom, e.g. beta-amino acids}
- 5/0205 . . {containing the structure -NH-(X)3-C(=O)-, e.g. statine or derivatives thereof}
- 5/0207 . . {containing the structure -NH-(X)4-C(=O)-, e.g. 'isosters', replacing two amino acids}

- 5/021 . . {containing the structure -NH-(X)n-C(=O)-, n being 5 or 6; for n > 6, classification in [C07K 5/06](#) - [C07K 5/10](#), according to the moiety having normal peptide bonds}
- 5/0212 . . {containing the structure -N-C-N-C(=O)-, e.g. retro-inverso peptides}
- 5/0215 . . {containing natural amino acids, forming a peptide bond via their side chain functional group, e.g. epsilon-Lys, gamma-Glu}
- 5/0217 . . {containing the structure -C(=O)-C-N-C(=O)-N-C-C(=O)-}
- 5/022 . . {containing the structure -X-C(=O)-(C)n-N-C-C(=O)-Y-; X and Y being heteroatoms; n being 1 or 2}
- 5/0222 . . . {with the first amino acid being heterocyclic, e.g. Pro, Trp}
- 5/0225 . . {containing the structure -N-C-C(=O)-N-C(=O)-C-N-}
- 5/0227 . . {containing the (partial) peptide sequence -Phe-His-NH-(X)2-C(=O)-, e.g. Renin-inhibitors with n = 2 - 6; for n > 6 see [C07K 5/06](#) - [C07K 5/10](#)}
- 5/04 . containing only normal peptide links

NOTE

In groups [C07K 5/06](#) - [C07K 5/10](#) the following terms or expressions are used with the meaning indicated:

neutral: amino acids having in the sidechain the same number of amino groups and carboxylic acid groups or derivatives thereof, e.g. Gly;

basic: amino acids having in the sidechain more amino groups than carboxylic acid groups or derivatives thereof, e.g. Arg;

acidic: amino acids having in the sidechain more carboxylic acid groups or derivatives thereof than amino groups, e.g. Asp;

aliphatic: amino acids having only acyclic carbon atoms in the sidechain, e.g. Ala

aromatic;

cycloaliphatic: amino acids having a carbocyclic ring in the sidechain, e.g. Phe


heterocyclic: amino acids wherein the sidechain contains or is part of a heteroring, e.g. Pro;

side chain: the R radical in the optionally functionalised amino acid R-CH(NH₂)CO₂H)

- 5/06 . . Dipeptides
- 5/06008 . . . {with the first amino acid being neutral}
- 5/06017 {and aliphatic}
- 5/06026 {the side chain containing 0 or 1 carbon atom, i.e. Gly or Ala}
- 5/06034 {the side chain containing 2 to 4 carbon atoms}

- 5/06043 {Leu-amino acid}
 5/06052 {Val-amino acid}
 5/0606 {the side chain containing heteroatoms not provided for by [C07K 5/06086](#) - [C07K 5/06139](#), e.g. Ser, Met, Cys, Thr}
 5/06069 {Ser-amino acid}
 5/06078 {and aromatic or cycloaliphatic}
 5/06086 . . . {with the first amino acid being basic}
 5/06095 {Arg-amino acid}
 5/06104 . . . {with the first amino acid being acidic}
 5/06113 {Asp- or Asn-amino acid}
 5/06121 {the second amino acid being aromatic or cycloaliphatic}
 5/0613 {Aspartame}
 5/06139 . . . {with the first amino acid being heterocyclic}
 5/06147 {and His-amino acid; Derivatives thereof}
 5/06156 {and Trp-amino acid; Derivatives thereof}
 5/06165 {and Pro-amino acid; Derivatives thereof}
 5/06173 {and Glp-amino acid; Derivatives thereof}
 5/06182 {and Pristinamycin II; Derivatives thereof}
 5/06191 . . . {containing heteroatoms different from O, S, or N}
 5/08 . . . Tripeptides
 5/0802 . . . {with the first amino acid being neutral}
 5/0804 {and aliphatic}
 5/0806 {the side chain containing 0 or 1 carbon atoms, i.e. Gly, Ala}
 5/0808 {the side chain containing 2 to 4 carbon atoms, e.g. Val, Ile, Leu}
 5/081 {the side chain containing O or S as heteroatoms, e.g. Cys, Ser}
 5/0812 {and aromatic or cycloaliphatic}
 5/0815 . . . {with the first amino acid being basic}
 5/0817 {the first amino acid being Arg}
 5/0819 . . . {with the first amino acid being acidic}
 5/0821 . . . {with the first amino acid being heterocyclic, e.g. His, Pro, Trp}
 5/0823 {and Pro-amino acid; Derivatives thereof}
 5/0825 {and Glp-amino acid; Derivatives thereof}
 5/0827 . . . {containing heteroatoms different from O, S, or N}
 5/10 . . . Tetrapeptides
 5/1002 . . . {with the first amino acid being neutral}
 5/1005 {and aliphatic}
 5/1008 {the side chain containing 0 or 1 carbon atoms, i.e. Gly, Ala}
 5/101 {the side chain containing 2 to 4 carbon atoms, e.g. Val, Ile, Leu}
 5/1013 {the side chain containing O or S as heteroatoms, e.g. Cys, Ser}
 5/1016 {and aromatic or cycloaliphatic}
 5/1019 . . . {with the first amino acid being basic}
 5/1021 . . . {with the first amino acid being acidic}
 5/1024 . . . {with the first amino acid being heterocyclic}
 5/1027 . . . {containing heteroatoms different from O, S, or N}
- 5/12 . . . Cyclic peptides {with only normal peptide bonds in the ring}
NOTE
 Cyclic peptides containing at least one abnormal peptide link are classified as linear peptides
 5/123 . . . {Tripeptides}
 5/126 . . . {Tetrapeptides}
- 7/00 Peptides having 5 to 20 amino acids in a fully defined sequence; Derivatives thereof**
NOTE
 In this subgroup cyclic compounds related to specific compounds which are classified in a specific group, e.g. [C07K 7/062](#), are classified in this specific group only
- 7/02 . . . Linear peptides containing at least one abnormal peptide link
 7/04 . . . Linear peptides containing only normal peptide links
 7/06 . . . having 5 to 11 amino acids
 7/062 . . . {Serum thymic factor}
 7/065 . . . {Thymic humoral factor}
 7/067 . . . {Hemoregulatory peptides based on sequence Glp-Glu-Asp-Cys-Lys}
 7/08 . . . having 12 to 20 amino acids ([gastrins C07K 14/595](#); [somatostatins C07K 14/655](#); [melanotropins C07K 14/68](#))
 7/083 . . . {Neurotensin}
 7/086 . . . {Bombesin; Related peptides ([having more than 20 amino acids C07K 14/5752](#))}
 7/14 . . . Angiotensins; Related peptides
 7/16 . . . Oxytocins; Vasopressins; Related peptides
 7/18 . . . Kallidins; Bradykinins; Related peptides
 7/22 . . . {Tachykinins, e.g.} [Eledoisins](#) {, [Substance P](#)}; Related peptides
 7/23 . . . Luteinising hormone-releasing hormone [LHRH]; Related peptides
 7/28 . . . Gramicidins A, B, D; Related peptides
 7/50 . . . Cyclic peptides containing at least one abnormal peptide link
 7/52 . . . with only normal peptide links in the ring
 7/54 . . . with at least one abnormal peptide link in the ring
 7/56 . . . the cyclisation not occurring through 2,4-diamino-butanoic acid
 7/58 Bacitracins; Related peptides
 7/60 . . . the cyclisation occurring through the 4-amino group of 2,4-diamino-butanoic acid
 7/62 Polymyxins; Related peptides
 7/64 . . . Cyclic peptides containing only normal peptide links
 7/645 . . . {Cyclosporins; Related peptides}
 7/66 . . . Gramicidins S, C; Tyrocidins A, B, C; Related peptides
- 9/00 Peptides having up to 20 amino acids, containing saccharide radicals and having a fully defined sequence; Derivatives thereof**
 9/001 . . . {the peptide sequence having less than 12 amino acids and not being part of a ring structure}
 9/003 . . . {Peptides being substituted by heterocyclic radicals, e.g. [bleomycin](#), [phleomycin](#)}

9/005 . . {containing within the molecule the substructure



with $m, n > 0$ and $m+n > 0$, A, B, D, E being heteroatoms; X being a bond or a chain, e.g. muramylpeptides}

9/006 . {the peptide sequence being part of a ring structure}

9/008 . . {directly attached to a hetero atom of the saccharide radical, e.g. actaplanin, avoparcin, ristomycin, vancomycin}

11/00 Depsipeptides having up to 20 amino acids in a fully defined sequence; Derivatives thereof

11/02 . cyclic, e.g. valinomycins {Derivatives thereof}

14/00 Peptides having more than 20 amino acids; Gastrins; Somatostatins; Melanotropins; Derivatives thereof

14/001 . {by chemical synthesis}

14/003 . . {Peptide-nucleic acids (PNAs)}

14/005 . from viruses

NOTE

When classifying in this group, subject-matter related to viral proteins shall be classified by the symbol [C07K 14/005](#) together with (a number of) appropriate indexing codes out of [C12N 2710/00-C12N 2795/00](#)

WARNING

1. From March 15, 2012 groups [C07K 14/01](#) - [C07K 14/19](#) and subgroups thereof are no longer used for the classification of new documents. 2. Reclassification of the back-file follows the principle outlined in the Note here above

14/01 . . DNA viruses

14/015 . . . Parvoviridae, e.g. feline panleukopenia virus, human parvovirus

14/02 . . . Hepadnaviridae, e.g. hepatitis B virus

14/025 . . . Papovaviridae, e.g. papillomavirus, polyomavirus, SV40, BK virus, JC virus

14/03 . . . Herpetoviridae, e.g. pseudorabies virus

14/032 {Pseudorabies virus, i.e. Anjatzky virus}

14/035 Herpes simplex virus I or II

14/04 Varicella-zoster virus

14/045 Cytomegalovirus

14/05 Epstein-Barr virus

14/055 Marek's disease virus

14/06 Infectious bovine rhinotracheitis virus

14/065 . . . Poxviridae, e.g. avipoxvirus

14/07 Vaccinia virus; Variola virus

14/075 . . . Adenoviridae

14/08 . . RNA viruses

14/082 . . . {Arteriviridae, e.g. EAV, PRRSV}

14/085 . . . Picornaviridae, e.g. coxsackie virus, echovirus, enterovirus

14/09 Foot-and-mouth disease virus

14/095 Rhinovirus

14/10 Hepatitis A virus

14/105 Poliovirus

14/11 . . . Orthomyxoviridae, e.g. influenza virus

14/115 . . . Paramyxoviridae, e.g. parainfluenza virus

14/12 Mumps virus; Measles virus

14/125 Newcastle disease virus

14/13 Canine distemper virus

14/135 Respiratory syncytial virus

14/14 . . . Reoviridae, e.g. rotavirus, bluetongue virus, Colorado tick fever virus

14/145 . . . Rhabdoviridae, e.g. rabies virus, Duvenhage virus, Mokda virus, vesicular stomatitis virus

14/15 . . . Retroviridae, e.g. bovine leukaemia virus, feline leukaemia virus human T-cell leukaemia-lymphoma virus

14/155 Lentiviridae, e.g. visna-maedi virus, equine infectious virus, FIV, SIV

14/16 HIV-1 {; HIV-2}

14/161 {gag-pol, e.g. p55, p24/25, p17/18, p7, p6, p66/68, p51/52, p31/34, p32, p40}

14/162 {env, e.g. gp160, gp110/120, gp41, V3, peptid T, CD4-Binding site}

14/163 {Regulatory proteins, e.g. tat, nef, rev, vif, vpu, vpr, vpt, vpx}

14/165 . . . Coronaviridae, e.g. avian infectious bronchitis virus

14/17 Porcine transmissible gastroenteritis virus

14/175 . . . Bunyaviridae, e.g. California encephalitis virus, Rift valley fever virus, Hantaan virus

14/18 . . . Togaviridae; {Flaviviridae}

14/1808 {Alphaviruses or Group A arboviruses, e.g. sindbis, VEE, EEE, WEE, semliki forest virus (rubella virus [C07K 14/19](#))}

14/1816 {Flaviviridae, e.g. pestivirus, mucosal disease virus, bovine viral diarrhoea virus, classical swine fever virus (hog cholera virus), border disease virus}

14/1825 {Flaviviruses or Group B arboviruses, e.g. yellow fever virus, japanese encephalitis, tick-borne encephalitis, dengue}

14/1833 {Hepatitis C; Hepatitis NANB}

14/1841 {Hepatitis G; Hepatitis NANBNCNDNE}

14/19 Rubella virus

14/195 . from bacteria

NOTE

In groups [C07K 14/20](#) - [C07K 14/365](#), where appropriate, after the bacteria terminology, the indication of the order (O), family (F) or genus (G) of the bacteria is given in brackets.

14/20 . . from Spirochaetales (O), e.g. Treponema, Leptospira

14/205 . . from Campylobacter (G)

14/21 . . from Pseudomonadaceae (F)

14/212 . . . {Moraxellaceae, e.g. Acinetobacter, Moraxella, Oligella, Psychrobacter}

14/215 . . from Halobacteriaceae (F)

14/22 . . from Neisseriaceae (F)

14/225 . . from Alcaligenes (G)

14/23 . . from Brucella (G)

14/235 . . from Bordetella (G)

14/24	. . from Enterobacteriaceae (F), e.g. Citrobacter, Serratia, Proteus, Providencia, Morganella, Yersinia	14/43563	. . . {from insects}
14/245	. . . Escherichia (G)	14/43568 {from wasps}
14/25	. . . Shigella (G)	14/43572 {from bees}
14/255	. . . Salmonella (G)	14/43577 {from flies}
14/26	. . . Klebsiella (G)	14/43581 {from Drosophila}
14/265	. . . Enterobacter (G)	14/43586 {from silkworms}
14/27	. . . Erwinia (G)	14/4359 {from fleas}
14/275	. . . Hafnia (G)	14/43595	. . . {from coelenteratae, e.g. medusae}
14/28	. . from Vibrionaceae (F)	14/44	. . from protozoa
14/285	. . from Pasteurellaceae (F), e.g. Haemophilus influenza	14/445	. . . Plasmodium
14/29	. . from Richettsiales (O)	14/45	. . . Toxoplasma
14/295	. . from Chlamydiales (O)	14/455	. . . Eimeria
14/30	. . from Mycoplasmatales, e.g. Pleuropneumonia-like organisms [PPLO]	14/46	. . from vertebrates
14/305	. . from Micrococcaceae (F)	14/461	. . . {from fish}
14/31	. . . from Staphylococcus (G)	14/463	. . . {from amphibians}
14/315	. . from Streptococcus (G), e.g. Enterococci	14/465	. . . from birds
14/3153	. . . {Streptokinase}	14/47	. . . from mammals
14/3156	. . . {from Streptococcus pneumoniae (Pneumococcus) (Streptokinase C07K 14/3153)}	14/4701 {not used}
14/32	. . from Bacillus (G)	14/4702 {Regulators; Modulating activity}
14/325	. . . Bacillus thuringiensis crystal protein (delta-endotoxin)	14/4703 {Inhibitors; Suppressors}
14/33	. . from Clostridium (G)	14/4705 {stimulating, promoting or activating activity}
14/335	. . from Lactobacillus (G)	14/4706 {Guanosine triphosphatase activating protein, GAP}
14/34	. . from Corynebacterium (G)	14/4707 {Muscular dystrophy}
14/345	. . from Brevibacterium (G)	14/4708 {Duchenne dystrophy}
14/35	. . from Mycobacteriaceae (F)	14/471 {Myotonic dystrophy}
14/355	. . from Nocardia (G)	14/4711 {Alzheimer's disease; Amyloid plaque core protein}
14/36	. . from Actinomyces; from Streptomyces (G)	14/4712 {Cystic fibrosis}
14/365	. . from Actinoplanes (G)	14/4713 {Autoimmune diseases, e.g. Insulin-dependent diabetes mellitus, multiple sclerosis, rheumatoid arthritis, systemic lupus erythematosus; Autoantigens}
14/37	. from fungi	14/4715 {Pregnancy proteins, e.g. placenta proteins, alpha-feto-protein, pregnancy specific beta glycoprotein}
14/375	. . from Basidiomycetes	14/4716 {Muscle proteins, e.g. myosin, actin}
14/38	. . from Aspergillus	14/4717 {Plasma globulins, lactoglobulin}
14/385	. . from Penicillium	14/4718 {Cytokine-induced proteins}
14/39	. . from yeasts	14/472 {Complement proteins, e.g. anaphylatoxin, C3a, C5a}
14/395	. . . from Saccharomyces	14/4721 {Lipocortins}
14/40	. . . from Candida	14/4722 {G-proteins}
14/405	. from algae	14/4723 {Cationic antimicrobial peptides, e.g. defensins}
14/41	. from lichens	14/4725 {Proteoglycans, e.g. aggrecan}
14/415	. from plants	14/4726 {Lectins}
14/42	. . Lectins, e.g. concanavalin, phytohaemagglutinin	14/4727 {Mucins, e.g. human intestinal mucin}
14/425	. . Zeins	14/4728 {Calcium binding proteins, e.g. calmodulin}
14/43	. . {Sweetening agents, e.g.} thaumatin, {monellin}	14/473 {alpha-Glycoproteins}
14/435	. from animals; from humans	14/4731 {Recognins, e.g. malignin}
14/43504	. . {from invertebrates}	14/4732 {Casein (in foodstuffs A23J)}
14/43509	. . . {from crustaceans}	14/4733 {Acute pancreatitis-associated protein}
14/43513	. . . {from arachnidae}	14/4735 {Villin}
14/43518 {from spiders}	14/4736 {Retinoblastoma protein}
14/43522 {from scorpions}	14/4737 {C-reactive protein}
14/43527 {from ticks}	14/4738 {Cell cycle regulated proteins, e.g. cyclin, CDC, INK-CCR (cell cycle dependent kinases C12N 9/12)}
14/43531 {from mites}	14/474 {Pancreatic thread protein; Reg protein}
14/43536	. . . {from worms}		
14/4354 {from nematodes}		
14/43545 {from Caenorhabditis}		
14/4355 {from cestodes}		
14/43554 {from Taenia}		
14/43559 {from trematodes}		

14/4741	{Keratin; Cytokeratin}	14/555	. . .	Interferons [IFN]
14/4742	{Bactericidal/Permeability-increasing protein [BPI]}	14/56	IFN-alpha
14/4743	{Insulin-like growth factor binding protein}	14/565	IFN-beta
14/4745	{Cancer-associated SCM-recognition factor, CRISPP}	14/57	IFN-gamma
14/4746	{p53}	14/575	. .	Hormones (derived from pro-opiomelanocortin, pro-enkephalin or pro-dynorphin C07K 14/665 , e.g. corticotropin C07K 14/695)
14/4747	{Apoptosis related proteins}	14/57509	. . .	{Corticotropin releasing factor [CRF] (Urotensin)}
14/4748	{Tumour specific antigens; Tumour rejection antigen precursors [TRAP], e.g. MAGE}	14/57518	. . .	{Placental lactogen; Chorionic somatomammotropin}
14/475	. .	Growth factors; Growth regulators	14/57527	. . .	{Calcitonin gene related peptide}
14/4753	. . .	{Hepatocyte growth factor; Scatter factor; Tumor cytotoxic factor II}	14/57536	. . .	{Endothelin, vasoactive intestinal contractor [VIC]}
14/4756	. . .	{Neuregulins, i.e. p185erbB2 ligands, glial growth factor, heregulin, ARIA, neu differentiation factor}	14/57545	. . .	{Neuropeptide Y}
14/48	. . .	Nerve growth factor [NGF]	14/57554	. . .	{Prolactin}
14/485	. . .	Epidermal growth factor [EGF] (urogastrone)	14/57563	. . .	{Vasoactive intestinal peptide [VIP]; Related peptides}
14/49	. . .	Platelet-derived growth factor [PDGF]	14/57572	. . .	{Gastrin releasing peptide (bombesin C07K 7/086)}
14/495	. . .	Transforming growth factor [TGF]	14/57581	. . .	{Thymosin; Related peptides}
14/50	. . .	Fibroblast growth factors [FGF]	14/5759	. . .	{Products of obesity genes, e.g. leptin, obese (OB), tub, fat}
14/501	{acidic FGF [aFGF]}	14/58	. . .	Atrial natriuretic factor complex; Atriopeptin; Atrial natriuretic peptide [ANP]; Cardionatrin; Cardiodilatin
14/503	{basic FGF [bFGF]}	14/582	{at least 1 amino acid in D-form}
14/505	. . .	Erythropoietin [EPO]	14/585	. . .	Calcitonins
14/51	. . .	Bone morphogenetic factor; Osteogenins; Osteogenic factor; Bone-inducing factor	14/5855	{at least 1 amino acid in D-form}
14/515	. . .	Angiogenesis factors; Angiogenin	14/59	. . .	Follicle-stimulating hormone [FSH]; Chorionic gonadotropins, e.g. HCG; Luteinising hormone [LH]; Thyroid-stimulating hormone [TSH]
14/52	. .	Cytokines; Lymphokines; Interferons	14/592	{at least 1 amino acid in D-form}
14/521	. . .	{Chemokines}	14/595	. . .	Gastrins; Cholecystokinins [CCK]
14/522	{Alpha-chemokines, e.g. NAP-2, ENA-78, GRO-alpha/MGSA/NAP-3, GRO-beta/MIP-2alpha, GRO-gamma/MIP-2beta, IP-10, GCP-2, MIG, PBSF, PF-4, KC}	14/5955	{at least 1 amino acid in D-form}
14/523	{Beta-chemokines, e.g. RANTES, I-309/TCA-3, MIP-1alpha, MIP-1beta/ACT-2/LD78/SCIF, MCP-1/MCAF, MCP-2, MCP-3, LDCF-1, LDCF-2}	14/60	. . .	Growth-hormone releasing factors (GH-RF) (Somatoliberin)
14/524	. . .	{Thrombopoietin, i.e. C-MPL ligand}	14/605	. . .	Glucagons
14/525	. . .	Tumour necrosis factor [TNF]	14/61	. . .	Growth hormones [GH] (Somatotropin)
14/5255	{Lymphotoxin [LT]}	14/615	Extraction from natural sources
14/53	. . .	Colony-stimulating factor [CSF]	14/62	. . .	Insulins
14/535	Granulocyte CSF; Granulocyte-macrophage CSF	14/622	{at least 1 amino acid in D-form}
14/54	. . .	Interleukins [IL]	14/625	Extraction from natural sources
14/5403	{IL-3}	14/63	. . .	Motilins
14/5406	{IL-4}	14/635	. . .	Parathyroid hormone (parathormone); Parathyroid hormone-related peptides
14/5409	{IL-5}	14/64	. . .	Relaxins
14/5412	{IL-6}	14/645	. . .	Secretins
14/5415	{Leukaemia inhibitory factor [LIF]}	14/65	. . .	Insulin-like growth factors (Somatomedins), e.g. IGF-1, IGF-2
14/5418	{IL-7}	14/655	. . .	Somatostatins
14/5421	{IL-8}	14/6555	{at least 1 amino acid in D-form}
14/5425	{IL-9}	14/66	. . .	Thymopoietins
14/5428	{IL-10}	14/662	{at least 1 amino acid in D-form}
14/5431	{IL-11}	14/665	. .	derived from pro-opiomelanocortin, pro-enkephalin or pro-dynorphin
14/5434	{IL-12}	14/67	. . .	Lipotropins, e.g. beta, gamma lipotropin
14/5437	{IL-13}	14/672	{with at least 1 amino acid in D-form}
14/544	{IL-14}	14/675	. . .	Beta-endorphins
14/5443	{IL-15}	14/6755	{with at least 1 amino acid in D-form}
14/5446	{IL-16}	14/68	. . .	Melanocyte-stimulating hormone [MSH]
14/545	IL-1	14/685	Alpha-melanotropin
14/55	IL-2	14/69	Beta-melanotropin

- 14/695 . . . Corticotropin [ACTH]
 14/6955 {with at least 1 amino acid in D-form}
 14/70 . . . Enkephalins
 14/702 {with at least 1 amino acid in D-form}
 14/705 . . Receptors; Cell surface antigens; Cell surface determinants {(tumour specific antigens [C07K 14/4748](#))}
- 14/70503 . . . {Immunoglobulin superfamily}
 14/70507 {CD2}
 14/7051 {T-cell receptor (TcR)-CD3 complex}
 14/70514 {CD4}
 14/70517 {CD8}
 14/70521 {CD28, CD152}
 14/70525 {ICAM molecules, e.g. CD50, CD54, CD102}
 14/70528 {CD58}
 14/70532 {B7 molecules, e.g. CD80, CD86}
 14/70535 {Fc-receptors, e.g. CD16, CD32, CD64 (CD2314/705F)}
 14/70539 {MHC-molecules, e.g. HLA-molecules}
 14/70542 {CD106}
 14/70546 . . . {Integrin superfamily}
 14/7055 {Integrin beta1-subunit-containing molecules, e.g. CD29, CD49}
 14/70553 {Integrin beta2-subunit-containing molecules, e.g. CD11, CD18}
 14/70557 {Integrin beta3-subunit-containing molecules, e.g. CD41, CD51, CD61}
 14/7056 . . . {Lectin superfamily, e.g. CD23, CD72}
 14/70564 {Selectins, e.g. CD62}
 14/70567 . . . {Nuclear receptors, e.g. retinoic acid receptor [RAR], RXR, nuclear orphan receptors}
 14/70571 . . . {for neuromediators, e.g. serotonin receptor, dopamine receptor}
 14/70575 . . . {NGF/TNF-superfamily, e.g. CD70, CD95L, CD153, CD154 (NGF [C07K 14/48](#), TNF [C07K 14/525](#))}
 14/70578 . . . {NGF-receptor/TNF-receptor superfamily, e.g. CD27, CD30, CD40, CD95 (NGF-receptor [C07K 14/71](#), TNF-receptor [C07K 14/7151](#))}
- 14/70582 . . . {CD71}
 14/70585 . . . {CD44}
 14/70589 . . . {CD45}
 14/70592 . . . {CD52}
 14/70596 . . . {Molecules with a "CD"-designation not provided for elsewhere}
- 14/71 . . . for growth factors; for growth regulators
 14/715 . . . for cytokines; for lymphokines; for interferons
 14/7151 {for tumor necrosis factor [TNF], for lymphotoxin [LT]}
 14/7153 {for colony-stimulating factors [CSF]}
 14/7155 {for interleukins [IL]}
 14/7156 {for interferons [IFN]}
 14/7158 {for chemokines}
 14/72 . . . for hormones {(for neuromediators [C07K 14/70571](#))}
- 14/721 {Steroid/thyroid hormone superfamily, e.g. GR, EcR, androgen receptor, oestrogen receptor}
 14/723 {G protein coupled receptor, e.g. TSHR-thyrotropin-receptor, LH/hCG receptor, FSH receptor}
 14/745 . . Blood coagulation or fibrinolysis factors
- 14/7455 . . . {Thrombomodulin}
 14/75 . . . Fibrinogen
 14/755 . . . Factors VIII {, e.g. factor VIII C (AHF), factor VIII Ag (VWF)}
 14/76 . . Albumins
 14/765 . . . Serum albumin, e.g. HSA
 14/77 . . . Ovalbumin
 14/775 . . Apolipoproteins
 14/78 . . Connective tissue peptides, e.g. collagen, elastin, laminin, fibronectin, vitronectin, cold insoluble globulin [CIG]
 14/785 . . Alveolar surfactant peptides; Pulmonary surfactant peptides
 14/79 . . Transferrins, e.g. lactoferrins, ovotransferrins
 14/795 . Porphyrin- or corrin-ring-containing peptides
 14/80 . . Cytochromes
 14/805 . . Haemoglobins; Myoglobins
 14/81 . Protease inhibitors
 14/8103 . . {Exopeptidase (E.C. 3.4.11-19) inhibitors}
 14/8107 . . {Endopeptidase (E.C. 3.4.21-99) inhibitors}
 14/811 . . . {Serine protease (E.C. 3.4.21) inhibitors}
 14/8114 {Kunitz type inhibitors}
 14/8117 {Bovine/basic pancreatic trypsin inhibitor (BPTI, aprotinin)}
 14/8121 {Serpins}
 14/8125 {Alpha-1-antitrypsin}
 14/8128 {Antithrombin III}
 14/8132 {Plasminogen activator inhibitors}
 14/8135 {Kazal type inhibitors, e.g. pancreatic secretory inhibitor, ovomucoid}
 14/8139 . . . {Cysteine protease (E.C. 3.4.22) inhibitors, e.g. cystatin}
 14/8142 . . . {Aspartate protease (E.C. 3.4.23) inhibitors, e.g. HIV protease inhibitors}
 14/8146 . . . {Metalloprotease (E.C. 3.4.24) inhibitors, e.g. tissue inhibitor of metallo proteinase, TIMP}
 14/815 . . from leeches, e.g. hirudin, eglin
 14/82 . Translation products from oncogenes
 14/825 . Metallothioneins
- 16/00 Immunoglobulins [IGs], e.g. monoclonal or polyclonal antibodies {(antibodies with enzymatic activity, e.g. abzymes [C12N 9/0002](#))}**
- NOTES**
- Documents characterised by the technical aspects of the construction of an antibody or fragment thereof, should be classified in [C07K 16/00](#) - [C07K 16/065](#) or [C07K 16/46](#) - [C07K 16/468](#)
 - Documents not characterised by the technical aspects of the construction of an antibody or fragment thereof, should be classified only according to their specificity, where necessary accompanied by one or more appropriate indexing codes
- 16/005 . {constructed by phage libraries}
 16/02 . from eggs
 16/04 . from milk
 16/06 . from serum
 16/065 . . {Purification, fragmentation}
 16/08 . against material from viruses
 16/081 . . {from DNA viruses}

16/082	. . . {Hepadnaviridae, e.g. hepatitis B virus}	16/22	. . against growth factors {; against growth regulators}
16/084	. . . {Papovaviridae, e.g. papillomavirus, polyomavirus, SV40, BK virus, JC virus}	16/24	. . against cytokines, lymphokines or interferons
16/085	. . . {Herpetoviridae, e.g. pseudorabies virus, Epstein-Barr virus}	16/241	. . . {Tumor Necrosis Factors}
16/087 {Herpes simplex virus}	16/242 {Lymphotoxin [LT]}
16/088 {Varicella-zoster virus, e.g. cytomegalovirus}	16/243	. . . {Colony Stimulating Factors}
16/10	. . from RNA viruses {, e.g. hepatitis E virus}	16/244	. . . {Interleukins [IL]}
16/1009	. . . {Picornaviridae, e.g. hepatitis A virus}	16/245 {IL-1}
16/1018	. . . {Orthomyxoviridae, e.g. influenza virus}	16/246 {IL-2}
16/1027	. . . {Paramyxoviridae, e.g. respiratory syncytial virus}	16/247 {IL-4}
16/1036	. . . {Retroviridae, e.g. leukemia viruses}	16/248 {IL-6}
16/1045 {Lentiviridae, e.g. HIV, FIV, SIV}	16/249	. . . {Interferons}
16/1054 {gag-pol, e.g. p17, p24}	16/26	. . against hormones {; against hormone releasing or inhibiting factors}
16/1063 {env, e.g. gp41, gp110/120, gp160, V3, PND, CD4 binding site}	16/28	. . against receptors, cell surface antigens or cell surface determinants
16/1072 {Regulatory proteins, e.g. tat, rev, vpt}	16/2803	. . . {against the immunoglobulin superfamily}
16/1081	. . . {Togaviridae, e.g. flavivirus, rubella virus, hog cholera virus}	16/2806 {against CD2}
16/109 {Hepatitis C virus; Hepatitis G virus}	16/2809 {against the T-cell receptor (TcR)-CD3 complex}
16/12	. against material from bacteria	16/2812 {against CD4}
16/1203	. . {from Gram-negative bacteria}	16/2815 {against CD8}
16/1207	. . . {from Spirochaetales (O), e.g. Treponema, Leptospira}	16/2818 {against CD28 or CD152}
16/121	. . . {from Helicobacter (Campylobacter) (G)}	16/2821 {against ICAM molecules, e.g. CD50, CD54, CD102}
16/1214	. . . {from Pseudomonadaceae (F)}	16/2824 {against CD58}
16/1217	. . . {from Neisseriaceae (F), e.g. Acinetobacter}	16/2827 {against B7 molecules, e.g. CD80, CD86}
16/1221	. . . {from Brucella (G)}	16/283 {against Fc-receptors, e.g. CD16, CD32, CD64 (CD23 C07K 16/2851)}
16/1225	. . . {from Bordetella (G)}	16/2833 {against MHC-molecules, e.g. HLA-molecules}
16/1228	. . . {from Enterobacteriaceae (F), e.g. Citrobacter, Serratia, Proteus, Providencia, Morganella, Yersinia}	16/2836 {against CD106}
16/1232 {from Escherichia (G)}	16/2839	. . . {against the integrin superfamily}
16/1235 {from Salmonella (G)}	16/2842 {against integrin beta1-subunit-containing molecules, e.g. CD29, CD49}
16/1239	. . . {from Vibrionaceae (G)}	16/2845 {against integrin beta2-subunit-containing molecules, e.g. CD11, CD18}
16/1242	. . . {from Pasteurellaceae (F), e.g. Haemophilus influenza}	16/2848 {against integrin beta3-subunit-containing molecules, e.g. CD41, CD51, CD61}
16/1246	. . . {from Rickettsiales (O)}	16/2851	. . . {against the lectin superfamily, e.g. CD23, CD72}
16/125	. . . {from Chlamydiales (O)}	16/2854 {against selectins, e.g. CD62}
16/1253	. . . {from Mycoplasmatales, e.g. Pleuropneumonia-like organisms [PPLO]}	16/2857	. . . {against nuclear receptors, e.g. retinoic acid receptor [RAR], RXR, orphan receptor}
16/1257	. . . {from Bacteridaceae (F)}	16/286	. . . {against neuromediator receptors, e.g. serotonin receptor, dopamine receptor}
16/126	. . . {from Legionella (G)}	16/2863	. . . {against receptors for growth factors, growth regulators}
16/1264	. . . {from Rhizobiaceae (F)}	16/2866	. . . {against receptors for cytokines, lymphokines, interferons}
16/1267	. . {from Gram-positive bacteria}	16/2869	. . . {against hormone receptors (for antibodies against neuromediator receptors C07K 16/286)}
16/1271	. . . {from Micrococcaceae (F), e.g. Staphylococcus}	16/2872	. . . {against prion molecules, e.g. CD230}
16/1275	. . . {from Streptococcus (G)}	16/2875	. . . {against the NGF/TNF superfamily, e.g. CD70, CD95L, CD153, CD154 (against NGF C07K 16/22, against TNF C07K 16/241)}
16/1278	. . . {from Bacillus (G)}	16/2878	. . . {against the NGF-receptor/TNF-receptor superfamily, e.g. CD27, CD30, CD40, CD95}
16/1282	. . . {from Clostridium (G)}	16/2881	. . . {against CD71}
16/1285	. . . {from Corynebacterium (G)}	16/2884	. . . {against CD44}
16/1289	. . . {from Mycobacteriaceae (F)}	16/2887	. . . {against CD20}
16/1292	. . . {from Actinomyces; from Streptomyces (G)}	16/289	. . . {against CD45}
16/1296	. . . {from Listeria}		
16/14	. against material from fungi, algae or lichens		
16/16	. against material from plants		
16/18	. against material from animals or humans		
16/20	. . from protozoa		
16/205	. . . {Plasmodium}		

16/2893	. . . {against CD52}	17/12	. . . Cellulose or derivatives thereof
16/2896	. . . {against molecules with a "CD"-designation, not provided for elsewhere}	17/14	. Peptides being immobilised on, or in, an inorganic carrier
16/30	. . . from tumour cells	19/00	Hybrid peptides
16/3007 {Carcino-embryonic Antigens}	2299/00	Coordinates from 3D structures of peptides, e.g. proteins or enzymes
16/3015 {Breast}	2317/00	Immunoglobulins specific features
16/3023 {Lung}	2317/10	. characterized by their source of isolation or production
16/303 {Liver or Pancreas}	2317/11	. . isolated from eggs
16/3038 {Kidney, bladder}	2317/12	. . isolated from milk
16/3046 {Stomach, Intestines}	2317/13	. . isolated from plants
16/3053 {Skin, nerves, brain}	2317/14	. . Specific host cells or culture conditions, e.g. components, pH or temperature
16/3061 {Blood cells}	2317/20	. characterized by taxonomic origin
16/3069 {Reproductive system, e.g. ovaria, uterus, testes, prostate}	2317/21	. . from primates, e.g. man
16/3076 {against structure-related tumour-associated moieties}	2317/22	. . from camelids, e.g. camel, llama or dromedary
16/3084 {against tumour-associated gangliosides}	2317/23	. . from birds
16/3092 {against tumour-associated mucins}	2317/24	. . containing regions, domains or residues from different species, e.g. chimeric, humanized or veneered
16/32	. . against translation products of oncogenes	2317/30	. characterized by aspects of specificity or valency
16/34	. . against blood group antigens	2317/31	. . multispecific
16/36	. . against blood coagulation factors	2317/32	. . specific for a neo-epitope on a complex, e.g. antibody-antigen or ligand-receptor
16/38	. against protease inhibitors of peptide structure	2317/33	. . Crossreactivity, e.g. for species or epitope, or lack of said crossreactivity
16/40	. against enzymes	2317/34	. . Identification of a linear epitope shorter than 20 amino acid residues or of a conformational epitope defined by amino acid residues
16/42	. against immunoglobulins	2317/35	. . Valency
16/4208	. . {against an idiotypic determinant on Ig}	2317/40	. characterized by post-translational modification
16/4216	. . . {against anti-viral Ig}	2317/41	. . Glycosylation, sialylation, or fucosylation
16/4225 {against anti-HIV Ig}	2317/50	. characterized by immunoglobulin fragments
16/4233 {against anti-bacterial Ig}	2317/51	. . Complete heavy chain or Fd fragment, i.e. VH + CH1
16/4241 {against anti-human or anti-animal Ig}	2317/515	. . Complete light chain, i.e. VL + CL
16/425 {against anti-protozoal Ig}	2317/52	. . Constant or Fc region; Isotype
16/4258 {against anti-receptor Ig}	2317/522	. . . CH1 domain
16/4266 {against anti-tumor receptor Ig}	2317/524	. . . CH2 domain
16/4275 {against anti-CD4 Ig}	2317/526	. . . CH3 domain
16/4283	. . {against an allotypic or isotypic determinant on Ig}	2317/528	. . . CH4 domain
16/4291	. . . {against IgE}	2317/53	. . . Hinge
16/44	. against material not provided for elsewhere {, e.g. haptens, metals, DNA, RNA, amino acids}	2317/54	. . F(ab') ₂
16/46	. Hybrid immunoglobulins (hybrids of an immunoglobulin with a peptide not being an immunoglobulin C07K 19/00)	2317/55	. . Fab or Fab'
16/461	. . {Igs containing Ig-regions, -domains or -residues form different species}	2317/56	. . variable (Fv) region, i.e. VH and/or VL
16/462	. . . {Igs containing a variable region (Fv) from one specie and a constant region (Fc) from another}	2317/565	. . . Complementarity determining region [CDR]
16/464	. . . {Igs containing CDR-residues from one specie grafted between FR-residues from another}	2317/567	. . . Framework region [FR]
16/465 {with additional modified FR-residues}	2317/569	. . . Single domain, e.g. dAb, sdAb, VHH, VNAR or nanobody®
16/467	. . . {Igs with modifications in the FR-residues only}	2317/60	. characterized by non-natural combinations of immunoglobulin fragments
16/468	. . {Immunoglobulins having two or more different antigen binding sites, e.g. multifunctional antibodies}	2317/62	. . comprising only variable region components
17/00	Carrier-bound or immobilised peptides (carrier-bound or immobilised enzymes C12N 11/00); Preparation thereof	2317/622	. . . Single chain antibody (scFv)
17/02	. Peptides being immobilised on, or in, an organic carrier	2317/624	. . . Disulfide-stabilized antibody (dsFv)
17/04	. . entrapped within the carrier, e.g. gel, hollow fibre	2317/626	. . . Diabody or triabody
17/06	. . attached to the carrier via a bridging agent	2317/64	. . comprising a combination of variable region and constant region components
17/08	. . the carrier being a synthetic polymer	2317/66	. . comprising a swap of domains, e.g. CH3-CH2, VH-CL or VL-CH1
17/10	. . the carrier being a carbohydrate		

- 2317/70 . characterized by effect upon binding to a cell or to an antigen
- 2317/71 . . Decreased effector function due to an Fc-modification
- 2317/72 . . Increased effector function due to an Fc-modification
- 2317/73 . . Inducing cell death, e.g. apoptosis, necrosis or inhibition of cell proliferation
- 2317/732 . . . Antibody-dependent cellular cytotoxicity [ADCC]
- 2317/734 . . . Complement-dependent cytotoxicity [CDC]
- 2317/74 . . Inducing cell proliferation
- 2317/75 . . Agonist effect on antigen
- 2317/76 . . Antagonist effect on antigen, e.g. neutralization or inhibition of binding
- 2317/77 . . Internalization into the cell
- 2317/80 . remaining in the (producing) cell, i.e. intracellular antibodies or intrabodies
- 2317/81 . . functional in the endoplasmatic reticulum [ER] or the Golgi apparatus
- 2317/82 . . functional in the cytoplasm, the inner aspect of the cell membrane, the nucleus or the mitochondria
- 2317/90 . characterized by (pharmaco)kinetic aspects or by stability of the immunoglobulin
- 2317/92 . . Affinity (KD), association rate (Ka), dissociation rate (Kd) or EC50 value
- 2317/94 . . Stability, e.g. half-life, pH, temperature or enzyme-resistance
- 2318/00 Antibody mimetics or scaffolds**
- 2318/10 . Immunoglobulin or domain(s) thereof as scaffolds for inserted non-Ig peptide sequences, e.g. for vaccination purposes
- 2318/20 . Antigen-binding scaffold molecules wherein the scaffold is not an immunoglobulin variable region or antibody mimetics
- 2319/00 Fusion polypeptide**
- 2319/01 . containing a localisation/targetting motif
- 2319/02 . . containing a signal sequence
- 2319/03 . . containing a transmembrane segment
- 2319/033 . . containing a motif for targeting to the internal surface of the plasma membrane, e.g. containing a myristoylation motif
- 2319/034 . . containing a motif for targeting to the periplasmic space of Gram negative bacteria as a soluble protein, i.e. signal sequence should be cleaved
- 2319/035 . . containing a signal for targeting to the external surface of a cell, e.g. to the outer membrane of Gram negative bacteria, GPI- anchored eukaryote proteins
- 2319/036 . . targeting to the medium outside of the cell, e.g. type III secretion
- 2319/04 . . containing an ER retention signal such as a C-terminal HDEL motif
- 2319/05 . . containing a GOLGI retention signal
- 2319/055 . . containing a signal for localisation to secretory granules (for exocytosis)
- 2319/06 . . containing a lysosomal/endosomal localisation signal
- 2319/07 . . containing a mitochondrial localisation signal
- 2319/08 . . containing a chloroplasts localisation signal
- 2319/09 . . containing a nuclear localisation signal
- 2319/095 . . containing a nuclear export signal
- 2319/10 . . containing a tag for extracellular membrane crossing, e.g. TAT or VP22
- 2319/20 . containing a tag with affinity for a non-protein ligand
- 2319/21 . . containing a His-tag
- 2319/22 . . containing a Strep-tag
- 2319/23 . . containing a GST-tag
- 2319/24 . . containing a MBP (maltose binding protein)-tag
- 2319/30 . Non-immunoglobulin-derived peptide or protein having an immunoglobulin constant or Fc region, or a fragment thereof, attached thereto
- 2319/31 . fusions, other than Fc, for prolonged plasma life, e.g. albumin
- 2319/32 . fusions with soluble part of a cell surface receptor, "decoy receptors"
- 2319/33 . fusions for targeting to specific cell types, e.g. tissue specific targeting, targeting of a bacterial subspecies
- 2319/35 . containing a fusion for enhanced stability/folding during expression, e.g. fusions with chaperones or thioredoxin
- 2319/40 . containing a tag for immunodetection, or an epitope for immunisation
- 2319/41 . . containing a Myc-tag
- 2319/42 . . containing a HA(hemagglutinin)-tag
- 2319/43 . . containing a FLAG-tag
- 2319/50 . containing protease site
- 2319/55 . containing a fusion with a toxin, e.g. diptheria toxin
- 2319/60 . containing spectroscopic/fluorescent detection, e.g. green fluorescent protein [GFP]
- 2319/61 . containing an enzyme fusion for detection (lacZ, luciferase)
- 2319/70 . containing domain for protein-protein interaction
- 2319/705 . . containing a protein-A fusion
- 2319/71 . . containing domain for transcriptional activation, e.g. VP16
- 2319/715 . . . containing a domain for ligand dependent transcriptional activation, e.g. containing a steroid receptor domain
- 2319/72 . . containing SH2 domain
- 2319/73 . . containing coiled-coiled motif (leucine zippers)
- 2319/735 . . containing a domain for self-assembly, e.g. a viral coat protein (includes phage display)
- 2319/74 . . containing a fusion for binding to a cell surface receptor
- 2319/75 . . . containing a fusion for activation of a cell surface receptor, e.g. thrombopoietin, NPY and other peptide hormones
- 2319/80 . containing a DNA binding domain, e.g. LacI or Tet-repressor
- 2319/81 . . containing a Zn-finger domain for DNA binding
- 2319/85 . containing an RNA binding domain
- 2319/90 . containing a motif for post-translational modification
- 2319/91 . . containing a motif for glycosylation
- 2319/912 . . . containing a GPI (phosphatidyl-inositol glycan) anchor
- 2319/915 . . containing a motif for acylation
- 2319/92 . . containing an intein ("protein splicing") domain
- 2319/95 . containing a motif/fusion for degradation (ubiquitin fusions, PEST sequence)