

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

SHAPING

B32 LAYERED PRODUCTS

B32B LAYERED PRODUCTS, i.e. PRODUCTS BUILT-UP OF STRATA OF FLAT OR NON-FLAT, e.g. CELLULAR OR HONEYCOMB, FORM

NOTES

1. This subclass covers:
 - layered products comprising different kinds of material or layered products not characterised by the particular kind of material used;
 - a product similar to a layered product but comprising only material in the form of a sheet or network embedded in a mass of plastics or of physically-similar substances which mass penetrates the said sheet or network and lies on both sides of the latter (e.g. so that the sheet or network reinforces the plastics substance) PROVIDED THAT the embedded sheet or network extends coherently or connectedly over substantially the whole area of the product; thus the embedded sheet or network may be a fabric or a series of rods connected by cross wires. The manner of making such a product is, however, classified in this subclass only if it is essentially a process of building-up an assembly of layers of which at least one outer layer is preformed. If the embedded material comprises only a series of unconnected rods, the product is not classified in this subclass.
2. This subclass does not cover:
 - processes or apparatus used in, or in connection with, the production or treatment of any product, if the process or apparatus is fully classifiable in a single other class or subclass for processes or apparatus, e.g. [B05](#), [B29](#), [B44D](#), [C08J](#), [C09J](#), [C23](#);
 - compositions or preparation or treatment thereof, unless they are essentially restricted to layered products and cannot be fully classified in another class without ignoring this restriction;
 - etched metallic pattern on the surface of a printed circuit board.
3. In this subclass:
 - a film formed on a layer by spreading a substance thereon is not considered to constitute a layer itself if it serves only as an adhesive or its purpose is merely to finish a surface of a product;
 - groups designating products cover also methods or apparatus specially adapted for producing such products.
4. In this subclass, the following terms or expressions are used with the meanings indicated:
 - "layer" is a sheet or strip or anything else having a small thickness relatively to its other dimensions which, together with at least one other layer, exists in a product, whether it pre-existed, e.g. as a separate sheet or strip, or was formed during the production of the layered product. It may or may not be homogeneous or cohesive; it may be an assembly of fibres or pieces of material. It may be discontinuous, e.g. in the form of a grating, honeycomb, or frame. It may or may not be in complete contact with the next layer, e.g. a corrugated layer against a flat layer;
 - "layered product" comprises at least two layers secured together. The term "secured" includes any method of uniting layers, e.g. needling, stitching, gluing, nailing, dovetailing or the interposition of an adhesive or adhesive impregnated support. It may also be an intermediate stage in the production of an article which is not layered in its final form, e.g. a panel with a protective layer which is stripped off when the panel is placed in its position of use. The layers are preformed layers or layers formed IN SITU on a preformed layer and may consist of coherent solid materials, including honeycombs and other cellular materials or of non-coherent solid materials composed of assemblies of strands, strips, fibres, tiles or the like;
 - "filamentary layer" means a layer of threads or filaments of any substance (e.g. wires) of more or less unlimited length placed in an orderly arrangement and secured together; it may be woven, knitted, braided, or netted, or formed of threads crossed or laid side by side and bonded together;
 - "fibrous layer" means a random assembly of fibres of limited length, e.g. felt, fleece; the fibres {being} interengaged or connected, e.g. by adhesive.
5. In this subclass,
 - "First place rule" is used in the following groups [B32B 9/04](#), [B32B 11/04](#), [B32B 13/04](#), [B32B 15/04](#), [B32B 19/04](#), [B32B 21/04](#), [B32B 23/046](#) - [B32B 23/12](#), [B32B 25/04](#), [B32B 27/06](#), [B32B 29/002](#).

However, when these groups are not characterised by the specific material adjacency to be classified, then, multiple classification is given, e.g. a layered product having a stone layer next to a bituminous layer would be classified in [B32B 9/04](#) and in [B32B 11/04](#). For a cellulosic plastic layer next to a metal layer or to a wood layer [B32B 23/042](#) or [B32B 23/044](#), respectively, take precedence (i.e. first rule does not apply). For layered products comprising at least two ceramic layers, products comprising only ceramic layers are classified in group [B32B 18/00](#) and products comprising two ceramics layers and at least one layer of another material are classified in [B32B 18/00](#) and [B32B 9/04](#).

WARNING

The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

B32B 1/04	covered by	B32B 3/02 - B32B 3/08
B32B 1/06	covered by	B32B 13/02
B32B 3/08 - B32B 3/22	covered by	B32B 3/08 - B32B 3/22
B32B 3/24	covered by	B32B 3/266
B32B 5/28	covered by	B32B 2260/021 - B32B 2260/023
B32B 17/02	covered by	B32B 2262/101
B32B 17/04	covered by	B32B 2262/101 and B32B 2260/04
B32B 17/12	covered by	B32B 17/067
B32B 23/02	covered by	B32B 2262/04 and B32B 5/02 - B32B 5/12
B32B 27/02	covered by	B32B 2262/02 - B32B 2262/0292 and B32B 5/02 - B32B 5/12
B32B 27/04	covered by	B32B 2260/048

1/00 Layered products having a general shape other than plane

NOTE

For classification of a product in this group, surface unevennesses or non-uniformities and the shape of individual layers are ignored.

- 1/02 . Receptacles {, i.e. rigid containers}, e.g. tanks
- 1/04 . characterised by feature of form at particular places, e.g. in edge regions {(not used)}
- 1/06 . characterised by fillings or added members in hollow portions {(not used)}
- 1/08 . Tubular products

3/00 Layered products comprising a layer with external or internal discontinuities or unevennesses, or a layer of non-planar form {(fibrous or filamentary layers [B32B 5/02](#); particulate layers [B32B 5/16](#); foamed layers [B32B 5/18](#)); Layered products having particular features of form (receptacles or tubular products [B32B 1/00](#))}

- 3/02 . characterised by features of form at particular places, e.g. in edge regions {(non-uniform thickness [B32B 3/263](#))}
- 3/04 . . characterised by {at least one} layer folded at the edge, e.g. over another layer {; characterised by at least one layer enveloping or enclosing a material}
- 3/06 . . for securing layers together; for attaching the product to another member, e.g. to a support {, or to another product, e.g. groove/tongue, interlocking}
- 3/08 . . characterised by added members at particular parts {(layer formed of separate pieces of material which are juxtaposed side-by-side [B32B 3/14](#), [B32B 3/18](#))}
- 3/085 . . . {spaced apart pieces on the surface of a layer}
- 3/10 . characterised by a discontinuous layer, i.e. formed of separate pieces of material

NOTE

In this group, a series of spaced separate elements forming in effect a broken surface should be regarded as a layer.

- 3/12 . . characterised by a layer of regularly- arranged cells, e.g. a honeycomb structure

- 3/14 . . characterised by a face layer formed of separate pieces of material {which are juxtaposed side-by-side ([B32B 5/02](#) takes precedence)}
- 3/16 . . . secured to a flexible backing
- 3/18 . . characterised by an internal layer formed of separate pieces of material {which are juxtaposed side-by-side ([B32B 5/02](#) takes precedence)}
- 3/20 . . . of hollow pieces, e.g. tubes; of pieces with channels or cavities
- 3/22 . . . of spaced pieces {(not used)}
- 3/26 . characterised by a particular shape of the outline of the cross-section of a continuous layer; characterised by a layer with cavities or internal voids {([B32B 27/205](#) takes precedence; foam layer [B32B 15/08](#))}; {characterised by an apertured layer}
- 3/263 . . {characterised by a layer having non-uniform thickness}
- 3/266 . . {characterised by an apertured layer, the apertures going through the whole thickness of the layer, e.g. expanded metal, perforated layer, slit layer regular cells [B32B 3/12](#)}
- 3/28 . . characterised by a layer comprising a deformed thin sheet {, i.e. the layer having its entire thickness deformed out of the plane}, e.g. corrugated, crumpled ([B32B 29/08](#) takes precedence)
- 3/30 . . characterised by a layer formed with recesses or projections, e.g. {hollows, grooves, protuberances, ribs (apertured layer [B32B 3/266](#); layer with cavities or internal voids [B32B 3/26](#))}

5/00 Layered products characterised by the non-homogeneity or physical structure {, i.e. comprising a fibrous, filamentary, particulate or foam layer; Layered products characterised by having a layer differing constitutionally or physically in different parts}

NOTE

In this group, fibres, filaments, granules, or powder forming or included in a layer may be impregnated, bonded together, or embedded in a substance such as synthetic resin. If the substance of the fibres, or the like, or the impregnating, bonding, or embedding substance, is important it is classified in the relevant group for the substance.

- 5/02 . characterised by structural features of a {fibrous or filamentary layer ([B32B 15/02](#), [B32B 21/02](#) take precedence; layer formed of particles [B32B 5/16](#); layers formed of natural mineral fibres [B32B 19/00](#); coated or impregnated fibrous or filamentary layers [B32B 2255/02](#) or [B32B 2260/021](#))}

NOTES

1. This group covers, in addition to filamentary and fibrous layers as defined in Note (4) following the title of this subclass, layers of substances having an intrinsic fibrous nature (e.g. paper, wood), if the fibrous nature is important and the particular substance is not important.
2. {When classifying in group [B32B 5/02](#), the chemical composition of the fibres is further classified by using the indexing codes [B32B 2262/00](#) - [B32B 2262/14](#), whenever appropriate.}

- 5/022 . . {Non-woven fabric}
 5/024 . . {Woven fabric}
 5/026 . . {Knitted fabric}
 5/028 . . {Net structure, e.g. spaced apart filaments bonded at the crossing points}
 5/04 . . characterised by a layer being specifically extensible by reason of its structure or arrangement {, e.g. by reason of the chemical nature of the fibres or filaments}
 5/06 . . characterised by a fibrous {or filamentary} layer {mechanically connected, e.g. by needling, sewing, stitching, hydroentangling, hook and loop-type fasteners} to another layer, e.g. of fibres, of paper
 5/08 . . the fibres or filaments of a layer being of different substances {, e.g. conjugate fibres, mixture of different fibres}
 5/10 . . characterised by a fibrous {or filamentary} layer reinforced with filaments
 5/12 . . characterised by the relative arrangement of fibres or filaments of {different layers, e.g. the fibres or filaments being parallel or perpendicular to each other}
 5/14 . characterised by a layer differing constitutionally or physically in different parts, e.g. denser near its faces
 5/142 . . {Variation across the area of the layer}
 5/145 . . {Variation across the thickness of the layer}
 5/147 . . {by treatment of the layer}
 5/16 . characterised by features of a layer formed of particles, e.g. chips, powder {, granules ([B32B 21/02](#) takes precedence; layers formed of natural mineral particles [B32B 19/00](#); coated or impregnated particulate layers [B32B 2255/04](#) or [B32B 2260/025](#))}
 5/18 . characterised by features of a layer {of} foamed material
 5/20 . . foamed in situ
 5/22 . characterised by the presence of two or more layers which {are next to each other and are fibrous, filamentary, formed of particles or foamed ([B32B 19/06](#), [B32B 19/048](#) [B32B 19/047](#), [B32B 29/005](#) - [B32B 29/04](#) take precedence)}
 5/24 . . one layer being a fibrous or filamentary layer
 5/245 . . . {another layer next to it being a foam layer}

- 5/26 . . . another layer {next to it also being fibrous or filamentary (relative arrangement of fibres or filaments of different layers [B32B 5/12](#); all layers being fibrous or filamentary [B32B 2250/20](#); two or more impregnated fibrous or filamentary layers [B32B 2260/023](#))}
 5/28 . . . impregnated with or embedded in a plastic substance {(not used)}
 5/30 . . one layer {being formed of particles, e.g. chips, granules, powder}
 5/32 . . {at least two layers being foamed and next to each other (all layers being foamed [B32B 2250/22](#))}
7/00 Layered products characterised by the relation between layers, i.e. products comprising layers having different physical properties and products characterised by the interconnection of layers
 7/005 . {in respect of orientation of features ([B32B 5/12](#) takes precedence)}
 7/02 . in respect of physical properties, e.g. hardness
 7/04 . characterised by the connection of layers
 7/045 . . {the layers being not connected over the whole surface, e.g. discontinuous connection, patterned connection ([B32B 7/14](#) takes precedence)}
 7/06 . . permitting easy separation {, e.g. releasable layer}
 7/08 . . by mechanical connection, e.g. stitching {([B32B 5/06](#) takes precedence)}
 7/10 . . one or both of the layers having inter-reactive properties
 7/12 . . using an adhesive {, i.e. any interposed material having adhesive or bonding properties}
 7/14 . . . applied in strips or other spaced arrangement

Layered products characterised by particular substances used**NOTE**

In groups [B32B 9/00](#) - [B32B 29/00](#), the following expressions are used with the meanings indicated:

- "specific substance" covers specified alternative substances if they are all covered by a single main group;
- "particulate layer" means a layer of particles, e.g. chips, chopped fibres, powder;
- {"essentially" means that if an alteration or removal of such a layer occurred it would alter the scope of the invention}

9/00 Layered products comprising a particular substance not covered by groups [B32B 11/00](#) - [B32B 29/00](#)

- 9/002 . {comprising natural stone or artificial stone}
 9/005 . {comprising one layer of ceramic material, e.g. porcelain, ceramic tile (layered products with at least two ceramic layers composed mainly of ceramic [B32B 18/00](#))}
 9/007 . . {comprising carbon, e.g. graphite, composite carbon}
 9/02 . comprising animal or vegetable substances {, e.g. cork, bamboo, starch}
 9/025 . . {comprising leather}
 9/04 . comprising such {particular substance as the main or only constituent of a layer, which is next to another layer of the same or of a different material ([B32B 17/06](#) takes precedence; layered products with at least two ceramic layers composed mainly of ceramic [B32B 18/00](#))}

- 9/041 . . {of metal}
- 9/042 . . {of wood}
- 9/043 . . {of natural rubber or synthetic rubber}
- 9/045 . . {of synthetic resin}
- 9/046 . . {of foam}
- 9/047 . . {made of fibres or filaments}
- 9/048 . . {made of particles}
- 9/06 . . of paper or cardboard
- 11/00 Layered products comprising {a layer of} bituminous or tarry substances**
 - 11/02 . with fibres or particles {being present as additives in the layer}
 - 11/04 . comprising such {bituminous or tarry substance as the main or only constituent of a layer, which is next to another layer of the same or of a different material ([B32B 17/06](#) takes precedence)}
 - 11/042 . . {of wood}
 - 11/044 . . {of natural rubber or synthetic rubber}
 - 11/046 . . {of synthetic resin}
 - 11/048 . . {of foam}
 - 11/06 . . of paper or cardboard
 - 11/08 . . of metal
 - 11/10 . next to a fibrous or filamentary layer
 - 11/12 . next to a particulate layer
- 13/00 Layered products comprising a {a layer of} water-setting substance, e.g. concrete, plaster, asbestos cement, or like builders' material**
 - 13/02 . with fibres or particles {being present as additives in the layer}
 - 13/04 . comprising such {water setting substance as the main or only constituent of a layer, which is next to another layer of the same or of a different material ([B32B 17/06](#) takes precedence)}
 - 13/042 . . {of natural rubber or synthetic rubber}
 - 13/045 . . {of foam}
 - 13/047 . . {made of particles}
 - 13/06 . . of metal
 - 13/08 . . of paper or cardboard
 - 13/10 . . of wood; of wood particle board
 - 13/12 . . of synthetic resin
 - 13/14 . next to a fibrous or filamentary layer
- 15/00 Layered products comprising {a layer of} metal**
 - 15/01 . all layers being exclusively metallic {(making layered metal workpieces by pressure cladding [B23K 20/22](#); making coatings with a metallic material characterised by its composition [C23C 30/00](#))}
 - 15/011 . . {all layers being formed of iron alloys or steels}
 - 15/012 . . {one layer being formed of an iron alloy or steel, another layer being formed of aluminium or an aluminium alloy}
 - 15/013 . . {one layer being formed of an iron alloy or steel, another layer being formed of a metal other than iron or aluminium}
 - 15/015 . . . {the said other metal being copper or nickel or an alloy thereof}
 - 15/016 . . {all layers being formed of aluminium or aluminium alloys}
 - 15/017 . . {one layer being formed of aluminium or an aluminium alloy, another layer being formed of an alloy based on a non ferrous metal other than aluminium}
- 15/018 . . {one layer being formed of a noble metal or a noble metal alloy}
- 15/02 . {Layer formed of wires, e.g. mesh}
- 15/04 . comprising metal as the main or only constituent of a layer, {which is next to another layer of the same or of a different material ([B32B 17/061](#) and [B32B 23/042](#) take precedence; next to a bituminous or tarry layer [B32B 11/08](#); next to a water-setting substance layer [B32B 13/06](#))}
- 15/043 . . {of metal ([B32B 15/01](#) takes precedence)}
- 15/046 . . {of foam}
- 15/06 . . of {natural rubber or synthetic} rubber
- 15/08 . . of synthetic resin
- 15/082 . . . comprising vinyl resins; comprising acrylic resins
- 15/085 . . . comprising polyolefins
- 15/088 . . . comprising polyamides
- 15/09 . . . comprising polyesters
- 15/092 . . . comprising epoxy resins
- 15/095 . . . comprising polyurethanes
- 15/098 . . . comprising condensation resins of aldehydes, e.g. with phenols, ureas or melamines
- 15/10 . . of wood
- 15/12 . . of paper or cardboard
- 15/14 . next to a fibrous or filamentary layer
- 15/16 . next to a particulate layer
- 15/18 . comprising iron or steel {([B32B 15/011](#), [B32B 15/012](#) and [B32B 15/013](#) take precedence)}
- 15/20 . comprising aluminium or copper {([B32B 15/016](#) and [B32B 15/017](#) take precedence)}
- 17/00 Layered products essentially comprising sheet glass, or glass, slag, or like fibres**
 - 17/02 . in the form of fibres or filaments
 - 17/04 . . bonded with or embedded in a plastic substance
 - 17/06 . comprising glass as the main or only constituent of a layer, next to another layer of a specific {material (coating on glass [C03C 17/00](#); safety glazings [B32B 17/08](#) or [B32B 17/10](#); fire protective glazing with intumescent layers [B32B 17/069](#))}
 - 17/061 . . {metal}
 - 17/062 . . {wood}
 - 17/063 . . {rubber}
 - 17/064 . . {synthetic resin ([B32B 17/10](#) takes precedence)}
 - 17/065 . . {paper or cardboard}
 - 17/066 . . {foam}
 - 17/067 . . {fibres or filaments}
 - 17/068 . . {particulate matter}
 - 17/069 . . {intumescent layers ([B32B 17/10311](#) takes precedence)}
 - 17/08 . . of cellulosic plastic substance {or gelatin}
 - 17/10 . . of synthetic resin {(producing optical elements from plastics [B29D 11/00](#); constructional form of optical elements [G02B](#))}

NOTES

1. In this group a layer of organic glass is not considered as a glass layer but as a synthetic resin layer;
2. [N: Inventions related to safety glazings (laminated glazings) are classified in all appropriate subgroups [B32B 17/10009](#) - [B32B 17/10807](#), whereby transparent polymeric layers other than the

B32B 17/10

(continued)

- interlayer ([B32B 17/1055](#)) are classified using indexing codes
- 17/10009 . . . {characterized by the number, the constitution or treatment of glass sheets}
 - 17/10018 {comprising only one glass sheet}
 - 17/10027 {the glass sheet not being an outer layer}
 - 17/10036 {comprising two outer glass sheet}
 - 17/10045 {at least one intermediate layer consisting of a glass sheet}
 - 17/10055 {at least one intermediate air space ([IG window units comprising two or more parallel glass panes E06B 3/66](#))}
 - 17/10064 {comprising at least two glass sheets, only one of which being an outer layer}
 - 17/10073 {comprising at least two glass sheets, neither of which being an outer layer}
 - 17/10082 {Properties of the bulk of a glass sheet}
 - 17/10091 {thermally hardened ([chemical strengthening B32B 17/10137](#))}
 - 17/101 {having a predetermined coefficient of thermal expansion [CTE]}
 - 17/1011 {having predetermined tint or excitation purity}
 - 17/10119 {having a composition deviating from the basic composition of soda-lime glass, e.g. borosilicate}
 - 17/10128 {Treatment of at least one glass sheet ([cutting of laminated glass C03B 33/076](#))}
 - 17/10137 {Chemical strengthening}
 - 17/10146 {Face treatment, e.g. etching, grinding or sand blasting}
 - 17/10155 {Edge treatment, chamfering}
 - 17/10165 . . . {particular functional features of the laminated glazing}
 - 17/10174 {Coatings of a metallic or dielectric material on a constituent layer of glass or polymer}
 - 17/10183 {being not continuous, e.g. in edge regions}
 - 17/10192 {patterned in the form of columns or grids}
 - 17/10201 {Dielectric coatings}
 - 17/10211 {Doped dielectric layer, electrically conductive, e.g. SnO₂:F}
 - 17/1022 {Metallic coatings}
 - 17/10229 {Metallic layers sandwiched by dielectric layers}
 - 17/10238 {in the form of particles}
 - 17/10247 {containing decorations or patterns for aesthetic reasons; metal wires for this purpose [B32B 17/10422](#)}
 - 17/10256 {created by printing techniques}
 - 17/10266 {on glass pane}
 - 17/10275 {on interlayer}
 - 17/10284 {on intermediate layer}
 - 17/10293 {Edge features, e.g. inserts or holes}
 - 17/10302 {Edge sealing}
 - 17/10311 {Intumescent layers for fire protection}
 - 17/10321 {containing liquid layers}
 - 17/1033 {containing temporary protective coatings or layers}
 - 17/10339 {Specific parts of the laminated glazing being colored or tinted ([tinted glass B32B 17/1011](#); [tinted interlayer B32B 17/10651](#))}
 - 17/10348 {comprising an obscuration band}
 - 17/10357 {comprising a tinted intermediate film}
 - 17/10366 {Reinforcements of the laminated glazing against impact or intrusion; metal wires for this purpose [B32B 17/10412](#)}
 - 17/10376 {containing metal wires}
 - 17/10385 {for Ohmic resistance heating ([Ohmic resistance heating in general H05B 3/84](#))}
 - 17/10394 {Alarm wires ([burglar alarms by breaking glass G08B 13/04](#))}
 - 17/10403 {for radiation shielding ([radiation shielding in general H05K 9/00](#))}
 - 17/10412 {for reinforcement}
 - 17/10422 {for aesthetic reasons}
 - 17/10431 {Devices for the modulation of light incorporated into the laminated glazing ([metallic or dielectric coatings B32B 17/10174](#); [coating on glass in general C03C 17/00](#))}
 - 17/1044 {Invariable transmission}
 - 17/10449 {Wavelength selective transmission ([filters per se G02B 5/20](#))}
 - 17/10458 {Polarization selective transmission ([polarizing elements per se G02B 5/30](#))}
 - 17/10467 {Variable transmission}
 - 17/10477 {thermochromic}
 - 17/10486 {photochromic}
 - 17/10495 {optoelectronic, i.e. optical valve}
 - 17/10504 {liquid crystal layer ([devices for the control of the intensity of the light based on liquid crystals G02F 1/13](#))}
 - 17/10513 {electrochromic layer ([devices for the control of the intensity of the light based on electrochromic elements G02F 1/15](#))}
 - 17/10522 {electrophoretic layer ([devices for the control of the intensity of the light based on electrophoresis G02F 1/167](#))}
 - 17/10532 {suspended particle layer ([devices for the control of the intensity of the light based on suspension of oriented dipolar particles G02F 1/172](#))}
 - 17/10541 {the laminated glazing acting as an illumination device, i.e. comprising a light source or a light guide ([lighting devices for vehicle interior B60Q 3/20](#); [structural combinations of lighting devices with other articles F21V 33/00](#); [light guides in general G02B 6/00](#))}
 - 17/1055 {characterized by the resin layer, i.e. interlayer}
 - 17/10559 {Shape of the cross-section}
 - 17/10568 {varying in thickness}
 - 17/10577 {Surface roughness}
 - 17/10587 {created by embossing}
 - 17/10596 {created by melt fracture}
 - 17/10605 {Type of plasticizer}
 - 17/10614 {comprising particulate matter for purposes other than dyeing}
 - 17/10623 {Whitening agents reflecting visible light}

17/10633 {Infrared radiation absorbing or reflecting agents}

17/10642 {Thermally conductive agents}

17/10651 {comprising colorants, e.g. dyes or pigments}

17/1066 {imparting a tint in certain regions only, i.e. shade band}

17/10669 {Luminescent agents (luminescent materials [C09K 11/00](#), optical brightening agents [C08K 5/0041](#))}

17/10678 {comprising UV absorbers or stabilizers, e.g. antioxidants}

17/10688 {Adjustment of the adherence to the glass layers}

17/10697 {being cross-linked}

17/10706 {being photo-polymerized}

17/10715 {containing polyether}

17/10724 {containing polyamide}

17/10733 {containing epoxy}

17/10743 {containing acrylate (co)polymers or salts thereof}

17/10752 {containing polycarbonate}

17/10761 {containing vinyl acetal}

17/1077 {containing polyurethane}

17/10779 {containing polyester}

17/10788 {containing ethylene vinylacetate}

17/10798 {containing silicone}

17/10807 {Making layered products containing glass and synthetic resin layers; apparatus therefor}

17/10816 {by pressing}

17/10825 {isostatic pressing, i.e. using non rigid pressure-exerting members against rigid parts ([isostatic presses in general B30B 11/001](#))}

17/10834 {using a fluid}

17/10844 {using a membrane between the layered product and the fluid}

17/10853 {the membrane being bag-shaped}

17/10862 {using pressing-rolls}

17/10871 {in combination with particular heat treatment}

17/1088 {by superposing a plurality of layered products}

17/10889 {shaping the sheets, e.g. by using a mould ([B32B 17/10816](#) takes precedence)}

17/10899 {by introducing interlayers of synthetic resin}

17/10908 {in liquid form}

17/10917 {between two pre-positioned glass layers ([between preformed layers in general B29C 39/126](#); spacing elements for window units comprising two or more parallel panes [E06B 3/663](#))}

17/10926 {by spraying ([spraying in general B05](#))}

17/10935 {as a preformed layer, e.g. formed by extrusion}

17/10944 {in powder form}

17/10954 {by using an aligning laminating device}

17/10963 {specially adapted for repairing the layered products}

17/10972 {Degassing during the lamination ([B32B 17/10816](#) takes precedence; during molding [B29C 37/006](#))}

17/10981 {Pre-treatment of the layers}

17/1099 {After-treatment of the layered product, e.g. cooling}

18/00 Laminated products composed mainly of ceramics, e.g. refractory materials {(semi-permeable membranes made of inorganic material [B01D 71/02](#); ceramic coatings on glass [C03C 17/00](#); joining of ceramic layers [C04B 37/00](#); coating of ceramics [C04B 41/45](#); applying ceramic coatings on metallic materials [C23](#); applying ceramic coatings on silicon for semi-conductor purposes [H01L](#))}

NOTE

In group [B32B 18/00](#), from 01-10-2008 onwards, features relating to interlayers, additional compositional information or further processing are indexed with codes chosen from [C04B 2237/00](#) - [C04B 2237/88](#)

19/00 Layered products comprising {a layer of} natural mineral fibres or particles, e.g. asbestos, mica

19/02 . {the layer of fibres or particles being impregnated or} embedded in a plastic substance

19/04 . next to another layer {of the same or of a different material ([B32B 17/067](#) takes precedence)}

19/041 . . {of metal}

19/042 . . {of wood}

19/043 . . {of natural rubber or synthetic rubber}

19/045 . . {of synthetic resin}

19/046 . . {of paper or cardboard}

19/047 . . {of foam}

19/048 . . {made of particles}

19/06 . next to a fibrous or filamentary layer

19/08 . comprising asbestos

21/00 Layered products comprising {a layer of} wood, e.g. wood board, veneer, wood particle board

21/02 . {the layer being formed} of fibres, chips, or particles {, e.g. MDF, HDF, OSB, chipboard, particle board, hardboard}

21/04 . comprising wood as the main or only constituent of a layer {, which is next to another layer of the same or of a different material ([B32B 17/062](#) and [B32B 23/044](#) take precedence; next to a layer of a particular substance [B32B 9/042](#); next to a bituminous or tarry layer [B32B 11/042](#); next to a water setting substance layer [B32B 13/10](#); next to a metal layer [B32B 15/10](#); next to a layer formed of natural mineral fibres or particles [B32B 19/042](#))}

21/042 . . {of wood ([B32B 21/13](#) takes precedence)}

21/045 . . {of natural rubber or synthetic rubber}

21/047 . . {of foam}

21/06 . . of paper or cardboard

21/08 . . of synthetic resin

21/10 . Next to a fibrous or filamentary layer

21/12 . next to a particulate layer

21/13 . all layers being exclusively wood

21/14 . comprising wood board or veneer

23/00 Layered products comprising {a layer of} cellulosic plastic substances {, i.e. substances obtained by chemical modification of cellulose, e.g. cellulose ethers, cellulose esters, viscose}

23/02 . in the form of fibres or filaments {(not used)}

- 23/04 . comprising such {cellulosic plastic substance as the main or only constituent of a layer, which is next to another layer of the same or of a different material ([B32B 17/08](#) takes precedence)}
- 23/042 . . {of metal}
- 23/044 . . {of wood}
- 23/046 . . {of natural rubber or synthetic rubber (all layers being polymeric [B32B 2250/24](#))}
- 23/048 . . {of foam}
- 23/06 . . of paper or cardboard
- 23/08 . . of synthetic resin {(all layers being polymeric [B32B 2250/24](#))}
- 23/10 . next to a fibrous or filamentary layer
- 23/12 . next to a particulate layer
- 23/14 . characterised by containing special compounding ingredients
- 23/16 . . Modifying agents
- 23/18 . . Fillers
- 23/20 . comprising esters
- 23/22 . comprising ethers
- 25/00 Layered products comprising {a layer of} natural or synthetic rubber {(B32B 5/02, B32B 5/16, B32B 5/18 take precedence; thermoplastic elastomer [B32B 2274/00](#))}**
- 25/02 . with fibres or particles {being present as additives in the layer}
- 25/04 . comprising rubber as the main or only constituent of a layer, {which is next to another layer of the same or of a different material ([B32B 17/063](#) takes precedence; next to a layer of a particular substance [B32B 9/043](#); next to a bituminous or tarry layer [B32B 11/044](#); next to a water setting substance layer [B32B 13/042](#); next to a metal layer [B32B 15/06](#); next to a layer formed of natural mineral fibres or particles [B32B 19/043](#); next to a wood layer [B32B 21/045](#); next to a cellulosic plastic layer [B32B 23/046](#))}
- 25/042 . . {of natural rubber or synthetic rubber (all layers being made of natural or synthetic rubber [B32B 2250/248](#))}
- 25/045 . . {of foam}
- 25/047 . . {of particles}
- 25/06 . . of paper or cardboard
- 25/08 . . of synthetic resin {(all layers being polymeric [B32B 2250/24](#))}
- 25/10 . next to a fibrous or filamentary layer
- 25/12 . comprising natural rubber
- 25/14 . comprising {synthetic rubber copolymers ([B32B 25/18](#) and [B32B 25/20](#) take precedence)}
- 25/16 . comprising polydienes {homopolymers} or polyhalodienes {homopolymers ([B32B 25/12](#) takes precedence)}
- 25/18 . comprising butyl or halobutyl rubber
- 25/20 . comprising silicone rubber
- 27/00 Layered products comprising {a layer of} synthetic resin {(B32B 5/02, B32B 5/16, B32B 5/18 take precedence; thermoplastic elastomer [B32B 2274/00](#))}**
- NOTE**
- This group covers all synthetic resins except those covered by [B32B 25/00](#) or [B32B 23/00](#)
- 27/02 . in the form of fibres or filaments {(not used)}
- 27/04 . as impregnant, bonding, or embedding substance {(not used)}
- 27/06 . as the main or only constituent of a layer, {which is next to another layer of the same or of a different material ([B32B 17/064](#) takes precedence; next to a layer of a particular substance [B32B 9/045](#); next to a bituminous or tarry layer [B32B 11/046](#); next to a water setting substance layer [B32B 13/12](#); next to a metal layer [B32B 15/08](#); next to a layer formed of natural mineral fibres or particles [B32B 19/045](#); next to a wood layer [B32B 21/08](#); next to a cellulosic plastic layer [B32B 23/08](#); next to a natural or synthetic rubber layer [B32B 25/08](#))}
- 27/065 . . {of foam}
- 27/08 . . of synthetic resin {(all layers being polymeric, made of polymers belonging to those covered by [B32B 27/32](#), by [B32B 27/36](#), or by [B32B 27/30](#) and [B32B 27/32](#), [B32B 2250/24](#) - [B32B 2250/246](#))}
- 27/10 . . of paper or cardboard
- 27/12 . next to a fibrous or filamentary layer
- 27/14 . next to a particulate layer
- 27/16 . specially treated, e.g. irradiated {(B32B 2255/10 takes precedence)}
- 27/18 . characterised by the use of special additives
- 27/20 . . using fillers, pigments, thixotroping agents
- 27/205 . . . {the fillers creating voids or cavities, e.g. by stretching}
- 27/22 . . using plasticisers
- 27/24 . . using solvents or swelling agents
- 27/26 . . using curing agents
- 27/28 . comprising synthetic resins not wholly covered by any one of the sub-groups {[B32B 27/30](#) - [B32B 27/42](#)}
- 27/281 . . {comprising polyimides}
- 27/283 . . {comprising polysiloxanes}
- 27/285 . . {comprising polyethers}
- 27/286 . . {comprising polysulphones; polysulfides}
- 27/288 . . {comprising polyketones}
- 27/30 . comprising vinyl {(co)polymers; comprising acrylic (co)polymers}
- 27/302 . . {comprising aromatic vinyl (co)polymers, e.g. styrenic (co)polymers}
- 27/304 . . {comprising vinyl halide (co)polymers, e.g. PVC, PVDC, PVF, PVDF}
- 27/306 . . {comprising vinyl acetate or vinyl alcohol (co)polymers}
- 27/308 . . {comprising acrylic (co)polymers}
- 27/32 . comprising polyolefins {(B32B 27/30 takes precedence)}
- 27/322 . . {comprising halogenated polyolefins, e.g. PTFE}
- 27/325 . . {comprising polycycloolefins}
- 27/327 . . {comprising polyolefins obtained by a metallocene or single-site catalyst}
- 27/34 . comprising polyamides
- 27/36 . comprising polyesters
- 27/365 . . {comprising polycarbonates}
- 27/38 . comprising epoxy resins
- 27/40 . comprising polyurethanes
- 27/42 . comprising condensation resins of aldehydes, e.g. with phenols, ureas or melamines
- 29/00 Layered products comprising {a layer of} paper or cardboard**

- 29/002 . {as the main or only constituent of a layer, which is next to another layer of the same or of a different material ([B32B 17/065](#) takes precedence; next to a layer of a particular substance [B32B 9/06](#); next to a bituminous or tarry layer [B32B 11/06](#); next to a water-setting substance layer [B32B 13/08](#); next to a metal layer [B32B 15/12](#); next to a layer formed of natural mineral fibres or particles [B32B 19/046](#); next to a wood layer [B32B 21/06](#); next to a cellulosic plastic layer [B32B 23/06](#); next to a natural or synthetic rubber layer [B32B 25/06](#); next to a synthetic resin layer [B32B 27/10](#))}
- 29/005 . . {next to another layer of paper or cardboard layer (all layers being made of paper or paperboard [B32B 2250/26](#))}
- 29/007 . . {next to a foam layer}
- 29/02 . next to a fibrous or filamentary layer
- 29/04 . next to a particulate layer
- 29/06 . specially treated, e.g. surfaced, parchmented {([B32B 2255/12](#), [B32B 2260/028](#) take precedence)}
- 29/08 . Corrugated paper or cardboard
- 33/00 Layered products characterised by particular properties or particular surface features, e.g. particular surface coatings (surface unevennesses or non-uniformities [B32B 3/00](#)); Layered products designed for particular purposes not covered by another single class**
- Methods or apparatus for making layered products; Treatment of the layers or of the layered products**
- NOTE**
- In groups [B32B 37/00](#){ , [B32B 38/00](#), [B32B 41/00](#)} and [B32B 39/00](#), the following expressions are used with the meaning indicated:
- {"lay-up" is considered to be the action of combining separate layers, one on top of the other, in order to form a half-product for entering the laminating process}
 - "laminating" means the action of combining previously unconnected {but possibly laid up} layers to become one product whose layers will remain together;
 - "partial laminating" occurs when one layer does not fully cover a surface of another layer, whereby the layer with the greater surface area is laminated on only part of its surface;
 - "adhesive" means a layer, or part of a layer, applied in any state or in any manner which is incorporated for the purpose of bonding.
- 37/00 Methods or apparatus for laminating, e.g. by curing or by ultrasonic bonding {(making non-planar products [B32B 1/00](#); making products characterised by particular features of structure or of composition, see the relevant groups for such products, e.g. making layered products containing glass and synthetic resin layers [B32B 17/10807](#); coating of single webs or the like [B05](#))}**
- 37/0007 . {involving treatment or provisions in order to avoid deformation or air inclusion, e.g. to improve surface quality}
- 37/0015 . . {to avoid warp or curl}
- 37/0023 . . {around holes, apertures or channels present in at least one layer}
- 37/003 . . {to avoid air inclusion}
- 37/0038 . {involving application of liquid to the layers prior to lamination, e.g. wet laminating ([B32B 37/12](#) takes precedence; applying liquids in general [B05](#))}
- 37/0046 . {characterised by constructional aspects of the apparatus}
- 37/0053 . . {Constructional details of laminating machines comprising rollers; Constructional features of the rollers}
- 2037/0061 . . {the apparatus being an office laminator}
- 2037/0069 . . {the apparatus being originally designed for another function, e.g. printer, photocopier}
- 37/0076 . {characterised in that the layers are not bonded on the totality of their surfaces}
- 37/0084 . . {Point bonding}
- 2037/0092 . {in which absence of adhesives is explicitly presented as an advantage}
- 37/02 . characterised by a sequence of laminating steps, e.g. by adding new layers at consecutive laminating stations
- 37/025 . . {Transfer laminating}
- 37/04 . characterised by the partial melting of at least one layer
- 37/06 . characterised by the heating method
- 37/065 . . {resulting in the laminate being partially bonded ([B32B 37/0076](#) takes precedence)}
- 37/08 . characterised by the cooling method
- 37/085 . . {Quenching}
- 37/10 . characterised by the pressing technique, e.g. using action of vacuum or fluid pressure
- 37/1009 . . {using vacuum and fluid pressure}
- 37/1018 . . {using only vacuum}
- 37/1027 . . {Pressing using at least one press band (pressing means with cooperating endless bands in general [B30B 5/06](#))}
- 37/1036 . . . {Pressing between one press band and a cylinder}
- 37/1045 . . {Intermittent pressing, e.g. by oscillating or reciprocating motion of the pressing means ([B32B 37/0076](#) takes precedence)}
- 37/1054 . . {Regulating the dimensions of the laminate, e.g. by adjusting the nip or platen gap}
- 2037/1063 . . {using an electrostatic force}
- 2037/1072 . . {using a fluid jet}
- 2037/1081 . . {using a magnetic force}
- 2037/109 . . {using a squeegee}
- 37/12 . characterised by using adhesives
- 37/1207 . . {Heat-activated adhesive (laminating by the partial melting of layers to form the bond [B32B 37/04](#) takes precedence)}
- 2037/1215 . . . {Hot-melt adhesive}
- 2037/1223 . . . {film-shaped}
- 2037/123 . . . {net-shaped}
- 2037/1238 . . . {in the form of powder}
- 2037/1246 . . {Other adhesives (not used)}
- 2037/1253 . . . {curable}
- 2037/1261 . . . {moisture curable}
- 2037/1269 . . . {multi-component adhesive}
- 2037/1276 . . . {water-based adhesive}
- 37/1284 . . {Application of adhesive}
- 37/1292 . . . {selectively, e.g. in stripes, in patterns ([B32B 37/0076](#) takes precedence)}
- 37/14 . characterised by the properties of the layers

37/142	. . {Laminating of sheets, panels or inserts, e.g. stiffeners, by wrapping in at least one outer layer, or inserting into a preformed pocket}	2037/266	. . . {Cushioning layers}
37/144	. . {using layers with different mechanical or chemical conditions or properties, e.g. layers with different thermal shrinkage, layers under tension during bonding (constructional features for tensioning B32B 38/1825 takes precedence)}	2037/268	. . . {Release layers}
37/146	. . {whereby one or more of the layers is a honeycomb structure}	37/28	. involving assembly of non-flat intermediate products which are flattened at a later step, e.g. tubes
2037/148	. . {whereby layers material is selected in order to facilitate recycling of the laminate}	37/30	. Partial laminating
37/15	. . with at least one layer being manufactured and immediately laminated before reaching its stable state, e.g. in which a layer is extruded and laminated while in semi-molten state	38/00	Ancillary operations in connection with laminating processes
37/153	. . . {at least one layer is extruded and immediately laminated while in semi-molten state}		NOTE
37/156	. . . {at least one layer is calendered and immediately laminated}		{In this group, the following expression is used with the meaning indicated:
37/16	. . with all layers existing as coherent layers before laminating		• "in connection with laminating processes" means ancillary operations are carried out either
37/18	. . . involving the assembly of discrete sheets or panels only		a. as steps of the lamination processes, or
37/182 {one or more of the layers being plastic}	38/0004	. {Cutting, tearing or severing, e.g. bursting; Cutter details (cutting in general B26D ; laminating combined with punching or perforating B32B 38/04 ; removing all or part of the layers B32B 38/10 ; cutting in combination with laying up and registration B32B 38/185 takes precedence)}
37/185 {Laminating sheets, panels or inserts between two discrete plastic layers}	38/0008	. {Electrical discharge treatment, e.g. corona, plasma treatment; wave energy or particle radiation (B32B 38/0036 and B29C 59/00 take precedence)}
37/187 {the layers being placed in a carrier before going through the lamination process}		NOTE
37/20	. . . involving the assembly of continuous webs only		Laminate treatment is further indexed in group B32B 2310/00
37/203 {One or more of the layers being plastic}	38/0012	. {Mechanical treatment, e.g. roughening, deforming, stretching}
37/206 {Laminating a continuous layer between two continuous plastic layers}		NOTE
37/22	. . . involving the assembly of both discrete and continuous layers		When classifying in group B32B 38/0012 , the treatment can be further classified into indexing codes chosen from B32B 2038/0016-B32B 2038/0028
37/223 {One or more of the layers being plastic}	2038/0016	. . {Abrading}
37/226 {Laminating sheets, panels or inserts between two continuous plastic layers}	2038/002	. . {Sandblasting}
37/24	. . with at least one layer not being coherent before laminating, e.g. made up from granular material sprinkled onto a substrate (B32B 37/15 takes precedence)	2038/0024	. . {Crushing}
	NOTE	2038/0028	. . {Stretching, elongating}
	When classifying in group B32B 37/24 , the technique can be further indexed by using the indexing codes chosen from B32B 37/24 and subgroups	38/0032	. {increasing porosity (B32B 38/04 takes precedence)}
2037/243	. . . {Coating}	38/0036	. {Heat treatment (for heating or cooling of layers during lamination B32B 37/06 , B32B 37/08)}
2037/246	. . . {Vapour deposition}		NOTE
37/26	. . with at least one layer which influences the bonding during the lamination process, e.g. release layers or pressure equalising layers		When classifying in group B32B 38/0036 , the heat treatment can be further indexed by using the indexing codes chosen from B32B 38/0036 and subgroups
	NOTE	38/004	. . {by physically contacting the layers, e.g. by the use of heated platens or rollers}
	When classifying in group B32B 37/26 , said at least one layer can be further indexed by using the indexing codes chosen from B32B 37/26 and subgroups	2038/0044	. . {for creating local stresses}
2037/262	. . . {Partition plates or sheets for separating several laminates pressed simultaneously}	2038/0048	. . {Annealing, relaxing}
2037/264	. . . {Pressure equalizing layers}	2038/0052	. {Other operations not otherwise provided for}
		2038/0056	. . {Moistening}
		2038/006	. . {Relieving internal or residual stresses}
		2038/0064	. . {Smoothing, polishing, making a glossy surface}
		2038/0068	. . {Changing crystal orientation}
		2038/0072	. . {Orienting fibers}

- 2038/0076 . . {Curing, vulcanising, cross-linking}
- 2038/008 . . {Sewing, stitching}
- 2038/0084 . . {Foaming}
- 2038/0088 . . {Expanding, swelling}
- 2038/0092 . . {Metallizing}
- 2038/0096 . . {Riveting}
- 38/04 . Punching, slitting or perforating

NOTE

When classifying in group [B32B 38/04](#), the operation can be further indexed by using the indexing codes chosen from [B32B 38/04](#) and subgroups

- 2038/042 . . {Punching}
- 2038/045 . . {Slitting}
- 2038/047 . . {Perforating}
- 38/06 . Embossing
- 38/08 . Impregnating
- 38/10 . Removing layers, or parts of layers, mechanically or chemically (punching, slitting or perforating [B32B 38/04](#))
- 38/105 . . {on edges}
- 38/12 . Deep-drawing
- 38/14 . Printing or colouring
- 38/145 . . {Printing}
- 38/16 . Drying; Softening; Cleaning
- 38/162 . . {Cleaning}
- 38/164 . . {Drying}

NOTE

When classifying in group [B32B 38/164](#), the drying operation can be further indexed by using the indexing codes chosen from [B32B 38/164](#) and subgroups

- 2038/166 . . . {Removing moisture}
- 2038/168 . . . {Removing solvent}
- 38/18 . Handling of layers or the laminate
- 38/1808 . . {characterised by the laying up of the layers}
- 38/1816 . . . {Cross feeding of one or more of the layers}
- 38/1825 . . {characterised by the control or constructional features of devices for tensioning, stretching or registration}
- 38/1833 . . . {Positioning, e.g. registration or centering}
- 38/1841 {during laying up}
- 38/185 {combined with the cutting of one or more layers}
- 38/1858 . . {using vacuum}
- 38/1866 . . {conforming the layers or laminate to a convex or concave profile}
- 38/1875 . . {Tensioning}
- 38/1883 . . {Detensioning}
- 2038/1891 . . {Using a robot for handling the layers}

39/00 Layout of apparatus or plants, e.g. modular laminating systems**41/00 Arrangements for controlling or monitoring lamination processes; Safety arrangements**

- 41/02 . Safety arrangements
- 2041/04 . {Detecting wrong registration, misalignment, deviation, failure}
- 2041/06 . {Starting the lamination machine or method}

43/00 Operations specially adapted for layered products and not otherwise provided for, e.g. repairing; Apparatus therefor

- 43/003 . {Cutting}
- 43/006 . {Delaminating}

2250/00 Layers arrangement

- 2250/02 . 2 layers
- 2250/03 . 3 layers
- 2250/04 . 4 layers
- 2250/05 . 5 or more layers
- 2250/20 . All layers being fibrous or filamentary
- 2250/22 . All layers being foamed
- 2250/24 . All layers being polymeric
- 2250/242 . . All polymers belonging to those covered by group [B32B 27/32](#)
- 2250/244 . . All polymers belonging to those covered by group [B32B 27/36](#)
- 2250/246 . . All polymers belonging to those covered by groups [B32B 27/32](#) and [B32B 27/30](#)
- 2250/248 . . All polymers belonging to those covered by group [B32B 25/00](#)
- 2250/26 . All layers being made of paper or paperboard
- 2250/40 . Symmetrical or sandwich layers, e.g. ABA, ABCBA, ABCCBA
- 2250/42 . Alternating layers, e.g. ABAB(C), AABBAABB(C)
- 2250/44 . Number of layers variable across the laminate

Layer arrangements; Coating, impregnation or embedding of layers; Composition of fibres, particles or foam present on a layer; Resin or rubber layer containing a blend of polymers or recycled material**2255/00 Coating on the layer surface****NOTE**

This group is for classification of coatings on a layered product. Specific details of coatings or processes thereof can be found in [C08J 7/00](#), [B05D](#), [C09D](#), [C09J](#), [C23C](#) or [D06M](#).

- 2255/02 . on fibrous or filamentary layer
- 2255/04 . on a particulate layer
- 2255/06 . on metal layer
- 2255/062 . . metal layer being a foamed layer
- 2255/08 . on wood layer
- 2255/10 . on synthetic resin layer or on natural or synthetic rubber layer
- 2255/102 . . synthetic resin or rubber layer being a foamed layer
- 2255/12 . on paper layer
- 2255/20 . Inorganic coating
- 2255/205 . . Metallic coating
- 2255/24 . Organic non-macromolecular coating
- 2255/26 . Polymeric coating
- 2255/28 . Multiple coating on one surface

2260/00 Impregnation or embedding of a layer; Bonding a fibrous, filamentary or particulate layer by using a binder

- 2260/02 . Composition of the impregnated, bonded or embedded layer

2260/021	. . Fibrous or filamentary layer (layers of natural mineral fibres or particles being impregnated in a plastic substance B32B 19/02)	2264/025	. . . Acrylic resin particles
2260/023	. . . Two or more layers	2264/0257	. . . Polyolefin particles (vinyl or acrylic copolymers B32B 2264/0228, B32B 2264/025)
2260/025	. . Particulate layer (layers of natural mineral fibres or particles being impregnated in a plastic substance B32B 19/02)	2264/0264	. . . Polyamide particles
2260/026	. . Wood layer	2264/0271 Aromatic polyamide particles
2260/028	. . Paper layer	2264/0278	. . . Polyester particles
2260/04	. Impregnation material	2264/0285 PET or PBT
2260/042	. . Bituminous or tarry substance	2264/0292	. . . Polyurethane particles
2260/044	. . Water-setting substance, e.g. concrete, plaster	2264/04	. Cellulosic particles, e.g. rayon
2260/046	. . Synthetic resin	2264/06	. Vegetal particles
2260/048	. . Natural or synthetic rubber	2264/062	. . Cellulose particles, e.g. cotton
2262/00	Composition of fibres which form a fibrous or filamentary layer or are present as additives	2264/065	. . . Lignocellulosic particles, e.g. jute, sisal, hemp, flax, bamboo
2262/02	. Synthetic macromolecular fibres	2264/067	. . . Wood particles
2262/0207	. . Elastomeric fibres	2264/08	. Animal particles, e.g. leather
2262/0215	. . . Thermoplastic elastomer fibers	2264/10	. Inorganic particles (layered products comprising a layer of natural mineral particles B32B 19/00)
2262/0223	. . Vinyl resin fibres	2264/101	. . Glass particles
2262/023	. . . Aromatic vinyl resin, e.g. styrenic (co)polymers	2264/102	. . Oxide or hydroxide particles, e.g. silica particles, TiO ₂ particles
2262/0238	. . . Vinyl halide, e.g. PVC, PVDC, PVF, PVDF	2264/104	. . Oxsalt particles, e.g. carbonate, sulfate, phosphate or nitrate particles
2262/0246	. . Acrylic resin fibres	2264/105	. . Metal particles
2262/0253	. . Polyolefin fibres (vinyl or acrylic copolymers B32B 2262/0223 or B32B 2262/0246)	2264/107	. . Ceramic particles
2262/0261	. . Polyamide fibres	2264/108	. . . Carbon particles, e.g. graphite particles
2262/0269	. . . Aromatic polyamide fibres	2264/12	. Mixture of at least two particles made of different materials
2262/0276	. . Polyester fibres	2266/00	Composition of foam
2262/0284	. . . Polyethylene terephthalate [PET] or polybutylene terephthalate [PBT]	WARNING	
2262/0292	. . Polyurethane fibres	Group B32B 2266/00 is impacted by reclassification into groups B32B 2266/10 , B32B 2266/102 , B32B 2266/104 , B32B 2266/106 , B32B 2266/108 , B32B 2266/12 , B32B 2266/122 , B32B 2266/124 , B32B 2266/126 , B32B 2266/128 , and B32B 2266/14 .	
2262/04	. Cellulosic plastic fibres, e.g. rayon	All groups listed in this Warning should be considered in order to perform a complete search.	
2262/06	. Vegetal fibres	2266/02	. Organic
2262/062	. . Cellulose fibres, e.g. cotton	WARNING	
2262/065	. . . Lignocellulosic fibres, e.g. jute, sisal, hemp, flax, bamboo	Group B32B 2266/02 is impacted by reclassification into group B32B 2266/031 . Groups B32B 2266/02 and B32B 2266/031 should be considered in order to perform a complete search.	
2262/067	. . . Wood fibres	2266/0207	. . Materials belonging to B32B 25/00
2262/08	. Animal fibres, e.g. hair, wool, silk	2266/0214	. . Materials belonging to B32B 27/00
2262/10	. Inorganic fibres (layered products comprising a layer of natural mineral fibres B32B 19/00)	2266/0221	. . . Vinyl resin
2262/101	. . Glass fibres	2266/0228 Aromatic vinyl resin, e.g. styrenic (co)polymers
2262/103	. . Metal fibres	2266/0235 Vinyl halide, e.g. PVC, PVDC, PVF, PVDF
2262/105	. . Ceramic fibres	2266/0242	. . . Acrylic resin
2262/106	. . Carbon fibres, e.g. graphite fibres	2266/025	. . . Polyolefin (vinyl or acrylic copolymers B32B 2266/0221, B32B 2266/0242)
2262/108	. . Rockwool fibres	2266/0257	. . . Polyamide
2262/12	. Conjugate fibres, e.g. core/sheath, side-by-side	2266/0264	. . . Polyester
2262/14	. Mixture of at least two fibres made of different materials	2266/0271	. . . Epoxy resin
2264/00	Composition of particles which form a particulate layer or are present as additives	2266/0278	. . . Polyurethane
2264/02	. Synthetic macromolecular particles	2266/0285	. . . Condensation resins of aldehydes, e.g. with phenols, ureas, melamines
2264/0207	. . Particles made of materials belonging to B32B 25/00		
2264/0214	. . Particles made of materials belonging to B32B 27/00		
2264/0221	. . . Thermoplastic elastomer particles		
2264/0228	. . . Vinyl resin particles		
2264/0235 Aromatic vinyl resin, e.g. styrenic (co)polymers		
2264/0242 Vinyl halide, e.g. PVC, PVDC, PVF, PVDF		

- 2266/0292 . . . Thermoplastic elastomer
- 2266/031 . . Bituminous or tarry material

WARNING

Group [B32B 2266/031](#) is incomplete pending reclassification of documents from group [B32B 2266/02](#).

Groups [B32B 2266/031](#) and [B32B 2266/02](#) should be considered in order to perform a complete search.

- 2266/04 . Inorganic

WARNING

Group [B32B 2266/04](#) is impacted by reclassification into groups [B32B 2266/049](#), [B32B 2266/053](#), and [B32B 2266/057](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2266/045 . . Metal
- 2266/049 . . Water-setting material, e.g. concrete, plaster or asbestos cement

WARNING

Groups [B32B 2266/049](#), [B32B 2266/053](#), and [B32B 2266/057](#) are incomplete pending reclassification of documents from [B32B 2266/04](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2266/053 . . Mineral element, e.g. asbestos or mica
- 2266/057 . . Silicon-containing material, e.g. glass
- 2266/06 . Open cell foam
- 2266/08 . Closed cell foam
- 2266/10 . characterised by the foam pores

WARNING

Groups [B32B 2266/10](#), [B32B 2266/102](#), [B32B 2266/104](#), [B32B 2266/106](#), and [B32B 2266/108](#) are incomplete pending reclassification of documents from group [B32B 2266/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2266/102 . . Nanopores, i.e. with average diameter smaller than 0.1 µm
- 2266/104 . . Micropores, i.e. with average diameter in the range from 0.1 µm to 0.1 mm
- 2266/106 . . Unimodal pore distribution
- 2266/108 . . Bimodal pore distribution

- 2266/12 . Gel

WARNING

Groups [B32B 2266/12](#), [B32B 2266/122](#), [B32B 2266/124](#), [B32B 2266/126](#), and [B32B 2266/128](#) are incomplete pending reclassification of documents from group [B32B 2266/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 2266/122 . . Hydrogel, i.e. a gel containing an aqueous composition
- 2266/124 . . Organogel, i.e. a gel containing an organic composition
- 2266/126 . . Aerogel, i.e. a supercritically dried gel
- 2266/128 . . Xerogel, i.e. an air dried gel
- 2266/14 . Adhesive foam

WARNING

Group [B32B 2266/14](#) is incomplete pending reclassification of documents from group [B32B 2266/00](#).

Groups [B32B 2266/00](#) and [B32B 2266/14](#) should be considered in order to perform a complete search.

- 2270/00 Resin or rubber layer containing a blend of at least two different polymers**

- 2272/00 Resin or rubber layer comprising scrap, waste or recycling material**

- 2274/00 Thermoplastic elastomer material (thermoplastic elastomer fibres [B32B 2262/0215](#), thermoplastic elastomer particles [B32B 2264/0221](#), thermoplastic elastomer foam [B32B 2266/0292](#))**

2305/00 Condition, form or state of the layers or laminate

- 2305/02 . Cellular or porous
- 2305/022 . . Foam
- 2305/024 . . Honeycomb
- 2305/026 . . Porous
- 2305/028 . . Hollow fillers; Syntactic material
- 2305/07 . Parts immersed or impregnated in a matrix
- 2305/073 . . partially
- 2305/076 . . Prepregs
- 2305/08 . Reinforcements
- 2305/10 . Fibres of continuous length
- 2305/18 . . Fabrics, textiles
- 2305/182 . . . knitted
- 2305/184 . . . Braided fabrics
- 2305/186 . . . Knitted fabrics
- 2305/188 . . . Woven fabrics
- 2305/20 . . in the form of a non-woven mat
- 2305/22 . Fibres of short length
- 2305/24 . . Whiskers
- 2305/28 . . in the form of a mat
- 2305/30 . Fillers, e.g. particles, powders, beads, flakes, spheres, chips
- 2305/34 . Inserts
- 2305/342 . . Chips

- 2305/345 . . Heating elements
- 2305/347 . . Security elements
- 2305/38 . Meshes, lattices or nets
- 2305/54 . Filled microcapsules
- 2305/55 . Liquid crystals
- 2305/70 . Scrap or recycled material
- 2305/72 . Cured, e.g. vulcanised, cross-linked
- 2305/74 . Partially cured
- 2305/77 . Uncured, e.g. green
- 2305/80 . Sintered

Condition, form, state or properties of the layers or laminate

- 2307/00 Properties of the layers or laminate**
- 2307/10 . having particular acoustical properties
- 2307/102 . . Insulating
- 2307/20 . having particular electrical or magnetic properties, e.g. piezoelectric
- 2307/202 . . Conductive
- 2307/204 . . Di-electric
- 2307/206 . . Insulating
- 2307/208 . . Magnetic, paramagnetic
- 2307/21 . . Anti-static
- 2307/212 . . Electromagnetic interference shielding
- 2307/30 . having particular thermal properties
- 2307/302 . . Conductive
- 2307/304 . . Insulating
- 2307/306 . . Resistant to heat
- 2307/3065 . . . Flame resistant or retardant, fire resistant or retardant
- 2307/308 . . Heat stability ([dimensional stability B32B 2307/734](#))
- 2307/31 . . Heat sealable
- 2307/40 . having particular optical properties ([light or UV resistant B32B 2307/71](#))
- 2307/402 . . Coloured
- 2307/4023 . . . on the layer surface, e.g. ink
- 2307/4026 . . . within the layer by addition of a colorant, e.g. pigments, dyes
- 2307/404 . . . Multi-coloured
- 2307/406 . . Bright, glossy, shiny surface
- 2307/408 . . Matt, dull surface
- 2307/409 . . Iridescent, pearlescent surface
- 2307/41 . . Opaque
- 2307/412 . . Transparent
- 2307/414 . . Translucent
- 2307/416 . . Reflective
- 2307/418 . . Refractive
- 2307/42 . . Polarizing, birefringent, filtering
- 2307/422 . . Luminescent, fluorescent, phosphorescent
- 2307/50 . having particular mechanical properties
- 2307/51 . . Elastic
- 2307/514 . . Oriented
- 2307/516 . . . mono-axially
- 2307/518 . . . bi-axially
- 2307/52 . . . multi-axially
- 2307/536 . . Hardness
- 2307/538 . . Roughness
- 2307/54 . . Yield strength; Tensile strength
- 2307/542 . . Shear strength
- 2307/544 . . Torsion strength; Torsion stiffness
- 2307/546 . . Flexural strength; Flexion stiffness

- 2307/548 . . Creep
- 2307/552 . . Fatigue strength
- 2307/554 . . Wear resistance
- 2307/558 . . Impact strength, toughness
- 2307/56 . . Damping, energy absorption
- 2307/58 . . Cuttability
- 2307/581 . . . Resistant to cut
- 2307/582 . . Tearability
- 2307/5825 . . . Tear resistant
- 2307/584 . . Scratch resistance
- 2307/70 . Other properties
- 2307/702 . . Amorphous
- 2307/704 . . Crystalline
- 2307/706 . . Anisotropic
- 2307/708 . . Isotropic
- 2307/71 . . Resistive to light or to UV
- 2307/712 . . Weather resistant
- 2307/714 . . Inert, i.e. inert to chemical degradation, corrosion
- 2307/7145 . . . Rot proof, resistant to bacteria, mildew, mould, fungi
- 2307/716 . . Degradable
- 2307/7163 . . . Biodegradable
- 2307/7166 . . . Water-soluble, water-dispersible
- 2307/718 . . Weight, e.g. weight per square meter
- 2307/72 . . Density
- 2307/722 . . . Non-uniform density
- 2307/724 . . Permeability to gases, adsorption
- 2307/7242 . . . Non-permeable
- 2307/7244 Oxygen barrier
- 2307/7246 Water vapor barrier
- 2307/7248 Odour barrier
- 2307/726 . . Permeability to liquids, absorption
- 2307/7265 . . . Non-permeable
- 2307/728 . . Hydrophilic
- 2307/73 . . Hydrophobic
- 2307/732 . . Dimensional properties
- 2307/734 . . . Dimensional stability
- 2307/736 Shrinkable
- 2307/738 . . Thermoformability
- 2307/74 . . Oxygen absorber
- 2307/744 . . Non-slip, anti-slip
- 2307/746 . . Slipping, anti-blocking, low friction
- 2307/748 . . Releasability
- 2307/75 . . Printability
- 2307/752 . . Corrosion inhibitor
- 2307/754 . . Self-cleaning
- 2307/756 . . Refurbishable, i.e. marks or scratches can be removed
- 2307/758 . . Odour absorbent
- 2307/762 . . Self-repairing, self-healing
- 2307/764 . . Insect repellent

2309/00 Parameters for the laminating or treatment process; Apparatus details

- 2309/02 . Temperature
- 2309/022 . . Temperature vs pressure profiles
- 2309/025 . . Temperature vs time profiles
- 2309/027 . . Ambient temperature
- 2309/04 . Time
- 2309/06 . Angles

- 2309/08 . Dimensions, e.g. volume
- 2309/10 . . linear, e.g. length, distance, width
- 2309/105 . . . Thickness
- 2309/12 . Pressure
- 2309/125 . . Pressure vs time profiles
- 2309/14 . Velocity, e.g. feed speeds
- 2309/16 . Tension
- 2309/60 . In a particular environment
- 2309/62 . . Inert
- 2309/64 . . Sterile
- 2309/65 . . Dust free, e.g. clean room
- 2309/66 . . Fluid other than air
- 2309/68 . . Vacuum
- 2309/70 . Automated, e.g. using a computer or microcomputer
- 2309/72 . . For measuring or regulating, e.g. systems with feedback loops

Operating procedures; Apparatus details

2310/00 Treatment by energy or chemical effects

- 2310/021 . using electrical effects ([B32B 2310/08](#) and [B32B 2310/12](#) take precedence)
- 2310/022 . . Electrical resistance
- 2310/024 . . Peltier effect
- 2310/025 . . Electrostatic charges
- 2310/027 . using friction
- 2310/028 . using vibration, e.g. sonic or ultrasonic
- 2310/04 . using liquids, gas or steam
- 2310/0409 . . using liquids
- 2310/0418 . . . other than water
- 2310/0427 . . . Liquified gases
- 2310/0436 . . . Oil
- 2310/0445 . . using gas or flames ([B32B 2310/0427](#) takes precedence)
- 2310/0454 . . . Hot air
- 2310/0463 . . . other than air
- 2310/0472 inert gas
- 2310/0481 Ozone
- 2310/049 . . using steam or damp
- 2310/08 . by wave energy or particle radiation
- 2310/0806 . . using electromagnetic radiation
- 2310/0812 . . . using induction
- 2310/0818 using eddy currents
- 2310/0825 . . . using IR radiation
- 2310/0831 . . . using UV radiation
- 2310/0837 . . . using actinic light
- 2310/0843 . . . using laser
- 2310/085 . . . using X-ray
- 2310/0856 . . . using gamma-ray
- 2310/0862 . . . using microwave
- 2310/0868 . . . using radio frequency
- 2310/0875 . . using particle radiation
- 2310/0881 . . . using ion-radiation, e.g. alpha-rays
- 2310/0887 . . . using electron radiation, e.g. beta-rays
- 2310/0893 . . . using neutron radiation
- 2310/12 . using dielectric properties
- 2310/14 . Corona, ionisation, electrical discharge, plasma treatment

2311/00 Metals, their alloys or their compounds

NOTE

Alloys and compounds of specific metals are indexed with the same indexing code as the specific metals

- 2311/005 . Shape memory alloys
- 2311/02 . Noble metals
- 2311/04 . . Gold
- 2311/06 . . Platinum
- 2311/08 . . Silver
- 2311/09 . . Palladium
- 2311/10 . Mercury
- 2311/12 . Copper
- 2311/14 . Lead
- 2311/16 . Tin
- 2311/18 . Titanium
- 2311/20 . Zinc
- 2311/22 . Nickel or cobalt
- 2311/24 . Aluminium
- 2311/30 . Iron, e.g. steel

Inorganic materials used for the layers, laminate or apparatus components

2313/00 Elements other than metals

- 2313/02 . Boron
- 2313/04 . Carbon

2315/00 Other materials containing non-metallic inorganic compounds not provided for in groups [B32B 2311/00](#) - [B32B 2313/04](#)

- 2315/02 . Ceramics
- 2315/06 . Concrete
- 2315/08 . Glass
- 2315/085 . . Glass fiber cloth or fabric
- 2315/10 . Mica
- 2315/12 . Asbestos
- 2315/14 . Mineral wool
- 2315/16 . Clay
- 2315/18 . Plaster

2317/00 Animal or vegetable based

- 2317/02 . Cork
- 2317/04 . Linoleum
- 2317/06 . Bone; Horn; Ivory
- 2317/08 . Natural leather
- 2317/10 . Natural fibres, e.g. wool, cotton
- 2317/12 . Paper, e.g. cardboard
- 2317/122 . . Kraft paper
- 2317/125 . . impregnated with thermosetting resin
- 2317/127 . . Corrugated cardboard
- 2317/16 . Wood, e.g. woodboard, fibreboard, woodchips
- 2317/18 . Cellulose, modified cellulose or cellulose derivatives, e.g. viscose ([B32B 2317/10](#), [B32B 2317/12](#), [B32B 2317/16](#) take precedence)
- 2317/20 . Starch
- 2317/22 . Natural rubber ([synthetic rubber B32B 2319/00](#))
- 2317/24 . Oil ([B32B 2318/02](#) takes precedence)

Other natural products or their composites used for the layers, laminate or apparatus components not provided for in groups B32B 2311/00 - B32B 2315/12 and B32B 2319/00 - B32B 2398/20

2318/00 Mineral based

- 2318/02 . Oil
- 2318/04 . Stone

2319/00 Synthetic rubber (natural rubber B32B 2317/22)

Organic materials used for the layers, laminate or apparatus components

2323/00 Polyalkenes

- 2323/04 . Polyethylene
- 2323/043 . . HDPE, i.e. high density polyethylene
- 2323/046 . . LDPE, i.e. low density polyethylene
- 2323/10 . Polypropylene
- 2323/16 . EPDM, i.e. ethylene propylene diene monomer

2325/00 Polymers of vinyl-aromatic compounds, e.g. polystyrene

2327/00 Polyvinylhalogenides

- 2327/06 . PVC, i.e. polyvinylchloride
- 2327/12 . containing fluorine
- 2327/18 . . PTFE, i.e. polytetrafluoroethylene

2329/00 Polyvinylalcohols, polyvinylethers, polyvinylaldehydes, polyvinylketones or polyvinylketals

- 2329/04 . Polyvinylalcohol
- 2329/06 . PVB, i.e. polyvinylbutyral

2331/00 Polyvinylesters

- 2331/04 . Polymers of vinyl acetate, e.g. PVA

2333/00 Polymers of unsaturated acids or derivatives thereof

- 2333/04 . Polymers of esters
- 2333/08 . . Polymers of acrylic acid esters, e.g. PMA, i.e. polymethylacrylate
- 2333/12 . . Polymers of methacrylic acid esters, e.g. PMMA, i.e. polymethylmethacrylate

2355/00 Specific polymers obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in a single one of index codes B32B 2323/00 - B32B 2333/00

- 2355/02 . ABS polymers, i.e. acrylonitrile-butadiene-styrene polymers

2361/00 Phenoplast, aminoplast

2363/00 Epoxy resins

2367/00 Polyesters, e.g. PET, i.e. polyethylene terephthalate

2369/00 Polycarbonates

2371/00 Polyethers, e.g. PEEK, i.e. polyether-etherketone; PEK, i.e. polyetherketone

2375/00 Polyureas; Polyurethanes

2377/00 Polyamides

2379/00 Other polymers having nitrogen, with or without oxygen or carbon only, in the main chain

2379/08 . Polyimides

2383/00 Polysiloxanes

2386/00 Specific polymers obtained by polycondensation or polyaddition not provided for in a single one of index codes B32B 2363/00 - B32B 2383/00

2391/00 Waxes

2395/00 Bituminous material, e.g. tar, asphalt

2398/00 Unspecified macromolecular compounds

- 2398/10 . Thermosetting resins
- 2398/20 . Thermoplastics

Particular articles

NOTE

Parts of specific articles are indexed with the same indexing codes as the articles

2405/00 Adhesive articles, e.g. adhesive tapes (labels B32B 2519/00)

2410/00 Agriculture-related articles

2413/00 Belts (conveyor belts B32B 2433/02; drive belts B32B 2433/04)

2419/00 Buildings or parts thereof (walls, panels B32B 2607/00)

- 2419/02 . Bricks
- 2419/04 . Tiles for floors or walls (tiles for roofs B32B 2419/06)
- 2419/06 . Roofs, roof membranes

2425/00 Cards, e.g. identity cards, credit cards

2429/00 Carriers for sound or information

- 2429/02 . Records or discs

2432/00 Cleaning articles, e.g. mops, wipes (personal care B32B 2555/00)

2433/00 Closed loop articles

- 2433/02 . Conveyor belts
- 2433/04 . Driving belts

2435/00 Closures, end caps, stoppers

- 2435/02 . for containers

2437/00 Clothing (anti-ballistic clothing B32B 2571/02)

- 2437/02 . Gloves, shoes
- 2437/04 . Caps, helmets

2439/00 Containers; Receptacles (closures therefor B32B 2435/00)

- 2439/02 . Open containers
- 2439/06 . . Bags, sacks, sachets
- 2439/40 . Closed containers
- 2439/46 . . Bags
- 2439/60 . . Bottles
- 2439/62 . . Boxes, cartons, cases
- 2439/66 . . Cans, tins
- 2439/70 . Food packaging
- 2439/80 . Medical packaging

2451/00 Decorative or ornamental articles (wall paper B32B 2607/02)

2457/00	Electrical equipment	2605/10	. Trains
2457/04	. Insulators	2605/12	. Ships
2457/08	. PCBs, i.e. printed circuit boards	2605/16	. Submarines
2457/10	. Batteries	2605/18	. Aircraft (blades, propellers B32B 2603/00)
2457/12	. Photovoltaic modules	2607/00	Walls, panels
2457/14	. Semiconductor wafers	2607/02	. Wall papers, wall coverings
2457/16	. Capacitors		
2457/18	. Fuel cells		
2457/20	. Displays, e.g. liquid crystal displays, plasma displays		
2457/202	. . LCD, i.e. liquid crystal displays		
2457/204	. . Plasma displays		
2457/206	. . Organic displays, e.g. OLED		
2457/208	. . Touch screens		
2459/00	Nets, e.g. camouflage nets		
2471/00	Floor coverings (B32B 2419/04 takes precedence)		
2471/02	. Carpets		
2471/04	. Mats		
2475/00	Frictional elements		
2479/00	Furniture (upholstery B32B 2601/00)		
2509/00	Household appliances		
2509/10	. Refrigerators or refrigerating equipment		
2519/00	Labels, badges		
2519/02	. RFID tags		
2535/00	Medical equipment, e.g. bandage, prostheses, catheter (medical patches B32B 2556/00)		
2551/00	Optical elements		
2551/08	. Mirrors		
2553/00	Packaging equipment or accessories not otherwise provided for		
2553/02	. Shock absorbing		
2553/023	. . for use in loose form, e.g. dunnage		
2553/026	. . Bubble films		
2554/00	Paper of special types, e.g. banknotes		
2555/00	Personal care		
2555/02	. Diapers or napkins		
2556/00	Patches, e.g. medical patches, repair patches		
2559/00	Photographic equipment or accessories		
2571/00	Protective equipment		
2571/02	. defensive, e.g. armour plates, anti-ballistic clothing (camouflage nets B32B 2459/00)		
2581/00	Seals; Sealing equipment; Gaskets		
2590/00	Signboards, advertising panels, road signs		
2597/00	Tubular articles, e.g. hoses, pipes		
2601/00	Upholstery		
2603/00	Vanes, blades, propellers, rotors with blades		
2605/00	Vehicles		
2605/003	. Interior finishings		
2605/006	. Transparent parts made from plastic material, e.g. windows		
2605/08	. Cars		