

CPC COOPERATIVE PATENT CLASSIFICATION

F MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING (NOTE omitted)

WEAPONS; BLASTING

F42 AMMUNITION; BLASTING (NOTES omitted)

F42B EXPLOSIVE CHARGES, e.g. FOR BLASTING, FIREWORKS, AMMUNITION (explosive compositions [C06B](#); fuzes [F42C](#); blasting [F42D](#))

WARNING

The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

F42B 5/14	covered by	F42B 12/40 , A01K 11/00
F42B 19/10	covered by	F41G 7/24

- | | | | |
|-------------|--|-------|---|
| 1/00 | Explosive charges characterised by form or shape but not dependent on shape of container | 3/10 | . Initiators therefor (percussion fuzes F42C 7/00 ; percussion caps F42C 19/10 ; electric primers F42C 19/12) |
| 1/02 | . Shaped or hollow charges (blasting cartridges with cavities in the charge F42B 3/08 ; oil winning using shaped-charge perforators E21B 43/116) | | |
| 1/024 | . . provided with embedded bodies of inert material | | |
| 1/028 | . . characterised by the form of the liner | | |
| 1/032 | . . characterised by the material of the liner | | |
| 1/036 | . . Manufacturing processes therefor
{ (F42B 33/0214 - F42B 33/0292 take precedence)} | | |
| 1/04 | . Detonator charges not forming part of the fuze | | |
| 3/00 | Blasting cartridges, i.e. case and explosive (fuse cords, e.g. detonating fuse cords C06C 5/00; chemical aspects of detonators, blasting caps or primers C06C 7/00) | | |
| 3/003 | . {Liquid-oxygen cartridges} | | |
| 3/006 | . {Explosive bolts; Explosive actuators (explosive valves F16K 13/06 ; explosive cutting B23D 15/145 ; explosive switches H01H 39/00 ; pyrotechnical actuators F15B 15/19)} | | |
| 3/02 | . adapted to be united into assemblies | | |
| 3/04 | . for producing gas under pressure {(generators of inflation fluid especially adapted for vehicle air bags B60R 21/26)} | | |
| 3/045 | . . {Hybrid systems with previously pressurised gas using blasting to increase the pressure, e.g. causing the gas to be released from its sealed container} | | |
| 3/06 | . . with re-utilisable case | | |
| 3/08 | . with cavities in the charge, e.g. hollow-charge blasting cartridges | | |
| 3/087 | . Flexible or deformable blasting cartridges, e.g. bags or hoses {for slurries} (loaded cartridge bags F42B 5/38) | | |
| 3/093 | . . in mat or tape form | | |
| | | 3/103 | . . Mounting initiator heads in initiators; Sealing-plugs |
| | | 3/107 | . . . Sealing-plugs characterised by the material used |
| | | 3/11 | . . characterised by the material used, e.g. for initiator case or electric leads (F42B 3/107 takes precedence) |
| | | 3/113 | . . activated by optical means, e.g. laser, flashlight |
| | | 3/117 | . . activated by friction |
| | | 3/12 | . . Bridge initiators {(F42B 3/103 , F42B 3/11 , F42B 3/195 take precedence; electric ignitors in propellant charges F42C 19/12)} |
| | | 3/121 | . . . {Initiators with incorporated integrated circuit} |
| | | 3/122 | {Programmable electronic delay initiators} |
| | | 3/124 | . . . {characterised by the configuration or material of the bridge (F42B 3/13 takes precedence)} |
| | | 3/125 | . . . {characterised by the configuration of the bridge initiator case (F42B 3/11 takes precedence)} |
| | | 3/127 | {the case having burst direction defining elements} |
| | | 3/128 | . . . {characterised by the composition of the pyrotechnic material} |
| | | 3/13 | . . . with semiconductive bridge |
| | | 3/14 | . . Spark initiators {(F42B 3/195 takes precedence)} |
| | | 3/16 | . . {Pyrotechnic} delay initiators (F42B 3/195 takes precedence; {programmable electronic delay initiators F42C 11/065 }) |
| | | 3/18 | . . Safety initiators resistant to premature firing by static electricity or stray currents |
| | | 3/182 | . . . having shunting means {(F42B 3/185 takes precedence; details of shunting devices H01R 13/7032)} |

- 3/185 . . . having semi-conductive {means, e.g.} sealing plugs
- 3/188 . . . having radio-frequency filters {, e.g. containing ferrite cores or inductances (F42B 3/185 takes precedence)}
- 3/192 . . designed for neutralisation on contact with water
- 3/195 . . Manufacture
- 3/198 . . . of electric initiator heads {e.g., testing, machines}
- 3/22 . Elements for controlling or guiding the detonation wave, e.g. tubes (using inert bodies embedded in shaped or hollow charges F42B 1/024)
- 3/24 . Cartridge closures or seals (top closures for shotgun ammunition cartridges F42B 7/12)
- 3/26 . Arrangements for mounting initiators; Accessories therefor, e.g. tools
- 3/28 . Cartridge cases characterised by the material used, e.g. coatings (for initiator cases F42B 3/11)
- 4/00 Fireworks, i.e. pyrotechnic devices for amusement, display, illumination or signal purposes (signalling by explosives G08B; advertising by fireworks G09F 13/46; {signalling by pyrotechnics in railway systems B61L 5/20})**
 - 4/02 . in cartridge form, i.e. shell, propellant and primer
 - 4/04 . Firecrackers
 - 4/06 . Aerial display rockets (rockets in general F42B 15/00)
 - 4/08 . . characterised by having vanes, wings, parachutes or balloons
 - 4/10 . . characterised by having means to separate article or charge from casing without destroying the casing
 - 4/12 . . . Parachute or flare separation
 - 4/14 . . characterised by having plural successively-ignited charges
 - 4/16 . Hand-thrown impact-exploded noise makers; {Other noise-makers generating noise via a pyrotechnic charge} (cap pistols F41C 3/06)
 - 4/18 . Simulations, e.g. pine cone, house that is destroyed, warship, volcano
 - 4/20 . characterised by having holder or support other than casing, e.g. whirler or spike support {(supports for flares or torches F42B 4/26)}
 - 4/22 . characterised by having means to separate article or charge from casing without destroying the casing (in aerial display rockets F42B 4/10)
 - 4/24 . characterised by having plural successively-ignited charges (in aerial display rockets F42B 4/14)
 - 4/26 . Flares; Torches {(mines for practice or training containing flares or illuminating charges F42B 8/28; projectiles of illuminating type F42B 12/42)}
 - 4/28 . . Parachute flares (F42B 4/12 takes precedence)
 - 4/30 . Manufacture
- 5/00 Cartridge ammunition, e.g. separately-loaded propellant charges (shotgun ammunition F42B 7/00; practice or training ammunition F42B 8/00; missiles therefor F42B 12/00, F42B 14/00, F42B 15/00)**
 - 5/02 . Cartridges, i.e. cases with charge and missile
 - 5/025 . . {characterised by the dimension of the case or the missile}
 - 5/03 . . containing more than one missile
 - 5/035 . . . {the cartridge or barrel assembly having a plurality of axially stacked projectiles each having a separate propellant charge}
 - 5/045 . . of telescopic type (F42B 5/184 takes precedence)
 - 5/05 . . for recoilless guns (recoilless guns using a counter-projectile to balance recoil F41A 1/10)
 - 5/067 . . Mounting or locking missiles in cartridge cases (F42B 5/18 takes precedence)
 - 5/073 . . . using an auxiliary locking element
 - 5/08 . . modified for electric ignition
 - 5/10 . . with self-propelled bullet
 - 5/105 . . . {propelled by two propulsive charges, the rearwardly situated one being separated from the rest of the projectile during flight or in the barrel; Projectiles with self-ejecting cartridge cases}
 - 5/145 . . for dispensing gases, vapours, powders, particles or chemically-reactive substances (from projectiles F42B 12/46)
 - 5/15 . . . for creating a screening or decoy effect, e.g. using radar chaff or infra-red flares F42B 4/26
 - 5/155 . . . Smoke-pot projectors, e.g. arranged on vehicles
 - 5/16 . . characterised by composition or physical dimensions or form of propellant charge, {with or without projectile,} or powder (chemical composition C06B; {F42B 5/24 takes precedence})
 - 5/18 . . Caseless ammunition; Cartridges having combustible cases
 - 5/181 . . . {consisting of a combustible casing wall and a metal base; Connectors therefor}
 - 5/182 . . . {Caseless cartridges characterised by their shape}
 - 5/184 . . . telescopic
 - 5/188 . . . Manufacturing processes therefor
 - 5/192 . . . Cartridge cases characterised by the material {of the casing wall (cartridge bags F42B 5/38)}
 - 5/196 Coatings
 - 5/24 . . for cleaning; for cooling; for lubricating {; for wear reducing}
 - 5/26 . Cartridge cases (F42B 5/18 takes precedence {; manufacturing of cartridge cases B21K 21/04})
 - 5/28 . . of metal {, i.e. the cartridge-case tube is of metal}
 - 5/285 . . . formed by assembling several elements
 - 5/29 wound from sheets or strips
 - 5/295 . . . coated
 - 5/297 with plastics
 - 5/30 . . of plastics {, i.e. the cartridge-case tube is of plastics}
 - 5/307 . . . formed by assembling several elements
 - 5/313 all elements made of plastics
 - 5/32 . . for rim fire
 - 5/34 . . with provision for varying the length
 - 5/36 . . modified for housing an integral firing-cap
 - 5/38 . Separately-loaded propellant charges, e.g. cartridge bags {(F42B 5/16, F42B 5/192 take precedence)}

6/00	Projectiles or missiles specially adapted for projection without use of explosive or combustible propellant charge, e.g. for blow guns, bows or crossbows, hand-held spring or air guns (for delivering hypodermic charges F42B 12/54 ; projectiles or missiles incorporating springs as the projecting means F41B 7/02 ; {Arrows or darts for dispensing materials, for producing chemical or physical reaction, or for signalling F42B 12/362 })	10/00	Means for influencing, e.g. improving, the aerodynamic properties of projectiles or missiles; Arrangements on projectiles or missiles for stabilising, steering, range-reducing, range-increasing or fall-retarding (F42B 6/00 takes precedence)
6/003	. {Darts}	10/02	. Stabilising arrangements
6/006	. {Projectiles for electromagnetic or plasma guns}	10/025	. . {using giratory or oscillating masses for stabilising projectile trajectory}
6/02	. Arrows; Crossbow bolts; Harpoons for hand-held spring or air guns	10/04	. . using fixed fins (F42B 10/22 takes precedence)
6/04	. . Archery arrows (F42B 6/08 , F41B 5/06 , { F42B 12/362 } take precedence)	10/06	. . . Tail fins
6/06	. . . Tail ends, e.g. nocks, fletching	10/08 Flechette-type projectiles
6/08	. . Arrow heads; Harpoon heads	10/10 the fins being formed in the barrel by deformation or the projectile body
6/10	. Air gun pellets {; Ammunition for air guns, e.g. propellant-gas containers}	10/12	. . using fins longitudinally-slidable with respect to the projectile or missile
7/00	Shotgun ammunition	10/14	. . using fins spread or deployed after launch, e.g. after leaving the barrel
7/02	. Cartridges, i.e. cases with propellant charge and missile	10/143	. . . {Lattice or grid fins}
7/04	. . of pellet type	10/146	. . . {Fabric fins, i.e. fins comprising at least one spar and a fin cover made of flexible sheet material}
7/043	. . . {with shot-scattering means}	10/16 Wrap-around fins
7/046	. . . {Pellets or shot therefor}	10/18	. . . using a longitudinally slidable support member
7/06	. . with cartridge case of plastics {(F42B 5/30 takes precedence)}	10/20	. . . deployed by combustion gas pressure, or by pneumatic or hydraulic forces
7/08	. . Wads, {i.e. projectile or shot carrying devices,} therefor	10/22	. . Projectiles of cannellured type
7/10	. . Ball or slug shotgun cartridges	10/24	. . . with inclined grooves
7/12	. . Cartridge top closures, i.e. for the missile side (closures for blasting cartridges F42B 3/24)	10/26	. . using spin (F42B 10/04 , F42B 10/12 , F42B 10/14 , F42B 10/24 , F42B 14/02 take precedence)
8/00	Practice or training ammunition	10/28 induced by gas action
8/02	. Cartridges {(F41A 33/02 , F42B 7/12 take precedence)}	10/30 using rocket motor nozzles
8/04	. . Blank cartridges, i.e. primed cartridges without projectile but containing an explosive or combustible powder charge	10/32	. Range-reducing or range-increasing arrangements; Fall-retarding means
8/06	. . . for cap-firing pistols	10/34	. . Tubular projectiles
8/08	. . Dummy cartridges, i.e. inert cartridges containing neither primer nor explosive or combustible powder charge	10/36	. . . Ring-foil projectiles
8/10	. . with sub-calibre adaptor	10/38	. . Range-increasing arrangements (F42B 10/34 , F42B 14/06 {and F42B 15/105 } take precedence)
8/12	. Projectiles or missiles (F42B 10/48 , F42B 12/36 , F42B 19/36 take precedence)	10/40	. . . with combustion of a slow-burning charge, e.g. fumers, base-bleed projectiles
8/14	. . disintegrating in flight or upon impact	10/42	. . . Streamlined projectiles
	NOTE	10/44 Boat-tails specially adapted for drag reduction
	Group F42B 8/14 takes precedence over groups F42B 8/18 - F42B 8/26	10/46 Streamlined nose cones; Windshields; Radomes {(F42B 12/105 takes precedence)}
8/16	. . . containing an inert filler in powder or granular form	10/48	. . Range-reducing, destabilising or braking arrangements, {e.g. impact-braking arrangements}; Fall-retarding means, {e.g. balloons, rockets for braking or fall-retarding} (F42B 10/34 takes precedence)
8/18	. . Rifle grenades	10/50	. . . Brake flaps {, e.g. inflatable}
8/20	. . Mortar grenades	10/52	. . . Nose cones
8/22	. . Fall bombs	10/54	. . . Spin braking means
8/24	. . Rockets	10/56	. . . of parachute {or paraglider} type
8/26	. . Hand grenades	10/58	. . . of rotochute type
8/28	. Land or marine mines; Depth charges	10/60	. Steering arrangements (F42B 19/01 takes precedence)
		10/62	. . Steering by movement of flight surfaces
		10/64	. . . of fins

- 10/66 . . Steering by varying intensity or direction of thrust (thrust vector control of rocket engine plants [F02K 9/80](#) {; guiding or controlling apparatus using jets adapted for cosmonautic vehicles [B64G 1/26](#)})
- 10/661 . . . {using several transversally acting rocket motors, each motor containing an individual propellant charge, e.g. solid charge}
- 10/663 . . . {using a plurality of transversally acting auxiliary nozzles, which are opened or closed by valves}
- 10/665 . . . {characterised by using a nozzle provided with at least a deflector mounted within the nozzle}
- 10/666 . . . {characterised by using a nozzle rotatable about an axis transverse to the axis of the projectile}
- 10/668 . . . {Injection of a fluid, e.g. a propellant, into the gas shear in a nozzle or in the boundary layer at the outer surface of a missile, e.g. to create a shock wave in a supersonic flow}
- 12/00 Projectiles, missiles or mines characterised by the warhead, the intended effect, or the material ([F42B 6/00](#), [F42B 10/00](#), [F42B 14/00](#) take precedence; for practice or training [F42B 8/12](#), [F42B 8/28](#); self-propulsion or guidance aspects [F42B 15/00](#))**
- 12/02 . characterised by the warhead or the intended effect
- 12/04 . . of armour-piercing type
- 12/06 . . . with hard or heavy core; Kinetic energy penetrators ([F42B 12/16](#), [F42B 12/74](#) take precedence)
- 12/08 . . . with armour-piercing caps; with armoured cupola
- 12/10 . . . with shaped or hollow charge (shaped or hollow charges per se [F42B 1/02](#) {; mines having hollow charges [F42B 23/04](#)})
- 12/105 {Protruding target distance or stand-off members therefor, e.g. slidably mounted (fuze aspects [F42C 1/14](#))}
- 12/12 rotatably mounted with respect to missile housing
- 12/14 the symmetry axis of the hollow charge forming an angle with the longitudinal axis of the projectile
- 12/16 in combination with an additional projectile or charge, acting successively on the target { (see also [F42B 12/625](#)) }
- 12/18 Hollow charges in tandem arrangement
- 12/20 . . of high-explosive type ([F42B 12/44](#) takes precedence)
- 12/201 . . . {characterised by target class}
- 12/202 {for attacking land area or area targets, e.g. airburst}
- 12/204 {for attacking structures, e.g. specific buildings or fortifications, ships or vehicles}
- 12/205 {for attacking aerial targets}
- 12/207 . . . {characterised by the explosive material or the construction of the high explosive warhead, e.g. insensitive ammunition}
- 12/208 . . . {characterised by a plurality of charges within a single high explosive warhead}
- 12/22 . . . with fragmentation-hull construction
- 12/24 with grooves, recesses or other wall weakenings { ([F42B 12/26](#), [F42B 12/28](#) take precedence) }
- 12/26 the projectile wall being formed by a spirally-wound element
- 12/28 the projectile wall being built from annular elements
- 12/30 Continuous-rod warheads
- 12/32 the hull or case comprising a plurality of discrete bodies, e.g. steel balls, embedded therein {or disposed around the explosive charge}
- 12/34 . . expanding before or on impact, i.e. of dum-dum or mushroom type
- 12/36 . . for dispensing materials; for producing chemical or physical reaction; for signalling {; for transmitting information}
- 12/362 . . . {Arrows or darts ([F42B 12/38](#) takes precedence, having means for implantation, e.g. hypodermic projectiles [F42B 12/54](#); arrows or darts in general [F42B 6/00](#))}
- 12/365 . . . {Projectiles transmitting information to a remote location using optical or electronic means ([F42B 12/385](#) takes precedence)}
- 12/367 . . . {Projectiles fragmenting upon impact without the use of explosives, the fragments creating a wounding or lethal effect (practice or training projectiles disintegrating upon impact [F42B 8/14](#); projectiles of high-explosive type with fragmentation-hull construction [F42B 12/22](#))}
- 12/38 . . . of tracer type
- 12/382 {emitting an electromagnetic radiation, e.g. laser beam or infra-red emission}
- 12/385 {Arrow or dart carrying a radio transmitter for signalling}
- 12/387 {Passive tracers, e.g. using a reflector mounted on the projectile}
- 12/40 . . . of target-marking, i.e. impact-indicating type ([F42B 12/48](#), [F42B 12/50](#) take precedence)
- 12/42 . . . of illuminating type, e.g. carrying flares
- 12/44 . . . of incendiary type ([F42B 12/46](#) takes precedence)
- 12/46 . . . for dispensing gases, vapours, powders or chemically-reactive substances ([F42B 12/70](#) takes precedence)
- 12/48 smoke-producing {, e.g. infrared clouds}
- 12/50 by dispersion
- 12/52 Fuel-air explosive devices
- 12/54 by implantation, e.g. hypodermic projectiles
- 12/56 . . . for dispensing discrete solid bodies ([F42B 12/70](#) takes precedence)
- 12/58 Cluster or cargo ammunition, i.e. projectiles containing one or more submissiles ([F42B 12/32](#) takes precedence)
- 12/60 the submissiles being ejected radially
- 12/62 the submissiles being ejected parallel to the longitudinal axis of the projectile
- 12/625 {a single submissile arranged in a carrier missile for being launched or accelerated coaxially; Coaxial tandem arrangement of missiles which are active in the target one after the other (with shaped or hollow charges [F42B 12/16](#))}
- 12/64 the submissiles being of shot- or flechette-type

- 12/66 Chain-shot, i.e. the submissiles being interconnected by chains or the like {ballistically deployed systems for restraining persons or animals [F41H 13/0006](#)}
- 12/68 Line-carrying missiles, e.g. for life-saving (harpoons [F42B 30/14](#) {, mine-clearing snakes [F41H 11/14](#)})
- 12/70 for dispensing radar chaff or infra-red material (radar-reflector targets, active targets transmitting infra-red radiation [F41J 2/00](#); radar-reflecting surfaces [H01Q 15/14](#))
- 12/72 . characterised by the material (heat treatment for explosive shells [C21D 9/16](#))
- 12/74 . . of the core or solid body
- 12/745 . . . {the core being made of plastics; Compounds or blends of plastics and other materials, e.g. fillers}
- 12/76 . . of the casing
- 12/78 . . . of jackets for smallarm bullets {; Jacketed bullets or projectiles}
- 12/80 . . . Coatings
- 12/82 reducing friction
- 14/00 Projectiles or missiles characterised by arrangements for guiding or sealing them inside barrels, or for lubricating or cleaning barrels**
- 14/02 . Driving bands; Rotating bands ([F42B 14/04](#) takes precedence)
- 14/04 . Lubrication means in missiles (coatings for reducing friction [F42B 12/82](#))
- 14/06 . Sub-calibre projectiles having sabots; Sabots therefor
- 14/061 . . {Sabots for long rod fin stabilised kinetic energy projectiles, i.e. multisegment sabots attached midway on the projectile}
- 14/062 . . . {characterised by contact surfaces between projectile and sabot}
- 14/064 . . {Sabots enclosing the rear end of a kinetic energy projectile, i.e. having a closed disk shaped obturator base and petals extending forward from said base}
- 14/065 . . {Sabots carrying several projectiles}
- 14/067 . . {Sealing aspects in sabots, e.g. sealing between individual segments of the sabots or sealing between the outer surface of the sabot and the inner surface of the barrel}
- 14/068 . . {Sabots characterised by the material ([F42B 14/067](#) takes precedence)}
- 14/08 . . Sabots filled with propulsive charges; Removing sabots by combustion of pyrotechnic elements or by propulsive-gas pressure (arrangements on barrels for removing sabots from projectiles [F41A 21/46](#))
- 15/00 Self-propelled projectiles or missiles, e.g. rockets; Guided missiles ([F42B 10/00](#), [F42B 12/00](#), [F42B 14/00](#) take precedence: for practice or training [F42B 8/12](#); rocket torpedoes [F42B 17/00](#); marine torpedoes [F42B 19/00](#); cosmonautic vehicles [B64G](#); jet-propulsion plants [F02K](#))**
- 15/01 . Arrangements thereon for guidance or control ({steering arrangements [F42B 10/60](#)}; aircraft flight control [B64C](#); guidance systems other than those installed aboard [F41G 7/00](#), [F41G 9/00](#); locating by use of radio or other waves [G01S](#); flight control in general [G05D 1/00](#); computer aspects [G06](#))
- 15/04 . . using wire, e.g. for guiding ground-to-ground rockets
- 15/08 . for carrying measuring instruments; {Arrangements for mounting sensitive cargo within a projectile} (adaptations for meteorology [G01W 1/08](#)); {Arrangements for acoustic sensitive cargo within a projectile}
- 15/10 . Missiles having a trajectory only in the air
- 15/105 . . {Air torpedoes, e.g. projectiles with or without propulsion, provided with supporting air foil surfaces}
- 15/12 . . Intercontinental ballistic missiles ([F42B 15/01](#) takes precedence)
- 15/20 . Missiles having a trajectory beginning below water surface (having additional propulsion means for movement through water [F42B 17/00](#))
- 15/22 . Missiles having a trajectory finishing below water surface (having additional propulsion means for movement through water [F42B 17/00](#))
- 15/34 . Protection against overheating or radiation, e.g. heat shields; Additional cooling arrangements {(thermal protection fitted in or to cosmonautic vehicles [B64G 1/58](#))}
- 15/36 . Means for interconnecting rocket-motor and body section; Multi-stage connectors; Disconnecting means
- 15/38 . . Ring-shaped explosive elements for the separation of rocket parts {(systems for coupling or separating cosmonautic vehicles or parts thereof [B64G 1/64](#))}
- 17/00 Rocket torpedoes, i.e. missiles provided with separate propulsion means for movement through air and through water ([F42B 12/00](#) takes precedence)**
- 19/00 Marine torpedoes, e.g. launched by surface vessels or submarines; Sea mines having self-propulsion means ([F42B 12/00](#) takes precedence; launching means [F41F](#); locating by use of radio or other waves [G01S](#); automatic control of course [G05D 1/00](#); firing directors or calculators [G06G](#))**
- 19/005 . {Nose caps for torpedoes; Coupling torpedo-case parts together}
- 19/01 . Steering control
- 19/04 . . Depth control
- 19/06 . . Directional control
- 19/08 . . with means for preventing rolling or pitching
- 19/12 . Propulsion specially adapted for torpedoes (having additional propulsion means for movement through air [F42B 17/00](#); marine propulsion in general [B63H](#))
- 19/125 . . {Torpedoes provided with drag-reducing means (projectiles with drag-reducing means [F42B 10/38](#))}
- 19/14 . . by compressed-gas motors
- 19/16 . . . of cylinder type
- 19/18 . . . of turbine type
- 19/20 . . . characterised by the composition of propulsive gas; Manufacture or heating thereof in torpedoes

19/22	. . by internal-combustion engines	30/00	Projectiles or missiles, not otherwise provided for, characterised by the ammunition class or type, e.g. by the launching apparatus or weapon used (F42B 10/00, F42B 12/00, F42B 14/00 take precedence)
19/24	. . by electric motors		
19/26	. . by jet propulsion		
19/28	. . with means for avoiding visible wake		
19/30	. . with timing control of propulsion	30/003	. {Closures or baseplates therefor (closures for blasting cartridges F42B 3/24, for shotgun cartridges F42B 7/12)}
19/36	. adapted to be used for exercise purposes, e.g. indicating position or course	30/006	. {Mounting of sensors, antennas or target trackers on projectiles}
19/38	. . with means for causing torpedoes to surface at end of run	30/02	. Bullets
19/40	. . . by expelling liquid ballast	30/04	. Rifle grenades
19/42	. . . by releasing solid ballast	30/06	. . Bullet traps or bullet decelerators therefor
19/44	. . . by enlarging displacement	30/08	. Ordnance projectiles or missiles, e.g. shells
19/46	. adapted to be launched from aircraft	30/10	. . Mortar projectiles
21/00	Depth charges (F42B 12/00 takes precedence; for practice or training F42B 8/28; laying aspects B63G)	30/12	. . . with provision for additional propulsive charges, or for varying the length
22/00	Marine mines, e.g. launched by surface vessels or submarines (F42B 12/00 takes precedence; for practice or training F42B 8/28; mine laying or sweeping B63G)	30/14	. Harpoons (for hand-held spring or air guns F42B 6/02)
22/02	. Contact mines {, e.g. antennae-type mines} (contact fuzes F42C 7/02)	33/00	Manufacture of ammunition; Dismantling of ammunition; Apparatus therefor (F42B 5/188 takes precedence; manufacturing processes for hollow charges F42B 1/036; manufacture of blasting cartridge initiators F42B 3/195)
22/04	. Influenced mines, e.g. by magnetic or acoustic effect	33/001	. {Devices or processes for assembling ammunition, cartridges or cartridge elements from parts}
22/06	. Ground mines	33/002	. {Orienting or guiding means for cartridges or cartridge parts during the manufacturing or packaging process; Feeding cartridge elements to automatic machines}
22/08	. Drifting mines (with propulsion means F42B 19/00)	33/004	. {Cartridge loaders of the rotatable-turret type}
22/10	. Moored mines	33/005	. {Crimping cartridge cases on projectiles}
22/12	. . at a fixed depth setting	33/007	. {Making cavities in an explosive or propulsive charge}
22/14	. . at a variable depth setting	33/008	. {Cutting explosive or propulsive charges}
22/16	. . . using mechanical means, e.g. plummet and float	33/02	. Filling cartridges, missiles, or fuzes; Inserting propellant or explosive charges { (F42B 33/004 takes precedence)}
22/18	. . . using hydrostatic means	33/0207	. . {Processes for loading or filling propulsive or explosive charges in containers}
22/20	. . . using magnetic or acoustic depth-control means	33/0214	. . {by casting (F42B 33/004 takes precedence)}
22/22	. having self-contained sinking means	33/0221	. . . {by centrifugal casting}
22/24	. Arrangement of mines in fields or barriers (net barriers for harbour defence F41H 11/05)	33/0228	. . . {Funnel arrangements therefor}
22/42	. with anti-sweeping means, e.g. electrical	33/0235	. . . {Heating of casting equipment or explosive charge containers during the loading process}
22/44	. adapted to be launched from aircraft	33/0242	. . . {by pressure casting}
23/00	Land mines {; Land torpedoes} (F42B 12/00 takes precedence; for practice or training F42B 8/28)	33/025	. . {by compacting (F42B 33/004 takes precedence)}
23/005	. {Selfpropelled land mines}	33/0257	. . . {by vibration compacting}
23/04	. anti-vehicle {, e.g. anti-aircraft or anti tank (hollow charges per se F42B 1/02; artillery projectiles having hollow charges F42B 12/10)}	33/0264	. . {by using screw-type feeders (F42B 33/004 takes precedence)}
23/08	. . non-metallic	33/0271	. . . {for extruding blasting cartridges}
23/10	. anti-personnel	33/0278	. . {Safety arrangements therefor (F42B 33/004 takes precedence)}
23/14	. . non-metallic	33/0285	. . {Measuring explosive-charge levels in containers or cartridge cases; Methods or devices for controlling the quantity of material fed or filled (F42B 33/004 takes precedence; controlling the quantity of material fed in packaging B65B 3/26)}
23/16	. . of missile type, i.e. {all kinds of mines launched for detonation after ejection from ground (fuzes for initiating mine ejection F42C 1/09)}	33/0292	. . . {by volumetric measurement, i.e. the volume of the material being determined before filling}
23/24	. Details	33/04	. Fitting or extracting primers in or from fuzes or charges { (F42B 33/004 takes precedence)}
25/00	Fall bombs (F42B 10/00, F42B 12/00 take precedence; for practice or training F42B 8/12 {; gliding type bombs F42B 15/105})		
27/00	Hand grenades (F42B 12/00 takes precedence; for practice or training F42B 8/12)		
27/08	. with handle		
29/00	Noiseless, smokeless, or flashless missiles launched by their own explosive propellant		

F42B

- 33/06
 - Dismantling fuzes, cartridges, projectiles, missiles, rockets or bombs ([\(F42B 33/004 and F42B 33/04 take precedence; {elimination of undesirable components of explosives C06B 21/0091}\)](#))
- 33/062
 - . {by high-pressure water jet means}
- 33/065
 - . {by laser means}
- 33/067
 - . {by combustion (incineration apparatuses or processes for used articles [F23G 7/003](#))}
- 33/10
 - Reconditioning used cartridge cases ([\(F42B 33/004 takes precedence\)](#))
- 33/12
 - Crimping shotgun cartridges ([\(F42B 33/004 takes precedence\)](#))
- 33/14
 - Surface treatment of cartridges or cartridge cases ([\(F42B 33/004 takes precedence\)](#))
- 35/00** **Testing or checking of ammunition** ([\(apparatus for measuring the energy of projectiles G01L 5/14\)](#))
- 35/02
 - Gauging, sorting, trimming or shortening cartridges or missiles
- 39/00** **Packaging or storage of ammunition or explosive charges; Safety features thereof; Cartridge belts or bags**
- 39/002
 - {Cartridge containers provided with cartridge-dispensing means}
- 39/005
 - {Protection for driving bands}
- 39/007
 - {Packaging or storage of arrows or darts ([quivers for arrows F41B 5/06](#))}
- 39/02
 - Cartridge bags; Bandoleers
- 39/08
 - Cartridge belts
- 39/082
 - . {for caseless ammunition}
- 39/085
 - . {for blank cartridges}
- 39/087
 - . {Feed belts manufactured from fabric or plastics material}
- 39/10
 - . Machines for charging or for extracting cartridges from feed belts
- 39/14
 - Explosion or fire protection arrangements on packages or ammunition ([\(F42B 39/20 {and F42B 39/24} take precedence; {wall or panel structure of fireproof safes or storage containers E05G 1/024}\)](#))
- 39/16
 - . Fire-extinguishing
- 39/18
 - . Heat shields; Thermal insulation
- 39/20
 - Packages or ammunition having valves for pressure-equalising; Packages or ammunition having plugs for pressure release, e.g. meltable ([Blow-out panels; Venting arrangements \(ventilating arrangements on packages formed from foldable or erectable blanks B65D 5/4295; packages with pressure-relief valves incorporated in a container wall B65D 77/225\)](#))
- 39/22
 - Locking of ammunition in transport containers
- 39/24
 - Shock-absorbing arrangements in packages {, e.g. [for shock waves](#)}
- 39/26
 - Packages or containers for a plurality of ammunition, e.g. cartridges ([\(F42B 39/14 - F42B 39/24, F42B 39/28 take precedence\)](#))
- 39/28
 - Ammunition racks, e.g. in vehicles
- 39/30
 - Containers for detonators or fuzes ([\(F42B 39/14, F42B 39/20 take precedence\)](#))
- 99/00** **Subject matter not provided for in other groups of this subclass**