

CPC COOPERATIVE PATENT CLASSIFICATION

F MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING (NOTE omitted)

ENGINES OR PUMPS

F01 MACHINES OR ENGINES IN GENERAL (combustion engines [F02](#); machines for liquids [F03](#), [F04](#)); ENGINE PLANTS IN GENERAL; STEAM ENGINES

F01K STEAM ENGINE PLANTS; STEAM ACCUMULATORS; ENGINE PLANTS NOT OTHERWISE PROVIDED FOR; ENGINES USING SPECIAL WORKING FLUIDS OR CYCLES (gas-turbine or jet-propulsion plants [F02](#); nuclear power plants, engine arrangements therein [G21D](#))

NOTE

Attention is drawn to the notes preceding class [F01](#), especially as regards the definitions of "steam" and "special vapour".

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	Steam accumulators (use of accumulators in steam engine plants F01K 3/00)	3/08	• Use of accumulators and the plant being specially adapted for a specific use
1/02	• for storing steam otherwise than in a liquid	3/10	• • for vehicle drive, e.g. for accumulator locomotives
1/04	• for storing steam in a liquid, e.g. Ruth's type (in alkali to increase steam pressure F22B 1/20)	3/12	• having two or more accumulators
1/06	• • Internal fittings facilitating steam distribution, steam formation, or circulation (acting during charging or discharging F01K 1/08 ; fittings facilitating circulation through multiple accumulators F01K 1/14)	3/14	• having both steam accumulator and heater, e.g. superheating accumulator (steam superheaters per se F22G)
1/08	• Charging or discharging of accumulators with steam (peculiar to multiple accumulators F01K 1/12)	3/16	• • Mutual arrangement of accumulator and heater
1/10	• specially adapted for superheated steam	3/18	• having heaters (having both steam accumulator and heater F01K 3/14 ; steam heaters per se F22)
1/12	• Multiple accumulators; Charging, discharging or control specially adapted therefor	3/181	• • {using nuclear heat (F01K 3/26 takes precedence)}
1/14	• • Circulation	3/183	• • • {one heater being a fired superheater}
1/16	• Other safety or control means	3/185	• • {using waste heat from outside the plant (F02G 5/00 takes precedence)}
1/18	• • for steam pressure	3/186	• • {using electric heat}
1/20	• Other steam-accumulator parts, details, or accessories	3/188	• • {using heat from a specified chemical reaction}
Steam engine plants		3/20	• • with heating by combustion gases of main boiler
3/00	Plants characterised by the use of steam or heat accumulators, or intermediate steam heaters, therein (regenerating exhaust steam F01K 19/00)	3/205	• • • {more than one circuit being heated by one boiler}
3/002	• {Steam conversion}	3/22	• • • Controlling, e.g. starting, stopping (F01K 7/00 , F01K 13/02 take precedence)
3/004	• {Accumulation in the liquid branch of the circuit}	3/24	• • with heating by separately-fired heaters
3/006	• {Accumulators and steam compressors}	3/242	• • • {delivering steam to a common mains}
3/008	• {Use of steam accumulators of the Ruth type for storing steam in water; Regulating thereof (Ruth accumulators per se F01K 1/04)}	3/245	• • • {delivering steam at different pressure levels (F01K 3/247 takes precedence)}
3/02	• Use of accumulators and specific engine types; Control thereof	3/247	• • • {one heater being an incinerator}
3/04	• • the engine being of multiple-inlet-pressure type	3/26	• • with heating by steam
3/06	• the engine being of extraction or non-condensing type (F01K 3/004 takes precedence)	3/262	• • • {by means of heat exchangers}
		3/265	• • • • {using live steam for superheating or reheating}
		3/267	• • • • {by mixing with steam, e.g. LOFFLER-boiler}
		5/00	Plants characterised by use of means for storing steam in an alkali to increase steam pressure, e.g. of Honigmann or Koenemann type

5/02	<ul style="list-style-type: none"> used in regenerative installation 	9/00	Plants characterised by condensers arranged or modified to co-operate with the engines (by condensers structurally combined with engines F01K 11/00; steam condensers per se F28B) (F01K 23/04 takes precedence)
7/00	Steam engine plants characterised by the use of specific types of engine (F01K 3/02 takes precedence); Plants or engines characterised by their use of special steam systems, cycles or processes (reciprocating-piston engines using uniflow principle F01B 17/04); Control means specially adapted for such systems, cycles or processes; Use of withdrawn or exhaust steam for feed-water heating	9/003	<ul style="list-style-type: none"> {condenser cooling circuits}
7/02	<ul style="list-style-type: none"> the engines being of multiple-expansion type (the engines being only of turbine type F01K 7/16; the engines using steam of critical or supercritical pressure F01K 7/32; the engines being of extraction or non-condensing type F01K 7/34) 	9/006	<ul style="list-style-type: none"> {Vacuum-breakers}
7/025	<ul style="list-style-type: none"> . . {Consecutive expansion in a turbine or a positive displacement engine} 	9/02	<ul style="list-style-type: none"> Arrangements or modifications of condensate or air pumps
7/04	<ul style="list-style-type: none"> . . Control means specially adapted therefor 	9/023	<ul style="list-style-type: none"> . . {Control thereof}
7/06	<ul style="list-style-type: none"> the engines being of multiple-inlet-pressure type (F01K 7/02 takes precedence; the engines being only of turbine type F01K 7/16; the engines using steam of critical or over-critical pressure F01K 7/32; the engines being of extraction or non-condensing type F01K 7/34) 	9/026	<ul style="list-style-type: none"> . . {Returning condensate by capillarity}
7/08	<ul style="list-style-type: none"> . . Control means specially adapted therefor 	9/04	<ul style="list-style-type: none"> with dump valves to by-pass stages
7/10	<ul style="list-style-type: none"> characterised by the engine exhaust pressure (the engines being only of turbine type F01K 7/16; the engines using steam of critical or over-critical pressure F01K 7/32; the engines being of extraction or non-condensing type F01K 7/34) 	11/00	Plants characterised by the engines being structurally combined with boilers or condensers
7/12	<ul style="list-style-type: none"> . . of condensing type 	11/02	<ul style="list-style-type: none"> the engines being turbines
7/14	<ul style="list-style-type: none"> . . . Control means specially adapted therefor 	11/04	<ul style="list-style-type: none"> the boilers or condensers being rotated in use
7/16	<ul style="list-style-type: none"> the engines being only of turbine type (the engines using steam of critical or supercritical pressure F01K 7/32; the engines being of extraction or non-condensing type F01K 7/34) 	13/00	General layout or general methods of operation of complete plants
7/165	<ul style="list-style-type: none"> . . {Controlling means specially adapted therefor} 	13/003	<ul style="list-style-type: none"> {Arrangements for measuring or testing (in general G01)}
7/18	<ul style="list-style-type: none"> . . the turbine being of multiple-inlet-pressure type 	13/006	<ul style="list-style-type: none"> {Auxiliaries or details not otherwise provided for}
7/20	<ul style="list-style-type: none"> . . . Control means specially adapted therefor 	13/02	<ul style="list-style-type: none"> Controlling, e.g. stopping or starting
7/22	<ul style="list-style-type: none"> . . the turbines having inter-stage steam heating 	13/025	<ul style="list-style-type: none"> . . {Cooling the interior by injection during idling or stand-by}
7/223	<ul style="list-style-type: none"> . . . {Inter-stage moisture separation} 	15/00	Adaptations of plants for special use (F01K 7/02 takes precedence)}
7/226	<ul style="list-style-type: none"> . . . {Inter-stage steam injection} 	15/02	<ul style="list-style-type: none"> for driving vehicles, e.g. locomotives (arrangements in vehicles, see the relevant vehicle classes)
7/24	<ul style="list-style-type: none"> . . . Control or safety means specially adapted therefor 	15/025	<ul style="list-style-type: none"> . . {the vehicle being a steam locomotive}
7/26	<ul style="list-style-type: none"> . . the turbines having inter-stage steam accumulation 	15/04	<ul style="list-style-type: none"> . . the vehicles being waterborne vessels
7/28	<ul style="list-style-type: none"> . . . Control means specially adapted therefor 	15/045	<ul style="list-style-type: none"> . . . {Control thereof (F01K 3/22, F01K 7/00, F01K 13/02 take precedence)}
7/30	<ul style="list-style-type: none"> . . the turbines using exhaust steam only 	17/00	Using steam or condensate extracted or exhausted from steam engine plant (for heating feed-water F01K 7/34; returning condensate to boiler F22D (F01K 7/36 takes precedence))
7/32	<ul style="list-style-type: none"> the engines using steam of critical or supercritical pressure 	17/005	<ul style="list-style-type: none"> {by means of a heat pump (heat pumps systems per se F25B)}
7/34	<ul style="list-style-type: none"> the engines being of extraction or non-condensing type; Use of steam for feed-water heating (feed-water heaters in general F22D) 	17/02	<ul style="list-style-type: none"> for heating purposes, e.g. industrial, domestic (F01K 17/06 takes precedence; domestic- or space-heating systems, e.g. central-heating systems, in general F24D 1/00, F24D 3/00, F24D 9/00)
7/345	<ul style="list-style-type: none"> . . {Control or safety-means particular thereto} 	17/025	<ul style="list-style-type: none"> . . {in combination with at least one gas turbine, e.g. a combustion gas turbine}
7/36	<ul style="list-style-type: none"> . . the engines being of positive-displacement type 	17/04	<ul style="list-style-type: none"> for specific purposes other than heating (F01K 17/06 takes precedence)
7/38	<ul style="list-style-type: none"> . . the engines being of turbine type 	17/06	<ul style="list-style-type: none"> Returning energy of steam, in exchanged form, to process, e.g. use of exhaust steam for drying solid fuel or plant
7/40	<ul style="list-style-type: none"> . . Use of two or more feed-water heaters in series 	19/00	Regenerating or otherwise treating steam exhausted from steam engine plant ((F01K 3/006 takes precedence) plants characterised by use of means for storing steam in an alkali to increase steam pressure F01K 5/00; returning condensate to boiler F22D)
7/42	<ul style="list-style-type: none"> . . Use of desuperheaters for feed-water heating 	19/02	<ul style="list-style-type: none"> Regenerating by compression
7/44	<ul style="list-style-type: none"> . . Use of steam for feed-water heating and another purpose 	19/04	<ul style="list-style-type: none"> . . in combination with cooling or heating
		19/06	<ul style="list-style-type: none"> . . in engine cylinder
		19/08	<ul style="list-style-type: none"> . . compression done by injection apparatus, jet blower, or the like

- 19/10 {Regulating means specially adapted therefor}
- 21/00 Steam engine plants not otherwise provided for**
- 21/005 . {using mixtures of liquid and steam or evaporation of a liquid by expansion}
- 21/02 . with steam-generation in engine-cylinders
- 21/04 . using mixtures of steam and gas; Plants generating or heating steam by bringing water or steam into direct contact with hot gas ([F01K 25/005](#), [F02B 47/02](#) take precedence; injecting water or steam into a gas turbine plant [F02C 3/305](#); direct-contact steam generators in general [F22B](#))
- 21/042 . . {pure steam being expanded in a motor somewhere in the plant ([F01K 21/045](#) takes precedence)}
- 21/045 . . {Introducing gas and steam separately into the motor, e.g. admission to a single rotor through separate nozzles}
- 21/047 . . {having at least one combustion gas turbine}
- 21/06 . Treating live steam, other than thermodynamically, e.g. for fighting deposits in engine
- 23/00 Plants characterised by more than one engine delivering power external to the plant, the engines being driven by different fluids**
- 23/02 . the engine cycles being thermally coupled
- 23/04 . . condensation heat from one cycle heating the fluid in another cycle
- 23/06 . . combustion heat from one cycle heating the fluid in another cycle
- 23/061 . . . {with combustion in a fluidised bed (plants with a fluidised-bed combustor comprising only gas-turbines [F02C 3/205](#); fluidised-bed apparatus per se [B01J 8/18](#); fluidised-bed combustors [F23C 10/00](#); fluidised-bed steam-boilers [F22B 31/0007](#))}
- 23/062 {the combustion bed being pressurised (pressurised fluid bed combustion per se [F23C 10/16](#))}
- 23/064 . . . {in combination with an industrial process, e.g. chemical, metallurgical (particularly adapted for a specific process see the relevant classes)}
- 23/065 . . . {the combustion taking place in an internal combustion piston engine, e.g. a diesel engine}
- 23/067 . . . {the combustion heat coming from a gasification or pyrolysis process, e.g. coal gasification (gas turbines with fuel gasifiers [F02C 3/28](#))}
- 23/068 {in combination with an oxygen producing plant, e.g. an air separation plant}
- 23/08 . . . with working fluid of one cycle heating the fluid in another cycle
- 23/10 . . . with exhaust fluid of one cycle heating the fluid in another cycle ([F01K 17/025](#) takes precedence)
- 23/101 {Regulating means specially adapted therefor ([F01K 23/105](#), [F01K 23/108](#) take precedence)}
- 23/103 {with afterburner in exhaust boiler}
- 23/105 {Regulating means specially adapted therefor}
- 23/106 {with water evaporated or preheated at different pressures in exhaust boiler}
- 23/108 {Regulating means specially adapted therefor}
- 23/12 . the engines being mechanically coupled ([F01K 23/02](#) takes precedence)
- 23/14 . . including at least one combustion engine
- 23/16 . . all the engines being turbines ([F01K 23/14](#) takes precedence)
- 23/18 . characterised by adaptation for specific use
- 25/00 Plants or engines characterised by use of special working fluids, not otherwise provided for; Plants operating in closed cycles and not otherwise provided for**
- 25/005 . {the working fluid being steam, created by combustion of hydrogen with oxygen}
- 25/02 . the fluid remaining in the liquid phase
- 25/04 . the fluid being in different phases, e.g. foamed
- 25/06 . using mixtures of different fluids (plants using mixtures of steam and gas [F01K 21/04](#))
- 25/065 . . {with an absorption fluid remaining at least partly in the liquid state, e.g. water for ammonia ([F01K 5/00](#) takes precedence)}
- 25/08 . using special vapours
- 25/085 . . {the vapour being sulfur}
- 25/10 . . the vapours being cold, e.g. ammonia, carbon dioxide, ether
- 25/103 . . . {Carbon dioxide ([F01K 25/065](#) takes precedence)}
- 25/106 . . . {Ammonia ([F01K 25/065](#) takes precedence)}
- 25/12 . . the vapours being metallic, e.g. mercury
- 25/14 . . using industrial or other waste gases
- 27/00 Plants for converting heat or fluid energy into mechanical energy, not otherwise provided for**
- 27/005 . {by means of hydraulic motors}
- 27/02 . Plants modified to use their waste heat, other than that of exhaust, e.g. engine-friction heat