

CPC COOPERATIVE PATENT CLASSIFICATION

G PHYSICS (NOTES omitted)

INSTRUMENTS

G01 MEASURING; TESTING (NOTES omitted)

G01R MEASURING ELECTRIC VARIABLES; MEASURING MAGNETIC VARIABLES (measuring physical variables of any kind by conversion into electric variables, [see](#) Note (4) following the title of class [G01](#); measuring diffusion of ions in an electric field, e.g. electrophoresis, electro-osmosis [G01N](#); investigating non-electric or non-magnetic properties of materials by using electric or magnetic methods [G01N](#); indicating correct tuning of resonant circuits [H03J 3/12](#); monitoring electronic pulse counters [H03K 21/40](#); monitoring operation of communication systems [H04](#))

NOTES

1. This subclass covers:
 - measuring all kinds of electric or magnetic variables directly or by derivation from other electric or magnetic variables;
 - measuring all kinds of electric or magnetic properties of materials;
 - testing electric or magnetic devices, apparatus or networks, (e.g. discharge tubes, amplifiers) or measuring their characteristics;
 - indicating presence or sign of current or voltage;
 - NMR, EPR or other spin-effect apparatus, not specially adapted for a particular application;
 - equipment for generating signals to be used for carrying out such tests and measurements.
2. In this subclass, the following terms or expressions are used with the meanings indicated :
 - "measuring" includes investigating;
 - "instruments" or "measuring instruments" means electro-mechanical measuring mechanisms;
 - "arrangements for measuring" means apparatus, circuits, or methods for measuring;
3. Attention is drawn to the Notes following the title of class [G01](#).
4. In this subclass, group [G01R 17/00](#) takes precedence over groups [G01R 19/00](#) - [G01R 31/00](#).

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	Details of instruments or arrangements of the types included in groups G01R 5/00 - G01R 13/00 and G01R 31/00 (constructional details particular to {electromechanical} arrangements for measuring the electric consumption G01R 11/02)	1/0416 {Connectors, terminals (G01R 1/0425 and G01R 1/0433 take precedence; with measurement function for battery poles G01R 31/364)}
1/02	• General constructional details (details of a kind applicable to measuring arrangements not specially adapted for a specific variable G01D 7/00)	1/0425 {Test clips, e.g. for IC's}
1/025	• . {concerning dedicated user interfaces, e.g. GUI, or dedicated keyboards (G01R 31/31912 takes precedence)}	1/0433 {Sockets for IC's or transistors}
1/04	• . Housings; Supporting members; Arrangements of terminals ("burn-in" aspects G01R 31/286 ; terminals H01R ; terminal strips or boards H02B ; housings for electrical apparatus H05K)	1/0441 {Details}
1/0408	• . . {Test fixtures or contact fields; Connectors or connecting adaptors; Test clips; Test sockets (G01R 1/067 takes precedence; mass production testing systems G01R 31/01 ; testing of connections G01R 31/04 ; for testing printed circuit boards G01R 31/2808)}	1/045 {Sockets or component fixtures for RF or HF testing}
		1/0458 {related to environmental aspects, e.g. temperature}
		1/0466 {concerning contact pieces or mechanical details, e.g. hinges or cams; Shielding}
		1/0475 {for TAB IC's}
		1/0483 {Sockets for un-leaded IC's having matrix type contact fields, e.g. BGA or PGA devices; Sockets for unpackaged, naked chips (for IC's with connecting points around the edges only G01R 1/0433)}

- 1/0491 {for testing integrated circuits on wafers, e.g. wafer-level test cartridge}
- 1/06 . . Measuring leads; Measuring probes
([G01R 19/145](#), [G01R 19/165](#) take precedence;
end pieces for leads [H01R 11/00](#))
- 1/067 . . . Measuring probes {(plugs, sockets or clips [G01R 1/0408](#); testing of connections [G01R 31/04](#); contacting IC's for test purposes when probe design is not the essential feature [G01R 31/2886](#); using radiation beam as probe [G01R 31/302](#); end pieces for wires terminating in a probe [H01R 11/18](#))}
- 1/06705 {Apparatus for holding or moving single probes (for moving multiple probe heads or ICs under test [G01R 31/2886](#))}
- 1/06711 {Probe needles; Cantilever beams; "Bump" contacts; Replaceable probe pins}
- 1/06716 {Elastic}
- 1/06722 {Spring-loaded}
- 1/06727 {Cantilever beams}
- WARNING**
- This group is not complete pending a reorganisation; see also other subgroups of [G01R 1/06711](#)
- 1/06733 {Geometry aspects ([G01R 1/06727](#) takes precedence)}
- 1/06738 {related to tip portion}
- 1/06744 {Microprobes, i.e. having dimensions as IC details}
- 1/0675 {Needle-like}
- 1/06755 {Material aspects}
- 1/06761 {related to layers}
- 1/06766 {Input circuits therefor}
- 1/06772 {High frequency probes}
- 1/06777 {High voltage probes}
- 1/06783 {containing liquids}
- 1/06788 {Hand-held or hand-manipulated probes, e.g. for oscilloscopes or for portable test instruments (end pieces terminating in a probe [H01R 11/18](#))}
- 1/06794 {Devices for sensing when probes are in contact, or in position to contact, with measured object}
- 1/07 Non-contact-making probes {(wireless interface with the DUT [G01R 31/3025](#))}
- 1/071 {containing electro-optic elements}
- 1/072 {containing ionised gas}
- 1/073 Multiple probes {([G01R 1/06783](#), [G01R 1/06794](#), [G01R 1/071](#), [G01R 1/072](#) take precedence)}
- 1/07307 {with individual probe elements, e.g. needles, cantilever beams or bump contacts, fixed in relation to each other, e.g. bed of nails fixture or probe card}
- 1/07314 {the body of the probe being perpendicular to test object, e.g. bed of nails or probe with bump contacts on a rigid support (on an elastic support, e.g. a film, [G01R 1/0735](#))}
- 1/07321 {the probes being of different lengths}
- 1/07328 {for testing printed circuit boards}
- 1/07335 {for double-sided contacting or for testing boards with surface-mounted devices (SMD's)}
- 1/07342 {the body of the probe being at an angle other than perpendicular to test object, e.g. probe card}
- 1/0735 {arranged on a flexible frame or film}
- 1/07357 {with flexible bodies, e.g. buckling beams}
- 1/07364 {with provisions for altering position, number or connection of probe tips; Adapting to differences in pitch}
- 1/07371 {using an intermediate card or back card with apertures through which the probes pass}
- 1/07378 {using an intermediate adapter, e.g. space transformers ([G01R 1/07371](#) takes precedence)}
- 1/07385 {using switching of signals between probe tips and test bed, i.e. the standard contact matrix which in its turn connects to the tester}
- 1/07392 {manipulating each probe element or tip individually}
- 1/08 . . Pointers; Scales; Scale illumination
- 1/10 . . Arrangements of bearings (bearings in general [F16C](#))
- 1/12 . . . of strip or wire bearings
- 1/14 . . Braking arrangements; Damping arrangements
- 1/16 . . Magnets (in general [H01F](#))
- 1/18 . . Screening arrangements against electric or magnetic fields, e.g. against earth's field
{(measuring shielding efficiency [H05K 9/0069](#))}
- 1/20 . . Modifications of basic electric elements for use in electric measuring instruments; Structural combinations of such elements with such instruments (instrument transformers per se [H01F 38/20](#))
- 1/203 . . {Resistors used for electric measuring, e.g. decade resistors standards, resistors for comparators, series resistors, shunts (resistors in general [H01C](#); microwave or radiowave terminations [H01P 1/26](#); coupling devices [H01R](#))}
- 1/206 . . {Switches for connection of measuring instruments or electric motors to measuring loads (switches in general [H01H](#))}
- 1/22 . . Tong testers acting as secondary windings of current transformers (voltage or current isolation using transformers [G01R 15/18](#))
- 1/24 . . Transmission-line, e.g. waveguide, measuring sections, e.g. slotted section
- 1/26 . . . with linear movement of probe
- 1/28 . . Provision in measuring instruments for reference values, e.g. standard voltage, standard waveform
- 1/30 . . Structural combination of electric measuring instruments with basic electronic circuits, e.g. with amplifier
- 1/36 . . Overload protection arrangements or circuits for electric measuring instruments (in general [H02H](#))
- 1/38 . . Arrangements for altering the indicating characteristic, e.g. by modifying the air gap
{(circuits [G01R 15/005](#))}

1/40	• Modifications of instruments to indicate the maximum or the minimum value reached in a time interval, e.g. by maximum indicator pointer	9/08	• . . piezo-electrically driven
1/42	• . . thermally operated	11/00	Electromechanical arrangements for measuring time integral of electric power {, i.e. electric energy} or current, e.g. of consumption ({other arrangements for measuring time integral of electric power or current G01R 22/00; boards, panels, desks for energy meters, H02B 1/03}; monitoring electric consumption of electrically-propelled vehicles B60L 3/00)
1/44	• Modifications of instruments for temperature compensation {(when measuring current or voltage G01R 19/32)}		NOTE
3/00	Apparatus or processes specially adapted for the manufacture {or maintenance} of measuring instruments {, e.g. of probe tips}		For the definition of "arrangement" see Note (2) under G01R
5/00	Instruments for converting a single current or a single voltage into a mechanical displacement (vibration galvanometers G01R 9/02)		
5/02	• Moving-coil instruments	11/02	• Constructional details (applicable to electric measuring instruments in general G01R 1/00)
5/04	• . . with magnet external to the coil	11/04	• . . Housings; Supporting racks; Arrangements of terminals
5/06	• . . with core magnet	11/06	• . . Magnetic circuits of induction meters
5/08	• . . specially adapted for wide angle deflection; with eccentrically-pivoted moving coil	11/067	• . . . Coils therefor
5/10	• String galvanometers	11/073	• . . . Armatures therefor
5/12	• Loop galvanometers	11/09	• Disc armatures
5/14	• Moving-iron instruments	11/10	• . . Braking magnets; Damping arrangements
5/16	• . . with pivoting magnet	11/12	• . . Arrangements of bearings (bearings in general F16C)
5/18	• . . with pivoting soft iron, e.g. needle galvanometer	11/14	• . . . with magnetic relief
5/20	• Induction instruments, e.g. Ferraris instruments	11/16	• . . Adaptations of counters to electricity meters
5/22	• Thermoelectric instruments (measuring effective values of currents or voltages using thermoconverters G01R 19/03)	11/17	• . . Compensating for errors; Adjusting or regulating means therefor
5/24	• . . operated by elongation of a strip or wire or by expansion of a gas or fluid	11/18	• . . . Compensating for variations in ambient conditions
5/26	• . . operated by deformation of a bimetallic element	11/185	• Temperature compensation
5/28	• Electrostatic instruments (combined with radiation detector G01T; {electrometers without passively moving electrodes G01R 15/165; measuring electrostatic fields G01R 29/12; measuring charge G01R 29/24})	11/19	• . . . Compensating for errors caused by disturbing torque, e.g. rotating-field errors of polyphase meters
5/30	• . . Leaf electrometers	11/20	• . . . Compensating for phase errors in induction meters
5/32	• . . Wire electrometers; Needle electrometers	11/21	• . . . Compensating for errors caused by damping effects of the current, e.g. adjustment in the overload range
5/34	• . . Quadrant electrometers	11/22	• . . . Adjusting torque, e.g. adjusting starting torque, adjusting of polyphase meters for obtaining equal torques
7/00	Instruments capable of converting two or more currents or voltages into a single mechanical displacement (G01R 9/00 takes precedence)	11/23	• . . . Compensating for errors caused by friction, e.g. adjustment in the light load range
7/02	• for forming a sum or a difference	11/24	• . . Arrangements for avoiding or indicating fraudulent use {(measures against unauthorised operation of bolts, nuts or pins F16B 41/005; security seals G09F 3/03; preventing of tampering with detection circuits in signaling or alarm circuits G08B 29/046)}
7/04	• for forming a quotient (for measuring resistance G01R 27/08)	11/25	• . . Arrangements for indicating or signalling faults (seals G09F 3/03; preventing tampering with detection circuits in signalling or alarm circuits G08B 29/046)
7/06	• . . moving-iron type		NOTE
	NOTE		Groups G01R 11/48 - G01R 11/66 take precedence over groups G01R 11/30 - G01R 11/46.
7/08	• . . moving-coil type, e.g. crossed-coil type		
7/10	• . . . having more than two moving coils		
7/12	• for forming product		
7/14	• . . moving-iron type		
7/16	• . . having both fixed and moving coils, i.e. dynamometers		
7/18	• . . . with iron core magnetically coupling fixed and moving coils		
9/00	Instruments employing mechanical resonance	11/30	• Dynamo-electric motor meters
9/02	• Vibration galvanometers, e.g. for measuring current	11/32	• . . Watt-hour meters
9/04	• using vibrating reeds, e.g. for measuring frequency	11/34	• . . Ampere-hour meters
9/06	• . . magnetically driven		

- 11/36 . Induction meters, e.g. Ferraris meters ([Ferraris instruments G01R 5/20](#))
- 11/38 . . for single-phase operation
- 11/40 . . for polyphase operation
- 11/42 . . . Circuitry therefor
- 11/46 . Electrically-operated clockwork meters; Oscillatory meters; Pendulum meters
- 11/465 . . {[Oscillatory meters](#)}
- 11/48 . Meters specially adapted for measuring real or reactive components; Meters specially adapted for measuring apparent energy
- 11/50 . . for measuring real component
- 11/52 . . for measuring reactive component
- 11/54 . . for measuring simultaneously at least two of the following three variables: real component, reactive component, apparent energy
- 11/56 . Special tariff meters ([tariff metering in general G01D 4/00](#))
- 11/57 . . Multi-rate meters ([G01R 11/63 takes precedence](#))
- 11/58 . . . Tariff-switching devices therefor
- 11/60 . . Subtraction meters; Meters measuring maximum or minimum load hours
- 11/63 . . Over-consumption meters, e.g. measuring consumption while a predetermined level of power is exceeded
- 11/64 . . Maximum meters, e.g. tariff for a period is based on maximum demand within that period
- 11/66 . . . Circuitry
- 13/00 Arrangements for displaying electric variables or waveforms** ([display by mechanical displacement only G01R 5/00, G01R 7/00, G01R 9/00; recording frequency spectrum G01R 23/18](#))
- 13/02 . for displaying measured electric variables in digital form ({[using LCD's or LED's G01R 13/40](#)}; [counters G06M](#); [analogue/digital conversion in general H03M 1/00](#))
- 13/0209 . . {[in numerical form](#)}
- 13/0218 . . {[Circuits therefor](#)}
- 13/0227 . . . {[Controlling the intensity or colour of the display](#)}
- 13/0236 . . . {[for presentation of more than one variable](#)}
- 13/0245 . . . {[for inserting reference markers](#)}
- 13/0254 . . . {[for triggering, synchronisation](#)}
- 13/0263 {[for non-recurrent functions, e.g. transients](#)}
- 13/0272 . . . {[for sampling](#)}
- 13/0281 . . {[using electro-optic elements](#)}
- 13/029 . . {[Software therefor](#)}
- 13/04 . for producing permanent records
- 13/06 . . Modifications for recording transient disturbances, e.g. by starting or accelerating a recording medium
- 13/08 . . Electromechanical recording systems using a mechanical direct-writing method
- 13/10 . . . with intermittent recording by representing the variable by the length of a stroke or by the position of a dot
- 13/12 . . Chemical recording, e.g. clydonographs ([G01R 13/14 takes precedence](#))
- 13/14 . . Recording on a light-sensitive material
- 13/16 . . Recording on a magnetic medium
- 13/18 . . . using boundary displacement
- 13/20 . Cathode-ray oscilloscopes {; [Oscilloscopes using other screens than CRT's, e.g. LCD's; \(control arrangements or circuits for cathode-ray tube indicators G09G 1/00; cathode ray tubes H01J 31/00\)](#)}
- 13/202 . . {[Non-electric appliances, e.g. scales, masks \(luminescent screens for CRT provided with permanent marks or references H01J 29/34; optical or photographic arrangements combined with CRT vessels H01J 29/89\)](#)}
- 13/204 . . {[Using means for generating permanent registrations, e.g. photographs \(optical or photographic arrangements combined with CRT vessel H01J 29/89\)](#)}
- 13/206 . . {[Arrangements for obtaining a 3- dimensional representation \(stereoscopic T.V. H04N 13/00\)](#)}
- 13/208 . . {[Arrangements for measuring with C.R. oscilloscopes, e.g. vectorscope](#)}
- 13/22 . . Circuits therefor ([circuits for generating pulses, e.g. saw-tooth waveforms H03K 3/00](#))
- 13/225 . . . {[particularly adapted for storage oscilloscopes](#)}
- 13/24 . . . Time-base deflection circuits
- 13/245 {[for generating more than one, not overlapping time-intervals on the screen](#)}
- 13/26 . . . Circuits for controlling the intensity of the electron beam {[or the colour of the display \(brilliance control H01J 29/98\)](#)}
- 13/28 . . . Circuits for simultaneous or sequential presentation of more than one variable ([electronic switches H03K 17/00](#))
- 13/30 . . . Circuits for inserting reference markers, e.g. for timing, for calibrating, for frequency marking
- 13/305 {[for time marking](#)}
- 13/32 . . . Circuits for displaying non-recurrent functions such as transients; Circuits for triggering; Circuits for synchronisation; Circuits for time-base expansion
- 13/325 {[for displaying non-recurrent functions such as transients](#)}
- 13/34 . . . Circuits for representing a single waveform by sampling, e.g. for very high frequencies ([sample and hold arrangements G11C 27/02](#))
- 13/342 {[for displaying periodic H.F. signals \(G01R 13/345 takes precedence\)](#)}
- 13/345 {[for displaying sampled signals by using digital processors by intermediate A.D. and D.A. converters \(control circuits for CRT indicators\)](#)}
- 13/347 {[using electro-optic elements](#)}
- 13/36 . using length of glow discharge, e.g. glowlight oscilloscopes ([discharge tubes H01J](#))
- 13/38 . using the steady or oscillatory displacement of a light beam by an electromechanical measuring system ([such measuring systems per se G01R 5/00, G01R 7/00, G01R 9/00](#))
- 13/40 . using modulation of a light beam otherwise than by mechanical displacement, e.g. by Kerr effect {[\(visual indication of correct tuning H03J 3/14\)](#)}
- 13/401 . . {[for continuous analogue, or simulated analogue, display](#)}
- 13/402 . . . {[using active, i.e. light-emitting display devices, e.g. electroluminescent display \(G01R 13/36 and G01R 13/42 take precedence\)](#)}

- 13/403 . . . {using passive display devices, e.g. liquid crystal display or Kerr effect display devices}
- 13/404 . . {for discontinuous display, i.e. display of discrete values ([analogue/digital conversion H03M 1/00](#))}
- 13/405 . . . {using a plurality of active, i.e. light emitting, e.g. electro-luminescent elements, i.e. bar graphs}
- 13/406 {representing measured value by a dot or a single line ([G01R 13/408 takes precedence](#))}
- 13/407 . . . {using a plurality of passive display elements, e.g. liquid crystal or Kerr-effect display elements ([G01R 13/408 takes precedence](#))}
- 13/408 . . . {Two or three dimensional representation of measured values}
- 13/42 . Instruments using length of spark discharge, e.g. by measuring maximum separation of electrodes to produce spark
- 15/00 Details of measuring arrangements of the types provided for in groups [G01R 17/00](#) - [G01R 29/00](#) and [G01R 33/00](#) - [G01R 35/00](#) (details of instruments [G01R 1/00](#); overload protection arrangements [G01R 1/36](#))**
- 15/002 . {Switches for altering the measuring range or for multitesters}
- 15/005 . {Circuits for altering the indicating characteristic, e.g. making it non-linear}
- 15/007 . . {by zero-suppression}
- 15/04 . Voltage dividers
- 15/06 . . having reactive components, e.g. capacitive transformer ([when the HV capacitor/sensor as such is the essential \[G01R 15/16\]\(#\)](#))}
- 15/08 . Circuits for altering the measuring range
- 15/09 . . Autoranging circuits
- 15/12 . Circuits for multi-testers {, i.e. multimeters}, e.g. for measuring voltage, current, or impedance at will
- 15/125 . . {for digital multimeters}
- 15/14 . Adaptations providing voltage or current isolation, e.g. for high-voltage or high-current networks ([instrument transformers H01F 38/20](#); [voltage dividers \[G01R 15/04\]\(#\)](#); {means for converting the output of a sensing member to another variable [G01D 5/00](#); visible signalling arrangements or devices [G08B 5/00](#); transmission systems for measured values [G08C 17/00](#), [G08C 23/00](#)})
- 15/142 . . {Arrangements for simultaneous measurements of several parameters employing techniques covered by groups [G01R 15/14](#) - [G01R 15/26](#)}
- 15/144 . . {Measuring arrangements for voltage not covered by other subgroups of [G01R 15/14](#)}
- 15/146 . . {Measuring arrangements for current not covered by other subgroups of [G01R 15/14](#), e.g. using current dividers, shunts, or measuring a voltage drop (if no voltage isolation is involved [G01R 1/203](#) or [G01R 19/0092](#))}
- 15/148 . . . {involving the measuring of a magnetic field or electric field ([G01R 15/18](#), [G01R 15/20](#), [G01R 15/24](#), [G01R 15/26 take precedence](#))}
- 15/16 . . using capacitive devices {(circuits constituting a voltage divider [G01R 15/06](#))}
- 15/165 . . . {measuring electrostatic potential, e.g. with electrostatic voltmeters or electrometers, when the design of the sensor is essential (electrometers with passively moving electrodes [G01R 5/28](#); measuring electrostatic fields [G01R 29/12](#); measuring charge [G01R 29/24](#); measuring in circuits with high internal resistance [G01R 19/0023](#))}
- 15/18 . . using inductive devices, e.g. transformers
- 15/181 . . . {using coils without a magnetic core, e.g. Rogowski coils}
- 15/183 . . . {using transformers with a magnetic core}
- 15/185 {with compensation or feedback windings or interacting coils, e.g. 0-flux sensors ([using galvano-magnetic field sensors \[G01R 15/20\]\(#\)](#); conversion of DC into AC using transducers [G01R 19/20](#))}
- 15/186 . . . {using current transformers with a core consisting of two or more parts, e.g. clamp-on type ([G01R 15/142](#) - [G01R 15/16 take precedence](#); tong testers [G01R 1/22](#))}
- 15/188 . . . {comprising rotatable parts, e.g. moving coils (galvanometers [G01R 5/02](#), [G01R 5/14](#))}
- 15/20 . . using galvano-magnetic devices, e.g. Hall-effect devices {, i.e. measuring a magnetic field via the interaction between a current and a magnetic field, e.g. magneto resistive or Hall effect devices (electromechanical such devices, [G01R 5/00](#), [G01R 7/00](#), [G01R 9/00](#); measuring magnetic fields [G01R 33/02](#))}
- 15/202 . . . {using Hall-effect devices ([Hall elements in arrangements for measuring electrical power \[G01R 21/08\]\(#\)](#))}
- 15/205 . . . {using magneto-resistance devices, e.g. field plates}
- 15/207 . . . {Constructional details independent of the type of device used}
- 15/22 . . using light-emitting devices, e.g. LED, optocouplers {([G01R 31/31901 takes precedence](#))}
- 15/24 . . using light-modulating devices
- 15/241 . . . {using electro-optical modulators, e.g. electro-absorption (probes containing electro-optic elements [G01R 1/071](#))}
- 15/242 {based on the Pockels effect, i.e. linear electro-optic effect}
- 15/243 {based on the Kerr effect, i.e. quadratic electro-optic effect}
- 15/245 . . . {using magneto-optical modulators, e.g. based on the Faraday or Cotton-Mouton effect}
- 15/246 {based on the Faraday, i.e. linear magneto-optic, effect}
- 15/247 . . . {Details of the circuitry or construction of devices covered by [G01R 15/241](#) - [G01R 15/246](#)}
- 15/248 . . . {using a constant light source and electro-mechanically driven deflectors}
- 15/26 . . using modulation of waves other than light, e.g. radio or acoustic waves
- 17/00 Measuring arrangements involving comparison with a reference value, e.g. bridge**
- 17/02 . Arrangements in which the value to be measured is automatically compared with a reference value

- 17/04 . . in which the reference value is continuously or periodically swept over the range of values to be measured
- 17/06 . . Automatic balancing arrangements
- 17/08 . . . in which a force or torque representing the measured value is balanced by a force or torque representing the reference value
- 17/10 . ac or dc measuring bridges (automatic comparison or re-balancing arrangements [G01R 17/02](#))
- 17/105 . . {for measuring impedance or resistance}
- 17/12 . . using comparison of currents, e.g. bridges with differential current output
- 17/14 . . with indication of measured value by calibrated null indicator, e.g. percent bridge, tolerance bridge ([G01R 17/12](#), [G01R 17/16](#) take precedence)
- 17/16 . . with discharge tubes or semiconductor devices in one or more arms of the bridge, e.g. voltmeter using a difference amplifier
- 17/18 . . with more than four branches
- 17/20 . ac or dc potentiometric measuring arrangements (automatic comparison or re-balancing arrangements [G01R 17/02](#))
- 17/22 . . with indication of measured value by calibrated null indicator
- 19/00 Arrangements for measuring currents or voltages or for indicating presence or sign thereof** ([G01R 5/00](#) takes precedence; {voltage measurements using secondary electron emission when testing electronic circuits [G01R 31/305](#)} ; for measuring bioelectric currents or voltages [A61B 5/04](#))
- NOTE**
Within groups [G01R 19/02](#) - [G01R 19/32](#), group [G01R 19/28](#) takes precedence. Groups [G01R 19/18](#) - [G01R 19/257](#) take precedence over groups [G01R 19/02](#) - [G01R 19/17](#) and [G01R 19/30](#).
- 19/0007 . {Frequency selective voltage or current level measuring (measuring frequency [G01R 23/00](#); testing attenuation in line transmission systems [H04B 3/48](#); monitoring testing in transmission systems [H04B 17/00](#))}
- 19/0015 . . {separating AC and DC}
- 19/0023 . {Measuring currents or voltages from sources with high internal resistance by means of measuring circuits with high input impedance, e.g. OP-amplifiers (electrostatic instruments [G01R 5/28](#); measuring electrostatic potential [G01R 15/165](#); measuring electrostatic fields [G01R 29/12](#); amplifiers per se [H03F](#))}
- 19/003 . {Measuring mean values of current or voltage during a given time interval}
- 19/0038 . {Circuits for comparing several input signals and for indicating the result of this comparison, e.g. equal, different, greater, smaller (comparing pulses or pulse trains according to amplitude)}
- 19/0046 . {characterised by a specific application or detail not covered by any other subgroup of [G01R 19/00](#)}
- 19/0053 . . {Noise discrimination; Analog sampling; Measuring transients (measuring characteristics of individual pulses [G01R 29/02](#); digital sampling [G01R 19/2509](#); measuring noise figure [G01R 29/26](#))}
- 19/0061 . . {Measuring currents of particle-beams, currents from electron multipliers, photocurrents, ion currents; Measuring in plasmas}
- 19/0069 . . {measuring voltage or current standards}
- 19/0076 . . {using thermionic valves}
- 19/0084 . {measuring voltage only (all subgroups of [G01R 19/00](#) take precedence)}
- 19/0092 . {measuring current only (all subgroups of [G01R 19/00](#) take precedence)}
- 19/02 . Measuring effective values, i.e. root-mean-square values
- 19/03 . . using thermoconverters {(using ac-dc conversion by means of thermocouples or other heat sensitive elements [G01R 19/225](#))}
- 19/04 . Measuring peak values {or amplitude or envelope} of ac or of pulses
- 19/06 . Measuring real component; Measuring reactive component
- 19/08 . Measuring current density
- 19/10 . Measuring sum, difference or ratio
- 19/12 . Measuring rate of change {(emergency protective circuit arrangements responsive to the rate of change of electrical quantities [H02H 3/44](#))}
- 19/14 . Indicating direction of current; Indicating polarity of voltage
- 19/145 . Indicating the presence of current or voltage {(measuring probes in general [G01R 1/06](#); indicating continuity or short circuits in electric apparatus or lines or components [G01R 31/024](#))}
- 19/15 . . Indicating the presence of current {(see provisionally also [G01R 19/145](#))}
- 19/155 . . Indicating the presence of voltage {(see provisionally also [G01R 19/145](#))}
- 19/165 . Indicating that current or voltage is either above or below a predetermined value or within or outside a predetermined range of values (circuits with regenerative action, e.g. Schmitt trigger [H03K 3/00](#); threshold switches [H03K 17/00](#))
- 19/16504 . . {characterised by the components employed}
- 19/16509 . . . {using electromagnetic relays, e.g. reed relay (magnetically driven reeds [G01R 9/06](#))}
- 19/16514 . . . {using electronic tubes}
- 19/16519 . . . {using FET's}
- 19/16523 . . . {using diodes, e.g. Zener diodes}
- 19/16528 . . {using digital techniques or performing arithmetic operations (using digital techniques to measure a voltage or a current, see [G01R 19/25](#))}
- 19/16533 . . {characterised by the application}
- 19/16538 . . . {in AC or DC supplies ([G01R 19/16519](#) and [G01R 19/16528](#) take precedence)}
- 19/16542 {for batteries (charge condition monitoring in [G01R 31/36](#))}
- 19/16547 {voltage or current in AC supplies (switching for protection [H02H](#); circuits for emergency power supply [H02J 9/00](#))}
- 19/16552 {in I.C. power supplies}
- 19/16557 . . . {Logic probes, i.e. circuits indicating logic state (high, low, O); (modifications of electronic switches or gates for indicating state of switch [H03K 17/18](#))}
- 19/16561 . . . {in hand-held circuit testers (see also [G01R 19/155](#))}

- 19/16566 . . {Circuits and arrangements for comparing voltage or current with one or several thresholds and for indicating the result not covered by subgroups [G01R 19/16504](#), [G01R 19/16528](#), [G01R 19/16533](#)}
- 19/16571 . . . {comparing AC or DC current with one threshold, e.g. load current, over-current, surge current or fault current ([G01R 19/16514](#), [G01R 19/16519](#), [G01R 19/16528](#), [G01R 19/16533](#), [G01R 19/1659](#) take precedence; measuring currents by using elements sensitive to the magnetic field generated [G01R 15/14](#); measuring earth resistance [G01R 27/18](#); testing for leakage or short circuits in electrical apparatus [G01R 31/025](#))}
- 19/16576 . . . {comparing DC or AC voltage with one threshold ([G01R 19/16514](#), [G01R 19/16519](#), [G01R 19/16528](#), [G01R 19/16533](#) and [G01R 19/1659](#) take precedence)}
- 19/1658 {AC voltage or recurrent signals}
- 19/16585 . . . {for individual pulses, ripple or noise and other applications where timing or duration is of importance ([G01R 19/16519](#), [G01R 19/16538](#) and [G01R 19/16595](#) take precedence; for pulse duration and rise time, see [G01R 29/02](#) and subgroups)}
- 19/1659 . . . {to indicate that the value is within or outside a predetermined range of values (window) ([G01R 19/16514](#), [G01R 19/16519](#), [G01R 19/16528](#) and [G01R 19/16533](#) take precedence)}
- 19/16595 {with multi level indication ([G01R 19/16519](#) and [G01R 19/16533](#) take precedence)}
- 19/17 . . giving an indication of the number of times this occurs {, i.e. multi-channel analysers}
- 19/175 . Indicating the instants of passage of current or voltage through a given value, e.g. passage through zero
- 19/18 . using conversion of dc into ac, e.g. with choppers {DC amplifiers with modulators at input and demodulator at output [H03F 3/38](#)}
- 19/20 . . using transducers {, i.e. a magnetic core transducer the saturation of which is cyclically reversed by an AC source on the secondary side (other DC current transducers, e.g. using the 0-flux principle, [G01R 15/185](#); magnetic amplifiers [H03F 9/00](#))}
- 19/22 . using conversion of ac into dc
- 19/225 . . {by means of thermocouples or other heat sensitive elements}
- 2019/24 . . {using thermocouples}
- 19/25 . using digital measurement techniques (arrangements for displaying measured electric variables in digital form [G01R 13/02](#) {Analogue/digital conversion [H03M](#)})
- 19/2503 . . {for measuring voltage only, e.g. digital volt meters (DVM's) ([G01R 19/2506](#) - [G01R 19/257](#) take precedence)}
- 19/2506 . . {Arrangements for conditioning or analysing measured signals, e.g. for indicating peak values ([G01R 19/003](#) takes precedence); Details concerning sampling, digitizing or waveform capturing (displaying waveforms [G01R 13/00](#); analog sampling [G01R 19/0053](#))}
- 19/2509 . . . {Details concerning sampling, digitizing or waveform capturing}
- 19/2513 . . {Arrangements for monitoring electric power systems, e.g. power lines or loads; Logging}
- 19/2516 . . {Modular arrangements for computer based systems; using personal computers (PC's), e.g. "virtual instruments"}
- 19/252 . . using analogue/digital converters of the type with conversion of voltage or current into frequency and measuring of this frequency
- 19/255 . . using analogue/digital converters of the type with counting of pulses during a period of time proportional to voltage or current, delivered by a pulse generator with fixed frequency
- 19/257 . . using analogue/digital converters of the type with comparison of different reference values with the value of voltage or current, e.g. using step-by-step method
- 19/28 . adapted for measuring in circuits having distributed constants
- 19/30 . Measuring the maximum or the minimum value of current or voltage reached in a time interval ([G01R 19/04](#) takes precedence; modifications of instruments to indicate the maximum or the minimum value reached in a time interval [G01R 1/40](#); {using digital methods [G01R 19/2506](#)})
- 19/32 . Compensating for temperature change ({[G01R 19/02](#) - [G01R 19/30](#) take precedence } ; modifications of instruments for temperature compensation [G01R 1/44](#))
- 21/00 Arrangements for measuring electric power or power factor ([G01R 7/12](#) takes precedence)**
- 21/001 . {Measuring real or reactive component; Measuring apparent energy ([G01R 21/01](#), [G01R 21/02](#), [G01R 21/08](#), [G01R 21/10](#) and [G01R 21/127](#) take precedence)}
- 21/002 . . {Measuring real component}
- 21/003 . . {Measuring reactive component}
- 21/005 . . {Measuring apparent power}
- 21/006 . {Measuring power factor}
- 21/007 . {Adapted for special tariff measuring ([G01R 21/01](#), [G01R 21/02](#), [G01R 21/08](#), [G01R 21/10](#), [G01R 21/1278](#) and [G01R 21/1333](#) take precedence)}
- 21/008 . . {Measuring maximum demand}
- 21/01 . in circuits having distributed constants ([G01R 21/04](#), [G01R 21/07](#), [G01R 21/09](#), [G01R 21/12](#) take precedence)
- 21/02 . by thermal methods {, e.g. calorimetric}
- 21/04 . . in circuits having distributed constants
- 21/06 . by measuring current and voltage ([G01R 21/08](#) - [G01R 21/133](#) take precedence)
- 21/07 . . in circuits having distributed constants ([G01R 21/09](#) takes precedence)
- 21/08 . by using galvanomagnetic effect devices, e.g. Hall effect devices (such devices per se [H01L](#); {for current measurements only, see [G01R 15/20](#)})
- 21/09 . . in circuits having distributed constants
- 21/10 . by using square-law characteristics of circuit elements, e.g. diodes, to measure power absorbed by loads of known impedance ([G01R 21/02](#) takes precedence)
- 21/12 . . in circuits having distributed constants

- 21/127 . . by using pulse modulation ([G01R 21/133](#) takes precedence {; digital multiplication via delta sigma modulation [G06F 7/60](#)})
- 21/1271 . . {Measuring real or reactive component, measuring apparent energy}
- 21/1273 . . . {Measuring real component}
- 21/1275 . . . {Measuring reactive component}
- 21/1276 . . . {Measuring apparent energy}
- 21/1278 . . {Adapted for special tariff measuring}
- 21/133 . . by using digital technique
- 21/1331 . . {Measuring real or reactive component, measuring apparent energy}
- 21/1333 . . {adapted for special tariff measuring}
- 21/1335 . . . {Tariff switching circuits}
- 21/1336 . . . {Measuring overconsumption}
- 21/1338 . . . {Measuring maximum demand}
- 21/14 . . Compensating for temperature change
- 22/00 Arrangements for measuring time integral of electric power or current, e.g. by electricity meters** {(electromechanical arrangements therefor [G01R 11/00](#); monitoring electric consumption of electrically-propelled vehicles [B60L 3/00](#); coin freed devices [G07F 15/00](#))}
- NOTE**
An arrangement for measuring time integral of electric power is classified in group [G01R 21/00](#) if the essential characteristic is the measuring of electric power.
- 22/02 . . by electrolytic methods
- 22/04 . . by calorimetric methods
- 22/06 . . by electronic methods
- 22/061 . . {Details of electronic electricity meters}
- 22/063 . . . {related to remote communication}
- 22/065 . . . {related to mechanical aspects}
- 22/066 . . . {Arrangements for avoiding or indicating fraudulent use}
- 22/068 . . . {Arrangements for indicating or signaling faults}
- 22/08 . . using analogue techniques
- 22/10 . . using digital techniques
- 23/00 Arrangements for measuring frequencies; Arrangements for analysing frequency spectra** (frequency discriminators [H03D](#); {high frequency probes [G01R 1/06772](#)})
- 23/005 . . {Circuits for comparing several input signals and for indicating the result of this comparison, e.g. equal, different, greater, smaller (comparing phase or frequency of 2 mutually independent oscillations in demodulators)}
- 23/02 . . Arrangements for measuring frequency, e.g. pulse repetition rate {(using vibrating reeds [G01R 9/04](#))} Arrangements for measuring period of current or voltage (measuring short-time intervals [G04F](#))
- 23/04 . . adapted for measuring in circuits having distributed constants
- 23/06 . . by converting frequency into an amplitude of current or voltage
- 23/07 . . . using response of circuits tuned on resonance, e.g. grid-drip meter
- 23/08 . . . using response of circuits tuned off resonance
- 23/09 . . . using analogue integrators, e.g. capacitors establishing a mean value by balance of input signals and defined discharge signals or leakage (radiation-measuring instruments in which pulses generated by a radiation detector are integrated [G01T 1/15](#))
- 23/10 . . by converting frequency into a train of pulses, which are then counted {, i.e. converting the signal into a square wave}
- 23/12 . . by converting frequency into phase shift
- 23/14 . . by heterodyning; by beat-frequency comparison (generation of oscillations by beating unmodulated signals of different frequencies [H03B 21/00](#))
- 23/145 . . . {by heterodyning or by beat-frequency comparison with the harmonic of an oscillator}
- 23/15 . . Indicating that frequency of pulses is either above or below a predetermined value or within or outside a predetermined range of values, by making use of non-linear or digital elements {(indicating that pulse width is above or below a certain limit)}
- 23/155 . . . {giving an indication of the number of times this occurs, i.e. multi-channel analysers (for pulse characteristics)}
- 23/16 . . Spectrum analysis; Fourier analysis {(computing with Fourier series or Walsh functions [G06F 17/14](#), [G06G 7/19](#); spectral data processing)}
- 23/163 . . adapted for measuring in circuits having distributed constants
- 23/165 . . using filters
- 23/167 . . . with digital filters
- 23/17 . . with optical {or acoustical} auxiliary devices
- 23/173 . . Wobbling devices similar to swept panoramic receivers (panoramic receivers per se [H03J 7/32](#))
- 23/175 . . by delay means, e.g. tapped delay lines
- 23/177 . . Analysis of very low frequencies
- 23/18 . . with provision for recording frequency spectrum
- 23/20 . . Measurement of non-linear distortion {, e.g. harmonics or noise, ([G01R 31/31708](#) takes precedence; noise figure [G01R 29/26](#))}
- 25/00 Arrangements for measuring phase angle between a voltage and a current, or between voltages or currents** (measuring power factor [G01R 21/00](#); measuring position of individual pulses in a pulse train [G01R 29/02](#); phase discriminators [H03D](#))
- 25/005 . . {Circuits for comparing several input signals and for indicating the result of this comparison, e.g. equal, different, greater, smaller, or for passing one of the input signals as output signal}
- 25/02 . . in circuits having distributed constants
- 25/04 . . involving adjustment of a phase shifter to produce a predetermined phase difference, e.g. zero difference
- 25/06 . . employing quotient instrument
- 25/08 . . by counting of standard pulses (measuring time intervals [G04F](#))
- 27/00 Arrangements for measuring resistance, reactance, impedance, or electric characteristics derived therefrom** {(measuring superconductive properties [G01R 33/1238](#))}

- 27/02 Measuring real or complex resistance, reactance, impedance, or other two-pole characteristics derived therefrom, e.g. time constant ([by measuring phase angle only G01R 25/00](#))
- NOTE**
- Groups [G01R 27/02](#) - [G01R 27/22](#) cover variables that directly or indirectly can be measured over two poles of a component or a Thevenin two-pole equivalent. Subgroup [G01R 27/26](#) also covers other techniques, e.g. using electro magnetic waves or network analyzers
- 27/025 . . {Measuring very high resistances, e.g. isolation resistances, i.e. megohm-meters}
- 27/04 . . in circuits having distributed constants {, e.g. having very long conductors or involving high frequencies}
- 27/06 . . . Measuring reflection coefficients; Measuring standing-wave ratio
- 27/08 . . Measuring resistance by measuring both voltage and current
- 27/10 . . . using two-coil or crossed-coil instruments forming quotient
- 27/12 using hand generators, e.g. meggers
- 27/14 . . Measuring resistance by measuring current or voltage obtained from a reference source ([G01R 27/16](#), [G01R 27/20](#), [G01R 27/22](#) take precedence)
- 27/16 . . Measuring impedance of element or network through which a current is passing from another source, e.g. cable, power line
- 27/18 . . . Measuring resistance to earth {, i.e. line to ground}
- 27/20 . . Measuring earth resistance; Measuring contact resistance, {e.g.} of earth connections, e.g. plates
- 27/205 . . . {Measuring contact resistance of connections, e.g. of earth connections}
- 27/22 . . Measuring resistance of fluids ([measuring vessels, electrodes therefor G01N 27/07](#))
- 27/26 . . Measuring inductance or capacitance; Measuring quality factor, e.g. by using the resonance method; Measuring loss factor; Measuring dielectric constants {; Measuring impedance or related variables}
- 27/2605 . . . {Measuring capacitance ([capacitive sensors G01D 5/24](#))}
- 27/2611 . . . {Measuring inductance}
- 27/2617 . . . {Measuring dielectric properties, e.g. constants ([testing dielectric strength G01R 31/12](#); [detecting insulation faults G01R 31/025](#); [G01R 27/2688](#) takes precedence)}
- 27/2623 {Measuring-systems or electronic circuits ([G01R 27/2635](#), [G01R 27/2682](#) take precedence)}
- 27/2629 {Bridge circuits ([bridges for measuring loss angle G01R 27/2694](#))}
- 27/2635 {Sample holders, electrodes or excitation arrangements, e.g. sensors or measuring cells}
- 27/2641 {of plate type, i.e. with the sample sandwiched in the middle}
- 27/2647 {of coaxial or concentric type, e.g. with the sample in a coaxial line}
- 27/2652 {open-ended type, e.g. abutting against the sample}
- 27/2658 {Cavities, resonators, free space arrangements, reflexion or interference arrangements ([G01R 27/2647](#) takes precedence; [optical methods G01R 27/2682](#))}
- 27/2664 {Transmission line, wave guide (closed or open-ended) or strip - or microstrip line arrangements}
- 27/267 {Coils or antennae arrangements, e.g. coils surrounding the sample or transmitter/receiver antennae}
- 27/2676 {Probes}
- 27/2682 {using optical methods or electron beams}
- 27/2688 . . . {Measuring quality factor or dielectric loss, e.g. loss angle, or power factor ([power factor related to power measurements G01R 21/006](#); [testing capacitors G01R 31/016](#))}
- 27/2694 {Measuring dielectric loss, e.g. loss angle, loss factor or power factor}
- 27/28 . . Measuring attenuation, gain, phase shift or derived characteristics of electric four pole networks, i.e. two-port networks {using network analysers} Measuring transient response ([in line transmission systems H04B 3/46](#))
- 27/30 . . with provision for recording characteristics, e.g. by plotting Nyquist diagram
- 27/32 . . in circuits having distributed constants {, e.g. having very long conductors or involving high frequencies}
- 29/00 Arrangements for measuring or indicating electric quantities not covered by groups G01R 19/00 - G01R 27/00**
- 29/02 . . Measuring characteristics of individual pulses, e.g. deviation from pulse flatness, rise time, duration ([of amplitude G01R 19/00](#); [of repetition rate G01R 23/00](#); [of phase difference of two cyclic pulse trains G01R 25/00](#); [monitoring pattern of pulse trains H03K 5/19](#))
- 29/023 . . {Measuring pulse width}
- 29/027 . . . Indicating that a pulse characteristic is either above or below a predetermined value or within or beyond a predetermined range of values
- 29/0273 . . . {the pulse characteristic being duration, i.e. width (indicating that frequency of pulses is above or below a certain limit)}
- 29/0276 . . . {the pulse characteristic being rise time ([measuring rate of change G01R 19/12](#))}
- 29/033 . . . giving an indication of the number of times this occurs {, i.e. multi-channel analysers (the characteristic being frequency)}
- 29/04 . . Measuring form factor, i.e. quotient of root-mean-square value and arithmetic mean of instantaneous value; Measuring peak factor, i.e. quotient of maximum value and root-mean-square value
- 29/06 . . Measuring depth of modulation
- 29/08 . . Measuring electromagnetic field characteristics {([measuring electrostatic fields G01R 29/12](#); [for determining a voltage G01R 15/14](#); [measuring magnetic fields G01R 33/00](#); [measuring or estimating received signal strength H04B 17/318](#))}
- 29/0807 . . {characterised by the application}

29/0814	. . . {Field measurements related to measuring influence on or from apparatus, components or humans (EMC, EMI and similar testing in general G01R 31/001), e.g. in ESD, EMI, EMC, EMP testing, measuring radiation leakage; detecting presence of micro- or radiowave emitters; dosimetry; testing shielding; measurements related to lightning }	31/00	Arrangements for testing electric properties; Arrangements for locating electric faults; Arrangements for electrical testing characterised by what is being tested not provided for elsewhere ({measuring superconductive properties G01R 33/1238 ;} testing or measuring semiconductors or solid state devices during manufacture { H01L 22/00 }; testing line transmission systems H04B 3/46)
29/0821 {rooms and test sites therefor, e.g. anechoic chambers, open field sites or TEM cells (for testing antennas G01R 29/105) }	31/001	. {Measuring interference from external sources to, or emission from, the device under test, e.g. EMC, EMI, EMP or ESD testing (measuring electromagnetic fields G01R 29/08 ; circuits for generating HV pulses in dielectric strength testing G01R 31/14) }
29/0828 {TEM-cells }	31/002	. . {where the device under test is an electronic circuit }
29/0835 {Testing shielding, e.g. for efficiency }	31/003	. {Environmental or reliability tests (of individual semiconductors G01R 31/2642 ; of PCB's G01R 31/2817 ; of IC's G01R 31/2855 ; of other circuits G01R 31/2849) }
29/0842 {Measurements related to lightning, e.g. measuring electric disturbances, warning systems }	31/005	. {Testing of electric installations on transport means }
29/085 {for detecting presence or location of electric lines or cables (fault detection G01R 31/02 ; fault location G01R 31/08) }	31/006	. . {on road vehicles, e.g. automobiles or trucks (testing of ignition installations peculiar to internal combustion engines F02P 17/00) }
29/0857 {Dosimetry, i.e. measuring the time integral of radiation intensity; Level warning devices for personal safety use (nuclear radiation dosimetry G01T) }	31/007	. . . {using microprocessors or computers }
29/0864	. . {characterised by constructional or functional features }	31/008	. . {on air- or spacecraft, railway rolling stock or sea-going vessels }
29/0871	. . . {Complete apparatus or systems; circuits, e.g. receivers or amplifiers (G01R 29/0878 , G01R 29/0892 take precedence; dosimeters, warning devices G01R 29/0857) }	31/01	. Subjecting similar articles in turn to test, e.g. "go/no-go" tests in mass production; Testing objects at points as they pass through a testing station (G01R 31/18 takes precedence {; for testing batteries G01R 31/36 })
29/0878	. . . {Sensors; antennas; probes; detectors (wave guide measuring sections G01R 1/24) }	31/013	. . {Testing passive components (relays G01R 31/3278 ; electrical windings, e.g. inductors G01R 31/06) }
29/0885 {using optical probes, e.g. electro-optical, luminiscent, glow discharge, or optical interferometers }	31/016	. . . {Testing of capacitors (measuring capacitance G01R 27/2605) }
29/0892	. . . {Details related to signal analysis or treatment; presenting results, e.g. displays; measuring specific signal features other than field strength, e.g. polarisation, field modes, phase, envelope, maximum value }	31/02	. Testing of electric apparatus, lines or components, for short-circuits, discontinuities, leakage {of current}, or incorrect line connection {(G01R 31/001 , G01R 31/005 , G01R 31/01 , G01R 31/08 , G01R 31/12 , G01R 31/24 , G01R 31/26 , G01R 31/28 , G01R 31/327 , G01R 31/34 , G01R 31/36 , G01R 31/40 , G01R 31/44 take precedence; measuring electromagnetic field leakage G01R 29/0821 ; testing of sparking plugs H01T 13/58) }
29/10	. . Radiation diagrams of antennas	31/021	. . {Testing of cables or conductors (testing of electric windings G01R 31/06 ; testing of insulation of cables G01R 31/1272 ; testing LANs H04L 43/50 ; testing line transmission systems H04B 3/46) }
29/105	. . . {using anechoic chambers; Chambers or open field sites used therefor (test sites used for measuring on other objects than aeriels G01R 29/0828 ; wave absorbing devices H01Q 17/00) }	31/022	. . . {Testing while the cable or conductor passes continuously the testing apparatus, e.g. during manufacturing }
29/12	. Measuring electrostatic fields {or voltage-potential }	31/023	. . . {Identification of wires in a multicore cable }
29/14	. . Measuring field distribution	31/024	. . {Arrangements for indicating continuity or short-circuits in electric apparatus or lines, leakage or ground faults (in electric windings G01R 31/06 ; measuring resistance to earth G01R 27/18) }
29/16	. Measuring asymmetry of polyphase networks	31/025	. . . {Testing short circuits, leakage or ground faults (detecting failure within the drive train of electrically-propelled vehicles B60L 3/0023) }
29/18	. Indicating phase sequence; Indicating synchronism		
29/20	. Measuring number of turns; Measuring transformation ratio or coupling factor of windings ({testing or} calibrating instrument transformers G01R 35/02)		
29/22	. Measuring piezo-electric properties		
29/24	. Arrangements for measuring quantities of charge (electrostatic instruments G01R 5/28 ; indicating presence of current G01R 19/15 ; electrolytic meters, calorimetric meters, for measuring time integral of electric current G01R 22/02 , G01R 22/04)		
29/26	. Measuring noise figure; Measuring signal-to-noise ratio {Measuring jitter, i.e. phase noise, (distortion G01R 23/20 ; noise measuring in individual transistors G01R 31/2616 , G01R 31/2626) }		

- 31/026 . . . {Testing continuity ([G01R 31/44](#) takes precedence)}
- 31/027 . . {Testing of transformers (testing of electric windings [G01R 31/06](#))}
- 31/028 . . {Testing of capacitors}
- 31/04 . . Testing connections, e.g. of plugs, of non-disconnectable joints {([G01R 31/31717](#) takes precedence; testing of connections in integrated circuits, chip-to-lead connections, bond wires [G01R 31/2853](#))}
- 31/041 . . . {Testing of correct wire connections in electrical apparatus and circuits (details concerning insertion or connection of batteries [H02J 7/0045](#))}
- 31/043 . . . {of releaseable connections, e.g. terminals mounted on a printed circuit board}
- 31/045 {of plugs, sockets or terminals at the end of a cable or a wire harness; of wall sockets; of power sockets in appliances}
- 31/046 . . . {of connections between components and printed circuit boards (PCB's) ([G01R 31/043](#) takes precedence)}
- 31/048 {Details concerning testing solder joints}
- 31/06 . . Testing of electric windings {, e.g. of solenoids, inductors}, e.g. for polarity {([G01R 31/027](#) and [G01R 31/346](#) take precedence; measuring number of turns, transformation ratio, or coupling factor [G01R 29/20](#); monitoring or fail-safe circuits for electromagnets [H01F 7/1844](#))}
- 31/07 . . Testing of fuses
- 31/08 . . Locating faults in cables, transmission lines, or networks
- 31/081 . . {according to type of conductors}
- 31/083 . . . {in cables, e.g. underground}
- 31/085 . . . {in power transmission or distribution lines, e.g. overhead}
- 31/086 . . . {in power transmission or distribution networks, i.e. with interconnected conductors}
- 31/088 . . {Aspects of digital computing}
- 31/10 . . by increasing destruction at fault, e.g. burning-in by using a pulse generator operating a special programme
- 31/11 . . using pulse reflection methods
- 31/12 . . Testing dielectric strength or breakdown voltage {; Testing or monitoring effectiveness or level of insulation, e.g. of a cable or of an apparatus, for example using partial discharge measurements; Electrostatic testing ([G01R 31/06](#), [G01R 31/08](#) and [G01R 31/327](#) take precedence; measuring in plasmas [G01R 19/0061](#); measuring dielectric constants [G01R 27/2617](#); ESD, EMC or EMP testing of circuits [G01R 31/002](#))}
- 31/1209 . . {using acoustic measurements (acoustic measurements [G01H 3/00](#))}
- 31/1218 . . {using optical methods; using charged particle, e.g. electron, beams or X-rays}
- 31/1227 . . {of components, parts or materials ([G01R 31/1209](#), [G01R 31/1218](#), [G01R 31/18](#) take precedence; circuits therefor [G01R 31/14](#); testing vessels of electrodes [G01R 31/16](#))}
- 31/1236 . . . {of surge arresters (monitoring overvoltage diverters or arresters [H02H 3/048](#))}
- 31/1245 . . . {of line insulators or spacers, e.g. ceramic overhead line cap insulators; of insulators in HV bushings}
- 31/1254 . . . {of gas-insulated power appliances or vacuum gaps (testing switches [G01R 31/327](#); detecting electrical or mechanical defects in encased switchgear [H02B 13/065](#))}
- 31/1263 . . . {of solid or fluid materials, e.g. insulation films, bulk material; of semiconductors or LV electronic components or parts; of cable, line or wire insulation}
- 31/1272 {of cable, line or wire insulation, e.g. using partial discharge measurements (locating faults in cables [G01R 31/083](#))}
- 31/1281 {of liquids or gases}
- 31/129 {of components or parts made of semiconducting materials; of LV components or parts ([G01R 31/18](#) takes precedence)}
- 31/14 . . Circuits therefor {, e.g. for generating test voltages, sensing circuits ([G01R 31/1209](#) - [G01R 31/1227](#) take precedence; for testing switches [G01R 31/327](#))}
- 31/16 . . Construction of testing vessels; Electrodes therefor
- 31/18 . . Subjecting similar articles in turn to test, e.g. go/no-go tests in mass production
- 31/20 . . Preparation of articles or specimens to facilitate testing
- 31/24 . . Testing of discharge tubes (during manufacture [H01J 9/42](#))
- 31/245 . . {Testing of gas discharge tubes}
- 31/25 . . Testing of vacuum tubes
- 31/252 . . . {Testing of electron multipliers, e.g. photo-multipliers}
- 31/255 . . . {Testing of transit-time tubes, e.g. klystrons, magnetrons}
- 31/257 . . . {Testing of beam-tubes, e.g. cathode-ray tubes, image pick-up tubes (of channel image intensifier arrays [G01R 31/252](#); of transit time tubes [G01R 31/255](#))}
- 31/26 . . Testing of individual semiconductor devices (testing or measuring during manufacture or treatment {[H01L 22/00](#)}; testing of photovoltaic devices [H02S 50/10](#))
- 31/2601 . . {Apparatus or methods therefor ([G01R 31/2607](#), [G01R 31/2642](#) take precedence)}
- 31/2603 . . . {for curve tracing of semiconductor characteristics, e.g. on oscilloscope}
- 31/2607 . . {Circuits therefor ([G01R 31/2642](#) takes precedence)}
- 31/2608 . . . {for testing bipolar transistors}
- 31/261 {for measuring break-down voltage or punch through voltage therefor}
- 31/2612 {for measuring frequency response characteristics, e.g. cut-off frequency thereof}
- 31/2614 {for measuring gain factor thereof}
- 31/2616 {for measuring noise (measuring noise factor in general [G01R 29/26](#))}
- 31/2617 {for measuring switching properties thereof}
- 31/2619 {for measuring thermal properties thereof}
- 31/2621 . . . {for testing field effect transistors, i.e. FET's}
- 31/2623 {for measuring break-down voltage therefor}
- 31/2625 {for measuring gain factor thereof}
- 31/2626 {for measuring noise (measuring noise factor in general [G01R 29/26](#))}

- 31/2628 {for measuring thermal properties thereof}
 - 31/263 . . . {for testing thyristors}
 - 31/2632 . . . {for testing diodes}
 - 31/2633 {for measuring switching properties thereof}
 - 31/2635 {Testing light-emitting diodes, laser diodes or photodiodes}
 - 31/2637 . . . {for testing other individual devices
([G01R 31/2608](#) - [G01R 31/2632](#), [G01R 31/27](#) take precedence)}
 - 31/2639 {for testing field-effect devices, e.g. of MOS-capacitors ([G01R 31/2621](#) takes precedence)}
 - 31/2641 . . . {for testing charge coupled devices}
 - 31/2642 . . {Testing semiconductor operation lifetime or reliability, e.g. by accelerated life tests}
 - 31/2644 . . {Adaptations of individual semiconductor devices to facilitate the testing thereof}
 - 31/2646 . . {for measuring noise ([G01R 31/2616](#), [G01R 31/2626](#) take precedence)}
 - 31/2648 . . {Characterising semiconductor materials (testing of materials or semi-finished products [G01R 31/2831](#); testing during manufacture [H01L 22/00](#))}
 - 31/265 . . Contactless testing {(of circuits, also in wafer-form [G01R 31/302](#))}
 - 31/2653 . . . {using electron beams}
 - 31/2656 . . . {using non-ionising electromagnetic radiation, e.g. optical radiation}
 - 31/27 . . Testing of devices without physical removal from the circuit of which they form part, e.g. compensating for effects surrounding elements {(testing printed circuit boards [G01R 31/2801](#))}
 - 31/275 . . . {for testing individual semiconductor components within integrated circuits}
 - 31/28 . . Testing of electronic circuits, e.g. by signal tracer ((EMC, EMP or similar testing of electronic circuits [G01R 31/002](#)) ; testing for short-circuits, discontinuities, leakage or incorrect line connection [G01R 31/02](#); checking computers {or computer components} [G06F 11/00](#); checking static stores for correct operation [G11C 29/00](#); {testing receivers or transmitters of transmission systems [H04B 17/00](#)})
 - 31/2801 . . {Testing of printed circuits, backplanes, motherboards, hybrid circuits or carriers for multichip packages [MCP] ([G01R 31/318508](#) takes precedence; contactless testing [G01R 31/302](#); testing contacts or connections [G01R 31/04](#))}
 - 31/2803 . . . {by means of functional tests, e.g. logic-circuit-simulation or algorithms therefor (testing electronic digital computers [G06F 11/00](#))}
 - 31/2805 . . . {Bare printed circuit boards}
 - 31/2806 . . . {Apparatus therefor, e.g. test stations, drivers, analysers, conveyors ([G01R 31/2805](#), [G01R 31/281](#), [G01R 31/2818](#) take precedence)}
 - 31/2808 {Holding, conveying or contacting devices, e.g. test adapters, edge connectors, extender boards (probe, multiprobe, probe manipulator or probe fixture [G01R 1/067](#))}
 - 31/281 . . . {Specific types of tests or tests for a specific type of fault, e.g. thermal mapping, shorts testing ([G01R 31/2818](#) takes precedence)}
 - 31/2812 {Checking for open circuits or shorts, e.g. solder bridges; Testing conductivity, resistivity or impedance (of connections [G01R 31/04](#))}
 - 31/2813 {Checking the presence, location, orientation or value, e.g. resistance, of components or conductors (orientation of the DUT with respect to the test fixture [G01R 1/06705](#), [G01R 31/281](#))}
 - 31/2815 {Functional tests, e.g. boundary scans, using the normal I/O contacts (contacting devices [G01R 31/2808](#); testing digital circuits [G01R 31/317](#), [G06F 11/00](#))}
 - 31/2817 {Environmental-, stress-, or burn-in tests (of IC's [G01R 31/2855](#); of individual semiconductors [G01R 31/2642](#); of other circuits [G01R 31/2849](#))}
 - 31/2818 . . . {using test structures on, or modifications of, the card under test, made for the purpose of testing, e.g. additional components or connectors ([G01R 31/2805](#) takes precedence; printed circuits having, e.g. symbols, test patterns or visualisation means [H05K 1/0266](#))}
 - 31/282 . . {Testing of electronic circuits specially adapted for particular applications not provided for elsewhere ([G01R 31/2801](#) and [G01R 31/2851](#) take precedence)}
- NOTE**
- References listed below indicate CPC places which could also be of interest when carrying out a search in respect of the subject matter covered by the preceding group:
- testing of individual LEDs [G01R 31/2635](#)
 - testing of lamps [G01R 31/44](#)
 - testing of displays and display drivers, e.g. LCDs [G09G 3/006](#)
 - testing of ADCs or DACs [H03M 1/1071](#)
- 31/2822 . . . {of microwave or radiofrequency circuits (of attenuation, gain, e.g. using network analyzers [G01R 27/28](#))}
 - 31/2824 {testing of oscillators or resonators}
 - 31/2825 . . . {in household appliances or professional audio/video equipment (testing LAN's [H04L 43/50](#); testing TV systems [H04N 17/00](#); testing loudspeakers [H04R 29/00](#))}
 - 31/2827 . . . {Testing of electronic protection circuits (testing switches [G01R 31/327](#); checking alarm systems [G08B 29/00](#); self test of summation current transformers [H02H 3/335](#))}
 - 31/2829 . . . {Testing of circuits in sensor or actuator systems (testing of apparatus for measuring electric or magnetic variables [G01R 35/00](#); testing of indicating or recording apparatus [G01D](#); in airbag systems [B60R 21/0173](#); checking gas analysers [G01N 33/007](#); monitoring or fail-safe circuits for electromagnets [H01F 7/1844](#))}
 - 31/2831 . . . {Testing of materials or semi-finished products, e.g. semiconductor wafers or substrates ([G01R 31/318511](#) takes precedence; testing during manufacture [H01L 22/00](#))}
 - 31/2832 . . {Specific tests of electronic circuits not provided for elsewhere ([G01R 31/2801](#), [G01R 31/316](#) take precedence)}

- 31/2834 . . . {Automated test systems [ATE]; using microprocessors or computers ([G01R 31/317](#) takes precedence; ATE for detection of defective computer hardware [G06F 11/2736](#))}
- 31/2836 . . . {Fault-finding or characterising ([G01R 31/2822](#) - [G01R 31/2831](#) take precedence)}
- 31/2837 . . . {Characterising or performance testing, e.g. of frequency response ([transient response G01R 27/28](#))}
- 31/2839 . . . {using signal generators, power supplies or circuit analysers ([G01R 31/2879](#) takes precedence; multimeters [G01R 15/12](#), network analysers [G01R 27/28](#))}
- 31/2841 . . . {Signal generators}
- 31/2843 . . . {In-circuit-testing}
- 31/2844 . . . {using test interfaces, e.g. adapters, test boxes, switches, PIN drivers ([G01R 31/2889](#) takes precedence)}
- 31/2846 . . . {using hard- or software simulation or using knowledge-based systems, e.g. expert systems, artificial intelligence or interactive algorithms}
- 31/2848 . . . {using simulation}
- 31/2849 . . . {Environmental or reliability testing, e.g. burn-in or validation tests (of individual semiconductors [G01R 31/2642](#); of printed circuits boards [G01R 31/2817](#); of IC's [G01R 31/2855](#))}
- 31/2851 . . {Testing of integrated circuits [IC] ([G01R 31/317](#) takes precedence; testing individual devices [G01R 31/26](#); testing printed circuits [G01R 31/2801](#))}
- 31/2853 . . {Electrical testing of internal connections or -isolation, e.g. latch-up or chip-to-lead connections ([G01R 31/31717](#) takes precedence; test of chip-to-PCB or lead-to-PCB connections [G01R 31/04](#))}
- 31/2855 . . {Environmental, reliability or burn-in testing}
- 31/2856 . . . {Internal circuit aspects, e.g. built-in test features; Test chips; Measuring material aspects, e.g. electro migration [EM]}
- 31/2858 . . . {Measuring of material aspects, e.g. electro-migration [EM], hot carrier injection}
- 31/286 . . . {External aspects, e.g. related to chambers, contacting devices or handlers}
- 31/2862 . . . {Chambers or ovens; Tanks}
- 31/2863 . . . {Contacting devices, e.g. sockets, burn-in boards or mounting fixtures ([in general G01R 1/04](#))}
- 31/2865 . . . {Holding devices, e.g. chucks; Handlers or transport devices ([having contacts G01R 31/2863](#))}
- 31/2867 . . . {Handlers or transport devices, e.g. loaders, carriers, trays}
- 31/2868 . . . {Complete testing stations; systems; procedures; software aspects}
- 31/287 . . . {Procedures; Software aspects}
- 31/2872 . . . {related to electrical or environmental aspects, e.g. temperature, humidity, vibration, nuclear radiation}
- 31/2874 . . . {related to temperature}
- 31/2875 . . . {related to heating}
- 31/2877 . . . {related to cooling}
- 31/2879 . . . {related to electrical aspects, e.g. to voltage or current supply or stimuli or to electrical loads}
- 31/2881 . . . {related to environmental aspects other than temperature, e.g. humidity or vibrations}
- 31/2882 . . . {Testing timing characteristics}
- 31/2884 . . . {using dedicated test connectors, test elements or test circuits on the IC under test ([G01R 31/2855](#) takes precedence)}
- 31/2886 . . . {Features relating to contacting the IC under test, e.g. probe heads; chucks ([G01R 31/2865](#) takes precedence, test connections, e.g. test sockets, or probes [per se, G01R 1/04](#) or [G01R 1/06](#))}
- 31/2887 . . . {involving moving the probe head or the IC under test; docking stations ([moving single probes G01R 1/06705](#); moving individual probes in multiple probes [G01R 1/07392](#))}
- 31/2889 . . . {Interfaces, e.g. between probe and tester ([G01R 31/31905](#) and [G01R 1/07364](#) take precedence)}
- 31/2891 . . . {related to sensing or controlling of force, position, temperature ([G01R 31/2874](#) takes precedence; sensing of force [G01L](#); sensing of position [G01B](#), [G01D](#); sensing of temperature [G01K](#); controlling in general [G05](#))}
- 31/2893 . . . {Handling, conveying or loading, e.g. belts, boats, vacuum fingers ([G01R 31/2867](#) takes precedence; handling semiconductor devices or wafers during manufacture or treatment [H01L 21/67](#))}
- 31/2894 . . . {Aspects of quality control [QC] ([G01R 31/31718](#) takes precedence; program control for QC [G05B 19/41875](#))}
- 31/2896 . . . {Testing of IC packages; Test features related to IC packages ([containers per se H01L 23/02](#), encapsulations [per se H01L 23/28](#))}
- 31/2898 . . . {Sample preparation, e.g. removing encapsulation, etching ([sample preparation in general G01N 1/00](#))}
- 31/30 . . Marginal testing, e.g. by varying supply voltage (testing computers during standby operation or idle time [G06F 11/22](#))}
- 31/3004 . . . {Current or voltage test}
- 31/3008 . . . {Quiescent current [IDDQ] test or leakage current test}
- 31/3012 . . . {Built-In-Current test [BIC]}
- 31/3016 . . . {Delay or race condition test, e.g. race hazard test}
- 31/302 . . Contactless testing ([non contact-making probes G01R 1/07](#)) ([G01R 31/04](#) takes precedence)}
- 31/3025 . . . {Wireless interface with the DUT}
- 31/303 . . . of integrated circuits ([G01R 31/305](#) - [G01R 31/315](#) take precedence)}
- 31/304 . . . of printed or hybrid circuits ([G01R 31/305](#) - [G01R 31/315](#) take precedence)}
- 31/305 . . . using electron beams ({[investigating or analysing materials by measuring photoelectric effect G01N 23/227](#))}
- 31/306 . . . of printed or hybrid circuits
- 31/307 . . . of integrated circuits

- 31/308 . . . using non-ionising electromagnetic radiation, e.g. optical radiation ([investigating or analysing materials by the use of optical means G01N 21/00; image analysis G06T 7/00](#))
 - 31/309 . . . of printed or hybrid circuits {or circuit substrates}
 - 31/311 . . . of integrated circuits ([G01R 31/31728 takes precedence](#))
 - 31/312 . . . by capacitive methods
 - 31/315 . . . by inductive methods
 - 31/316 . . Testing of analog circuits ([G01R 31/2851 takes precedence](#))
 - 31/3161 . . . Marginal testing
 - 31/3163 . . . Functional testing
 - 31/3167 . . Testing of combined analog and digital circuits ([testing ADC's H03M 1/1071](#))
 - 31/317 . . Testing of digital circuits
- WARNING**
- The following subgroups of [G01R 31/317](#) are not complete due to an ongoing reorganisation : [G01R 31/31702](#), [G01R 31/31708](#), [G01R 31/31711](#), [G01R 31/31717](#), [G01R 31/31718](#), [G01R 31/31728](#), [G01R 31/31901](#). See also [G01R 31/317](#) and its other subgroups
- 31/31701 . . . {Arrangements for setting the Unit Under Test [UUT] in a test mode}
 - 31/31702 . . . {Testing digital circuits including elements other than semiconductor transistors, e.g. biochips, nanofabrics, mems, chips with magnetic elements}
 - 31/31703 . . . {Comparison aspects, e.g. signature analysis, comparators ([concerning scan tests G01R 31/318566; concerning testers G01R 31/3193](#))}
 - 31/31704 . . . {Design for test; Design verification ([concerning scan tests G01R 31/318583; computer-aided design G06F 17/50](#))}
 - 31/31705 . . . {Debugging aspects, e.g. using test circuits for debugging, using dedicated debugging test circuits ([generation of test sequences therefor G01R 31/31835, using scan test therefor G01R 31/318544](#))}
 - 31/31706 . . . {involving differential digital signals, e.g. testing differential signal circuits, using differential signals for testing}
 - 31/31707 . . . {Test strategies ([methods for generation of test sequences G01R 31/318371](#))}
 - 31/31708 . . . {Analysis of signal quality ([G01R 31/31901 takes precedence; measuring frequencies or analysing frequency spectra per se G01R 23/00; measuring non-linear distortion per se G01R 23/20](#))}
 - 31/31709 . . . {Jitter measurements; Jitter generators ([measuring jitter, noise figure or signal-to-noise ratio per se G01R 29/26; analysis of tester signals G01R 31/31901](#))}
 - 31/3171 . . . {BER [Bit Error Rate] test}
 - 31/31711 . . . {Evaluation methods, e.g. shmoo plots}
 - 31/31712 . . . {Input or output aspects}
 - 31/31713 . . . {Input or output interfaces for test, e.g. test pins, buffers ([for scan test G01R 31/318572](#))}
 - 31/31715 . . . {Testing of input or output circuits; test of circuitry between the I/C pins and the functional core, e.g. testing of input or output driver, receiver, buffer}
 - 31/31716 . . . {Testing of input or output with loop-back}
 - 31/31717 . . . {Interconnect testing ([by scan techniques see G01R 31/31855](#))}
 - 31/31718 . . . {Logistic aspects, e.g. binning, selection, sorting of devices under test, tester/handler interaction networks, Test management software, e.g. software for test statistics or test evaluation, yield analysis ([mechanical aspects G01R 31/2808, G01R 31/2851](#))}
 - 31/31719 . . . {Security aspects, e.g. preventing unauthorised access during test}
 - 31/3172 . . . {Optimisation aspects, e.g. using functional pin as test pin, pin multiplexing}
 - 31/31721 . . . {Power aspects, e.g. power supplies for test circuits, power saving during test ([for scan test G01R 31/318575](#))}
 - 31/31722 . . . {Addressing or selecting of test units, e.g. transmission protocols for selecting test units ([for scan test G01R 31/318558](#))}
 - 31/31723 . . . {Hardware for routing the test signal within the device under test to the circuits to be tested, e.g. multiplexer for multiple core testing, accessing internal nodes ([routing the test signal to or from the device under test G01R 31/31926](#))}
 - 31/31724 . . . {Test controller, e.g. BIST state machine ([for scan test G01R 31/318555](#))}
 - 31/31725 . . . {Timing aspects, e.g. clock distribution, skew, propagation delay ([for tester hardware G01R 31/31937](#))}
 - 31/31726 . . . {Synchronization, e.g. of test, clock or strobe signals; Signals in different clock domains; Generation of Vernier signals; Comparison and adjustment of the signals}
 - 31/31727 . . . {Clock circuits aspects, e.g. test clock circuit details, timing aspects for signal generation, circuits for testing clocks ([G01R 31/31725 takes precedence; concerning scan test G01R 31/318552, for tester hardware G01R 31/31922](#))}
 - 31/31728 . . . {Optical aspects, e.g. opto-electronics used for testing, optical signal transmission for testing electronic circuits, electro-optic components to be tested in combination with electronic circuits, measuring light emission of digital circuits ([probes having electro-optic elements G01R 1/071; electro-optic sampling for oscilloscopes G01R 13/347; contactless testing of individual semiconductor devices by optical means G01R 31/2656](#))}
 - 31/3173 . . . Marginal testing
 - 31/3177 . . . Testing of logic operation, e.g. by logic analysers
 - 31/3181 . . . Functional testing ([G01R 31/3177 takes precedence](#))
 - 31/31813 . . . {Test pattern generators}
 - 31/31816 . . . {Soft error testing; Soft error rate evaluation; Single event testing}
 - 31/3183 . . . Generation of test inputs, e.g. test vectors, patterns or sequences

31/318307	{computer-aided, e.g. automatic test program generator [ATPG], program translations, test program debugging}	31/318552	{Clock circuits details}
31/318314	{Tools, e.g. program interfaces, test suite, test bench, simulation hardware, test compiler, test program languages (simulation software G01R 31/318357 ; emulators G06F 11/261)}	31/318555	{Control logic}
31/318321	{for combinational circuits}	31/318558	{Addressing or selecting of subparts of the device under test}
31/318328	{for delay tests}	31/318561	{Identification of the subpart}
31/318335	{Test pattern compression or decompression (compression or decompression of scan patterns G01R 31/318547 ; compression or decompression hardware G01R 31/31921)}	31/318563	{Multiple simultaneous testing of subparts}
31/318342	{by preliminary fault modelling, e.g. analysis, simulation}	31/318566	{Comparators; Diagnosing the device under test}
31/31835	{Analysis of test coverage or failure detectability}	31/318569	{Error indication, logging circuits}
31/318357	{Simulation (computer simulation of digital circuits G06F 17/5009)}	31/318572	{Input/Output interfaces}
31/318364	{as a result of hardware simulation, e.g. in an HDL environment (computer-aided simulation of circuits G06F 17/5009)}	31/318575	{Power distribution; Power saving}
31/318371	{Methodologies therefor, e.g. algorithms, procedures}	31/318577	{AC testing, e.g. current testing, burn-in}
31/318378	{of patterns for devices arranged in a network}	31/31858	{Delay testing}
31/318385	{Random or pseudo-random test pattern}	31/318583	{Design for test}
31/318392	{for sequential circuits (G01R 31/318544 takes precedence)}	31/318586	{with partial scan or non-scannable parts}
31/3185	Reconfiguring for testing, e.g. LSSD, partitioning	31/318588	{Security aspects}
31/318502	{Test of Combinational circuits}	31/318591	{Tools}
31/318505	{Test of Modular systems, e.g. Wafers, MCM's}	31/318594	{Timing aspects (clock circuits G01R 31/318552)}
31/318508	{Board Level Test, e.g. P1500 Standard (features related to boundary scan G01R 31/318533)}	31/318597	{JTAG or boundary scan test of memory devices (other scan testing of memories G11C 29/32)}
31/318511	{Wafer Test}	31/3187	Built-in tests
31/318513	{Test of Multi-Chip-Moduls}	31/319	Tester hardware, i.e. output processing circuit ({logic analyzers G01R 31/3177 , Memory tester hardware G11C 29/56)}
31/318516	{Test of programmable logic devices [PLDs]}	31/31901	{Analysis of tester Performance; Tester characterization}
31/318519	{Test of field programmable gate arrays [FPGA]}	31/31903	{tester configuration}
31/318522	{Test of Sequential circuits (test of microprocessors G06F 11/2236 , test of ALU's G06F 11/2226)}	31/31905	{Interface with the device under test [DUT], e.g. arrangements between the test head and the DUT, mechanical aspects, fixture}
31/318525	{Test of flip-flops or latches}	31/31907	{Modular tester, e.g. controlling and coordinating instruments in a bus based architecture}
31/318527	{Test of counters}	31/31908	{Tester set-up, e.g. configuring the tester to the device under test [DUT], down loading test patterns}
31/31853	{Test of registers}	31/3191	{Calibration}
31/318533	{using scanning techniques, e.g. LSSD, Boundary Scan, JTAG}	31/31912	{Tester/user interface}
31/318536	{Scan chain arrangements, e.g. connections, test bus, analog signals}	31/31914	{Portable Testers}
31/318538	{Topological or mechanical aspects}	31/31915	{In-circuit Testers}
31/318541	{Scan latches or cell details}	31/31917	{Stimuli generation or application of test patterns to the device under test [DUT]}
31/318544	{Scanning methods, algorithms and patterns (G01R 31/3183 takes precedence)}	31/31919	{Storing and outputting test patterns (G01R 31/31924 takes precedence; arithmetic and random test patterns generator)}
31/318547	{Data generators or compressors}	31/31921	{using compression techniques, e.g. patterns sequencer}
31/31855	{Interconnection testing, e.g. crosstalk, shortcircuits}	31/31922	{Timing generation or clock distribution (G01R 31/3191 takes precedence)}
		31/31924	{Voltage or current aspects, e.g. driver, receiver}
		31/31926	{Routing signals to or from the device under test [DUT], e.g. switch matrix, pin multiplexing}
		31/31928	{Formatter (driver, receiver details G01R 31/31924)}

- 31/3193 with comparison between actual response and known fault free response [{\(receiver details G01R 31/31924\)}](#)
- 31/31932 {Comparators}
- 31/31935 {Storing data, e.g. failure memory}
- 31/31937 {Timing aspects, e.g. measuring propagation delay [\(G01R 31/3191 and G01R 31/31922 take precedence; marginal testing G06F 11/24\)](#)}
- 31/327 Testing of circuit interrupters, switches or circuit-breakers
- 31/3271 {of high voltage or medium voltage devices [\(G01R 31/333 takes precedence\)](#)}
- 31/3272 {Apparatus, systems or circuits therefor [\(G01R 31/3275 takes precedence\)](#)}
- 31/3274 {Details related to measuring, e.g. sensing, displaying or computing; Measuring of variables related to the contact pieces, e.g. wear, position or resistance [\(measuring contact resistance G01R 27/205\)](#)}
- 31/3275 {Fault detection or status indication}
- 31/3277 {of low voltage devices, e.g. domestic or industrial devices, such as motor protections, relays, rotation switches}
- 31/3278 {of relays, solenoids or reed switches [\(measuring contact resistance G01R 27/205; testing electric windings G01R 31/06; high voltage magnetic switches G01R 31/3271, G01R 31/333; monitoring of fail safe circuits H01H 47/002\)](#)}
- 31/333 Testing of the switching capacity of high-voltage circuit-breakers [{; Testing of breaking capacity or related variables, e.g. post arc current or transient recovery voltage}](#)
- 31/3333 {Apparatus, systems or circuits therefor}
- 31/3336 {Synthetic testing, i.e. with separate current and voltage generators simulating distance fault conditions}
- 31/34 Testing dynamo-electric machines
- 31/343 {in operation}
- 31/346 {Testing of armature or field windings}
- 31/36 Arrangements for testing, measuring or monitoring the electrical condition of accumulators or electric batteries, e.g. capacity or state of charge [SoC]
- NOTE**
{This group [covers](#) arrangements for measuring, testing or indicating electrical conditions or variables of accumulators or electric batteries. Arrangements for monitoring, measuring, testing or indicating condition structurally associated with the battery are covered by [H01M](#), e.g. by group [H01M 10/48](#)}
- 31/364 Battery terminal connectors with integrated measuring arrangements
- 31/3644 {Constructional arrangements}
- 31/3646 {for indicating electrical conditions or variables, e.g. visual or audible indicators}
- 31/3647 {for determining the ability of a battery to perform a critical function, e.g. cranking}
- 31/3648 {comprising digital calculation means, e.g. for performing an algorithm}
- 31/367 Software therefor, e.g. for battery testing using modelling or look-up tables
- 31/371 with remote indication, e.g. on external chargers
- 31/374 with means for correcting the measurement for temperature or ageing
- 31/378 specially adapted for the type of battery or accumulator
- 31/379 for lead-acid batteries
- 31/38 {Primary cells, i.e. not rechargeable}
- 31/382 Arrangements for monitoring battery or accumulator variables, e.g. SoC
- 31/3828 using current integration
- 31/3832 without measurement of battery voltage
- 31/3833 {using analog integrators, e.g. coulomb-meters}
- 31/3835 involving only voltage measurements
- 31/3842 combining voltage and current measurements
- 31/385 Arrangements for measuring battery or accumulator variables [\(for monitoring G01R 31/382\)](#)
- 31/386 {using test-loads}
- 31/3865 {related to manufacture, e.g. testing after manufacture}
- 31/387 Determining ampere-hour charge capacity or SoC
- 31/388 involving voltage measurements
- 31/389 Measuring internal impedance, internal conductance or related variables
- 31/392 Determining battery ageing or deterioration, e.g. state of health
- 31/396 Acquisition or processing of data for testing or for monitoring individual cells or groups of cells within a battery
- 31/40 Testing power supplies [\(testing photovoltaic devices H02S 50/10\)](#)
- 31/42 AC power supplies
- 31/44 Testing lamps
- 33/00 Arrangements or instruments for measuring magnetic variables**
- 33/0005 {Geometrical arrangement of magnetic sensor elements; Apparatus combining different magnetic sensor types [\(G01R 33/0206 takes precedence\)](#)}
- 33/0011 {comprising means, e.g. flux concentrators, flux guides, for guiding or concentrating the magnetic flux, e.g. to the magnetic sensor}
- 33/0017 {Means for compensating offset magnetic fields or the magnetic flux to be measured; Means for generating calibration magnetic fields}
- 33/0023 {Electronic aspects, e.g. circuits for stimulation, evaluation, control; Treating the measured signals; calibration [\(G01R 33/0017 takes precedence\)](#)}
- 33/0029 {Treating the measured signals, e.g. removing offset or noise}
- 33/0035 {Calibration of single magnetic sensors, e.g. integrated calibration}
- 33/0041 {using feed-back or modulation techniques}
- 33/0047 {Housings or packaging of magnetic sensors [\(packaging of semiconductor devices H01L 23/00\); Holders}](#)
- 33/0052 {Manufacturing aspects; Manufacturing of single devices, i.e. of semiconductor magnetic sensor chips [\(devices based on galvano-magnetic effect or the like H01L 43/12\)](#)}
- 33/0058 {using bistable elements, e.g. Reed switches}

- 33/0064 . . {comprising means for performing simulations, e.g. of the magnetic variable to be measured}
- 33/007 . . {Environmental aspects, e.g. temperature variations, radiation, stray fields ([G01R 33/025](#) takes precedence)}
- 33/0076 . . {Protection, e.g. with housings against stray fields}
- 33/0082 . . {Compensation, e.g. compensating for temperature changes}
- 33/0088 . . {use of bistable or switching devices, e.g. Reed-switches}
- 33/0094 . . {Sensor arrays}
- 33/02 . . Measuring direction or magnitude of magnetic fields or magnetic flux ([G01R 33/20](#) takes precedence; measuring direction or magnitude of the earth's field for navigation or surveying [G01C](#); for prospecting, for measuring the magnetic field of the earth [G01V 3/00](#))
- NOTE**
Groups [G01R 33/022](#), [G01R 33/10](#) take precedence over groups [G01R 33/025](#) - [G01R 33/09](#).
- 33/0206 . . {Three-component magnetometers}
- 33/0213 . . {using deviation of charged particles by the magnetic field}
- 33/022 . . Measuring gradient
- 33/025 . . Compensating stray fields {(compensating compasses [G01C 17/38](#))([G01R 33/0017](#) takes precedence)}
- 33/028 . . Electrodynamic magnetometers
- 33/0283 . . . {in which a current or voltage is generated due to relative movement of conductor and magnetic field}
- 33/0286 . . . {comprising microelectromechanical systems [MEMS] ([MEMS devices in general B81B](#))}
- 33/032 . . using magneto-optic devices, e.g. Faraday {, Cotton-Mouton effect ([magneto-optics in general G02F 1/09](#))}
- 33/0322 . . . {using the Faraday or Voigt effect}
- 33/0325 . . . {using the Kerr effect}
- 33/0327 . . . {with application of magnetostriction}
- 33/035 . . using superconductive devices {(manufacture of superconducting elements [H01L 39/00](#))}
- 33/0352 . . . {Superconductive magneto-resistances}
- 33/0354 . . . {SQUIDS}
- 33/0356 {with flux feedback}
- 33/0358 {coupling the flux to the SQUID (gradiometer coils [G01R 33/022](#); coils with superconductive winding [H01F 6/06](#))}
- 33/038 . . using permanent magnets, e.g. balances, torsion devices {(electro-dynamic magnetometers [G01R 33/028](#))}
- 33/0385 . . . {in relation with magnetic force measurements (magnetic force microscopes [G01Q 60/50](#))}
- 33/04 . . using the flux-gate principle
- 33/045 . . . {in single-, or multi-aperture elements}
- 33/05 . . . in thin-film element
- 33/06 . . using galvano-magnetic devices, e.g. Hall effect devices; using magneto-resistive devices {(manufacture of galvano-magnetic elements [H01L 43/00](#))}
- 33/063 . . . {Magneto-impedance sensors; Nanocrystalline sensors}
- 33/066 . . . {field-effect magnetic sensors, e.g. magnetic transistor}
- 33/07 . . . Hall effect devices
- 33/072 {Constructional adaptation of the sensor to specific applications}
- 33/075 {Hall devices configured for spinning current measurements}
- 33/077 {Vertical Hall-effect devices}
- 33/09 . . . Magneto-resistive devices
- 33/091 {Constructional adaptation of the sensor to specific applications}
- 33/093 {using multilayer structures, e.g. giant magnetoresistance sensors ([thin magnetic films H01F 10/00](#))}
- 33/095 {extraordinary magnetoresistance sensors}
- 33/096 {anisotropic magnetoresistance sensors}
- 33/098 {comprising tunnel junctions, e.g. tunnel magnetoresistance sensors}
- 33/10 . . Plotting field distribution {; Measuring field distribution}
- 33/12 . . Measuring magnetic properties of articles or specimens of solids or fluids ([involving magnetic resonance G01R 33/20](#) {; using magnetic-optic devices [G01R 33/032](#))}
- 33/1207 . . {Testing individual magnetic storage devices, e.g. records carriers or digital storage elements ([functional testing G06F 11/00](#), [G06F 11/28](#))}
- 33/1215 . . {Measuring magnetisation; Particular magnetometers therefor ([G01R 33/14](#) takes precedence; electrodynamic magnetometers [G01R 33/028](#))}
- 33/1223 . . {Measuring permeability, i.e. permeameters ([G01R 33/14](#) takes precedence)}
- 33/123 . . {Measuring loss due to hysteresis ([G01R 33/14](#) takes precedence)}
- 33/1238 . . {Measuring superconductive properties}
- 33/1246 . . . {Measuring critical current}
- 33/1253 . . {Measuring galvano-magnetic properties}
- 33/1261 . . {using levitation techniques}
- 33/1269 . . {of molecules labeled with magnetic beads ([magnetic particles for bio assay G01N 33/54326](#))}
- 33/1276 . . {of magnetic particles, e.g. imaging of magnetic nanoparticles ([G01R 33/1269](#) takes precedence)}
- 33/1284 . . {Spin resolved measurements; Influencing spins during measurements, e.g. in spintronics devices ([G01R 33/093](#) takes precedence; semiconductor devices using spin polarized carriers [H01L 29/66984](#))}
- 33/1292 . . {Measuring domain wall position or domain wall motion}
- 33/14 . . Measuring or plotting hysteresis curves {([G01R 33/1207](#) takes precedence)}
- 33/16 . . Measuring susceptibility {([G01R 33/1238](#) takes precedence)}
- 33/18 . . Measuring magnetostrictive properties
- 33/20 . . involving magnetic resonance ([medical aspects A61B 5/055](#); magnetic resonance gyrometers [G01C 19/00](#) {; investigating materials using NMR [G01N 24/00](#); prospecting or detecting using NMR [G01V 3/00](#))}
- 33/24 . . for measuring direction or magnitude of magnetic fields or magnetic flux

33/243	. . . {Spatial mapping of the polarizing magnetic field}	33/34007 {Manufacture of RF coils, e.g. using printed circuit board technology; additional hardware for providing mechanical support to the RF coil assembly or to part thereof, e.g. a support for moving the coil assembly relative to the remainder of the MR system}
33/246	. . . {Spatial mapping of the RF magnetic field B1}	33/34015 {Temperature-controlled RF coils}
33/26	. . . using optical pumping { optical pumping in general G01N 24/006 }	33/34023 {Superconducting RF coils}
33/28	. . Details of apparatus provided for in groups G01R 33/44 - G01R 33/64	33/3403 {Means for cooling of the RF coils, e.g. a refrigerator or a cooling vessel specially adapted for housing an RF coil}
33/281	. . . {Means for the use of in vitro contrast agents (G01R 33/282 takes precedence; involving use of a contrast agent in MR imaging G01R 33/5601 ; in vivo contrast agents A61K 49/0002)}	33/34038 {Loopless coils, i.e. linear wire antennas}
33/282	. . . {Means specially adapted for hyperpolarisation or for hyperpolarised contrast agents, e.g. for the generation of hyperpolarised gases using optical pumping cells, for storing hyperpolarised contrast agents or for the determination of the polarisation of a hyperpolarised contrast agent}	33/34046 {Volume type coils, e.g. bird-cage coils; Quadrature bird-cage coils; Circularly polarised coils}
33/283	. . . {Intercom or optical viewing arrangements, structurally associated with NMR apparatus}	33/34053 {Solenoid coils; Toroidal coils}
33/285	. . . {Invasive instruments, e.g. catheters or biopsy needles, specially adapted for tracking, guiding or visualization by NMR}	33/34061 {Helmholtz coils}
33/286 {involving passive visualization of interventional instruments, i.e. making the instrument visible as part of the normal MR process}	33/34069 {Saddle coils}
33/287 {involving active visualization of interventional instruments, e.g. using active tracking RF coils or coils for intentionally creating magnetic field inhomogeneities}	33/34076 {Birdcage coils}
33/288	. . . {Provisions within MR facilities for enhancing safety during MR, e.g. reduction of the specific absorption rate [SAR], detection of ferromagnetic objects in the scanner room}	33/34084 {implantable coils or coils being geometrically adaptable to the sample, e.g. flexible coils or coils comprising mutually movable parts}
33/30	. . . Sample handling arrangements, e.g. sample cells, spinning mechanisms	33/34092 {RF coils specially adapted for NMR spectrometers}
33/302 {Miniaturized sample handling arrangements for sampling small quantities, e.g. flow-through microfluidic NMR chips}	33/341 comprising surface coils
33/305 {specially adapted for high-pressure applications}	33/3415 comprising arrays of sub-coils {, i.e. phased-array coils with fileiple receiver channels}
33/307 {specially adapted for moving the sample relative to the MR system, e.g. spinning mechanisms, flow cells or means for positioning the sample inside a spectrometer}	33/343 of slotted-tube or loop-gap type
33/31 Temperature control thereof	33/345 of waveguide type (G01R 33/343 takes precedence)
33/32	. . . Excitation or detection systems, e.g. using radio frequency signals	33/3453 {Transverse electromagnetic [TEM] coils}
33/323 {Detection of MR without the use of RF or microwaves, e.g. force-detected MR, thermally detected MR, MR detection via electrical conductivity, optically detected MR}	33/3456 {Stripline resonators}
33/326 {involving a SQUID}	33/36 Electrical details, e.g. matching or coupling of the coil to the receiver
33/34 Constructional details, e.g. resonators {, specially adapted to MR (aerials in general H01Q)}	33/3607 {RF waveform generators, e.g. frequency generators, amplitude-, frequency- or phase modulators or shifters, pulse programmers, digital to analog converters for the RF signal, means for filtering or attenuating of the RF signal}
		33/3614 {RF power amplifiers}
		33/3621 {NMR receivers or demodulators, e.g. preamplifiers, means for frequency modulation of the MR signal using a digital down converter, means for analog to digital conversion [ADC] or for filtering or processing of the MR signal such as bandpass filtering, resampling, decimation or interpolation}
		33/3628 {Tuning/matching of the transmit/receive coil}
		33/3635 {Multi-frequency operation}
		33/3642 {Mutual coupling or decoupling of multiple coils, e.g. decoupling of a receive coil from a transmission coil, or intentional coupling of RF coils, e.g. for RF magnetic field amplification}

- 33/365 {Decoupling of multiple RF coils wherein the multiple RF coils have the same function in MR, e.g. decoupling of a receive coil from another receive coil in a receive coil array, decoupling of a transmission coil from another transmission coil in a transmission coil array}
- 33/3657 {Decoupling of multiple RF coils wherein the multiple RF coils do not have the same function in MR, e.g. decoupling of a transmission coil from a receive coil}
- 33/3664 {Switching for purposes other than coil coupling or decoupling, e.g. switching between a phased array mode and a quadrature mode, switching between surface coil modes of different geometrical shapes, switching from a whole body reception coil to a local reception coil or switching for automatic coil selection in moving table MR or for changing the field-of-view ([G01R 33/3671 takes precedence](#))}
- 33/3671 {involving modulation of the quality factor of the RF coil ([G01R 33/3642 takes precedence](#))}
- 33/3678 {involving quadrature drive or detection, e.g. a circularly polarized RF magnetic field}
- 33/3685 {Means for reducing sheath currents, e.g. RF traps, baluns}
- 33/3692 {involving signal transmission without using electrically conductive connections, e.g. wireless communication or optical communication of the MR signal or an auxiliary signal other than the MR signal}
- 33/38 . . . Systems for generation, homogenisation or stabilisation of the main or gradient magnetic field
- 33/3802 {Manufacture or installation of magnet assemblies; Additional hardware for transportation or installation of the magnet assembly or for providing mechanical support to components of the magnet assembly}
- 33/3804 {Additional hardware for cooling or heating of the magnet assembly, for housing a cooled or heated part of the magnet assembly or for temperature control of the magnet assembly}
- 33/3806 {Open magnet assemblies for improved access to the sample, e.g. C-type or U-type magnets}
- 33/3808 {Magnet assemblies for single-sided MR wherein the magnet assembly is located on one side of a subject only; Magnet assemblies for inside-out MR, e.g. for MR in a borehole or in a blood vessel, or magnet assemblies for fringe-field MR}
- 33/381 using electromagnets ([electromagnets per se H01F 7/06](#))
- 33/3815 with superconducting coils, e.g. power supply therefor ([superconductive magnets H01F 6/00](#))
- 33/383 using permanent magnets ([permanent magnets per se H01F 7/02](#))
- 33/385 using gradient magnetic field coils
- 33/3852 {Gradient amplifiers; means for controlling the application of a gradient magnetic field to the sample, e.g. a gradient signal synthesizer}
- 33/3854 {means for active and/or passive vibration damping or acoustical noise suppression in gradient magnet coil systems}
- 33/3856 {Means for cooling the gradient coils or thermal shielding of the gradient coils}
- 33/3858 {Manufacture and installation of gradient coils, means for providing mechanical support to parts of the gradient-coil assembly ([manufacture of inductances or coils in general H01F 41/00](#))}
- 33/387 Compensation of inhomogeneities ([screening G01R 33/42](#))
- 33/3873 using ferromagnetic bodies {; Passive shimming}
- 33/3875 using correction coil assemblies, e.g. active shimming
- 33/389 Field stabilisation {, e.g. by field measurements and control means or indirectly by current stabilisation}
- 33/42 . . . Screening ([screening in general H05K 9/00](#))
- 33/421 of main or gradient magnetic field
- 33/4215 {of the gradient magnetic field, e.g. using passive or active shielding of the gradient magnetic field}
- 33/422 of the radio frequency field
- 33/44 . . . using nuclear magnetic resonance [NMR] ([G01R 33/24](#), [G01R 33/62 take precedence](#))
- 33/441 . . . {Nuclear Quadrupole Resonance [NQR] Spectroscopy and Imaging}
- 33/443 . . . {Assessment of an electric or a magnetic field, e.g. spatial mapping, determination of a B0 drift or dosimetry}
- 33/445 . . . {MR involving a non-standard magnetic field B0, e.g. of low magnitude as in the earth's magnetic field or in nanoTesla spectroscopy, comprising a polarizing magnetic field for pre-polarisation, B0 with a temporal variation of its magnitude or direction such as field cycling of B0 or rotation of the direction of B0, or spatially inhomogeneous B0 like in fringe-field MR or in stray-field imaging}
- 33/446 . . . {Multifrequency selective RF pulses, e.g. multinuclear acquisition mode ([spatially selective RF pulses G01R 33/4833](#))}
- 33/448 . . . {Relaxometry, i.e. quantification of relaxation times or spin density ([G01R 33/50 takes precedence](#))}
- 33/46 . . . NMR spectroscopy
- 33/4608 {RF excitation sequences for enhanced detection, e.g. NOE, polarisation transfer, selection of a coherence transfer pathway}
- 33/4616 {using specific RF pulses or specific modulation schemes, e.g. stochastic excitation, adiabatic RF pulses, composite pulses, binomial pulses, Shinnar-le-Roux pulses, spectrally selective pulses not being used for spatial selection}
- 33/4625 {Processing of acquired signals, e.g. elimination of phase errors, baseline fitting, chemometric analysis}

33/4633	{Sequences for multi-dimensional NMR}	33/543	{Control of the operation of the MR system, e.g. setting of acquisition parameters prior to or during MR data acquisition, dynamic shimming, use of one or more scout images for scan plane prescription (G01R 33/546 takes precedence)}
33/4641	{Sequences for NMR spectroscopy of samples with ultrashort relaxation times such as solid samples}			
33/465	applied to biological material, e.g. <u>in vitro</u> testing			
33/48	NMR imaging systems	33/546	{Interface between the MR system and the user, e.g. for controlling the operation of the MR system or for the design of pulse sequences}
33/4802	{Travelling-wave MR}			
33/4804	{Spatially selective measurement of temperature or pH}	33/56	Image enhancement or correction, e.g. subtraction or averaging techniques {, e.g. improvement of signal-to-noise ratio and resolution (image data processing in general G06T)}
33/4806	{Functional imaging of brain activation}			
33/4808	{Multimodal MR, e.g. MR combined with positron emission tomography [PET], MR combined with ultrasound or MR combined with computed tomography [CT]}	33/5601	{involving use of a contrast agent for contrast manipulation, e.g. a paramagnetic, super-paramagnetic, ferromagnetic or hyperpolarised contrast agent}
33/481	{MR combined with positron emission tomography [PET] or single photon emission computed tomography [SPECT]}			
33/4812	{MR combined with X-ray or computed tomography [CT]}	33/5602	{by filtering or weighting based on different relaxation times within the sample, e.g. T1 weighting using an inversion pulse}
33/4814	{MR combined with ultrasound}			
33/4816	{NMR imaging of samples with ultrashort relaxation times such as solid samples, e.g. MRI using ultrashort TE [UTE], single point imaging, constant time imaging}	33/5604	{Microscopy; Zooming}
33/4818	{MR characterised by data acquisition along a specific k-space trajectory or by the temporal order of k-space coverage, e.g. centric or segmented coverage of k-space}	33/5605	{by transferring coherence or polarization from a spin species to another, e.g. creating magnetization transfer contrast [MTC], polarization transfer using nuclear Overhauser enhancement [NOE]}
33/482	{using a Cartesian trajectory}			
33/4822	{in three dimensions}	33/5607	{by reducing the NMR signal of a particular spin species, e.g. of a chemical species for fat suppression, or of a moving spin species for black-blood imaging}
33/4824	{using a non-Cartesian trajectory}			
33/4826	{in three dimensions}	33/5608	{Data processing and visualization specially adapted for MR, e.g. for feature analysis and pattern recognition on the basis of measured MR data, segmentation of measured MR data, edge contour detection on the basis of measured MR data, for enhancing measured MR data in terms of signal-to-noise ratio by means of noise filtering or apodization, for enhancing measured MR data in terms of resolution by means of deblurring, windowing, zero filling, or generation of gray-scaled images, colour-coded images or images displaying vectors instead of pixels (image data processing or generation, in general G06T)}
33/4828	{Resolving the MR signals of different chemical species, e.g. water-fat imaging}			
33/483	with selection of signals or spectra from particular regions of the volume, e.g. <u>in vivo</u> spectroscopy	33/561	by reduction of the scanning time, i.e. fast acquiring systems, e.g. using echo-planar pulse sequences
33/4831	{using B1 gradients, e.g. rotating frame techniques, use of surface coils}			
33/4833	{using spatially selective excitation of the volume of interest, e.g. selecting non-orthogonal or inclined slices}			
33/4835	{of multiple slices}			
33/4836	{using an RF pulse being spatially selective in more than one spatial dimension, e.g. a 2D pencil-beam excitation pulse}			
33/4838	{using spatially selective suppression or saturation of MR signals}			
33/485	based on chemical shift information {CSI or spectroscopic imaging, e.g. to acquire the spatial distributions of metabolites}			
33/50	based on the determination of relaxation times {, e.g. T1 measurement by IR sequences; T2 measurement by multiple-echo sequences}			
33/54	Signal processing systems, e.g. using pulse sequences {, Generation or control of pulse sequences (in general H03K); Operator Console}			

33/5611	{Parallel magnetic resonance imaging, e.g. sensitivity encoding [SENSE], simultaneous acquisition of spatial harmonics [SMASH], unaliasing by Fourier encoding of the overlaps using the temporal dimension [UNFOLD], k-t-broad-use linear acquisition speed-up technique [k-t-BLAST], k-t-SENSE (structural details of arrays of sub-coils G01R 33/3415)}	33/56391	{involving motion of a part of the sample with respect to another part of the sample, e.g. MRI of active joint motion}
33/5612	{Parallel RF transmission, i.e. RF pulse transmission using a plurality of independent transmission channels}	33/565	Correction of image distortions, e.g. due to magnetic field inhomogeneities
33/5613	{Generating steady state signals, e.g. low flip angle sequences [FLASH]}	33/56509	{due to motion, displacement or flow, e.g. gradient moment nulling (G01R 33/567 takes precedence)}
33/5614	{using a fully balanced steady-state free precession [bSSFP] pulse sequence, e.g. trueFISP}	33/56518	{due to eddy currents, e.g. caused by switching of the gradient magnetic field}
33/5615	{Echo train techniques involving acquiring plural, differently encoded, echo signals after one RF excitation, e.g. using gradient refocusing in echo planar imaging [EPI], RF refocusing in rapid acquisition with relaxation enhancement [RARE] or using both RF and gradient refocusing in gradient and spin echo imaging [GRASE]}	NOTE This group only covers correction of artifacts caused by gradient-non-linearity		
33/5616	{using gradient refocusing, e.g. EPI}	33/56527	{due to chemical shift effects}
33/5617	{using RF refocusing, e.g. RARE}	33/56536	{due to magnetic susceptibility variations}
33/5618	{using both RF and gradient refocusing, e.g. GRASE}	33/56545	{caused by finite or discrete sampling, e.g. Gibbs ringing, truncation artefacts, phase aliasing artefacts}
33/5619	{by temporal sharing of data, e.g. keyhole, block regional interpolation scheme for k-Space [BRISK]}	33/56554	{caused by acquiring plural, differently encoded echo signals after one RF excitation, e.g. correction for readout gradients of alternating polarity in EPI}
33/563	of moving material, e.g. flow contrast angiography	33/56563	{caused by a distortion of the main magnetic field B ₀ , e.g. temporal variation of the magnitude or spatial inhomogeneity of B ₀ (G01R 33/56509 , G01R 33/56518 , G01R 33/56536 take precedence)}
33/56308	{Characterization of motion or flow; Dynamic imaging}	33/56572	{caused by a distortion of a gradient magnetic field, e.g. non-linearity of a gradient magnetic field (G01R 33/56509 , G01R 33/56518 , G01R 33/56536 take precedence)}
33/56316	{involving phase contrast techniques}	33/56581	{due to Maxwell fields, i.e. concomitant fields}
33/56325	{Cine imaging}	33/5659	{caused by a distortion of the RF magnetic field, e.g. spatial inhomogeneities of the RF magnetic field (G01R 33/56509 , G01R 33/56518 , G01R 33/56536 take precedence)}
33/56333	{Involving spatial modulation of the magnetization within an imaged region, e.g. spatial modulation of magnetization [SPAMM] tagging (perfusion imaging based on arterial spin tagging G01R 33/56366)}	33/567	gated by physiological signals {, i.e. synchronization of acquired MR data with periodical motion of an object of interest, e.g. monitoring or triggering system for cardiac or respiratory gating}
33/56341	{Diffusion imaging}	33/5673	{Gating or triggering based on a physiological signal other than an MR signal, e.g. ECG gating or motion monitoring using optical systems for monitoring the motion of a fiducial marker}
33/5635	{Angiography, e.g. contrast-enhanced angiography [CE-MRA] or time-of-flight angiography [TOF-MRA]}	33/5676	{Gating or triggering based on an MR signal, e.g. involving one or more navigator echoes for motion monitoring and correction}
33/56358	{Elastography}			
33/56366	{Perfusion imaging}			
33/56375	{Intentional motion of the sample during MR, e.g. moving table imaging}			
33/56383	{involving motion of the sample as a whole, e.g. multistation MR or MR with continuous table motion}			

- 33/58 Calibration of imaging systems, e.g. using test probes {, Phantoms; Calibration objects or fiducial markers such as active or passive RF coils surrounding an MR active material}
- 33/583 {Calibration of signal excitation or detection systems, e.g. for optimal RF excitation power or frequency ([G01R 33/246](#) takes precedence)}
- 33/586 {for optimal flip angle of RF pulses}
- 33/60 . . using electron paramagnetic resonance ([G01R 33/24](#), [G01R 33/62](#) take precedence)
- 33/62 . . using double resonance ([G01R 33/24](#) takes precedence)
- 33/64 . . using cyclotron resonance ([G01R 33/24](#) takes precedence {[Omegatrons per se H01J 49/38](#)})
- 35/00** **Testing or calibrating of apparatus covered by the preceding groups** {([G01R 31/31901](#) takes precedence)}
- 35/002 . {of cathode ray oscilloscopes}
- 35/005 . {Calibrating; Standards or reference devices, e.g. voltage or resistance standards, "golden" references ([G01R 33/0035](#), [G01R 35/002](#) take precedence)}
- 35/007 . . {Standards or reference devices, e.g. voltage or resistance standards, "golden references"}
- 35/02 . of auxiliary devices, e.g. of instrument transformers according to prescribed transformation ratio, phase angle, or wattage rating
- 35/04 . of instruments for measuring time integral of power or current
- 35/06 . . by stroboscopic methods