

CPC COOPERATIVE PATENT CLASSIFICATION

C CHEMISTRY; METALLURGY

(NOTES omitted)

CHEMISTRY

C08 ORGANIC MACROMOLECULAR COMPOUNDS; THEIR PREPARATION OR CHEMICAL WORKING-UP; COMPOSITIONS BASED THEREON

C08L COMPOSITIONS OF MACROMOLECULAR COMPOUNDS (compositions based on polymerisable monomers [C08F](#), [C08G](#); artificial filaments or fibres [D01F](#); textile treating compositions [D06](#))

NOTES

1. In this subclass, the following term is used with the meaning indicated:
 - Rubber includes:
 - a. natural or conjugated diene rubbers;
 - b. rubber in general (for a specific rubber, other than a natural rubber or a conjugated diene rubber, see the group provided for compositions of such macromolecular compounds).
2. In this subclass:
 - a. compositions are classified according to the mutual proportions by weight of only the macromolecular constituents;
 - b. compositions are classified according to the macromolecular constituent or constituents present in the highest proportion: if all these constituents are present in equal proportions the composition is classified according to each of these constituents.
3. Any macromolecular constituent of a composition which is not identified by the classification according to Note (2) above, and the use of which is determined to be novel and non-obvious, must also be classified in this subclass. For example, a composition containing 80 parts polyethene and 20 parts polyvinyl chloride is classified in both groups [C08L 23/06](#) and [C08L 27/06](#), if the use of polyvinyl chloride is determined to be novel and non-obvious. {This IPC Note does not apply in CPC}
4. Any macromolecular constituent of a composition which is not identified by the classification according to Notes (2) or (3) above, and which is considered to represent information of interest for search, may also be classified in this subclass. This can, for example, be the case when it is considered of interest to enable searching of compositions using a combination of classification symbols. Such non-obligatory classification should be given as "additional information". {This IPC Note does not apply in CPC}
5. {Compositions classified in [C08K](#) according to note 3 of [C08K](#), are not classified in [C08L](#).}
6. {In this subclass, combination sets [C-Sets] are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the definitions of [C08L](#).}
7. {[C08L 2666/00](#) indexing codes were used for C-Sets classification of documents before April 2012. In addition to note (6), for searching documents classified before April 2012, see also [C08L 2666/00](#) in the definitions of [C08L](#).}
8. From 01.09.2003 until April 2012: Classification is given in the form of C-Sets. The polymer in majority is given a [C08L](#) class, and the minor components are characterised by Indexing Codes taken from [C08L](#) or [C08K](#) and they are linked or unlinked. The polymer in majority is always first in the C-Set. List of [C08L](#) codes in the C-Set: [C08L 1/00](#), [C08L 81/00](#), [C08L 83/00](#), [C08L 91/06](#), [C08L 95/00](#) or [C08L 2666/02](#) - [C08L 2666/08](#), [C08L 2666/14](#) - [C08L 2666/26](#). Examples:
 - a. A blend of 60 parts polyvinylchloride ([C08L 27/06](#)) and 40 parts polyamide is classified in ([C08L 27/06](#), [C08L 2666/20](#)) and [C08L 77/00](#).
 - b. A blend of 50 parts polyvinylchloride ([C08L 27/06](#)) and 50 parts polyamide ([C08L 77/00](#)) is classified in ([C08L 27/06](#), [C08L 2666/20](#)) and [C08L 77/00](#), as well as in ([C08L 77/00](#), [C08L 2666/04](#)) and [C08L 27/06](#).
 - c. A composition based on polyvinylchloride and containing CaCO₃ is classified according to [N: Note 4 of [C08K](#), i.e. in ([C08K 3/26](#), [C08L 27/06](#)). If this composition contains also a polyamide, then the classification will be ([C08L 27/06](#), [C08L 2666/20](#)) and [C08K 3/26](#).
 - d. A composition based on a first polysiloxane ([C08L 83/04](#)) and containing a second polysiloxane, a phenol and silica is classified in ([C08L 83/04](#), [C08L 83/04](#), [C08K 5/13](#), [C08K 3/36](#)) and [C08L 2205/02](#).
9. From April 2012 onwards, after the notation [C08L](#), notations concerning the other constituents of the composition may be added, in the form of C-Sets. The further constituent is added with an indexing code. The indexing codes are chosen from [C08L 1/00](#) - [C08L 2555/86](#) or [C08K](#) and they may be linked or unlinked: - [C08L 1/00](#) - [C08L 101/10](#) are linked. - [C08L 2201/00](#) - [C08L 2555/86](#) are unlinked. The polymer in majority is always first in the C-Set. Examples:
 - a. A blend of 60 parts polyvinylchloride ([C08L 27/06](#)) and 40 parts polyamide ([C08L 77/00](#)) is classified in ([C08L 27/06](#), [C08L 77/00](#)).
 - b. A blend of 50 parts polyvinylchloride ([C08L 27/06](#)) and 50 parts polyamide ([C08L 77/00](#)) is classified in ([C08L 27/06](#), [C08L 77/00](#)) and ([C08L 77/00](#), [C08L 27/06](#)).

- C08L
(continued)
- c. A composition based on polyvinylchloride and containing CaCO₃ is classified according to [N: Note 4 of [C08K](#), i.e. in ([C08K 3/26](#), [C08L 27/06](#)). If this composition contains also a polyamide, then the classification will be ([C08L 27/06](#), [C08L 77/00](#), [C08K 3/26](#)).
 - d. A composition based on a first polysiloxane ([C08L 83/04](#)) and containing a second polysiloxane, a phenol and silica is classified in ([C08L 83/04](#), [C08L 83/00](#), [C08K 5/13](#), [C08K 3/36](#)) and [C08L 2205/02](#).
 - e. A composition containing a polyamide in majority, a polyester and a polyethylene is classified in ([C08L 77/00](#), [C08L 67/00](#), [C08L 23/06](#)) and [C08L 2205/03](#).
10. "Rubber" includes:
- natural or conjugated diene rubbers;
 - rubber in general (for a specific rubber, other than a natural rubber or a conjugated diene rubber, see the group provided for compositions of such macromolecular compounds).
11. In this subclass:
- a. compositions are classified according to the mutual proportions by weight of only the macromolecular constituents;
 - b. compositions are classified according to the macromolecular constituent or constituents present in the highest proportion: if all these constituents are present in equal proportions the composition is classified according to each of these constituents.

WARNINGS

1. The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

C08L 61/08-C08L 61/10	covered by	C08L 61/06
C08L 63/02	covered by	C08L 63/00
C08L 83/05	covered by	C08L 83/04
C08L 83/07	covered by	C08L 83/04
2. In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

Compositions of polysaccharides or of their derivatives

- 1/00 Compositions of cellulose, modified cellulose or cellulose derivatives**
- NOTE**
- In this group, C-Sets are used.
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).
- 1/02 . Cellulose; Modified cellulose
 - 1/04 . . Oxycellulose; Hydrocellulose {, e.g. microcrystalline cellulose}
 - 1/06 . . Cellulose hydrate
 - 1/08 . Cellulose derivatives
 - 1/10 . . Esters of organic acids {, i.e. acylates}
 - 1/12 . . . Cellulose acetate
 - 1/14 . . . Mixed esters, e.g. cellulose acetate-butyrate
 - 1/16 . . Esters of inorganic acids
 - 1/18 . . . Cellulose nitrate {, i.e. nitrocellulose}
 - 1/20 . . Esters of both organic acids and inorganic acids
 - 1/22 . . Cellulose xanthate
 - 1/24 . . . Viscose
 - 1/26 . . Cellulose ethers
 - 1/28 . . . Alkyl ethers
 - 1/282 {with halogen-substituted hydrocarbon radicals}
 - 1/284 {with hydroxylated hydrocarbon radicals}
 - 1/286 {substituted with acid radicals, e.g. carboxymethyl cellulose [CMC] ([C08L 1/282](#) takes precedence)}
 - 1/288 {substituted with nitrogen-containing radicals}
 - 1/30 . . . Aryl ethers; Aralkyl ethers
 - 1/32 . . Cellulose ether-esters

3/00**Compositions of starch, amylose or amylopectin or of their derivatives or degradation products****NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 3/02 . Starch; Degradation products thereof, e.g. dextrin
- 3/04 . Starch derivatives {, e.g. crosslinked derivatives}
- 3/06 . . Esters
- 3/08 . . Ethers
- 3/10 . . Oxidised starch
- 3/12 . Amylose; Amylopectin; Degradation products thereof
- 3/14 . Amylose derivatives; Amylopectin derivatives
- 3/16 . . Esters
- 3/18 . . Ethers
- 3/20 . . Oxidised amylose; Oxidised amylopectin

5/00**Compositions of polysaccharides or of their derivatives not provided for in groups [C08L 1/00](#) or [C08L 3/00](#)****NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 5/02 . Dextran; Derivatives thereof
- 5/04 . Alginic acid; Derivatives thereof
- 5/06 . Pectin; Derivatives thereof
- 5/08 . Chitin; Chondroitin sulfate; Hyaluronic acid; Derivatives thereof
- 5/10 . Heparin; Derivatives thereof

- 5/12 . {Agar or} agar-agar {, i.e. mixture of agarose and agarpectin}; Derivatives thereof
- 5/14 . Hemicellulose; Derivatives thereof
- 5/16 . Cyclodextrin; Derivatives thereof

Compositions of rubber or of their derivatives**7/00 Compositions of natural rubber****NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 7/02 . Latex

9/00 Compositions of homopolymers or copolymers of conjugated diene hydrocarbons**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 9/02 . Copolymers with acrylonitrile
- 9/04 . . Latex
- 9/06 . Copolymers with styrene
- 9/08 . . Latex
- 9/10 . Latex ([C08L 9/04](#), [C08L 9/08](#) take precedence)

11/00 Compositions of homopolymers or copolymers of chloroprene**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 11/02 . Latex

13/00 Compositions of rubbers containing carboxyl groups**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 13/02 . Latex

15/00 Compositions of rubber derivatives ([C08L 11/00](#), [C08L 13/00](#) take precedence)**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 15/005 . {Hydrogenated nitrile rubber}
- 15/02 . Rubber derivatives containing halogen

17/00 Compositions of reclaimed rubber**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

19/00 Compositions of rubbers not provided for in groups [C08L 7/00](#) - [C08L 17/00](#)**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 19/003 . {Precrosslinked rubber; Scrap rubber; Used vulcanised rubber}
- 19/006 . {Rubber characterised by functional groups, e.g. telechelic diene polymers}
- 19/02 . Latex

21/00 Compositions of unspecified rubbers**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 21/02 . Latex

Compositions of macromolecular compounds obtained by reactions involving only carbon-to-carbon unsaturated bonds**NOTE**

{Groups [C08L 23/00](#) - [C08L 49/00](#) are to be interpreted in accordance with Notes 2), 3) and 4 a) following the title of subclass [C08F](#)}

23/00 Compositions of homopolymers or copolymers of unsaturated aliphatic hydrocarbons having only one carbon-to-carbon double bond; Compositions of derivatives of such polymers**NOTE**

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 23/02 . not modified by chemical after-treatment
- 23/025 . . {Copolymer of an unspecified olefin with a monomer other than an olefin}
- 23/04 . . Homopolymers or copolymers of ethene
- 23/06 . . . Polyethene
- 23/08 . . . Copolymers of ethene ([C08L 23/16](#) takes precedence)
- 23/0807 {Copolymers of ethene with unsaturated hydrocarbons only containing more than three carbon atoms}
- 23/0815 {Copolymers of ethene with aliphatic 1-olefins}
- 23/0823 {Copolymers of ethene with aliphatic cyclic olefins}

23/083 {Copolymers of ethene with aliphatic polyenes, i.e. containing more than one unsaturated bond}
23/0838 {Copolymers of ethene with aromatic monomers}
23/0846 {Copolymers of ethene with unsaturated hydrocarbons containing other atoms than carbon or hydrogen atoms}
23/0853 {Vinylacetate}
23/0861 {Saponified vinylacetate}
23/0869 {Acids or derivatives thereof}
23/0876 {Neutralised polymers, i.e. ionomers}
23/0884 {Epoxide containing esters}
23/0892 {containing monomers with other atoms than carbon, hydrogen or oxygen atoms}
23/10	. . Homopolymers or copolymers of propene
23/12	. . . Polypropene
23/14	. . . Copolymers of propene (C08L 23/16 takes precedence)
23/142 {at least partially crystalline copolymers of propene with other olefins}
23/145 {Copolymers of propene with monomers having more than one C=C double bond}
23/147 {Copolymers of propene with monomers containing other atoms than carbon or hydrogen atoms}
23/16	. . {Elastomeric} ethene-propene or ethene-propene-diene copolymers, (e.g. EPR and EPDM rubbers)
NOTE	
This group is used for polymers comprising both ethylene and propylene	
23/18	. . Homopolymers or copolymers of hydrocarbons having four or more carbon atoms
23/20	. . . having four to nine carbon atoms
23/22 Copolymers of isobutene; Butyl rubber {; Homo- or copolymers of other iso-olefins}
23/24	. . . having ten or more carbon atoms
23/26	. modified by chemical after-treatment
23/28	. . by reaction with halogens or compounds containing halogen (C08L 23/32 takes precedence)
23/283	. . . {Halogenated homo- or copolymers of iso-olefins}
23/286	. . . {Chlorinated polyethylene}
23/30	. . by oxidation
23/32	. . by reaction with compounds containing phosphorus or sulfur
23/34	. . . by chlorosulfonation
23/36	. . by reaction with compounds containing nitrogen, e.g. by nitration
2023/40	. . {by reaction with compounds changing molecular weight}
2023/42	. . . {Depolymerisation, vis-breaking or degradation}
2023/44	. . . {Coupling; Molecular weight increase}

25/00 Compositions of, homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by an aromatic carbocyclic ring; Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 25/02 . Homopolymers or copolymers of hydrocarbons
- 25/04 . . Homopolymers or copolymers of styrene
- 25/06 . . . Polystyrene
- 25/08 . . . Copolymers of styrene ([C08L 29/08](#), [C08L 35/06](#), [C08L 55/02](#) take precedence)
- 25/10 with conjugated dienes
- 25/12 with unsaturated nitriles
- 25/14 with unsaturated esters
- 25/16 . . Homopolymers or copolymers of alkyl-substituted styrenes
- 25/18 . Homopolymers or copolymers of aromatic monomers containing elements other than carbon and hydrogen

27/00 Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by a halogen; Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 27/02 . not modified by chemical after-treatment
- 27/04 . . containing chlorine atoms
- 27/06 . . . Homopolymers or copolymers of vinyl chloride
- 27/08 . . . Homopolymers or copolymers of vinylidene chloride
- 27/10 . . containing bromine or iodine atoms
- 27/12 . . containing fluorine atoms
- 27/14 . . . Homopolymers or copolymers of vinyl fluoride
- 27/16 . . . Homopolymers or copolymers or vinylidene fluoride
- 27/18 . . . Homopolymers or copolymers or tetrafluoroethene
- 27/20 . . . Homopolymers or copolymers of hexafluoropropene
- 27/22 . modified by chemical after-treatment
- 27/24 . . halogenated

29/00 Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by an alcohol, ether, aldehydo, ketonic, acetal or ketal radical; Compositions of hydrolysed polymers of esters of unsaturated alcohols with saturated carboxylic acids; Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 29/02 . Homopolymers or copolymers of unsaturated alcohols ([C08L 29/14](#) takes precedence)
- 29/04 . . Polyvinyl alcohol; Partially hydrolysed homopolymers or copolymers of esters of unsaturated alcohols with saturated carboxylic acids
- 29/06 . . Copolymers of allyl alcohol
- 29/08 . . . with vinyl-aromatic monomers
- 29/10 . Homopolymers or copolymers of unsaturated ethers ([C08L 35/08](#) takes precedence)
- 29/12 . Homopolymers or copolymers of unsaturated ketones
- 29/14 . Homopolymers or copolymers of acetals or ketals obtained by polymerisation of unsaturated acetals or ketals or by after-treatment of polymers of unsaturated alcohols

31/00 Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by an acyloxy radical of a saturated carboxylic acid, of carbonic acid or of a haloformic acid (of hydrolysed polymers [C08L 29/00](#)); Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 31/02 . Homopolymers or copolymers of esters of monocarboxylic acids
- 31/04 . . Homopolymers or copolymers of vinyl acetate
- 31/06 . Homopolymers or copolymers of esters of polycarboxylic acids
- 31/08 . . of phthalic acid

33/00 Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and only one being terminated by only one carboxyl radical, or of salts, anhydrides, esters, amides, imides or nitriles thereof; Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 33/02 . Homopolymers or copolymers of acids; Metal or ammonium salts thereof
- 33/04 . Homopolymers or copolymers of esters {([C08L 43/04](#) takes precedence)}
- 33/06 . . of esters containing only carbon, hydrogen and oxygen, which oxygen atoms are present only as part of the carboxyl radical
- 33/062 . . . {Copolymers with monomers not covered by [C08L 33/06](#)}
- 33/064 {containing anhydride, COOH or COOM groups, with M being metal or onium-cation}
- 33/066 {containing -OH groups}
- 33/068 {containing glycidyl groups}
- 33/08 . . Homopolymers or copolymers of acrylic acid esters
- 33/10 . . Homopolymers or copolymers of methacrylic acid esters
- 33/12 . . . Homopolymers or copolymers of methyl methacrylate
- 33/14 . . of esters containing halogen, nitrogen, sulfur, or oxygen atoms in addition to the carboxy oxygen
- 33/16 . . Homopolymers or copolymers of esters containing halogen atoms
- 33/18 . Homopolymers or copolymers of nitriles
- 33/20 . Homopolymers or copolymers of acrylonitrile ([C08L 55/02](#) takes precedence)
- 33/22 . Homopolymers or copolymers of nitriles containing four or more carbon atoms
- 33/24 . Homopolymers or copolymers of amides or imides
- 33/26 . Homopolymers or copolymers of acrylamide or methacrylamide

35/00 Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by a carboxyl radical, and containing at least one other carboxyl radical in the molecule, or of salts, anhydrides, esters, amides, imides or nitriles thereof; Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 35/02 . Homopolymers or copolymers of esters ([C08L 35/06](#), [C08L 35/08](#) take precedence)
- 35/04 . Homopolymers or copolymers of nitriles ([C08L 35/06](#), [C08L 35/08](#) take precedence)
- 35/06 . Copolymers with vinyl aromatic monomers
- 35/08 . Copolymers with vinyl ethers

37/00	Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by a heterocyclic ring containing oxygen (of cyclic esters of polyfunctional acids C08L 31/00; of cyclic anhydrides of unsaturated acids C08L 35/00); Compositions of derivatives of such polymers	43/02	. Homopolymers or copolymers of monomers containing phosphorus
		43/04	. Homopolymers or copolymers of monomers containing silicon
	NOTE	45/00	Compositions of homopolymers or copolymers of compounds having no unsaturated aliphatic radicals in side chain, and having one or more carbon-to-carbon double bonds in a carbocyclic or in a heterocyclic ring system; Compositions of derivatives of such polymers (of cyclic anhydrides or imides C08L 35/00; of cyclic esters of polyfunctional acids C08L 31/00)
	In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of C08L .		NOTE
			In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of C08L .
39/00	Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by a single or double bond to nitrogen or by a heterocyclic ring containing nitrogen; Compositions of derivatives of such polymers	45/02	. of coumarone-indene polymers
	NOTE	47/00	Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, at least one having two or more carbon-to-carbon double bonds; Compositions of derivatives of such polymers (C08L 45/00 takes precedence; of conjugated diene rubbers C08L 9/00 - C08L 21/00)
	In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of C08L .		NOTE
39/02	. Homopolymers or copolymers of vinylamine		In this group, C-Sets are used.
39/04	. Homopolymers or copolymers of monomers containing heterocyclic rings having nitrogen as ring member		The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of C08L .
39/06	. . Homopolymers or copolymers of N-vinyl-pyrrolidones		
39/08	. . Homopolymers or copolymers of vinyl-pyridine		
41/00	Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and at least one being terminated by a bond to sulfur or by a heterocyclic ring containing sulfur; Compositions of derivatives of such polymers	49/00	Compositions of homopolymers or copolymers of compounds having one or more carbon-to-carbon triple bonds; Compositions of derivatives of such polymers
	NOTE		NOTE
	In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of C08L .		In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of C08L .
43/00	Compositions of homopolymers or copolymers of compounds having one or more unsaturated aliphatic radicals, each having only one carbon-to-carbon double bond, and containing boron, silicon, phosphorus, selenium, tellurium or a metal; Compositions of derivatives of such polymers (of metal salts, e.g. phenolates, alcoholates, see the parent compounds)	51/00	Compositions of graft polymers in which the grafted component is obtained by reactions only involving carbon-to-carbon unsaturated bonds (for ABS polymers C08L 55/02); Compositions of derivatives of such polymers
	NOTE		NOTE
	In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of C08L .		In this group, C-Sets are used. The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of C08L .
		51/003	. { grafted on to macromolecular compounds obtained by reactions only involving unsaturated carbon-to-carbon bonds (C08L 51/04 , C08L 51/06 take precedence) }
		51/006	. { grafted on to block copolymers containing at least one sequence of polymer obtained by reactions only involving carbon-to-carbon unsaturated bonds }
		51/02	. grafted on to polysaccharides

- 51/04 . grafted on to rubbers
- 51/06 . grafted on to homopolymers or copolymers of aliphatic hydrocarbons containing only one carbon-to-carbon double bond
- 51/08 . grafted on to macromolecular compounds obtained otherwise than by reactions only involving unsaturated carbon-to-carbon bonds
- 51/085 . . {on to polysiloxanes}
- 51/10 . grafted on to inorganic materials
- 53/00 Compositions of block copolymers containing at least one sequence of a polymer obtained by reactions only involving carbon-to-carbon unsaturated bonds; Compositions of derivatives of such polymers**
NOTE
In this group, C-Sets are used.
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).
- 53/005 . {Modified block copolymers}
- 53/02 . of vinyl-aromatic monomers and conjugated dienes
- 53/025 . . {modified}
- 55/00 Compositions of homopolymers or copolymers, obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in groups [C08L 23/00](#) - [C08L 53/00](#)**
NOTE
In this group, C-Sets are used.
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).
- 55/005 . {Homopolymers or copolymers obtained by polymerisation of macromolecular compounds terminated by a carbon-to-carbon double bond}
- 55/02 . ABS [Acrylonitrile-Butadiene-Styrene] polymers
- 55/04 . Polyadducts obtained by the diene synthesis
- 57/00 Compositions of unspecified polymers obtained by reactions only involving carbon-to-carbon unsaturated bonds**
NOTE
In this group, C-Sets are used.
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).
- 57/02 . Copolymers of mineral oil hydrocarbons
- 57/04 . Copolymers in which only the monomer in minority is defined
- 57/06 . Homopolymers or copolymers containing elements other than carbon and hydrogen
- 57/08 . . containing halogen atoms
- 57/10 . . containing oxygen atoms
- 57/12 . . containing nitrogen atoms

Compositions of macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds

- 59/00 Compositions of polyacetals; Compositions of derivatives of polyacetals (of polyvinyl acetals [C08L 29/14](#))**
NOTE
In this group, C-Sets are used.
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).
- 59/02 . Polyacetals containing polyoxymethylene sequences only
- 59/04 . Copolyoxymethylenes
- 61/00 Compositions of condensation polymers of aldehydes or ketones (with polyalcohols [C08L 59/00](#); with polynitriles [C08L 77/00](#)); Compositions of derivatives of such polymers**
NOTE
In this group, C-Sets are used.
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).
- 61/02 . Condensation polymers of aldehydes or ketones only
- 61/04 . Condensation polymers of aldehydes or ketones with phenols only
- 61/06 . . of aldehydes with phenols
- 61/12 . . . with polyhydric phenols
- 61/14 . . . Modified phenol-aldehyde condensates
- 61/16 . . of ketones with phenols
- 61/18 . Condensation polymers of aldehydes or ketones with aromatic hydrocarbons or their halogen derivatives only
- 61/20 . Condensation polymers of aldehydes or ketones with only compounds containing hydrogen attached to nitrogen (with aminophenols [C08L 61/04](#))
- 61/22 . . of aldehydes with acyclic or carbocyclic compounds
- 61/24 . . . with urea or thiourea
- 61/26 . . of aldehydes with heterocyclic compounds
- 61/28 . . . with melamine
- 61/30 . . of aldehydes with heterocyclic and acyclic or carbocyclic compounds
- 61/32 . . Modified amine-aldehyde condensates
- 61/34 . Condensation polymers of aldehydes or ketones with monomers covered by at least two of the groups [C08L 61/04](#), [C08L 61/18](#) and [C08L 61/20](#)
- 63/00 Compositions of epoxy resins; Compositions of derivatives of epoxy resins**
NOTE
In this group, C-Sets are used.
The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).
- 63/04 . Epoxynovolacs
- 63/06 . Triglycidylisocyanurates
- 63/08 . Epoxidised polymerised polyenes

63/10 . Epoxy resins modified by unsaturated compounds

NOTE

In groups [C08L 65/00](#) - [C08L 85/00](#), in the absence of an indication to the contrary, compositions of macromolecular compounds, obtained by reactions forming two different linkages in the main chain, are classified only according to the linkage present in excess

65/00 Compositions of macromolecular compounds obtained by reactions forming a carbon-to-carbon link in the main chain ([C08L 7/00](#) - [C08L 57/00](#), [C08L 61/00](#) take precedence); Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

65/02 . Polyphenylenes

65/04 . Polyxylenes

67/00 Compositions of polyesters obtained by reactions forming a carboxylic ester link in the main chain (of polyester-amides [C08L 77/12](#); of polyester-imides [C08L 79/08](#)); Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

67/02 . Polyesters derived from dicarboxylic acids and dihydroxy compounds ([C08L 67/06](#) takes precedence)

67/025 . . {containing polyether sequences}

67/03 . . the dicarboxylic acids and dihydroxy compounds having the carboxyl- and the hydroxy groups directly linked to aromatic rings

67/04 . Polyesters derived from hydroxycarboxylic acids, e.g. lactones ([C08L 67/06](#) takes precedence)

67/06 . Unsaturated polyesters

67/07 . . having terminal carbon-to-carbon unsaturated bonds

67/08 . Polyesters modified with higher fatty oils or their acids, or with resins or resin acids

69/00 Compositions of polycarbonates; Compositions of derivatives of polycarbonates

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

69/005 . {Polyester-carbonates}

71/00 Compositions of polyethers obtained by reactions forming an ether link in the main chain (of polyacetals [C08L 59/00](#); of epoxy resins [C08L 63/00](#); of polythioether-ethers [C08L 81/02](#); of polyether-sulfones [C08L 81/06](#)); Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

71/02 . Polyalkylene oxides

71/03 . . Polyepihalohydrins

71/08 . Polyethers derived from hydroxy compounds or from their metallic derivatives ([C08L 71/02](#) takes precedence) {not used}

71/10 . . from phenols {not used}

71/12 . . . Polyphenylene oxides

71/123 {not modified by chemical after-treatment}

71/126 {modified by chemical after-treatment}

71/14 . . Furfuryl alcohol polymers

73/00 Compositions of macromolecular compounds obtained by reactions forming a linkage containing oxygen or oxygen and carbon in the main chain, not provided for in groups [C08L 59/00](#) - [C08L 71/00](#); Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

73/02 . Polyanhydrides

75/00 Compositions of polyureas or polyurethanes; Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

75/02 . Polyureas

75/04 . Polyurethanes

75/06 . . from polyesters

75/08 . . from polyethers

75/10 . . from polyacetals

75/12 . . from compounds containing nitrogen and active hydrogen, the nitrogen atom not being part of an isocyanate group

75/14 . . Polyurethanes having carbon-to-carbon unsaturated bonds

75/16 . . . having terminal carbon-to-carbon unsaturated bonds

77/00 Compositions of polyamides obtained by reactions forming a carboxylic amide link in the main chain (of polyhydrazides [C08L 79/06](#); of polyamideimides or polyamide acids [C08L 79/08](#)); Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 77/02 . Polyamides derived from omega-amino carboxylic acids or from lactams thereof ([C08L 77/10](#) takes precedence)
- 77/04 . Polyamides derived from alpha-amino carboxylic acids ([C08L 77/10](#) takes precedence)
- 77/06 . Polyamides derived from polyamines and polycarboxylic acids ([C08L 77/10](#) takes precedence)
- 77/08 . . from polyamines and polymerised unsaturated fatty acids
- 77/10 . Polyamides derived from aromatically bound amino and carboxyl groups of amino-carboxylic acids or of polyamines and polycarboxylic acids
- 77/12 . Polyester-amides

79/00 Compositions of macromolecular compounds obtained by reactions forming in the main chain of the macromolecule a linkage containing nitrogen with or without oxygen or carbon only, not provided for in groups [C08L 61/00](#) - [C08L 77/00](#)

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 79/02 . Polyamines
- 79/04 . Polycondensates having nitrogen-containing heterocyclic rings in the main chain; Polyhydrazides; Polyamide acids or similar polyimide precursors
- 79/06 . . Polyhydrazides; Polytriazoles; Polyamino-triazoles; Polyoxadiazoles
- 79/08 . . Polyimides; Polyester-imides; Polyamide-imides; Polyamide acids or similar polyimide precursors
- 79/085 . . . {Unsaturated polyimide precursors}

81/00 Compositions of macromolecular compounds obtained by reactions forming in the main chain of the macromolecule a linkage containing sulfur with or without nitrogen, oxygen or carbon only; Compositions of polysulfones; Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 81/02 . Polythioethers; Polythioether-ethers
- 81/04 . Polysulfides
- 81/06 . Polysulfones; Polyethersulfones
- 81/08 . Polysulfonates

- 81/10 . Polysulfonamides; Polysulfonimides

83/00 Compositions of macromolecular compounds obtained by reactions forming in the main chain of the macromolecule a linkage containing silicon with or without sulfur, nitrogen, oxygen or carbon only; Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 83/02 . Polysilicates
- 83/04 . Polysiloxanes
- 83/06 . . containing silicon bound to oxygen-containing groups ([C08L 83/12](#) takes precedence)

NOTE

This group does not comprise Si-OH and Si-OR groups that are classified in [C08L 83/04](#).

- 83/08 . . containing silicon bound to organic groups containing atoms other than carbon, hydrogen and oxygen
- 83/10 . Block- or graft-copolymers containing polysiloxane sequences (obtained by polymerising a compound having a carbon-to-carbon double bond on to a polysiloxane [C08L 51/08](#), [C08L 53/00](#))
- 83/12 . . containing polyether sequences
- 83/14 . in which at least two but not all the silicon atoms are connected by linkages other than oxygen atoms ([C08L 83/10](#) takes precedence)
- 83/16 . in which all the silicon atoms are connected by linkages other than oxygen atoms

85/00 Compositions of macromolecular compounds obtained by reactions forming a linkage in the main chain of the macromolecule containing atoms other than silicon, sulfur, nitrogen, oxygen and carbon; Compositions of derivatives of such polymers

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 85/02 . containing phosphorus
- 85/04 . containing boron

87/00 Compositions of unspecified macromolecular compounds, obtained otherwise than by polymerisation reactions only involving unsaturated carbon-to-carbon bonds

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 87/005 . {Block or graft polymers not provided for in groups [C08L 1/00](#) - [C08L 85/04](#)}

Compositions of natural macromolecular compounds or of derivatives thereof (of polysaccharides [C08L 1/00](#) - [C08L 5/00](#); of natural rubber [C08L 7/00](#))

89/00 **Compositions of proteins; Compositions of derivatives thereof** (foodstuff preparations [A23J 3/00](#))

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 89/005 . {Casein}
- 89/02 . Casein-aldehyde condensates
- 89/04 . Products derived from waste materials, e.g. horn, hoof or hair
- 89/06 . . derived from leather or skin {, e.g. gelatin}

91/00 **Compositions of oils, fats or waxes; Compositions of derivatives thereof**

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 91/005 . {Drying oils}
- 91/02 . Vulcanised oils, e.g. factice
- 91/04 . Linoxyn
- 91/06 . Waxes
- 91/08 . . Mineral waxes

93/00 **Compositions of natural resins; Compositions of derivatives thereof** (of polysaccharides [C08L 1/00](#) - [C08L 5/00](#); of natural rubber [C08L 7/00](#))

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 93/02 . Shellac ([French polish C09F](#))
- 93/04 . Rosin

95/00 **Compositions of bituminous materials, e.g. asphalt, tar, pitch**

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 95/005 . {Aqueous compositions, e.g. emulsions}

97/00 **Compositions of lignin-containing materials** (of polysaccharides [C08L 1/00](#) - [C08L 5/00](#))

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 97/002 . {Peat, lignite, coal (ceramic products based on carbon or carbides [C04B 35/00](#); working-up peat [C10F 7/00](#); briquettes [C10L 5/00](#))}
- 97/005 . {Lignin}
- 97/007 . {Cork}
- 97/02 . Lignocellulosic material, e.g. wood, straw or bagasse {(manufacture of articles made from lignocellulosic material by dry processes [B27N](#))}

99/00 **Compositions of natural macromolecular compounds or of derivatives thereof not provided for in groups [C08L 89/00](#) - [C08L 97/00](#)**

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

101/00 **Compositions of unspecified macromolecular compounds**

NOTE

In this group, C-Sets are used.

The detailed information about the C-Sets construction and the associated syntax rules is present in the Definitions of [C08L](#).

- 101/005 . {Dendritic macromolecules}
- 101/02 . characterised by the presence of specified groups {, e.g. terminal or pendant functional groups}
- 101/025 . . {containing nitrogen atoms}
- 101/04 . . containing halogen atoms
- 101/06 . . containing oxygen atoms {([C08L 101/025](#) takes precedence)}
- 101/08 . . . Carboxyl groups
- 101/10 . . containing hydrolysable silane groups
- 101/12 . characterised by physical features, e.g. anisotropy, viscosity or electrical conductivity ([liquid crystal materials or compositions C09K 19/00](#))
- 101/14 . . the macromolecular compounds being water soluble or water swellable, e.g. aqueous gels
- 101/16 . the macromolecular compounds being biodegradable

2201/00 **Properties**

- 2201/02 . Flame or fire retardant/resistant
- 2201/04 . Antistatic
- 2201/06 . Biodegradable
- 2201/08 . Stabilised against heat, light or radiation or oxydation
- 2201/10 . Transparent films; Clear coatings; Transparent materials
- 2201/12 . Shape memory
- 2201/14 . Gas barrier composition
- 2201/22 . Halogen free composition
- 2201/50 . Aqueous dispersion, e.g. containing polymers with a glass transition temperature (T_g) above 20°C
- 2201/52 . Aqueous emulsion or latex, e.g. containing polymers of a glass transition temperature (T_g) below 20°C
- 2201/54 . Aqueous solutions or dispersions

- 2201/56 . Non-aqueous solutions or dispersions

Properties; Applications; Other features

2203/00 Applications

- 2203/02 . for biomedical use
 2203/10 . used for bottles
 2203/12 . used for fibers
 2203/14 . used for foams
 2203/16 . used for films
 2203/162 . . sealable films
 2203/18 . used for pipes
 2203/20 . use in electrical or conductive gadgets
 2203/202 . . use in electrical wires or wirecoating
 2203/204 . . use in solar cells
 2203/206 . . use in coating or encapsulating of electronic parts
 2203/30 . used for thermoforming
 2203/40 . used as motor oil additive

2205/00 Polymer mixtures characterised by other features

- 2205/02 . containing two or more polymers of the same [C08L](#)-group
 2205/025 . . containing two or more polymers of the same hierarchy [C08L](#), and differing only in parameters such as density, comonomer content, molecular weight, structure
 2205/03 . containing three or more polymers in a blend
 2205/035 . . containing four or more polymers in a blend
 2205/04 . containing interpenetrating networks
 2205/05 . containing polymer components which can react with one another
 2205/06 . having improved processability or containing aids for moulding methods
 2205/08 . containing additives to improve the compatibility between two polymers
 2205/12 . containing additives being liquid crystalline or anisotropic in the melt
 2205/14 . containing polymeric additives characterised by shape
 2205/16 . . Fibres; Fibrils
 2205/18 . . Spheres
 2205/20 . . . Hollow spheres
 2205/22 . Mixtures comprising a continuous polymer matrix in which are dispersed crosslinked particles of another polymer
 2205/24 . Crystallisation aids
 2205/242 . . Beta spherulite nucleating agents

2207/00 Properties characterising the ingredient of the composition

- 2207/02 . Heterophasic composition
 2207/04 . Thermoplastic elastomer
 2207/06 . Properties of polyethylene
 2207/062 . . HDPE
 2207/064 . . VLDPE
 2207/066 . . LDPE (radical process)
 2207/068 . . Ultra high molecular weight polyethylene
 2207/07 . . Long chain branching
 2207/10 . Peculiar tacticity
 2207/12 . . Syndiotactic polypropylene
 2207/14 . . Amorphous or atactic polypropylene
 2207/20 . Recycled plastic
 2207/22 . . Recycled asphalt

- 2207/24 . . recycling of old tyres and caoutchouc and addition of caoutchouc particles
 2207/26 . . recycling of glass in bitumen
 2207/32 . containing low molecular weight liquid component
 2207/322 . . Liquid component is processing oil
 2207/324 . . Liquid component is low molecular weight polymer
 2207/53 . Core-shell polymer

2308/00 Chemical blending or stepwise polymerisation process with the same catalyst

2310/00 Masterbatches

2312/00 Crosslinking

- 2312/02 . with dienes
 2312/04 . with phenolic resin
 2312/06 . by radiation
 2312/08 . by silane

2314/00 Polymer mixtures characterised by way of preparation

- 2314/02 . Ziegler natta catalyst
 2314/04 . Philipps catalyst
 2314/06 . Metallocene or single site catalysts
 2314/08 . prepared by late transition metal, i.e. Ni, Pd, Pt, Co, Rh, Ir, Fe, Ru or Os, single site catalyst

2555/00 Characteristics of bituminous mixtures

- 2555/10 . Design or test methods for bitumen or asphalt mixtures, e.g. series of measures, procedures or tests to obtain a bitumen or asphalt mixture having preset defined properties, general or international test methods, procedures or standards
 2555/20 . Mixtures of bitumen and aggregate defined by their production temperatures, e.g. production of asphalt for road or pavement applications
 2555/22 . . Asphalt produced above 140°C, e.g. hot melt asphalt
 2555/24 . . Asphalt produced between 100°C and 140°C, e.g. warm mix asphalt
 2555/26 . . Asphalt produced between 65°C and 100°C, e.g. half warm mix asphalt, low energy asphalt produced at 95°C or low temperature asphalt produced at 90°C
 2555/28 . . Asphalt produced between 0°C and below 65°C, e.g. cold mix asphalt produced between 0°C and 35°C
 2555/30 . Environmental or health characteristics, e.g. energy consumption, recycling or safety issues
 2555/32 . . Environmental burden or human safety, e.g. CO₂ footprint, fuming or leaching
 2555/34 . . Recycled or waste materials, e.g. reclaimed bitumen, asphalt, roads or pathways, recycled roof coverings or shingles, recycled aggregate, recycled tires, crumb rubber, glass or cullet, fly or fuel ash, or slag
 2555/40 . Mixtures based upon bitumen or asphalt containing functional additives
 2555/50 . . Inorganic non-macromolecular ingredients
 2555/52 . . . Aggregate, e.g. crushed stone, sand, gravel or cement
 2555/54 . . . Sulfur or carbon black
 2555/60 . . Organic non-macromolecular ingredients, e.g. oil, fat, wax or natural dye
 2555/62 . . . from natural renewable resources

- 2555/64 Oils, fats or waxes based upon fatty acid esters, e.g. fish oil, olive oil, lard, cocoa butter, bees wax or carnauba wax
- 2555/70 . . . from natural non-renewable resources
- 2555/72 Petrochemical based or extracted waxes, e.g. paraffin, Montan wax or cracked polyethylene wax
- 2555/74 Petrochemicals other than waxes, e.g. synthetic oils, diesel or other fuels, hydrocarbons, halogenated or otherwise functionalized hydrocarbons
- 2555/80 . . Macromolecular constituents
- 2555/82 . . . from natural renewable resources, e.g. starch, cellulose, saw dust, straw, hair or shells
- 2555/84 . . . Polymers comprising styrene, e.g. , polystyrene, styrene-diene copolymers or styrene-butadiene-styrene copolymers
- 2555/86 . . . Polymers containing aliphatic hydrocarbons only, e.g. polyethylene, polypropylene or ethylene-propylene-diene copolymers
- 2666/00 Composition of polymers characterized by a further compound in the blend, being organic macromolecular compounds, natural resins, waxes or and bituminous materials, non-macromolecular organic substances, inorganic substances or characterized by their function in the composition (not used)**
- NOTE**
- Indexing codes of [C08L 2666/00](#) have not been used for the classification of new documents since April 2012. However, they are used in C-Sets searches for documents prior to April 2012. The detailed information about how to search using [C08L 2666/00](#) C-Sets is presented in the Definitions of [C08L](#), [C09D](#) and [C09J](#).
- 2666/02 . Organic macromolecular compounds, natural resins, waxes or and bituminous materials
- 2666/04 . . Macromolecular compounds according to groups [C08L 7/00](#) - [C08L 49/00](#), or [C08L 55/00](#) - [C08L 57/00](#); Derivatives thereof
- 2666/06 . . . Homopolymers or copolymers of unsaturated hydrocarbons; Derivatives thereof
- 2666/08 . . . Homopolymers or copolymers according to [C08L 7/00](#) - [C08L 21/00](#); Derivatives thereof
- 2666/10 . . Homopolymers or copolymers according to [C08L 39/00](#) - [C08L 49/00](#); Derivatives thereof
- 2666/12 . . Homopolymers or copolymers not provided for in [C08L 2666/06](#) - [C08L 2666/10](#)
- 2666/14 . . Macromolecular compounds according to [C08L 59/00](#) - [C08L 87/00](#); Derivatives thereof
- 2666/16 . . . Addition or condensation polymers of aldehydes or ketones according to [C08L 59/00](#) - [C08L 61/00](#); Derivatives thereof
- 2666/18 . . . Polyesters or polycarbonates according to [C08L 67/00](#) - [C08L 69/00](#); Derivatives thereof
- 2666/20 . . . Macromolecular compounds having nitrogen in the main chain according to [C08L 75/00](#) - [C08L 79/00](#); Derivatives thereof
- 2666/22 . . . Macromolecular compounds not provided for in [C08L 2666/16](#) - [C08L 2666/20](#)
- 2666/24 . . Graft or block copolymers according to groups [C08L 51/00](#), [C08L 53/00](#) or [C08L 55/02](#); Derivatives thereof
- 2666/26 . . Natural polymers, natural resins or derivatives thereof according to [C08L 1/00](#) - [C08L 5/00](#), [C08L 89/00](#), [C08L 93/00](#), [C08L 97/00](#) or [C08L 99/00](#)
- 2666/28 . Non-macromolecular organic substances
- 2666/30 . . Hydrocarbons
- 2666/32 . . Halogen-containing compounds
- 2666/34 . . Oxygen-containing compounds, including ammonium and metal salts
- 2666/36 . . Nitrogen-containing compounds
- 2666/38 . . Sulfur-, selenium- or tellurium-containing compounds
- 2666/40 . . Phosphorus-containing compounds
- 2666/42 . . . Compounds containing phosphorus and sulfur
- 2666/44 . . Silicon-containing compounds
- 2666/46 . . Boron-containing compounds
- 2666/48 . . Organo-metallic compounds, i.e. organic compounds containing a metal-to-carbon bond
- 2666/50 . . Arsenic- or antimony-containing compounds
- 2666/52 . . Metal-containing compounds
- 2666/54 . Inorganic substances
- 2666/55 . . Carbon
- 2666/58 . . SiO₂ or silicates
- 2666/60 . . . Asbestos
- 2666/62 . . . Clay
- 2666/64 . . Sulfur
- 2666/66 . Substances characterised by their function in the composition
- 2666/68 . . Plasticizers; Solvents
- 2666/70 . . Organic dyes or pigments; Optical brightening agents
- 2666/72 . . Fillers; Inorganic pigments; Reinforcing additives
- 2666/74 . . . Aggregates
- 2666/76 . . . Textured backings, e.g. woven or non-woven
- 2666/78 . . Stabilisers against oxidation, heat, light or ozone
- 2666/80 . . . Metal-containing stabilizers
- 2666/82 . . . Phosphorus-containing stabilizers
- 2666/84 . . Flame-proofing or flame-retarding additives
- 2666/86 . . Antistatics