

# CPC COOPERATIVE PATENT CLASSIFICATION

## B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

### MICROSTRUCTURAL TECHNOLOGY; NANOTECHNOLOGY

#### B81 MICROSTRUCTURAL TECHNOLOGY

(NOTES omitted)

#### B81B MICROSTRUCTURAL DEVICES OR SYSTEMS, e.g. MICROMECHANICAL DEVICES (piezo-electric, electrostrictive or magnetostrictive elements [per se](#) [H01L 41/00](#))

##### NOTES

- This subclass does not cover:
  - purely electrical or electronic devices [per se](#) which are covered by section [H](#), e.g. subclass [H01L](#);
  - purely optical devices [per se](#) which are covered by subclasses [G02B](#) or [G02F](#);
  - essentially two-dimensional structures, e.g. layered products which are covered by subclass [B32B](#);
  - chemical or biological structures [per se](#) which are covered by section [C](#);
  - structures in atomic scale produced by manipulation of single atoms or molecules, which are covered by group [B82B 1/00](#).
- Devices or systems classified in this subclass are also classified in appropriate subclasses providing for their structural or functional features, if such features are of interest.
- Attention is drawn to the following places:
 

<a href="#">A61K 9/50</a>	Microcapsules for medicinal preparations
<a href="#">B25J 7/00</a>	Micromanipulators
<a href="#">G02B 21/32</a>	Micromanipulators combined with microscopes
<a href="#">G11B 5/127</a>	Magnetic heads
<a href="#">H01P 3/08</a>	Waveguide microstrips.
- In this subclass, local "residual" subgroups, e.g. [B81B 7/0077](#), are used with the following purpose:  
 When classifying a document which does not fit in any of a set of subgroups with the same dot-level, the document should be classified in the residual group, if present, and not in the group at the hierarchical level one dot above.  
 In the example, the document shall be classified in [B81B 7/0077](#) and not in [B81B 7/0032](#) as [B81B 7/0077](#) is "residual" to [B81B 7/0035-B81B 7/0074](#)

<b>1/00</b>	<b>Devices without movable or flexible elements, e.g. microcapillary devices</b>	<b>3/0018</b>	. {Structures acting upon the moving or flexible element for transforming energy into mechanical movement or <a href="#">vice versa</a> , i.e. actuators, sensors, generators}
1/002	. {Holes characterised by their shape, in either longitudinal or sectional plane}		
1/004	. . {Through-holes, i.e. extending from one face to the other face of the wafer}	3/0021	. . {Transducers for transforming electrical into mechanical energy or <a href="#">vice versa</a> ( <a href="#">dynamo-electric machines H02K 99/00</a> ; <a href="#">electrostatic machines H02N 1/00</a> ; <a href="#">piezo-electric devices H01L 41/00</a> )}
1/006	. {Microdevices formed as a single homogeneous piece, i.e. wherein the mechanical function is obtained by the use of the device, e.g. cutters}	3/0024	. . {Transducers for transforming thermal into mechanical energy or <a href="#">vice versa</a> , e.g. thermal or bimorph actuators ( <a href="#">electric motors using thermal effects H02N 10/00</a> )}
1/008	. . {Microtips}		
<b>3/00</b>	<b>Devices comprising flexible or deformable elements, e.g. comprising elastic tongues or membranes (<a href="#">B81B 5/00</a> takes precedence)</b>	3/0027	. . {Structures for transforming mechanical energy, e.g. potential energy of a spring into translation, sound into translation}
3/0002	. {Arrangements for avoiding sticking of the flexible or moving parts}	3/0029	. . {Transducers for transforming light into mechanical energy or <a href="#">vice versa</a> }
3/0005	. . {Anti-stiction coatings}	3/0032	. . {Structures for transforming energy not provided for in groups <a href="#">B81B 3/0021</a> - <a href="#">B81B 3/0029</a> }
3/0008	. . {Structures for avoiding electrostatic attraction, e.g. avoiding charge accumulation}	3/0035	. {Constitution or structural means for controlling the movement of the flexible or deformable elements}
3/001	. . {Structures having a reduced contact area, e.g. with bumps or with a textured surface}	3/0037	. . {For increasing stroke, i.e. achieve large displacement of actuated parts}
3/0013	. . {Structures dimensioned for mechanical prevention of stiction, e.g. spring with increased stiffness}	3/004	. . {Angular deflection}
3/0016	. . {Arrangements for avoiding sticking of the flexible or moving parts not provided for in groups <a href="#">B81B 3/0005</a> - <a href="#">B81B 3/0013</a> }	3/0043	. . . {Increasing angular deflection}
		3/0045	. . . {Improve properties related to angular swinging, e.g. control resonance frequency}

- 3/0048 . . . {Constitution or structural means for controlling angular deflection not provided for in groups [B81B 3/0043](#) - [B81B 3/0045](#)}
  - 3/0051 . . {For defining the movement, i.e. structures that guide or limit the movement of an element (mechanical arrangements for preventing or damping vibration or shock [H01H 3/60](#))}
  - 3/0054 . . {For holding or placing an element in a given position}
  - 3/0056 . . {Adjusting the distance between two elements, at least one of them being movable, e.g. air-gap tuning}
  - 3/0059 . . {Constitution or structural means for controlling the movement not provided for in groups [B81B 3/0037](#) - [B81B 3/0056](#)}
  - 3/0062 . {Devices moving in two or more dimensions, i.e. having special features which allow movement in more than one dimension}
  - 3/0064 . {Constitution or structural means for improving or controlling the physical properties of a device}
  - 3/0067 . . {Mechanical properties}
  - 3/007 . . . {For controlling stiffness, e.g. ribs}
  - 3/0072 . . . {For controlling internal stress or strain in moving or flexible elements, e.g. stress compensating layers}
  - 3/0075 . . . {For improving wear resistance}
  - 3/0078 . . . {Constitution or structural means for improving mechanical properties not provided for in [B81B 3/007](#) - [B81B 3/0075](#)}
  - 3/0081 . . {Thermal properties}
  - 3/0083 . . {Optical properties}
  - 3/0086 . . {Electrical characteristics, e.g. reducing driving voltage, improving resistance to peak voltage}
  - 3/0089 . . {Chemical or biological characteristics, e.g. layer which makes a surface chemically active}
  - 3/0091 . . {Magnetic properties, e.g. guiding magnetic flux}
  - 3/0094 . . {Constitution or structural means for improving or controlling physical properties not provided for in [B81B 3/0067](#) - [B81B 3/0091](#)}
  - 3/0097 . {Devices comprising flexible or deformable elements not provided for in groups [B81B 3/0002](#) - [B81B 3/0094](#)}
  - 5/00** **Devices comprising elements which are movable in relation to each other, e.g. comprising slidable or rotatable elements**
  - 7/00** **Microstructural systems; {Auxiliary parts of microstructural devices or systems}**
  - 7/0003 . {MEMS mechanisms for assembling automatically hinged components, self-assembly devices (self-assembly processes [B81C 1/00007](#))}
  - 7/0006 . {Interconnects}
  - 7/0009 . {Structural features, others than packages, for protecting a device against environmental influences ([B81C 1/00777](#) takes precedence)}
  - 7/0012 . . {Protection against reverse engineering, unauthorised use, use in unintended manner, wrong insertion or pin assignment}
  - 7/0016 . . {Protection against shocks or vibrations, e.g. vibration damping}
  - 7/0019 . . {Protection against thermal alteration or destruction ([B81B 7/0083](#) takes precedence)}
  - 7/0022 . . {Protection against electrostatic discharge (electrostatic discharge protection for electronic semiconductor circuits [H01L 27/0248](#); circuit arrangements for protecting electronic switching circuits used for pulse technique against overcurrent or overvoltage [H03K 17/08](#))}
  - 7/0025 . . {Protection against chemical alteration}
  - 7/0029 . . {Protection against environmental influences not provided for in groups [B81B 7/0012](#) - [B81B 7/0025](#)}
  - 7/0032 . {Packages or encapsulation (processes for packaging MEMS [B81C 1/00261](#); packaging of smart-MEMS [B81C 1/0023](#))}
  - 7/0035 . . {for maintaining a controlled atmosphere inside of the chamber containing the MEMS}
  - 7/0038 . . . {using materials for controlling the level of pressure, contaminants or moisture inside of the package, e.g. getters}
  - 7/0041 . . . {maintaining a controlled atmosphere with techniques not provided for in [B81B 7/0038](#)}
  - 7/0045 . . {for reducing stress inside of the package structure}
  - 7/0048 . . . {between the MEMS die and the substrate}
  - 7/0051 . . . {between the package lid and the substrate}
  - 7/0054 . . . {between other parts not provided for in [B81B 7/0048](#) - [B81B 7/0051](#)}
  - 7/0058 . . {for protecting against damages due to external chemical or mechanical influences, e.g. shocks or vibrations}
  - 7/0061 . . {suitable for fluid transfer from the MEMS out of the package or *vice versa*, e.g. transfer of liquid, gas, sound}
  - 7/0064 . . {for protecting against electromagnetic or electrostatic interferences}
  - 7/0067 . . {for controlling the passage of optical signals through the package}
  - 7/007 . . {Interconnections between the MEMS and external electrical signals}
  - 7/0074 . . {3D packaging, i.e. encapsulation containing one or several MEMS devices arranged in planes non-parallel to the mounting board}
  - 7/0077 . . {Other packages not provided for in groups [B81B 7/0035](#) - [B81B 7/0074](#)}
  - 7/008 . {MEMS characterised by an electronic circuit specially adapted for controlling or driving the same ([B81B 7/0087](#) takes precedence; arrangements for starting, regulating, braking, or otherwise controlling an actuator [H02N](#); control arrangements or circuits for visual indicators [G09G 3/00](#))}
- NOTES**
1. This group covers: only MEMS with an electronic circuit which is not specific to a particular application.
  2. This group does not cover: electronic circuits per se, e.g. for controlling or driving application specific MEMS
- 7/0083 . {Temperature control}
  - 7/0087 . . {On-device systems and sensors for controlling, regulating or monitoring}
  - 7/009 . . {Maintaining a constant temperature by heating or cooling}
  - 7/0093 . . . {by cooling}
  - 7/0096 . . . {by heating}

7/02	<ul style="list-style-type: none"> <li>containing distinct electrical or optical devices of particular relevance for their function, e.g. microelectro-mechanical systems [MEMS] (<a href="#">B81B 7/04 takes precedence</a>)</li> </ul>	2201/13	<ul style="list-style-type: none"> <li>Mechanical connectors, i.e. not functioning as an electrical connector</li> </ul>
7/04	<ul style="list-style-type: none"> <li>Networks or arrays of similar microstructural devices</li> </ul>	<b>2203/00</b>	<b>Basic microelectromechanical structures</b>
<b>2201/00</b>	<b>Specific applications of microelectromechanical systems</b>	2203/01	<ul style="list-style-type: none"> <li>Suspended structures, i.e. structures allowing a movement</li> </ul>
2201/01	<ul style="list-style-type: none"> <li>Switches</li> </ul>	2203/0109	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Bridges</li> </ul> </li> </ul>
2201/012	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>characterised by the shape</li> </ul> </li> </ul>	2203/0118	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Cantilevers</li> </ul> </li> </ul>
2201/014	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>having a cantilever fixed on one side connected to one or more dimples</li> </ul> </li> </ul> </li> </ul>	2203/0127	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Diaphragms, i.e. structures separating two media that can control the passage from one medium to another; Membranes, i.e. diaphragms with filtering function</li> </ul> </li> </ul>
2201/016	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>having a bridge fixed on two ends and connected to one or more dimples</li> </ul> </li> </ul> </li> </ul>	2203/0136	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Comb structures</li> </ul> </li> </ul>
2201/018	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Switches not provided for in <a href="#">B81B 2201/014</a> - <a href="#">B81B 2201/016</a></li> </ul> </li> </ul> </li> </ul>	2203/0145	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Flexible holders</li> </ul> </li> </ul>
2201/02	<ul style="list-style-type: none"> <li>Sensors</li> </ul>	2203/0154	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Torsion bars</li> </ul> </li> </ul>
2201/0207	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Bolometers</li> </ul> </li> </ul>	2203/0163	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Spring holders</li> </ul> </li> </ul>
2201/0214	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Biosensors; Chemical sensors</li> </ul> </li> </ul>	2203/0172	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Flexible holders not provided for in <a href="#">B81B 2203/0154</a> - <a href="#">B81B 2203/0163</a></li> </ul> </li> </ul>
2201/0221	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Variable capacitors</li> </ul> </li> </ul>	2203/0181	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>See-saws</li> </ul> </li> </ul>
2201/0228	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Inertial sensors</li> </ul> </li> </ul>	2203/019	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>characterized by their profile</li> </ul> </li> </ul>
2201/0235	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Accelerometers</li> </ul> </li> </ul> </li> </ul>	2203/03	<ul style="list-style-type: none"> <li>Static structures</li> </ul>
2201/0242	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Gyroscopes</li> </ul> </li> </ul> </li> </ul>	2203/0307	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Anchors</li> </ul> </li> </ul>
2201/025	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Inertial sensors not provided for in <a href="#">B81B 2201/0235</a> - <a href="#">B81B 2201/0242</a></li> </ul> </li> </ul> </li> </ul>	2203/0315	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Cavities</li> </ul> </li> </ul>
2201/0257	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Microphones or microspeakers</li> </ul> </li> </ul>	2203/0323	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Grooves</li> </ul> </li> </ul>
2201/0264	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Pressure sensors</li> </ul> </li> </ul>	2203/033	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Trenches</li> </ul> </li> </ul>
2201/0271	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Resonators; ultrasonic resonators</li> </ul> </li> </ul>	2203/0338	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Channels</li> </ul> </li> </ul>
2201/0278	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Temperature sensors</li> </ul> </li> </ul>	2203/0346	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Grooves not provided for in <a href="#">B81B 2203/033</a> - <a href="#">B81B 2203/0338</a></li> </ul> </li> </ul>
2201/0285	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Vibration sensors</li> </ul> </li> </ul>	2203/0353	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Holes</li> </ul> </li> </ul>
2201/0292	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Sensors not provided for in <a href="#">B81B 2201/0207</a> - <a href="#">B81B 2201/0285</a></li> </ul> </li> </ul>	2203/0361	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Tips, pillars</li> </ul> </li> </ul>
2201/03	<ul style="list-style-type: none"> <li>Microengines and actuators</li> </ul>	2203/0369	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>characterized by their profile</li> </ul> </li> </ul>
2201/031	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Thermal actuators</li> </ul> </li> </ul>	2203/0376	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>rounded profile</li> </ul> </li> </ul> </li> </ul>
2201/032	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Bimorph and unimorph actuators, e.g. piezo and thermo</li> </ul> </li> </ul>	2203/0384	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>sloped profile</li> </ul> </li> </ul> </li> </ul>
2201/033	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Comb drives</li> </ul> </li> </ul>	2203/0392	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>profiles not provided for in <a href="#">B81B 2203/0376</a> - <a href="#">B81B 2203/0384</a></li> </ul> </li> </ul>
2201/034	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Electrical rotating micromachines</li> </ul> </li> </ul>	2203/04	<ul style="list-style-type: none"> <li>Electrodes</li> </ul>
2201/035	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Microgears</li> </ul> </li> </ul>	2203/05	<ul style="list-style-type: none"> <li>Type of movement</li> </ul>
2201/036	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Micropumps</li> </ul> </li> </ul>	2203/051	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Translation according to an axis parallel to the substrate</li> </ul> </li> </ul>
2201/037	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Microtransmissions</li> </ul> </li> </ul>	2203/053	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Translation according to an axis perpendicular to the substrate</li> </ul> </li> </ul>
2201/038	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Microengines and actuators not provided for in <a href="#">B81B 2201/031</a> - <a href="#">B81B 2201/037</a></li> </ul> </li> </ul>	2203/055	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Translation in a plane parallel to the substrate, i.e. enabling movement along any direction in the plane</li> </ul> </li> </ul>
2201/04	<ul style="list-style-type: none"> <li>Optical MEMS</li> </ul>	2203/056	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Rotation in a plane parallel to the substrate</li> </ul> </li> </ul>
2201/042	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Micromirrors, not used as optical switches</li> </ul> </li> </ul>	2203/058	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Rotation out of a plane parallel to the substrate</li> </ul> </li> </ul>
2201/045	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Optical switches</li> </ul> </li> </ul>	2203/06	<ul style="list-style-type: none"> <li>Devices comprising elements which are movable in relation to each other, e.g. slidable or rotatable</li> </ul>
2201/047	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Optical MEMS not provided for in <a href="#">B81B 2201/042</a> - <a href="#">B81B 2201/045</a></li> </ul> </li> </ul>	<b>2207/00</b>	<b>Microstructural systems or auxiliary parts thereof</b>
2201/05	<ul style="list-style-type: none"> <li>Microfluidics</li> </ul>	2207/01	<ul style="list-style-type: none"> <li>comprising a micromechanical device connected to control or processing electronics, i.e. Smart-MEMS</li> </ul>
2201/051	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Micromixers, microreactors</li> </ul> </li> </ul>	2207/012	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>the micromechanical device and the control or processing electronics being separate parts in the same package</li> </ul> </li> </ul>
2201/052	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Ink-jet print cartridges</li> </ul> </li> </ul>	2207/015	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>the micromechanical device and the control or processing electronics being integrated on the same substrate</li> </ul> </li> </ul>
2201/054	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Microvalves</li> </ul> </li> </ul>	2207/017	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Smart-MEMS not provided for in <a href="#">B81B 2207/012</a> - <a href="#">B81B 2207/015</a></li> </ul> </li> </ul>
2201/055	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Microneedles</li> </ul> </li> </ul>	2207/03	<ul style="list-style-type: none"> <li>Electronic circuits for micromechanical devices which are not application specific, e.g. for controlling, power supplying, testing, protecting</li> </ul>
2201/057	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Micropipets, dropformers</li> </ul> </li> </ul>	2207/05	<ul style="list-style-type: none"> <li>Arrays</li> </ul>
2201/058	<ul style="list-style-type: none"> <li> <ul style="list-style-type: none"> <li>Microfluidics not provided for in <a href="#">B81B 2201/051</a> - <a href="#">B81B 2201/054</a></li> </ul> </li> </ul>		
2201/06	<ul style="list-style-type: none"> <li>Bio-MEMS</li> </ul>		
2201/07	<ul style="list-style-type: none"> <li>Data storage devices, static or dynamic memories</li> </ul>		
2201/10	<ul style="list-style-type: none"> <li>Microfilters, e.g. for gas or fluids</li> </ul>		
2201/11	<ul style="list-style-type: none"> <li>Read heads, write heads or micropositioners for hard- or optical disks</li> </ul>		
2201/12	<ul style="list-style-type: none"> <li>STM or AFM microtips</li> </ul>		

## B81B

- 2207/053 . . of movable structures
- 2207/056 . . of static structures
- 2207/07 . Interconnects
- 2207/09 . Packages
- 2207/091 . . Arrangements for connecting external electrical signals to mechanical structures inside the package
- 2207/092 . . . Buried interconnects in the substrate or in the lid
- 2207/093 . . . Conductive package seal
- 2207/094 . . . Feed-through, via
- 2207/095 . . . . through the lid
- 2207/096 . . . . through the substrate
- 2207/097 . . . Interconnects arranged on the substrate or the lid, and covered by the package seal
- 2207/098 . . . Arrangements not provided for in groups [B81B 2207/092](#) - [B81B 2207/097](#)
- 2207/11 . Structural features, others than packages, for protecting a device against environmental influences
- 2207/115 . . Protective layers applied directly to the device before packaging
- 2207/99 . Microstructural systems or auxiliary parts thereof not provided for in [B81B 2207/01](#) - [B81B 2207/115](#)