

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

TRANSPORTING

B63 SHIPS OR OTHER WATERBORNE VESSELS; RELATED EQUIPMENT

B63H MARINE PROPULSION OR STEERING (propulsion of air-cushion vehicles [B60V 1/14](#); specially adapted for submarines, other than nuclear propulsion, [B63G](#); specially adapted for torpedoes [F42B 19/00](#))

NOTE

In this subclass, the indexing codes [B63B 2201/00](#) - [B63B 2241/00](#) are to be used for relevant technical information concerning particular or unusual use, materials, design, methods or means

WARNINGS

1. In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.
2. Groups [B63H 1/00](#) - [B63H 25/52](#) are incomplete pending reclassification of documents from groups [B63B 2701/00](#) - [B63B 2770/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

1/00	Propulsive elements directly acting on water (jet propulsion B63H 11/00)	1/18 with means for diminishing cavitation, e.g. supercavitation
2001/005	. {using Magnus effect}	2001/185 {Surfacing propellers, i.e. propellers specially adapted for operation at the water surface, with blades incompletely submerged, or piercing the water surface from above in the course of each revolution}
1/02	. of rotary type	1/20 Hubs; Blade connections
1/04	. . with rotation axis substantially at right angles to propulsive direction	1/22 the blades being foldable
2001/045	. . . {with partially immersed nutating or ondulated disks, e.g. wobble plates}	1/24 automatically foldable or unfoldable
1/06	. . . with adjustable vanes or blades	1/26 Blades
1/08 with cyclic adjustment	1/265 {each blade being constituted by a surface enclosing an empty space, e.g. forming a closed loop}
1/10 of Voith Schneider type, i.e. with blades extending axially from a disc-shaped rotary body	1/28 Other means for improving propeller efficiency
2001/105 {with non-mechanical control of individual blades, e.g. electric or hydraulic control}	2001/283 {Propeller hub caps with fins having a pitch different from pitch of propeller blades, or a helix hand opposed to the propellers' helix hand}
1/12	. . with rotation axis substantially in propulsive direction	2001/286 {Injection of gas into fluid flow to propellers, or around propeller blades}
2001/122	. . . {Single or multiple threaded helicoidal screws, or the like, comprising foils extending over a substantial angle; Archimedean screws}	1/30	. of non-rotary type
2001/125 {with helicoidal foils projecting from outside surfaces of floating rotatable bodies, e.g. rotatable, cylindrical bodies}	1/32	. . Flaps, pistons, or the like, reciprocating in propulsive direction
2001/127 {with helicoidal foils projecting from inside surfaces of rotating shrouds; Archimedean screws}	1/34	. . of endless-track type
1/14	. . . Propellers (pitch changing B63H 3/00)	2001/342	. . . {with tracks substantially parallel to propulsive direction}
2001/145 {comprising blades of two or more different types, e.g. different lengths}	2001/344 {having paddles mounted in fixed relation to tracks, or to track members}
1/15 having vibration damping means	2001/346 {having paddles movably mounted on the track or on track members, e.g. articulated, or with means for cyclically controlling the paddles' angular position or orientation}
1/16 having a shrouding ring attached to blades		
2001/165 {Hubless propellers, e.g. peripherally driven shrouds with blades projecting from the shrouds' inside surfaces}		

2001/348	. . . {with tracks oriented transverse to propulsive direction}	2005/106 {with drive shafts of second or further propellers co-axially passing through hub of first propeller, e.g. counter-rotating tandem propellers with co-axial drive shafts}
1/36	. . swinging sideways, e.g. fishtail type	5/125	. . movably mounted with respect to hull, e.g. adjustable in direction {, e.g. podded azimuthing thrusters} ({outboard units or Z-drives B63H 20/00 ; } movably mounted for steering purposes only, {rudders carrying propellers} B63H 25/42)
1/37	. . Moving-wave propellers, i.e. wherein the propelling means comprise a flexible undulating structure	5/1252	. . . {the ability to move being conferred by gearing in transmission between prime mover and propeller and the propulsion unit being other than in a "Z" configuration}
1/38	. characterised solely by flotation properties, e.g. drums	2005/1254	. . . {Podded azimuthing thrusters, i.e. podded thruster units arranged inboard for rotation about vertical axis}
3/00	Propeller-blade pitch changing {(aircraft propellers B64C 11/30 ; rotors of turbines F01D 7/00 ; axial wind motors F03D 7/022 ; axial-flow pumps F04D 29/00)}	2005/1256 {with mechanical power transmission to propellers}
3/002	. {with individually adjustable blades}	2005/1258 {with electric power transmission to propellers, i.e. with integrated electric propeller motors}
2003/004	. {comprising means for locking blades in position}	5/14	. . characterised by being mounted in non-rotating ducts or rings, e.g. adjustable for steering purpose (shrouding ring attached to blades B63H 1/16 ; jet propulsion B63H 11/00)
2003/006	. {Detecting or transmitting propeller-blade pitch angle}	5/15	. . . Nozzles, e.g. Kort-type
3/008	. {characterised by self-adjusting pitch, e.g. by means of springs, centrifugal forces, hydrodynamic forces}	5/16	. . characterised by being mounted in recesses; with stationary water-guiding elements; Means to prevent fouling of the propeller, e.g. guards, cages or screens
3/02	. actuated by control element coaxial with propeller shaft, e.g. the control element being rotary ({ B63H 3/002 takes precedence, fluid actuated B63H 3/081)}	5/165	. . . {Propeller guards, line cutters or other means for protecting propellers or rudders}
3/04	. . the control element being reciprocable	5/18	. . of emergency propellers, e.g. arranged at the side of the vessel
3/06	. characterised by use of non-mechanical actuating means, e.g. electrical (B63H 3/002 takes precedence)	5/20	. . . movable from a working position to a non-working position ({movable arrangements of propellers in general B63H 5/125 ; outboard propulsion units in general B63H 20/00 ; steering or dynamic anchoring by propellers used therefore only, or by rudders carrying propellers B63H 25/42)}
3/08	. . fluid		
3/081	. . . {actuated by control element coaxial with the propeller shaft}		
3/082 {the control element being axially reciprocable}		
2003/084 {with annular cylinder and piston}		
2003/085 {the control element having means for preventing rotation together with the propeller}		
2003/087	. . . {using gaseous fluids, e.g. steam or air}		
2003/088	. . . {characterised by supply of fluid actuating medium to control element, e.g. of hydraulic fluid to actuator co-rotating with the propeller}		
3/10	. characterised by having pitch control conjoint with propulsion plant control		
3/12	. the pitch being adjustable only when propeller is stationary (B63H 3/002 takes precedence)		
5/00	Arrangements on vessels of propulsion elements directly acting on water		
2005/005	. {Front propulsors, i.e. propellers, paddle wheels, or the like substantially arranged ahead of the vessels' midship section}	7/00	Propulsion directly actuated on air (jet propulsion B63H 11/00)
5/02	. of paddle wheels, e.g. of stern wheels	7/02	. using propellers
2005/025	. . {of Voith Schneider type}		
5/03	. . movably mounted with respect to the hull, e.g. having means to reposition paddle wheel assembly, or to retract paddle or to change paddle attitude		
5/04	. . with stationary water-guiding elements		
5/07	. of propellers (forming part of outboard units {or Z-drives} B63H 20/00)		
2005/075	. . {using non-azimuthing podded propulsor units, i.e. podded units without means for rotation about a vertical axis, e.g. rigidly connected to the hull}		
5/08	. . of more than one propeller		
5/10	. . . of coaxial type, e.g. of counter-rotative type		
2005/103 {of co-rotative type, i.e. rotating in the same direction, e.g. twin propellers}		

8/00 **Sail or rigging arrangements specially adapted for water sports boards, e.g. for windsurfing or kitesurfing**

WARNING

Group [B63H 8/00](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63H 9/04](#) and [B63H 9/06](#).

Group [B63H 8/00](#) is also impacted by reclassification into groups [B63H 8/20](#), [B63H 8/23](#), [B63H 8/25](#), [B63H 8/40](#), [B63H 8/50](#), [B63H 8/52](#), [B63H 8/54](#), [B63H 8/56](#), [B63H 8/58](#) and [B63H 8/70](#).

All groups listed in this Warning should be considered in order to perform a complete search.

8/10 **. . Kite-sails; Kite-wings; Control thereof; Safety means therefor**

WARNING

Group [B63H 8/10](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63H 9/04](#), [B63H 9/06](#) and [B64C 31/06](#).

Group [B63H 8/10](#) is also impacted by reclassification into groups [B63H 8/12](#), [B63H 8/14](#), [B63H 8/23](#), [B63H 8/25](#), [B63H 8/50](#), [B63H 8/52](#), [B63H 8/54](#), [B63H 8/56](#), [B63H 8/58](#) and [B63H 8/70](#).

All groups listed in this Warning should be considered in order to perform a complete search.

8/12 **. . Kites with inflatable closed compartments**

WARNING

Group [B63H 8/12](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63H 8/10](#), [B63H 9/04](#), [B63H 9/06](#) and [B64C 31/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

8/14 **. . Ram-air kites, i.e. kites at least partly inflated by air entering their leading edges during use**

WARNING

Group [B63H 8/14](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63H 8/10](#), [B63H 9/04](#), [B63H 9/06](#) and [B64C 31/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

8/16 **. . Control arrangements, e.g. control bars or control lines**

WARNING

Group [B63H 8/16](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63H 9/04](#), [B63H 9/06](#), [B63H 9/072](#) and [B64C 31/06](#).

Group [B63H 8/16](#) is also impacted by reclassification into groups [B63H 8/18](#), [B63H 8/23](#), [B63H 8/25](#), [B63H 8/50](#), [B63H 8/52](#), [B63H 8/54](#), [B63H 8/56](#) and [B63H 8/58](#).

All groups listed in this Warning should be considered in order to perform a complete search.

8/18 **. . Arrangements for connecting the user to a kite-sail; Kite-safety means, e.g. chicken loops, safety leashes or quick release mechanisms**

WARNING

Group [B63H 8/18](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63H 8/16](#), [B63H 9/04](#), [B63H 9/06](#), [B63H 9/072](#) and [B64C 31/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

8/20 **. . Rigging arrangements involving masts, e.g. for windsurfing**

WARNING

Group [B63H 8/20](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63H 8/00](#), [B63H 9/04](#) and [B63H 9/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

8/21 **. . Wishbones**

WARNING

Group [B63H 8/21](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63H 9/04](#) and [B63H 9/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 8/22 . . for connecting wishbones to the mast

WARNING

Group [B63H 8/22](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63H 9/04](#) and [B63H 9/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 8/23 . . for tensioning or trimming the clew of the sail, e.g. outhaul trimmers

WARNING

Group [B63H 8/23](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63B 7/085](#), [B63B 7/087](#), [B63B 32/00](#), [B63B 32/70](#), [B63B 35/00](#), [B63H 8/00](#), [B63H 8/10](#), [B63H 8/16](#), [B63H 8/52](#), [B63H 9/04](#), [B63H 9/06](#), [B63H 9/072](#) and [B64C 31/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 8/24 . . Arrangements for connecting the rigging to a board

WARNING

Group [B63H 8/24](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63B 1/24](#) - [B63B 1/30](#), [B63B 32/00](#), [B63B 32/68](#), [B63B 35/00](#), [B63H 9/04](#) and [B63H 9/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 8/25 . . Arrangements for connecting the sail to a mast foot, e.g. downhaul tensioners or mast foot extensions

WARNING

Group [B63H 8/25](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63B 7/085](#), [B63B 7/087](#), [B63B 32/00](#), [B63B 32/70](#), [B63B 35/00](#), [B63H 8/00](#), [B63H 8/10](#), [B63H 8/16](#), [B63H 8/52](#), [B63H 9/04](#), [B63H 9/06](#), [B63H 9/072](#) and [B64C 31/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 8/40 . Arrangements for improving or maintaining the aerodynamic profile of sails, e.g. cambers, battens or foil profiles

WARNING

Group [B63H 8/40](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63H 8/00](#), [B63H 9/04](#), [B63H 9/06](#) and [B63H 9/065](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 8/50 . Accessories, e.g. repair kits or kite launching aids

WARNING

Group [B63H 8/50](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63B 7/085](#), [B63B 7/087](#), [B63B 32/00](#), [B63B 32/70](#), [B63B 35/00](#), [B63H 8/00](#), [B63H 8/10](#), [B63H 8/16](#), [B63H 9/04](#), [B63H 9/06](#), [B63H 9/072](#) and [B64C 31/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 8/52 . . Handheld cleats, cams or hooks for tensioning the downhaul or outhaul of a windsurfing sail

WARNING

Group [B63H 8/52](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63B 7/085](#), [B63B 7/087](#), [B63B 32/00](#), [B63B 32/70](#), [B63B 35/00](#), [B63H 8/00](#), [B63H 8/10](#), [B63H 8/16](#), [B63H 9/04](#), [B63H 9/06](#), [B63H 9/072](#) and [B64C 31/06](#).

Group [B63H 8/52](#) is also impacted by reclassification into groups [B63H 8/23](#) and [B63H 8/25](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 8/54 . . Arrangements for connecting the user or the harness to the wishbone, e.g. trapeze lines or handgrips

WARNING

Group [B63H 8/54](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63B 7/085](#), [B63B 7/087](#), [B63B 32/00](#), [B63B 32/70](#), [B63B 35/00](#), [B63H 8/00](#), [B63H 8/10](#), [B63H 8/16](#), [B63H 9/04](#), [B63H 9/06](#), [B63H 9/072](#) and [B64C 31/06](#).

Group [B63H 8/54](#) is also impacted by reclassification into groups [B63H 8/56](#) and [B63H 8/58](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 8/56 . . Devices to distribute the user's load, e.g. harnesses

WARNING

Group [B63H 8/56](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63B 7/085](#), [B63B 7/087](#), [B63B 32/00](#), [B63B 32/70](#), [B63B 35/00](#), [B63H 8/00](#), [B63H 8/10](#), [B63H 8/16](#), [B63H 8/54](#), [B63H 9/04](#), [B63H 9/06](#), [B63H 9/072](#) and [B64C 31/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 8/58 . . . Spreader bars; Hook connection arrangements

WARNING

Group [B63H 8/58](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63B 7/085](#), [B63B 7/087](#), [B63B 32/00](#), [B63B 32/70](#), [B63B 35/00](#), [B63H 8/00](#), [B63H 8/10](#), [B63H 8/16](#), [B63H 8/54](#), [B63H 9/04](#), [B63H 9/06](#), [B63H 9/072](#) and [B64C 31/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 8/70 . Arrangements for handling, stowing or transport thereof

WARNING

Group [B63H 8/70](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#) - [B62B 15/005](#), [B63B 7/085](#), [B63B 7/087](#), [B63B 32/00](#), [B63B 32/70](#), [B63B 32/80](#), [B63B 35/00](#), [B63H 8/00](#), [B63H 8/10](#), [B63H 9/04](#), [B63H 9/06](#) and [B64C 31/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/00 **Marine propulsion provided directly by wind power** (wind-motors driving underwater propulsive elements [B63H 13/00](#))

- 9/02 . using Magnus effect
9/04 . using sails or like wind-catching surfaces (sail or rigging arrangements specially adapted for water sports boards, e.g. for windsurfing or kitesurfing [B63H 8/00](#))

WARNING

Group [B63H 9/04](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [B60K 16/00](#), [B60K 2016/006](#) and [B62B 15/00](#) - [B62B 15/005](#).

Group [B63H 9/04](#) is also impacted by reclassification into groups [B63H 8/00](#) - [B63H 8/70](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/06 . . Types of sail; Constructional features of sails; Arrangements thereof on vessels

WARNING

Group [B63H 9/06](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#), [B62B 15/001](#), [B62B 15/002](#), [B62B 15/003](#), [B62B 15/004](#) and [B62B 15/005](#).

Group [B63H 9/06](#) is also impacted by reclassification into groups [B63H 8/00](#) - [B63H 8/70](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/061 . . . Rigid sails; Aerofoil sails

WARNING

Group [B63H 9/061](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [B60K 16/00](#), [B60K 2016/006](#) and [B62B 15/00](#) - [B62B 15/005](#).

All groups listed in this Warning should be considered in order to perform a complete search.

9/0615 {Inflatable aerofoil sails}

WARNING

Group [B63H 9/0615](#) is incomplete pending reclassification of documents from group [A63C 5/11](#).

Groups [A63C 5/11](#) and [B63H 9/0615](#) should be considered in order to perform a complete search.

9/0621 {Rigid sails comprising one or more pivotally supported panels}

WARNING

Group [B63H 9/0621](#) is incomplete pending reclassification of documents from group [A63C 5/11](#).

Groups [A63C 5/11](#) and [B63H 9/0621](#) should be considered in order to perform a complete search.

9/0628 {the panels being pivotable about horizontal axes}

WARNING

Group [B63H 9/0628](#) is incomplete pending reclassification of documents from group [A63C 5/11](#).

Groups [A63C 5/11](#) and [B63H 9/0628](#) should be considered in order to perform a complete search.

9/0635 {the panels being pivotable about vertical axes}

WARNING

Group [B63H 9/0635](#) is incomplete pending reclassification of documents from group [A63C 5/11](#).

Groups [A63C 5/11](#) and [B63H 9/0635](#) should be considered in order to perform a complete search.

9/065 Battens (for water sports board sails [B63H 8/40](#))

WARNING

Group [B63H 9/065](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [B60K 16/00](#), [B60K 2016/006](#) and [B62B 15/00 - B62B 15/005](#).

Group [B63H 9/065](#) is also impacted by reclassification into group [B63H 8/40](#).

All groups listed in this Warning should be considered in order to perform a complete search.

9/067 Sails characterised by their construction or manufacturing process

WARNING

Group [B63H 9/067](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00](#), [B62B 15/001](#), [B62B 15/002](#), [B62B 15/003](#), [B62B 15/004](#) and [B62B 15/005](#).

All groups listed in this Warning should be considered in order to perform a complete search.

9/0671 {Moulded sails}

WARNING

Group [B63H 9/0671](#) is incomplete pending reclassification of documents from group [A63C 5/11](#).

Groups [A63C 5/11](#) and [B63H 9/0671](#) should be considered in order to perform a complete search.

9/0673 {Flying sails, e.g. spinnakers or gennakers}

WARNING

Group [B63H 9/0673](#) is incomplete pending reclassification of documents from group [A63C 5/11](#).

Groups [A63C 5/11](#) and [B63H 9/0673](#) should be considered in order to perform a complete search.

9/0678 {Laminated sails}

WARNING

Group [B63H 9/0678](#) is incomplete pending reclassification of documents from group [A63C 5/11](#).

Groups [A63C 5/11](#) and [B63H 9/0678](#) should be considered in order to perform a complete search.

9/068 Sails pivotally mounted at mast tip

WARNING

Group [B63H 9/068](#) is incomplete pending reclassification of documents from groups [A63C 5/11](#), [A63H 27/08](#), [A63H 27/082](#), [A63H 27/085](#), [A63H 27/087](#), [B60K 16/00](#), [B60K 2016/006](#), [B62B 15/00 - B62B 15/005](#), [B63H 9/069](#) and [B64C 31/06](#).

All groups listed in this Warning should be considered in order to perform a complete search.

9/069	. . .	Kite-sails for vessels	9/1007	{Trapeze systems (harnesses for windsurfers B63H 8/54 , B63H 8/56)}
		WARNING	9/1014	{with elastic connection to harnesses}
		Group B63H 9/069 is incomplete pending reclassification of documents from groups A63C 5/11 , A63H 27/08 , A63H 27/082 , A63H 27/085 , A63H 27/087 , B60K 16/00 , B60K 2016/006 , B62B 15/00 - B62B 15/005 and B64C 31/06 .	9/1021	{Reefing}
		Group B63H 9/069 is also impacted by reclassification into groups B63H 9/068 and B63H 9/071 .	9/1028	{by furling around stays}
		All groups listed in this Warning should be considered in order to perform a complete search.	9/1035	{by furling around or inside the mast}
9/071	for use in combination with other propulsion means, e.g. for improved fuel economy	9/1042	{by furling around or inside the boom}
		WARNING	2009/105	{using drives for actuating reefing mechanism, e.g. roll reefing drives}
		Group B63H 9/071 is incomplete pending reclassification of documents from groups A63C 5/11 , A63H 27/08 , A63H 27/082 , A63H 27/085 , A63H 27/087 , B60K 16/00 , B60K 2016/006 , B62B 15/00 - B62B 15/005 , B63H 9/069 and B64C 31/06 .	2009/1057	{using sheaves being friction driven by endless ropes or by ropes having two free ends}
		All groups listed in this Warning should be considered in order to perform a complete search.	2009/1064	{using drums driven by winding or unwinding single ropes onto or from the drums}
9/072	Control arrangements, e.g. for launching or recovery	9/1071	{Spinnaker poles or rigging, e.g. combined with spinnaker handling}
		WARNING	9/1078	{Boom brakes}
		Group B63H 9/072 is incomplete pending reclassification of documents from groups A63C 5/11 , A63H 27/08 , A63H 27/082 , A63H 27/085 , A63H 27/087 , B60K 16/00 , B60K 2016/006 , B62B 15/00 - B62B 15/005 and B64C 31/06 .	9/1085	{Boom vang}
		All groups listed in this Warning should be considered in order to perform a complete search.	9/1092	{Means for stowing, or securing sails when not in use (B63H 9/1021 takes precedence)}
		Group B63H 9/072 is also impacted by reclassification into groups B63H 8/16 , B63H 8/18 , B63H 8/23 , B63H 8/25 , B63H 8/50 , B63H 8/52 , B63H 8/54 , B63H 8/56 and B63H 8/58 .	11/00		Marine propulsion by water jets
9/08	. .	Connections of sails to masts, spars, or the like	2011/002	{using Coanda effect, i.e. the tendency of fluid jets to be attracted to nearby surfaces}
2009/082	. . .	{Booms, or the like}	2011/004	{using the eductor or injector pump principle, e.g. jets with by-pass fluid paths}
2009/084	. . .	{Gooseneck bearings, i.e. bearings for pivotal support of booms on masts}	2011/006	{with propulsive medium supplied from sources external to propelled vessel, e.g. water from public water supply}
2009/086	. . .	{by sliders, i.e. by shoes sliding in, or guided by channels, tracks or rails; , for connecting luffs, leeches, battens, or the like to masts, spars or booms}	2011/008	{Arrangements of two or more jet units}
2009/088	. . .	{Means for tensioning sheets, or other running rigging, adapted for being guided on rails, or the like mounted on deck, e.g. travellers or carriages with pulleys}	11/01	having means to prevent foreign material from clogging fluid passage way
9/10	. . .	Running rigging, e.g. reefing equipment (staying of masts B63B 15/02)	11/02	the propulsive medium being ambient water
			11/025	. . .	{by means of magneto-hydro-dynamic forces}
			11/04	. . .	by means of pumps
			2011/043	{with means for adjusting or varying pump inlets, e.g. means for varying inlet cross section area}
			2011/046	{comprising means for varying pump characteristics, e.g. rotary pumps with variable pitch impellers, or adjustable stators}
			11/06	of reciprocating type
			11/08	of rotary type
			2011/081	{with axial flow, i.e. the axis of rotation being parallel to the flow direction}
			2011/082	{with combined or mixed flow, i.e. the flow direction being a combination of centrifugal flow and non-centrifugal flow, e.g. centripetal or axial flow}
			2011/084	{with two or more pump stages}
			2011/085	{having counter-rotating impellers}
			2011/087	{with radial flow}
			2011/088	{using shear forces, e.g. disc pumps or Tesla pumps}
			11/09	by means of pressure pulses applied to a column of liquid, e.g. by ignition of an air/gas or vapour mixture
			11/10	having means for deflecting jet or influencing cross-section thereof
			11/101	{having means for deflecting jet into a propulsive direction substantially parallel to the plane of the pump outlet opening}

11/102 {the inlet opening and the outlet opening of the pump being substantially coplanar}	16/12	. . {using hand levers, cranks, pedals, or the like, e.g. water cycles, boats propelled by boat-mounted pedal cycles}
11/103	. . . having means to increase efficiency of propulsive fluid, e.g. discharge pipe provided with means to improve the fluid flow		WARNING
11/107	. . . Direction control of propulsive fluid { (B63H 11/101 takes precedence) }		This group is no longer used for classification of new documents as from 01.01.2012. The backlog of this group is being continuously reclassified to groups B63H 16/16 - B63H 16/20
11/11 with bucket or clamshell-type reversing means		
11/113 Pivoted outlet		
11/117 Pivoted vane	16/14	. . . {for propelled drive}
11/12	. the propulsive medium being steam or other gas		WARNING
11/14	. . the gas being produced by combustion		This group is no longer used for classification of new documents as from 01.01.2012. The backlog of this group is being continuously reclassified to groups B63H 16/16 - B63H 16/20
11/16	. . the gas being produced by other chemical processes		
13/00	Marine propulsion by wind motors driving water-engaging propulsive elements		
<hr/>			
15/00	Marine propulsion by use of vessel-mounted driving mechanisms co-operating with anchored chains or the like	16/16	. . using reciprocating pull cable, i.e. a strand-like member movable alternately backward and forward
16/00	Marine propulsion by muscle power	2016/165	. . . {comprising means for transforming oscillating movement into rotary movement, e.g. for driving propeller shafts}
2016/005	. {used on vessels dynamically supported, or lifted out of the water by hydrofoils}	16/18	. . using sliding {or pivoting} handle or pedal, i.e. the motive force being transmitted to a propelling means by means of a lever operated by the hand or foot of the occupant
16/02	. Movable thwarts; Footrests	2016/185	. . . {comprising means for transforming oscillating movement into rotary movement, e.g. for driving propeller shafts}
16/04	. Oars; Sculls; Paddles; Poles	16/20	. . using rotary cranking arm
2016/043	. . {Stop sleeves or collars for positioning oars in rowlocks, e.g. adjustable}	2016/202	. . . {specially adapted or arranged for being actuated by the feet of the user, e.g. using bicycle-like pedals}
2016/046	. . {Oars for single-oar sculling, i.e. for propelling boats by swinging single stern-mounted oars from side to side; Use or arrangements thereof on boats}	2016/205 {making use of standard bicycles}
16/06	. Rowlocks; Mountings therefor	2016/207 {without wheels}
2016/063	. . {Rowlocks mounted on movable support structures}	19/00	Marine propulsion not otherwise provided for
16/067	. . Rowlocks mounted on a structure extending beyond the gunwale of the vessel	19/02	. by using energy derived from movement of ambient water, e.g. from rolling or pitching of vessels
16/073	. . having oar shaft restraining means	19/04	. . propelled by water current
16/08	. Other apparatus for converting muscle power into propulsive effort	19/06	. by discharging gas into ambient water
2016/085	. . {comprising means for transmitting muscular power applied in oscillatory or rotary manner to a rotary input shaft of a reversing transmission, e.g. alternatively allowing for ahead or astern propulsion}	19/08	. by direct engagement with water-bed or ground
16/10	. . for bow-facing rowing	20/00	Outboard propulsion units, e.g. outboard motors or Z-drives; Arrangements thereof on vessels
16/102	. . . {by using an inverting mechanism between the handgrip and the blade, e.g. a toothed transmission}	20/001	. {Arrangements, apparatus and methods for handling fluids used in outboard drives (for handling exhaust gas B63H 20/24 ; for handling cooling-water B63H 20/28 ; cooling outboard marine engines F01P 3/202 ; air intakes for outboard marine engines F02M 35/167)}
16/105 {the mechanism having articulated rods}	20/002	. . {for handling lubrication liquids (in engines, e.g. outboard marine engines, F01M)}
16/107	. . . {by placing the fulcrum outside the segment defined by handgrip and blade}	2020/003	. {Arrangements of two, or more outboard propulsion units}
		2020/005	. {Arrangements of two or more propellers, or the like on single outboard propulsion units}
		2020/006	. . {of coaxial type, e.g. of counter-rotative type}
		20/007	. {Trolling propulsion units (trolling plates for slowing down B63H 25/50 ; dynamo-electric machines of trolling units H02K)}

2020/008	<ul style="list-style-type: none"> • {Tools, specially adapted for maintenance, mounting, repair, or the like of outboard propulsion units, e.g. of outboard motors or Z-drives} 	20/36	<ul style="list-style-type: none"> • Transporting or testing stands {(hand carts for transporting outboard units B62B; measuring torque G01L 3/00, measuring thrust of propellers G01L 5/133, testing in general G01M); Use of outboard propulsion units as pumps}; Protection of power legs {, e.g. when not in use}
20/02	<ul style="list-style-type: none"> • Mounting of propulsion units (B63H 20/08 takes precedence) 		
2020/025	<ul style="list-style-type: none"> • • {Sealings specially adapted for mountings of outboard drive units; Arrangements thereof, e.g. for transom penetrations} 	21/00	Use of propulsion power plant or units on vessels
20/04	<ul style="list-style-type: none"> • • in a well 		NOTE
20/06	<ul style="list-style-type: none"> • • on an intermediate support 		This group comprises arrangements of propulsion power plant or units on vessels and to some extent it includes adaptations of such plant or units to facilitate such arrangements
20/08	<ul style="list-style-type: none"> • Means enabling movement of the position of the propulsion element, e.g. for trim, tilt or steering; Control of trim or tilt (initiating means for steering B63H 25/02) 		
20/10	<ul style="list-style-type: none"> • • Means enabling trim or tilt, or lifting of the propulsion element when an obstruction is hit; Control of trim or tilt 	2021/003	<ul style="list-style-type: none"> • {the power plant using fuel cells for energy supply or accumulation, e.g. for buffering photovoltaic energy}
2020/103	<ul style="list-style-type: none"> • • • {using a flexible member for enabling or controlling tilt or lifting, e.g. a cable} 	2021/006	<ul style="list-style-type: none"> • {the vessel being driven by hot gas positive-displacement engine plants of closed-cycle type, e.g. Stirling engines}
20/106	<ul style="list-style-type: none"> • • • {Means enabling lifting of the propulsion element in a substantially vertical, linearly sliding movement} 	21/02	<ul style="list-style-type: none"> • the vessels being steam-driven (B63H 21/18 takes precedence)
20/12	<ul style="list-style-type: none"> • • Means enabling steering 	21/04	<ul style="list-style-type: none"> • • relating to positive-displacement steam engines
20/14	<ul style="list-style-type: none"> • Transmission between propulsion power unit and propulsion element 	21/06	<ul style="list-style-type: none"> • • relating to steam turbines
2020/145	<ul style="list-style-type: none"> • • {comprising means for permitting telescoping movement of components of the outboard propulsion unit, e.g. telescoping movement of power leg} 	21/08	<ul style="list-style-type: none"> • • relating to steam boilers
20/16	<ul style="list-style-type: none"> • • allowing movement of the propulsion element in a horizontal plane only, e.g. for steering 	21/10	<ul style="list-style-type: none"> • • relating to condensers or engine-cooling fluid heat-exchangers
20/18	<ul style="list-style-type: none"> • • allowing movement of the propulsion element about a longitudinal axis, e.g. the through transom shaft (B63H 20/22 takes precedence) 	21/12	<ul style="list-style-type: none"> • the vessels being motor-driven (B63H 21/175, B63H 21/18 take precedence; {cooling circuits with liquid-to-liquid heat-exchange relative to marine vessels F01P 3/207})
20/20	<ul style="list-style-type: none"> • • with provision for reverse drive 		WARNING
20/22	<ul style="list-style-type: none"> • • allowing movement of the propulsion element about at least a horizontal axis without disconnection of the drive, e.g. using universal joints 		Group B63H 21/12 is no longer used for classification of vessels being motor-driven by electric motor, powered by land vehicle supported by vessel, and powered by nuclear energy. These documents are in the process of being reorganised to groups B63H 21/17 , B63H 21/175 , and B63H 21/18 respectively
20/24	<ul style="list-style-type: none"> • {Arrangements, apparatus and methods for handling exhaust gas in outboard drives, e.g. } exhaust gas outlets {(in engines, e.g. outboard marine engines, F01N)} 	21/14	<ul style="list-style-type: none"> • • relating to internal-combustion engines {(of outboard type B63H 20/00)}
20/245	<ul style="list-style-type: none"> • • {Exhaust gas outlets (B63H 20/26 takes precedence)} 	21/16	<ul style="list-style-type: none"> • • relating to gas turbines
20/26	<ul style="list-style-type: none"> • • {Exhaust gas outlets} passing through the propeller or its hub 	21/165	<ul style="list-style-type: none"> • • by hydraulic fluid motor, i.e. wherein a liquid under pressure is utilised to rotate the propelling means {(transmission from power plant or unit to propeller using fluid gearing <i>per se</i> B63H 23/26)}
20/28	<ul style="list-style-type: none"> • {Arrangements, apparatus and methods for handling cooling-water in outboard drives, e.g. } cooling-water intakes {(cooling circuits for outboard marine engines F01P 3/202)} 	21/17	<ul style="list-style-type: none"> • • by electric motor
20/285	<ul style="list-style-type: none"> • • {Cooling-water intakes (B63H 20/28 takes precedence)} 	2021/171	<ul style="list-style-type: none"> • • • {making use of photovoltaic energy conversion, e.g. using solar panels}
20/30	<ul style="list-style-type: none"> • • {Cooling-water intakes} for flushing {(circuits for flushing outboard marine engines F01P 3/205)} 	2021/173	<ul style="list-style-type: none"> • • • {making use of superconductivity}
20/32	<ul style="list-style-type: none"> • Housings {(air intakes for outboard engines F02M 35/167)} 	21/175	<ul style="list-style-type: none"> • the vessel being powered by land vehicle supported by vessel
2020/323	<ul style="list-style-type: none"> • • {Gear cases} 	21/18	<ul style="list-style-type: none"> • the vessels being powered by nuclear energy
2020/326	<ul style="list-style-type: none"> • • • {having a dividing plane substantially in plane with the axes of the transmission shafts} 	21/20	<ul style="list-style-type: none"> • the vessels being powered by combinations of different types of propulsion units
20/34	<ul style="list-style-type: none"> • • comprising stabilising fins {, foils, anticavitation plates, splash plates, or rudders (rudders carrying propellers B63H 25/42; rudders carrying jets B63H 25/46)} 	2021/202	<ul style="list-style-type: none"> • • {of hybrid electric type}
		2021/205	<ul style="list-style-type: none"> • • • {the second power unit being of the internal combustion engine type, or the like, e.g. a Diesel engine}
		2021/207	<ul style="list-style-type: none"> • • • {the second power unit being a gas turbine}
		21/21	<ul style="list-style-type: none"> • Control means for engine or transmission, specially adapted for use on marine vessels

21/213	. . {Levers or the like for controlling the engine or the transmission, e.g. single hand control levers}	2023/0233 {of belts having a toothed contact surface, or regularly spaced bosses, or hollows for slip-less or nearly slip-less meshing with complementary profiled contact surface of a pulley}
2021/216	. . {using electric control means}	2023/0241 {of V-belts, i.e. belts of tapered cross section}
21/22	. the propulsion power units being controlled from exterior of engine room, e.g. from navigation bridge; Arrangements of order telegraphs	2023/025	. . . {by means of chains}
21/24	. {the vessels being small craft, e.g. racing boats}	2023/0258	. . {comprising gearings with variable gear ratio, other than reversing drives or trolling drives}
21/26	. . {of outboard type; Outboard propulsion power units movably installed for steering, reversing, tilting, or the like (transom panels for outboard motors for inflatable boats B63B 7/087 ; floating propeller units B63B 35/665)}	2023/0266	. . . {comprising gearings with automatically variable gear ratio, other than continuously variable transmissions or trolling drives}
WARNING		2023/0275	. . . {comprising means for conveying rotary motion with continuously variable gear ratio, e.g. continuously variable transmissions using endless flexible members}
Group B63H 21/26 and subgroups are no longer used for classification. Documents are in the process of being reorganised to B63H 5/125 , and subgroups, to B63H 20/00 , and subgroups, and to B63H 25/42		2023/0283	. . {using gears having orbital motion}
21/265	. . . {Steering or control devices for outboards (steering by rudders B63H 25/06 ; control handles for boats B63H 21/213)}	2023/0291	. . {Trolling gears, i.e. mechanical power transmissions comprising controlled slip clutches, e.g. for low speed propulsion}
21/28	. . . {Arrangements of transmission between propulsion power unit and propulsive element}	23/04	. . the main transmitting element, e.g. shaft, being substantially vertical
21/30	. Mounting of propulsion plant or unit, e.g. for anti-vibration purposes (hull reinforcements therefor B63B 3/70)	23/06	. . for transmitting drive from a single propulsion power unit
21/302	. . {with active vibration damping}	2023/062	. . . {comprising means for simultaneously driving two or more main transmitting elements, e.g. drive shafts}
21/305	. . {with passive vibration damping}	2023/065 {having means for differentially varying the speed of the main transmitting elements, e.g. of the drive shafts}
2021/307	. . {Arrangements, or mountings of propulsion power plant elements in modular propulsion power units, e.g. using containers}	2023/067 {the elements being formed by two or more coaxial shafts, e.g. counter-rotating shafts}
21/32	. Arrangements of propulsion power-unit exhaust uptakes; Funnels peculiar to vessels	23/08	. . with provision for reversing drive
21/34	. . having exhaust-gas deflecting means	23/10	. . for transmitting drive from more than one propulsion power unit
21/36	. Covers or casing arranged to protect plant or unit from marine environment	23/12	. . . allowing combined use of the propulsion power units
21/38	. Apparatus or methods specially adapted for use on marine vessels, for handling power plant or unit liquids, e.g. lubricants, coolants, fuels or the like ((in outboard drives B63H 20/001 ;) lubricating or cooling machines or engines in general F01 - F04)	23/14 with unidirectional drive or where reversal is immaterial
21/383	. . {for handling cooling-water (in outboard drives B63H 20/28 ; in machines or engines in general F01P 3/00)}	23/16 characterised by provision of reverse drive
21/386	. . {for handling lubrication liquids (in machines or engines in general F01M)}	23/18	. . . for alternative use of the propulsion power units
23/00	Transmitting power from propulsion power plant to propulsive elements (adaptation of transmission to allow adjustment in direction of propellers B63H 5/125 ; transmission between wind motors and propulsive elements B63H 13/00 ; in outboard propulsion units B63H 20/14 ; adaptation of transmission to allow adjustment of location of propellers B63H 20/08)	23/20 with separate forward and astern propulsion power units, e.g. turbines
2023/005	. {using a drive acting on the periphery of a rotating propulsive element, e.g. on a dented circumferential ring on a propeller, or a propeller acting as rotor of an electric motor}	23/22	. with non-mechanical gearing
23/02	. with mechanical gearing	23/24	. . electric {(dynamo-electric machines H02K)}
2023/0208	. . {by means of endless flexible members}	2023/245	. . . {with two or more electric motors directly acting on a single drive shaft, e.g. plurality of electric rotors mounted on one common shaft, or plurality of electric motors arranged coaxially one behind the other with rotor shafts coupled together}
2023/0216	. . . {by means of belts, or the like}	23/26	. . fluid
2023/0225 {of grooved belts, i.e. with one or more grooves in longitudinal direction of the belt}	23/28	. with synchronisation of propulsive elements
		23/30	. characterised by use of clutches
		2023/305	. . {using fluid or semifluid as power transmitting means}
		23/32	. Other parts
		23/321	. . {Bearings or seals specially adapted for propeller shafts}
		2023/322	. . . {Intermediate propeller shaft bearings, e.g. with provisions for shaft alignment}

2023/323	. . . {Bearings for coaxial propeller shafts, e.g. for driving propellers of the counter-rotative type}	25/18 Transmitting of movement of initiating means to steering engine
2023/325	. . . {Thrust bearings, i.e. axial bearings for propeller shafts}	25/20 by mechanical means
23/326	. . . {Water lubricated bearings}	25/22 by fluid means
2023/327	. . . {Sealings specially adapted for propeller shafts or stern tubes}	25/24 by electrical means
2023/328	. . {Marine transmissions characterised by the use of brakes, other than propeller shaft brakes; Brakes therefor}	25/26 Steering engines
23/34	. . Propeller shafts; Paddle-wheel shafts; Attachment of propellers on shafts	25/28 of fluid type
2023/342	. . . {comprising couplings, e.g. resilient couplings; Couplings therefor}	25/30 hydraulic
2023/344	. . . {comprising flexible shafts members}	25/32 steam
2023/346	. . . {comprising hollow shaft members}	25/34 Transmitting of movement of engine to rudder, e.g. using quadrants, brakes
2023/348	. . . {with turning or inching gear, i.e. with means for slowly rotating, or for angularly positioning of shafts or propulsive elements mounted thereon}	25/36	. . Rudder-position indicators
23/35	. . . Shaft braking or locking, i.e. means to slow or stop the rotation of the propeller shaft or to prevent the shaft from initial rotation	25/38	. . Rudders
23/36	. . Shaft tubes	25/381	. . . {with flaps}
25/00	Steering; Slowing-down otherwise than by use of propulsive elements (using movably-installed outboard propulsion units B63H 20/00); Dynamic anchoring, i.e. positioning vessels by means of main or auxiliary propulsive elements	25/382	. . . {movable otherwise than for steering purposes; Changing geometry}
2025/005	. {Steering specially adapted for towing trains, tug-barge systems, or the like; Equipment or accessories therefor}	25/383 {with deflecting means able to reverse the water stream direction}
25/02	. Initiating means for steering {, for slowing down, otherwise than by use of propulsive elements, or for dynamic anchoring}	2025/384 {with means for retracting or lifting}
2025/022	. . {Steering wheels; Posts for steering wheels}	2025/385 {by pivoting}
2025/024	. . {Handle-bars; Posts for supporting handle-bars, e.g. adjustable posts}	2025/386 {by sliding, e.g. telescopic}
2025/026	. . {using multi-axis control levers, or the like, e.g. joysticks, wherein at least one degree of freedom is employed for steering, slowing down, or dynamic anchoring}	2025/387	. . . {comprising two or more rigidly interconnected mutually spaced blades pivotable about a common rudder shaft, e.g. parallel twin blades mounted on a pivotable supporting frame}
2025/028	. . {using remote control means, e.g. wireless control; Equipment or accessories therefor}	2025/388	. . . {with varying angle of attack over the height of the rudder blade, e.g. twisted rudders}
25/04	. . automatic, e.g. reacting to compass	25/40	. . . using Magnus effect
2025/045	. . . {making use of satellite radio beacon positioning systems, e.g. the Global Positioning System [GPS]}	25/42	. Steering or dynamic anchoring by propulsive elements (by jets B63H 25/46); Steering or dynamic anchoring by propellers used therefor only; Steering or dynamic anchoring by rudders carrying propellers
25/06	. Steering by rudders (by rudders carrying propellers B63H 25/42)	2025/425	. . {Propulsive elements, other than jets, substantially used for steering or dynamic anchoring only, with means for retracting, or otherwise moving to a rest position outside the water flow around the hull}
2025/063	. . {Arrangements of rudders forward of the propeller position, e.g. of backing rudders; Arrangements of rudders on the forebody of the hull; Steering gear therefor}	25/44	. Steering or slowing-down by extensible flaps or the like
2025/066	. . {Arrangements of two or more rudders; Steering gear therefor}	25/46	. Steering or dynamic anchoring by jets {or by rudders carrying jets (steering or dynamic anchoring by deflecting or directing main propulsion jets B63H 11/00)}
25/08	. . Steering gear	2025/465	. . {Jets or thrusters substantially used for steering or dynamic anchoring only, with means for retracting, or otherwise moving to a rest position outside the water flow around the hull}
25/10	. . . with mechanical transmission	25/48	. Steering or slowing-down by deflection of propeller slipstream otherwise than by rudder
25/12	. . . with fluid transmission	25/50	. Slowing-down means not otherwise provided for
25/14	. . . power assisted; power driven, i.e. using steering engine	25/52	. Parts for steering not otherwise provided for
25/16 with alternative muscle or power operated steering		