

# CPC COOPERATIVE PATENT CLASSIFICATION

## G PHYSICS (NOTES omitted)

### INSTRUMENTS

## G10 MUSICAL INSTRUMENTS; ACOUSTICS (NOTES omitted)

## G10K SOUND-PRODUCING DEVICES ([sound-producing toys A63H 5/00](#)); METHODS OR DEVICES FOR PROTECTING AGAINST, OR FOR DAMPING, NOISE OR OTHER ACOUSTIC WAVES IN GENERAL; ACOUSTICS NOT OTHERWISE PROVIDED FOR

### NOTES

1. This subclass covers arrangements for generating mechanical vibrations in fluids.
2. This subclass covers also the production of sounds which may not be audible to human beings but which are audible to animals.
3. In this subclass, the following terms are used with the meanings indicated:
  - "acoustics" and "sound" cover the technical field dealing with mechanical vibrations at all infrasonic -, sonic - and ultrasonic frequencies. However, generation or transmission of mechanical waves, in general, is covered by subclass [B06B](#), subject to the exception specified in Note (1) above.

### WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

<b>1/00</b>	<b>Devices in which sound is produced by striking a resonating body, e.g. bells, chimes, gong</b> (combinations with clocks or watches <a href="#">G04B</a> , <a href="#">G04C</a> ; carillons <a href="#">G10F 1/10</a> ; {for percussion instruments <a href="#">G10D 13/00</a> })	1/34	. . . Operating mechanisms
1/06	. the resonating devices having the shape of a bell, plate, rod, or tube ( <a href="#">bells for towers G10K 1/28</a> )	1/341	. . . . {for a still-standing bell}
1/062	. . electrically operated {(self-interrupting relays <a href="#">H01H 51/34</a> )}	1/342	. . . . . {electrically operated}
1/063	. . . the sounding member being a bell	1/344	. . . . . {for an oscillating bell which is driven once per cycle}
1/064	. . . . Operating or striking mechanisms therefor	1/345	. . . . . {electrically operated}
1/0645	. . . . . {provided with loudness adjustment}	1/347	. . . . . {for an oscillating bell which is driven twice per cycle}
1/065	. . . . . for timed or repeated operation {(alarm-clocks <a href="#">G04C 21/00</a> )}	1/348	. . . . . {electrically operated}
1/066	. . . the sounding member being a tube, plate or rod	1/36	. . . Means for silencing or damping ( <a href="#">means or arrangements for avoiding or reducing out-of-balance forces due to motion F16F 15/00</a> )
1/067	. . . . Operating or striking mechanisms therefor	1/38	. . . Supports; Mountings
1/068	. . hydraulically operated; pneumatically operated	<b>3/00</b>	<b>Rattles or like noise-producing devices {, e.g. door-knockers}</b>
1/07	. . mechanically operated; Hand bells; Bells for animals	<b>5/00</b>	<b>Whistles</b>
1/071	. . . Hand bells; Bells for animals	5/02	. Ultrasonic whistles
1/072	. . . Operating or striking mechanisms therefor	<b>7/00</b>	<b>Sirens</b>
1/074	. . . . with rotary clappers or shells	7/005	. {Ultrasonic sirens}
1/076	. . . . for timed or repeated operation {(alarm-clocks <a href="#">G04B 23/00</a> )}	7/02	. in which the sound-producing member is rotated manually or by a motor ( <a href="#">G10K 7/06 takes precedence {; musical tops A63H 1/28}</a> )
1/08	. . Details or accessories of general applicability	7/04	. . by an electric motor
1/10	. . . Sounding members; Mounting thereof; Clappers or other strikers	7/06	. in which the sound-producing member is driven by a fluid, e.g. by a compressed gas {(fluidically operated vibrators <a href="#">B06B 1/18</a> )}
1/26	. . . Mountings; Casings		
1/28	. Bells for towers or the like		
1/30	. . Details or accessories		
1/32	. . . Sounding members; Clappers or other strikers		

<b>9/00</b>	<b>Devices in which sound is produced by vibrating a diaphragm or analogous element, e.g. fog horns, vehicle hooter, buzzer (loudspeakers or like acoustic electromechanical transducers <a href="#">H04R</a> {; arrangement or adaptation for ships <a href="#">B63B 45/08</a>; mechanically driven vibrators <a href="#">B06B 1/10</a>})</b>	11/08	• Non-electric sound-amplifying devices, e.g. non-electric megaphones ( <a href="#">amplifying by horns <a href="#">G10K 11/02</a>; amplifying by focusing <a href="#">G10K 11/26</a></a> )
9/02	• driven by gas; e.g. suction operated	11/16	• Methods or devices for protecting against, or for damping, noise or other acoustic waves in general ( <a href="#">G10K 11/36</a> takes precedence)
9/04	• . by compressed gases, e.g. compressed air		<b>NOTE</b>
9/06	• . produced by detonation		This group <u>does not cover</u> protecting against, or damping of, acoustic waves adapted for particular applications, which are covered by the subclasses for these applications, provided that there is a specific provision for this aspect.
9/08	• driven by water or other liquids		
9/10	• driven by mechanical means only		
9/12	• electrically operated		
	<b>NOTE</b>		
	This group <u>does not cover</u> the construction of, or circuits for, broadband-transducers such as loudspeakers or microphones, which are covered by subclass <a href="#">H04R</a> .	11/161	• . {in systems with fluid flow ( <a href="#">G10K 11/162</a> takes precedence; gas flow silencers or exhaust apparatus for machines or engines in general or for internal combustion engine <a href="#">F01N</a> , noise absorbers in pipes or pipe systems <a href="#">F16L 55/02</a> ; noise absorption in air conditioning and ventilation <a href="#">F24F 13/24</a> ; silencing exhaust or propulsion jets in aircraft <a href="#">B64D 33/06</a> )}
9/121	• . {Flexensional transducers}	11/162	• . Selection of materials
9/122	• . using piezo-electric driving means {( <a href="#">G10K 9/121</a> takes precedence)}	11/165	• . . Particles in a matrix
9/125	• . . with a plurality of active elements	11/168	• . . Plural layers of different materials, e.g. sandwiches
9/128	• . using magnetostrictive driving means {( <a href="#">G10K 9/121</a> takes precedence)}		<b>NOTE</b>
9/13	• . using electromagnetic driving means		When classifying in this group, classification is also made in subclass <a href="#">B32B</a> , in so far as any layered product is concerned.
	<b>NOTE</b>		
	<u>see provisionally also <a href="#">G10K 9/12</a></u>		
9/15	• . . Self-interrupting arrangements	11/172	• . using resonance effects
9/16	• . with means for generating current by muscle power	11/175	• . using interference effects; Masking sound
9/18	• Details, e.g. bulbs, pumps, pistons, switch, casing {(cones, diaphragms <a href="#">G10K 13/00</a> )}	11/178	• . . by electro-acoustically regenerating the original acoustic waves in anti-phase
9/20	• . Sounding members		<b>NOTE</b>
9/22	• . Mountings; Casings		{ When classifying in any of the groups <a href="#">G10K 11/1781</a> - <a href="#">G10K 11/17861</a> , classification is also made in at least one subgroup of <a href="#">G10K 11/1787</a> . }
<b>11/00</b>	<b>Methods or devices for transmitting, conducting or directing sound in general; Methods or devices for protecting against, or for damping, noise or other acoustic waves in general</b>		<b>WARNING</b>
11/002	• {Devices for damping, suppressing, obstructing or conducting sound in acoustic devices ( <a href="#">G10K 1/06</a> - <a href="#">G10K 1/10</a> take precedence; for electro-mechanical transducers for communication <a href="#">H04R 3/002</a> )}		Group <a href="#">G10K 11/178</a> is impacted by reclassification into groups <a href="#">G10K 11/1781</a> - <a href="#">G10K 11/17885</a> .
11/004	• {Mounting transducers, e.g. provided with mechanical moving or orienting device (mountings specially adapted to a particular sound-producing device, <u>see</u> the preceding groups <a href="#">G10K 1/00</a> - <a href="#">G10K 9/00</a> , e.g. <a href="#">G10K 1/26</a> , <a href="#">G10K 1/28</a> , <a href="#">G10K 9/22</a> ; arrangements of sonic watch equipment on submarines <a href="#">B63G 8/39</a> ; buoys <a href="#">B63B 22/00</a> )}		All groups listed in this Warning should be considered in order to perform a complete search.
11/006	• . {Transducer mounting in underwater equipment, e.g. sonobuoys}		
11/008	• . . {Arrays of transducers (seismic streamers, <u>see</u> <a href="#">G01V 1/20</a> )}		
11/02	• Mechanical acoustic impedances; Impedance matching, e.g. by horns; Acoustic resonators		
11/025	• . {horns for impedance matching ( <u>see</u> provisionally also <a href="#">G10K 11/28</a> )}		
11/04	• . Acoustic filters {; Acoustic resonators}		

- 11/1781 . . . . {characterised by the analysis of input or output signals, e.g. frequency range, modes, transfer functions}

**WARNING**

Groups [G10K 11/1781](#), [G10K 11/17813](#), [G10K 11/17815](#), [G10K 11/17817](#), [G10K 11/17819](#), [G10K 11/17821](#), [G10K 11/17823](#), [G10K 11/17825](#), [G10K 11/17827](#) are incomplete pending reclassification of documents from group [G10K 11/178](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 11/17813 . . . . {characterised by the analysis of the acoustic paths, e.g. estimating, calibrating or testing of transfer functions or cross-terms}
- 11/17815 . . . . {between the reference signals and the error signals, i.e. primary path}
- 11/17817 . . . . {between the output signals and the error signals, i.e. secondary path}
- 11/17819 . . . . {between the output signals and the reference signals, e.g. to prevent howling}
- 11/17821 . . . . {characterised by the analysis of the input signals only}
- 11/17823 . . . . {Reference signals, e.g. ambient acoustic environment}
- 11/17825 . . . . {Error signals}
- 11/17827 . . . . {Desired external signals, e.g. pass-through audio such as music or speech}
- 11/1783 . . . . {handling or detecting of non-standard events or conditions, e.g. changing modes under specific operating conditions}

**WARNING**

Groups [G10K 11/1783](#), [G10K 11/17833](#), [G10K 11/17835](#) and [G10K 11/17837](#) are incomplete pending reclassification of documents from group [G10K 11/178](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 11/17833 . . . . {by using a self-diagnostic function or a malfunction prevention function, e.g. detecting abnormal output levels}
- 11/17835 . . . . {using detection of abnormal input signals}
- 11/17837 . . . . {by retaining part of the ambient acoustic environment, e.g. speech or alarm signals that the user needs to hear}

- 11/1785 . . . . {Methods, e.g. algorithms; Devices ([G10K 11/1781](#), [G10K 11/1783](#) take precedence)}

**WARNING**

Groups [G10K 11/1785](#), [G10K 11/17853](#), [G10K 11/17854](#), [G10K 11/17855](#), [G10K 11/17857](#) and [G10K 11/17861](#) are incomplete pending reclassification of documents from group [G10K 11/178](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 11/17853 . . . . {of the filter, e.g. leakage tuning}
- 11/17854 . . . . {the filter being an adaptive filter}
- 11/17855 . . . . {for improving speed or power requirements}
- 11/17857 . . . . {Geometric disposition, e.g. placement of microphones}
- 11/17861 . . . . {using additional means for damping sound, e.g. using sound absorbing panels}
- 11/1787 . . . . {General system configurations}

**WARNING**

Groups [G10K 11/1787](#), [G10K 11/17873](#), [G10K 11/17875](#), [G10K 11/17879](#), [G10K 11/17881](#), [G10K 11/17883](#) and [G10K 11/17885](#) are incomplete pending reclassification of documents from group [G10K 11/178](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 11/17873 . . . . {using a reference signal without an error signal, e.g. pure feedforward}
- 11/17875 . . . . {using an error signal without a reference signal, e.g. pure feedback}
- 11/17879 . . . . {using both a reference signal and an error signal}
- 11/17881 . . . . {the reference signal being an acoustic signal, e.g. recorded with a microphone}
- 11/17883 . . . . {the reference signal being derived from a machine operating condition, e.g. engine RPM or vehicle speed}
- 11/17885 . . . . {additionally using a desired external signal, e.g. pass-through audio such as music or speech}

**NOTE**

{When classifying in this group, classification is also made in the other appropriate groups under [G10K 11/1787](#).}

- 11/18 . . . . Methods or devices for transmitting, conducting, or directing sound ([G10K 11/02](#), [G10K 11/36](#) take precedence; medical stethoscopes [A61B 7/02](#))
- 11/20 . . . . Reflecting arrangements ([G10K 11/28](#) takes precedence)
- 11/205 . . . . {for underwater use}
- 11/22 . . . . for conducting sound through hollow pipes, e.g. speaking tubes
- 11/24 . . . . for conducting sound through solid bodies, e.g. wires

11/26	. . Sound-focusing or directing, e.g. scanning {(horns for impedance matching <a href="#">G10K 11/02</a> ; megaphones <a href="#">G10K 11/08</a> )}	2210/105	. . Appliances, e.g. washing machines or dishwashers
11/28	. . . using reflection, e.g. parabolic reflector {(hearing aids <a href="#">A61F 11/008</a> )}	2210/1051	. . . Camcorder
11/30	. . . using refraction, e.g. acoustic lenses	2210/1052	. . . Copiers or other image-forming apparatus, e.g. laser printer
11/32	. . . characterised by the shape of the source	2210/1053	. . . Hi-fi, i.e. anything involving music, radios or loudspeakers
11/34	. . . using electrical steering of transducer arrays, e.g. beam steering {(constructional aspects <a href="#">B06B 1/0607</a> , <a href="#">B06B 1/085</a> )}	2210/1054	. . . Refrigerators
11/341	. . . . {Circuits therefor}	2210/106	. . Boxes, i.e. active box covering a noise source; Enclosures
11/343	. . . . {using frequency variation or different frequencies}	2210/107	. . Combustion, e.g. burner noise control of jet engines (internal combustion engines <a href="#">G10K 2210/121</a> )
11/345	. . . . {using energy switching from one active element to another}	2210/108	. . Communication systems, e.g. where useful sound is kept and noise is cancelled
11/346	. . . . {using phase variation}	2210/1081	. . . Earphones, e.g. for telephones, ear protectors or headsets
11/348	. . . . {using amplitude variation}	2210/1082	. . . Microphones, e.g. systems using "virtual" microphones
11/35	. . . using mechanical steering of transducers {or their beams}	2210/109	. . Compressors, e.g. fans
11/352	. . . . {by moving the transducer}	2210/11	. . Computers, i.e. ANC of the noise created by cooling fan, hard drive or the like
11/355	. . . . {Arcuate movement}	2210/111	. . Directivity control or beam pattern
11/357	. . . . {by moving a reflector}	2210/112	. . Ducts (vehicle exhausts <a href="#">G10K 2210/12822</a> )
11/36	. Devices for manipulating acoustic surface waves (electro-acoustic amplifiers <a href="#">H03F 13/00</a> ; networks comprising electro-acoustic elements <a href="#">H03H 9/00</a> )	2210/113	. . Elevators
<b>13/00</b>	<b>Cones, diaphragms, or the like, for emitting or receiving sound in general (for electromechanical transducers <a href="#">H04R 7/00</a>)</b>	2210/114	. . Feeders, i.e. of the vibrating kind
<b>15/00</b>	<b>Acoustics not otherwise provided for</b>	2210/115	. . Impact noise, e.g. from typewriter or printer
15/02	. Synthesis of acoustic waves (synthesis of speech <a href="#">G10L</a> )	2210/116	. . Medical; Dental
	<b>NOTE</b>	2210/1161	. . . NMR or MRI
	<a href="#">see provisionally <a href="#">G10H</a> e.g. <a href="#">G10H 1/26</a></a>	2210/117	. . Nonlinear
15/04	. Sound-producing devices ( <a href="#">G10K 15/02</a> takes precedence)	2210/118	. . Panels, e.g. active sound-absorption panels or noise barriers
15/043	. . {producing shock waves ( <a href="#">G10K 15/046</a> , <a href="#">G10K 15/06</a> take precedence; generating seismic energy <a href="#">G01V 1/02</a> )}	2210/119	. . Radiation control, e.g. control of sound radiated by vibrating structures
15/046	. . {using optical excitation, e.g. laser bundle}	2210/12	. . Rooms, e.g. ANC inside a room, office, concert hall or automobile cabin
15/06	. . using electric discharge	2210/121	. . Rotating machines, e.g. engines, turbines, motors; Periodic or quasi-periodic signals in general
15/08	. Arrangements for producing a reverberation or echo sound {(modifying acoustic properties to change reverberation time <a href="#">G10K 11/002</a> )}	2210/122	. . Seismics
15/10	. . using time-delay networks comprising electromechanical or electro-acoustic devices	2210/123	. . Synchrophasors or other applications where multiple noise sources are driven with a particular phase relationship
15/12	. . using electronic time-delay networks	2210/124	. . Traffic
<b>2200/00</b>	<b>Details of methods or devices for transmitting, conducting or directing sound in general</b>	2210/125	. . Transformers
2200/10	. Beamforming, e.g. time reversal, phase conjugation or similar	2210/126	. . Transients
2200/11	. Underwater, e.g. transducers for generating acoustic waves underwater	2210/127	. . Underwater acoustics, e.g. for submarine
<b>2210/00</b>	<b>Details of active noise control [ANC] covered by <a href="#">G10K 11/178</a> but not provided for in any of its subgroups</b>	2210/128	. . Vehicles
2210/10	. Applications	2210/1281	. . . Aircraft, e.g. spacecraft, airplane or helicopter
2210/101	. . One dimensional	2210/1282	. . . Automobiles
2210/102	. . Two dimensional	2210/12821	. . . . Rolling noise; Wind and body noise
2210/103	. . Three dimensional	2210/12822	. . . . Exhaust pipes or mufflers
2210/104	. . Aircos	2210/1283	. . . . Trains, trams or the like
		2210/129	. . Vibration, e.g. instead of, or in addition to, acoustic noise
		2210/1291	. . . Anti-Vibration-Control, e.g. reducing vibrations in panels or beams
		2210/30	. Means
		2210/301	. . Computational
		2210/3011	. . . Single acoustic input
		2210/3012	. . . Algorithms
		2210/3013	. . . Analogue, i.e. using analogue computers or circuits

2210/3014	. . .	Adaptive noise equalizers [ANE], i.e. where part of the unwanted sound is retained	2210/321	. .	Physical
2210/3015	. . .	Averaging, e.g. exponential	2210/3211	. . .	Active mounts for vibrating structures with means to actively suppress the vibration, e.g. for vehicles
2210/3016	. . .	Control strategies, e.g. energy minimization or intensity measurements	2210/3212	. . .	Actuator details, e.g. composition or microstructure
2210/3017	. . .	Copy, i.e. whereby an estimated transfer function in one functional block is copied to another block	2210/32121	. . . .	Fluid amplifiers, e.g. modulated gas flow speaker using electrovalves
2210/3018	. . .	Correlators, e.g. convolvers or coherence calculators	2210/3213	. . .	Automatic gain control [AGC]
2210/3019	. . .	Cross-terms between multiple in's and out's	2210/3214	. . .	Architectures, e.g. special constructional features or arrangements of features
2210/3021	. . .	Eigenfrequencies; Eigenvalues, e.g. used to identify most significant couplings between actuators and sensors	2210/3215	. . .	Arrays, e.g. for beamforming
2210/3022	. . .	Error paths	2210/3216	. . .	Cancellation means disposed in the vicinity of the source
2210/3023	. . .	Estimation of noise, e.g. on error signals	2210/3217	. . .	Collocated sensor and cancelling actuator, e.g. "virtual earth" designs
2210/30231	. . . .	Sources, e.g. identifying noisy processes or components	2210/3218	. . .	Filters other than the algorithm-related filters
2210/30232	. . . .	Transfer functions, e.g. impulse response	2210/3219	. . .	Geometry of the configuration
2210/3024	. . .	Expert systems, e.g. artificial intelligence	2210/3221	. . .	Headrests, seats or the like, for personal ANC systems
2210/3025	. . .	Determination of spectrum characteristics, e.g. FFT	2210/3222	. . .	Manual tuning
2210/3026	. . .	Feedback	2210/3223	. . .	Materials, e.g. special compositions or gases
2210/3027	. . .	Feedforward	2210/3224	. . .	Passive absorbers
2210/3028	. . .	Filtering, e.g. Kalman filters or special analogue or digital filters	2210/3225	. . .	Radio or other sources used in ANC for transfer function estimation; Means to avoid interference between desired signals, e.g. from a car stereo, and the ANC signal
2210/30281	. . . .	Lattice filters	2210/3226	. . .	Sensor details, e.g. for producing a reference or error signal
2210/3029	. . .	Fuzzy logic; Genetic algorithms	2210/3227	. . .	Resonators
2210/3031	. . .	Hardware, e.g. architecture	2210/32271	. . . .	Active resonators
2210/3032	. . .	Harmonics or sub-harmonics	2210/32272	. . . .	Helmholtz resonators
2210/3033	. . .	Information contained in memory, e.g. stored signals or transfer functions	2210/3228	. . .	Shunts
2210/3034	. . .	Integrators	2210/3229	. . .	Transducers
2210/3035	. . .	Models, e.g. of the acoustic system	2210/32291	. . . .	Plates or thin films, e.g. PVDF ( <a href="#">foil-type piezo-electric elements B06B 1/0688</a> )
2210/30351	. . . .	Identification of the environment for applying appropriate model characteristics	2210/50	. .	Miscellaneous
2210/3036	. . .	Modes, e.g. vibrational or spatial modes	2210/501	. .	Acceleration, e.g. for accelerometers
2210/3037	. . .	Monitoring various blocks in the flow chart	2210/502	. .	Ageing, e.g. of the control system
2210/3038	. . .	Neural networks	2210/503	. .	Diagnostics; Stability; Alarms; Failsafe
2210/3039	. . .	Nonlinear, e.g. clipping, numerical truncation, thresholding or variable input and output gain	2210/504	. .	Calibration
2210/30391	. . . .	Resetting of the filter parameters or changing the algorithm according to prevailing conditions	2210/505	. .	Echo cancellation, e.g. multipath-, ghost- or reverberation-cancellation
2210/3041	. . .	Offline	2210/506	. .	Feedback, e.g. howling
2210/3042	. . .	Parallel processing	2210/507	. .	Flow or turbulence
2210/3043	. . .	Phase locked loops [PLL]	2210/508	. .	Reviews on ANC in general, e.g. literature
2210/3044	. . .	Phase shift, e.g. complex envelope processing	2210/509	. .	Hybrid, i.e. combining different technologies, e.g. passive and active
2210/3045	. . .	Multiple acoustic inputs, single acoustic output	2210/51	. .	Improving tonal quality, e.g. mimicking sports cars
2210/3046	. . .	Multiple acoustic inputs, multiple acoustic outputs	2210/511	. .	Narrow band, e.g. implementations for single frequency cancellation
2210/3047	. . .	Prediction, e.g. of future values of noise	2210/512	. .	Wide band, e.g. non-recurring signals
2210/3048	. . .	Pretraining, e.g. to identify transfer functions			
2210/3049	. . .	Random noise used, e.g. in model identification			
2210/3051	. . .	Sampling, e.g. variable rate, synchronous, decimated or interpolated			
2210/3052	. . .	Simulation			
2210/3053	. . .	Speeding up computation or convergence, or decreasing the computational load			
2210/3054	. . .	Stepsize variation			
2210/3055	. . .	Transfer function of the acoustic system			
2210/3056	. . .	Variable gain			
2210/3057	. . .	Variation of parameters to test for optimisation			