

# CPC COOPERATIVE PATENT CLASSIFICATION

## F MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING (NOTE omitted)

### WEAPONS; BLASTING

#### F42 AMMUNITION; BLASTING (NOTES omitted)

#### F42C AMMUNITION FUZES (blasting cartridge initiators [F42B 3/10](#); chemical aspects [C06C](#)); ARMING OR SAFETY MEANS THEREFOR (filling fuzes [F42B 33/02](#); fitting or extracting primers in or from fuzes [F42B 33/04](#); containers for fuzes [F42B 39/30](#))

##### WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

- |  |  |
|--|--|
| <p><b>1/00</b> Impact fuzes, i.e. fuzes actuated only by ammunition impact</p> <p>1/02 . with firing-pin structurally combined with fuze</p> <p>1/04 . . operating by inertia of members on impact</p> <p>1/06 . . . for any direction of impact {(electric contact parts <a href="#">F42C 19/06</a>)}</p> <p>1/08 . . with delayed action after ignition of fuze (time fuzes <a href="#">F42C 9/00</a>) {or after impact}</p> <p>1/09 . . the fuze activating a propulsive charge for propelling the ammunition or the warhead into the air, e.g. in rebounding projectiles</p> <p>1/10 . without firing-pin</p> <p>1/12 . . with delayed action after ignition of fuze (time fuzes <a href="#">F42C 9/00</a>)</p> <p>1/14 . operating at a predetermined distance from ground or target by means of a protruding member</p> <p><b>3/00</b> Fuzes actuated by exposure to a liquid, e.g. seawater (<a href="#">F42C 5/00</a> takes precedence; time fuzes <a href="#">F42C 9/00</a>)</p> <p><b>5/00</b> Fuzes actuated by exposure to a predetermined ambient fluid pressure {(fluid-pressure-operated switches <a href="#">H01H 35/24</a>)}</p> <p>5/02 . barometric pressure</p> <p><b>7/00</b> Fuzes actuated by application of a predetermined mechanical force, e.g. tension, torsion, pressure (by ammunition impact <a href="#">F42C 1/00</a>, by exposure to a predetermined ambient fluid pressure <a href="#">F42C 5/00</a>)</p> <p>7/02 . Contact fuzes, i.e. fuzes actuated by mechanical contact between a stationary ammunition, e.g. a land mine, and a moving target, e.g. a person (<a href="#">F42C 7/12</a> takes precedence)</p> <p>7/04 . . actuated by applying pressure on the ammunition head</p> <p>7/06 . . . and comprising pneumatic or hydraulic retarding means</p> <p>7/08 . . of release type, i.e. actuated by releasing pressure from the ammunition head</p> <p>7/10 . . of antenna type</p> | <p>7/12 . Percussion fuzes of the double-action type, i.e. fuzes cocked and fired in a single movement, e.g. by pulling an incorporated percussion pin or hammer (<a href="#">percussion caps F42C 19/10</a>)</p> <p><b>9/00</b> Time fuzes; Combined time and percussion or pressure-actuated fuzes; Fuzes for timed self-destruction of ammunition</p> <p>9/02 . the timing being caused by mechanical means</p> <p>9/04 . . by spring motor {(<a href="#">F42C 9/141</a> takes precedence; housings for fuzes specially adapted for winding or setting <a href="#">F42C 19/02</a>)}</p> <p>9/041 . . . {the clockwork activating a security device, e.g. for unlocking the firing-pin}</p> <p>9/043 . . . . {and the firing-pin being activated by impact}</p> <p>9/045 . . . . {and the firing-pin being activated by a spring}</p> <p>9/046 . . . . . {and the activating spring being the spring of the clock-work mechanism}</p> <p>9/048 . . . {Unlocking of clockwork mechanisms, e.g. by inertia or centrifugal forces; Means for disconnecting the clockwork mechanism from the setting mechanism}</p> <p>9/06 . . by flow of fluent material, e.g. shot, fluids</p> <p>9/08 . the timing being caused by chemical action, e.g. of acids {(<a href="#">F42C 9/14</a> takes precedence)}</p> <p>9/10 . the timing being caused by combustion {(<a href="#">F42C 9/14</a> takes precedence)}</p> <p>9/12 . . with ring combustion elements</p> <p>9/14 . Double fuzes; Multiple fuzes</p> <p>9/141 . . {Impact fuze in combination with a clockwork time fuze}</p> <p>9/142 . . {combined time and percussion fuzes in which the timing is caused by combustion}</p> <p>9/144 . . . {with ring or spiral combustion elements}</p> <p>9/145 . . {combined time and percussion fuzes in which the timing is caused by chemical reaction}</p> <p>9/147 . . {Impact fuze in combination with electric time fuze}</p> <p>9/148 . . {Proximity fuzes in combination with other fuzes}</p> |
|--|--|

9/16	. . for self-destruction of ammunition ( <a href="#">F42C 9/141</a> - <a href="#">F42C 9/148</a> take precedence)	15/00	<b>Arming-means in fuzes; Safety means for preventing premature detonation of fuzes or charges</b>
9/18	. . . when the spin rate falls below a predetermined limit, e.g. a spring force being stronger than the locking action of a centrifugally-operated lock	15/005	. {Combination-type safety mechanisms, i.e. two or more safeties are moved in a predetermined sequence to each other}
11/00	<b>Electric fuzes</b> ({in combination with other fuzes <a href="#">F42C 9/14</a> }; proximity fuzes <a href="#">F42C 13/00</a> ; {safety or arming effected by electric means <a href="#">F42C 15/40</a> ; electric contact parts for fuzes <a href="#">F42C 19/06</a> }; electric igniters <a href="#">F42C 19/12</a> , { <a href="#">F42B 3/12</a> - <a href="#">F42B 3/18</a> ; optical initiators <a href="#">F42B 3/113</a> })	15/16	. wherein the firing pin is displaced out of the action line for safety ( <a href="#">F42C 15/40</a> takes precedence)
11/001	. {Electric circuits for fuzes characterised by the ammunition class or type ( <a href="#">F42C 11/02</a> - <a href="#">F42C 11/06</a> take precedence; mechanical fuzes having electric igniters for hand grenades or marine warheads <a href="#">F42C 14/025</a> , <a href="#">F42C 14/045</a> )}	15/18	. wherein a carrier for an element of the pyrotechnic or explosive train is moved ( <a href="#">F42C 15/40</a> takes precedence)
11/002	. . {Smart ammunition fuzes, i.e. having an integrated scanning, guiding and firing system}	15/184	. . using a slidable carrier
11/003	. . {for hand grenades}	15/188	. . using a rotatable carrier
11/005	. . {for marine warheads, e.g. torpedoes, mines, depth charges}	15/192	. . . rotatable in a plane which is parallel to the longitudinal axis of the projectile
11/006	. . {for fall bombs}	15/196	. . . . by the action of centrifugal or inertia forces on the carrier body, e.g. the carrier having eccentrically mounted weights or eccentric centre of gravity
11/007	. . {for land mines}	15/20	. wherein a securing-pin or latch is removed to arm the fuze, e.g. removed from the firing-pin ( <a href="#">F42C 9/041</a> and <a href="#">F42C 15/40</a> take precedence)
11/008	. {Power generation in electric fuzes ( <a href="#">F42C 11/02</a> , <a href="#">F42C 11/04</a> and <a href="#">F42C 15/295</a> take precedence)}	15/21	. . using spring action ( <a href="#">F42C 15/32</a> takes precedence)
11/02	. with piezo-crystal	15/22	. . using centrifugal force ( <a href="#">F42C 15/23</a> takes precedence)
11/04	. with current induction	15/23	. . by unwinding a flexible ribbon or tape
11/06	. with time delay by electric circuitry	15/24	. wherein the safety or arming action is effected by inertia means ( <a href="#">F42C 15/196</a> , <a href="#">F42C 15/20</a> take precedence)
11/065	. . {Programmable electronic delay initiators in projectiles}	15/26	. . using centrifugal force
13/00	<b>Proximity fuzes; Fuzes for remote detonation</b> ({ <a href="#">F42C 9/148</a> takes precedence; constructional details <a href="#">F42C 19/00</a> ; mounting of antennas <a href="#">F42B 30/006</a> })	15/28	. operated by flow of fluent material, e.g. shot, fluids ( <a href="#">F42C 15/26</a> takes precedence)
13/003	. {operated by variations in electrostatic field}	15/285	. . stored within the fuze housing
13/006	. {for non-guided, spinning, braked or gravity-driven weapons, e.g. parachute-braked sub-munitions}	15/29	. . operated by fluidic oscillators; operated by dynamic fluid pressure, e.g. ram-air operated
13/02	. operated by intensity of light or similar radiation	15/295	. . operated by a turbine or a propeller; Mounting means therefor
13/023	. . {using active distance measurement}	15/30	. . of propellant gases, i.e. derived from propulsive charge or rocket motor
13/026	. . {Remotely actuated projectile fuzes operated by optical transmission links}	15/31	. . generated by the combustion of a pyrotechnic or explosive charge within the fuze
13/04	. operated by radio waves	15/32	. operated by change of fluid pressure ( <a href="#">F42C 5/00</a> , <a href="#">F42C 15/29</a> take precedence)
13/042	. . {based on distance determination by coded radar techniques}	15/33	. . by breaking a vacuum or pressure container
13/045	. . {using transmission of F.M. waves}	15/34	. wherein the safety or arming action is effected by a blocking-member in the pyrotechnic or explosive train between primer and main charge ( <a href="#">F42C 15/18</a> , <a href="#">F42C 15/40</a> take precedence)
13/047	. . {Remotely actuated projectile fuzes operated by radio transmission links}	15/36	. wherein arming is effected by combustion or fusion of an element; {Arming methods using temperature gradients} ( <a href="#">F42C 15/31</a> takes precedence)
13/06	. operated by sound waves	15/38	. wherein arming is effected by chemical action ( <a href="#">F42C 3/00</a> takes precedence)
13/08	. operated by variations in magnetic field	15/40	. wherein the safety or arming action is effected electrically
14/00	<b>{Mechanical} fuzes characterised by the ammunition class or type</b> ( <a href="#">F42C 1/00</a> , { <a href="#">F42C 7/00</a> , <a href="#">F42C 9/00</a> , <a href="#">F42C 11/001</a> }, <a href="#">F42C 13/00</a> , <a href="#">F42C 15/00</a> take precedence)	15/42	. . from a remote location, e.g. for controlled mines or mine fields
14/02	. for hand grenades	15/44	. Arrangements for disarming, or for rendering harmless, fuzes after arming, e.g. after launch
14/025	. . {having electric igniters}	17/00	<b>Fuze-setting apparatus</b>
14/04	. for torpedoes, marine mines or depth charges ( <a href="#">influenced marine mines F42B 22/04</a> )	17/02	. Fuze-setting keys
14/045	. . {having electric igniters}	17/04	. for electric fuzes
14/06	. for fall bombs		
14/08	. for land mines		

<b>19/00</b>	<b>Details of fuzes (except <a href="#">F42C 15/00</a>)</b>	<b>99/00</b>	<b>Subject matter not provided for in other groups of this subclass</b>
19/02	• Fuze bodies; Fuze housings		
19/04	• Protective caps		
19/06	• Electric contact parts specially adapted for use with electric fuzes {(switches operated by change of speed <a href="#">H01H 35/06</a> ; switches operated by change of acceleration, e.g. shock or vibration, inertia switches <a href="#">H01H 35/14</a> ; fluid-pressure-operated switches <a href="#">H01H 35/24</a> )}		
19/07	• . . Nose-contacts for projectiles or missiles		
19/08	• Primers (initiators for blasting cartridges <a href="#">F42B 3/10</a> ; ignition means for rocket engine plants <a href="#">F02K 9/95</a> ); Detonators		
19/0803	• . . {characterised by the combination of <u>per se</u> known chemical composition in the priming substance}		
19/0807	• . . {characterised by the particular configuration of the transmission channels from the priming energy source to the charge to be ignited, e.g. multiple channels, nozzles, diaphragms or filters}		
19/0811	• . . {characterised by the generation of a plasma for initiating the charge to be ignited}		
19/0815	• . . {Intermediate ignition capsules, i.e. self-contained primary pyrotechnic module transmitting the initial firing signal to the secondary explosive, e.g. using electric, radio frequency, optical or percussion signals to the secondary explosive (initiators for blasting cartridges or air bags <a href="#">F42B 3/10</a> )}		
19/0819	• . . {Primers or igniters for the initiation of rocket motors, i.e. pyrotechnical aspects thereof}		
19/0823	• . . {Primers or igniters for the initiation or the propellant charge in a cartridge ammunition (primers for caseless ammunition <a href="#">F42C 19/085</a> )}		
19/0826	• . . . {comprising an elongated perforated tube, i.e. flame tube, for the transmission of the initial energy to the propellant charge, e.g. used for artillery shells and kinetic energy penetrators}		
19/083	• . . . {characterised by the shape and configuration of the base element embedded in the cartridge bottom, e.g. the housing for the squib or percussion cap}		
19/0834	• . . . {Arrangements of a multiplicity of primers or detonators dispersed within a propellant charge for increased efficiency}		
19/0838	• . . {Primers or igniters for the initiation or the explosive charge in a warhead ( <a href="#">F42C 19/095</a> takes precedence)}		
19/0842	• . . . {Arrangements of a multiplicity of primers or detonators, dispersed within a warhead, for multiple mode selection}		
19/0846	• . . . {Arrangements of a multiplicity of primers or detonators, dispersed within a warhead, for increased efficiency}		
19/085	• . . Primers for caseless ammunition		
19/09	• . . Primers or detonators containing a hollow charge		
19/095	• . . Arrangements of a multiplicity of primers or detonators, dispersed around a warhead, one of the primers or detonators being selected for directional detonation effects		
19/10	• . . Percussion caps		
19/12	• . . electric		
19/14	• . . . operable also in the percussion mode		
<b>21/00</b>	<b>Checking fuzes; Testing fuzes</b>		