

CPC COOPERATIVE PATENT CLASSIFICATION

A HUMAN NECESSITIES

HEALTH; AMUSEMENT

A61 MEDICAL OR VETERINARY SCIENCE; HYGIENE

A61F FILTERS IMPLANTABLE INTO BLOOD VESSELS; PROSTHESES; DEVICES PROVIDING PATENCY TO, OR PREVENTING COLLAPSING OF, TUBULAR STRUCTURES OF THE BODY, e.g. STENTS; ORTHOPAEDIC, NURSING OR CONTRACEPTIVE DEVICES; FOMENTATION; TREATMENT OR PROTECTION OF EYES OR EARS; BANDAGES, DRESSINGS OR ABSORBENT PADS; FIRST-AID KITS (dental prosthetics [A61C](#))

WARNINGS

- The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

A61F 2/48	covered by	A61F 2/02 , A61F 2002/48
A61F 2/56	covered by	A61F 2/54
A61F 2/62	covered by	A61F 2/60
A61F 2/74	covered by	A61F 2/68 , A61F 2002/74
A61F 5/045	covered by	A61G 13/12
A61F 5/052	covered by	A61F 5/05
A61F 5/447	covered by	A61F 5/445
A61F 5/452	covered by	A61F 5/451
A61F 5/457	covered by	A61F 5/451
A61F 5/458	covered by	A61F 5/451
A61F 6/10	covered by	A61F 6/08
A61F 9/01	covered by	A61F 9/00802 - A61F 9/00825
A61F 9/011	covered by	A61F 9/00802 - A61F 9/00825
A61F 13/22	covered by	A61F 13/206
A61F 13/24	covered by	A61F 13/2045
A61F 13/30	covered by	A61F 13/26
A61F 13/32	covered by	A61F 13/26
A61F 13/40	covered by	A61M 35/006

- In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

Filters; Devices providing patency to tubular structures;

Prostheses; Accessories

2/00	Filters implantable into blood vessels; Prostheses, i.e. artificial substitutes or replacements for parts of the body; Appliances for connecting them with the body; Devices providing patency to, or preventing collapsing of, tubular structures of the body, e.g. stents (as cosmetic articles, see the relevant subclasses, e.g. wigs, hair pieces, A41G 3/00, A41G 5/00, artificial nails A45D 31/00; dental prostheses A61C 13/00; materials for prostheses A61L 27/00; artificial hearts A61M 1/10; artificial kidneys A61M 1/14)	2/0018	. . . {magnetic}
		2/0022	. . {placed deep in the body opening (occluding blood vessels by internal devices A61B 17/12022)}
		2/0027	. . . {inflatable}
		2/0031	. . {for constricting the lumen; Support slings for the urethra}
		2/0036	. . . {implantable (A61F 2/0018 takes precedence)}
		2/004 {inflatable}
		2/0045 {Support slings}
		2/005	. . . {with pressure applied to urethra by an element placed in the vagina}
		2/0054	. . . {with pressure applied to urethra by an element placed around the penis, e.g. penis clamp}
2/0004	. {Closure means for urethra or rectum, i.e. anti-incontinence devices or support slings against pelvic prolapse}	2/0059	. {Cosmetic or alloplastic implants (A61F 2/10 - A61F 2/16 , A61F 2/28 take precedence)}
2/0009	. . {placed in or outside the body opening close to the surface of the body (plugging an opening in the wall of a hollow or tubular organ A61B 17/0057)}	2/0063	. {Implantable repair or support meshes, e.g. hernia meshes}
2/0013	. . . {inflatable}	2002/0068	. . {having a special mesh pattern}
		2002/0072	. . {Delivery tools therefor}

- 2/0077 . . {Special surfaces of prostheses, e.g. for improving ingrowth ([A61F 2/30767](#) takes precedence)}
- 2002/0081 . . {directly machined on the prosthetic surface, e.g. holes, grooves ([A61F 2/30771](#) takes precedence)}
- 2002/0086 . . {for preferentially controlling or promoting the growth of specific types of cells or tissues (of bone tissue onto implantable joints [A61F 2002/3093](#))}
- 2002/009 . . {for hindering or preventing attachment of biological tissue (of bone tissue onto implantable joints [A61F 2002/30932](#))}
- 2002/0091 . . . {Having cellular growth inhibitors}
- 2/0095 . {Packages or dispensers for prostheses or other implants (for intraocular lenses [A61F 2/1691](#); for dental surgery [A61C 19/02](#))}
- 2/01 . Filters implantable into blood vessels
- WARNING**
- Group [A61F 2/01](#) is impacted by reclassification into groups [A61F 2/0103](#), [A61F 2/0105](#), [A61F 2/0108](#), and [A61F 2/012](#).
- All groups listed in this Warning should be considered in order to perform a complete search.
- 2/0103 . . {With centering means}
- WARNING**
- Group [A61F 2/0103](#) is incomplete pending reclassification of documents from group [A61F 2/01](#).
- Groups [A61F 2/01](#) and [A61F 2/0103](#) should be considered in order to perform a complete search.
- 2/0105 . . {Open ended, i.e. legs gathered only at one side}
- WARNING**
- Group [A61F 2/0105](#) is incomplete pending reclassification of documents from group [A61F 2/01](#).
- Groups [A61F 2/01](#) and [A61F 2/0105](#) should be considered in order to perform a complete search.
- 2/0108 . . {Both ends closed, i.e. legs gathered at both ends}
- WARNING**
- Group [A61F 2/0108](#) is incomplete pending reclassification of documents from group [A61F 2/01](#).
- Groups [A61F 2/01](#) and [A61F 2/0108](#) should be considered in order to perform a complete search.
- 2/011 . . {Instruments for their placement or removal}
- 2/012 . . {Multiple filtering units}
- WARNING**
- Group [A61F 2/012](#) is incomplete pending reclassification of documents from groups [A61F 2/01](#) and [A61F 2/013](#).
- Groups [A61F 2/01](#), [A61F 2/013](#), and [A61F 2/012](#) should be considered in order to perform a complete search.
- 2/013 . . {Distal protection devices, i.e. devices placed distally in combination with another endovascular procedure, e.g. angioplasty or stenting}
- WARNING**
- Group [A61F 2/013](#) is impacted by reclassification into groups [A61F 2/012](#) and [A61F 2/014](#).
- Groups [A61F 2/013](#), [A61F 2/012](#), and [A61F 2/014](#) should be considered in order to perform a complete search.
- 2/014 . . . {Retrograde blood flow filters, i.e. device inserted against the blood flow direction}
- WARNING**
- Group [A61F 2/014](#) is incomplete pending reclassification of documents from group [A61F 2/013](#).
- Groups [A61F 2/013](#) and [A61F 2/014](#) should be considered in order to perform a complete search.
- 2002/015 . . . {Stop means therefor}
- 2002/016 . . {made from wire-like elements}
- 2002/018 . . {made from tubes or sheets of material, e.g. by etching or laser-cutting}
- 2/02 . Prostheses implantable into the body {(closure means for urethra or rectum or for artificial body openings therefor [A61F 2/0004](#))}
- 2/022 . . {Artificial gland structures using bioreactors (hemodialysis [A61M 1/16](#); hemofiltration [A61M 1/34](#); other extracorporeal blood treatment [A61M 1/36](#))}
- 2/04 . . Hollow or tubular parts of organs, e.g. bladders, tracheae, bronchi or bile ducts ([A61F 2/18](#), [A61F 2/20](#) take precedence; devices, other than stent-grafts, providing patency to, or preventing collapsing of, tubular structures of the body other than stent-grafts, e.g. stents [A61F 2/82](#); instruments specially adapted for placement or removal of stents or stent-grafts [A61F 2/95](#))}
- 2002/041 . . . {Bile ducts}
- 2/042 . . . {Urinary bladders}
- 2002/043 . . . {Bronchi}
- 2002/044 . . . {Oesophagi or esophagi or gullets}
- 2002/045 . . . {Stomach, intestines}
- 2002/046 . . . {Tracheae}
- 2002/047 . . . {Urethrae}
- 2002/048 . . . {Ureters}
- 2/06 . . . Blood vessels
- 2002/061 {provided with means for allowing access to secondary lumens}
- 2/062 {Apparatus for the production of blood vessels made from natural tissue or with layers of living cells (prostheses made from natural tissue or living cells [A61L 27/507](#))}
- 2/064 {with special features to facilitate anastomotic coupling (anastomosis of natural blood vessels [A61B 17/11](#))}
- 2002/065 {Y-shaped blood vessels}
- 2002/067 {modular}
- 2002/068 {Modifying the blood flow model, e.g. by diffuser or deflector}
- 2/07 Stent-grafts

2002/072	{Encapsulated stents, e.g. wire or whole stent embedded in lining}	2/15	{Implant having one or more holes, e.g. for nutrient transport, for facilitating handling}
2002/075	{the stent being loosely attached to the graft material, e.g. by stitching}	2/16	Intraocular lenses
2002/077	{having means to fill the space between stent-graft and aneurysm wall, e.g. a sleeve}	2/1601	{Lens body having features to facilitate aqueous fluid flow across the intraocular lens, e.g. for pressure equalization or nutrient delivery}
2/08	Muscles; Tendons; Ligaments {(sutures A61B 17/04)}	2/16015	{Lens having spacers for providing a gap between the posterior capsule and a posterior surface of the intraocular lens}
2/0805	{Implements for inserting tendons or ligaments}	2/1602	{Corrective lenses for use in addition to the natural lenses of the eyes or for pseudo-phakic eyes}
2/0811	{Fixation devices for tendons or ligaments}	2/1605	{Anterior chamber lenses for use in addition to the natural lenses of the eyes, e.g. iris fixated, iris floating}
2002/0817	{Structure of the anchor}	2/1608	{Iris fixated, e.g. by clamping iris tissue, by suturing to the iris}
2002/0823	{Modular anchors comprising a plurality of separate parts}	2/161	{Posterior chamber lenses for use in addition to the natural lenses of the eyes}
2002/0829	{without deformation of anchor parts, e.g. fixation screws on bone surface, extending barbs, cams, butterflies, spring-loaded pins}	2/1613	{having special lens configurations, e.g. multipart lenses; having particular optical properties, e.g. pseudo-accommodative lenses, lenses having aberration corrections, diffractive lenses, lenses for variably absorbing electromagnetic radiation, lenses having variable focus}
2002/0835	{with deformation of anchor parts, e.g. expansion of dowel by set screw}	2/1616	{Pseudo-accommodative, e.g. multifocal or enabling monovision}
2002/0841	{Longitudinal channel for insertion tool running through the whole tendon anchor, e.g. for accommodating bone drill, guidewire}	2/1618	{Multifocal lenses}
2002/0847	{Mode of fixation of anchor to tendon or ligament}	2/1621	{enabling correction for monovision}
2002/0852	{Fixation of a loop or U-turn, e.g. eyelets, anchor having multiple holes}	2/1624	{having adjustable focus; power activated variable focus means, e.g. mechanically or electrically by the ciliary muscle or from the outside}
2002/0858	{Fixation of tendon or ligament between anchor and bone, e.g. interference screws, wedges}	2/1627	{for changing index of refraction, e.g. by external means or by tilting}
2002/0864	{Fixation of tendon or ligament between anchor elements, e.g. by additional screws in the anchor, anchor crimped around tendon}	2/1629	{for changing longitudinal position, i.e. along the visual axis when implanted}
2002/087	{Anchor integrated into tendons, e.g. bone blocks, integrated rings}	2/1632	{for changing radial position, i.e. perpendicularly to the visual axis when implanted}
2002/0876	{Position of anchor in respect to the bone}	2/1635	{for changing shape}
2002/0882	{Anchor in or on top of a bone tunnel, i.e. a hole running through the entire bone}	2/1637	{Correcting aberrations caused by inhomogeneities; correcting intrinsic aberrations, e.g. of the cornea, of the surface of the natural lens, aspheric, cylindrical, toric lenses}
2002/0888	{Anchor in or on a blind hole or on the bone surface without formation of a tunnel}	2/164	{Aspheric lenses}
2002/0894	{Muscles (non-implantable A61F 2002/5066)}	2/1643	{Cylindrical lenses}
2/10	Hair or skin implants	2/1645	{Toric lenses}
2/105	{Skin implants, e.g. artificial skin}	2/1648	{Multipart lenses}
2/12	Mammary prostheses and implants	2/1651	{Multipart lenses comprising a telescope}
2/14	Eye parts, e.g. lenses, corneal implants; {Implanting instruments specially adapted therefor}; Artificial eyes	2/1654	{Diffractive lenses}
2/141	{Artificial eyes}	2/1656	{Fresnel lenses, prisms or plates}
2/142	{Cornea, e.g. artificial corneae, keratoprotheses or corneal implants for repair of defective corneal tissue}	2/1659	{having variable absorption coefficient for electromagnetic radiation, e.g. photochromic lenses}
2/145	{Corneal inlays, onlays, or lenses for refractive correction}	2/1662	{Instruments for inserting intraocular lenses into the eye}
2/1451	{Inlays or onlays}	2/1664	{for manual insertion during surgery, e.g. forceps-like instruments}
2/1453	{Corneal lenses connected to distinct attachment means}	2/1667	{with rotatable plungers}
2/147	{Implants to be inserted in the stroma for refractive correction, e.g. ring-like implants}			
2/148	{Implantation instruments specially adapted therefor}			

2/167	{with pushable plungers}	2/24	. . .	Heart valves {; Vascular valves, e.g. venous valves; Heart implants, e.g. passive devices for improving the function of the native valve or the heart muscle; Transmyocardial revascularisation [TMR] devices; Valves implantable in the body}
2/1672	{with a two-stage plunger, e.g. rotatable and pushable or rotatable at different speeds}			
2/1675	{with a lubricated inner surface, e.g. the lubricant being coated on the inner surface or being injected through a port}			
2/1678	{with a separate cartridge or other lens setting part for storage of a lens, e.g. preloadable for shipping}			
2002/1681	{having supporting structure for lens, e.g. haptics}			
2002/1682	{having mechanical force transfer mechanism to the lens, e.g. for accommodating lenses}	2/2403	. . .	{with pivoting rigid closure members (check valves with hinged closure members in general F16K 15/03)}
2002/1683	{having filiform haptics}	2/2406	{without fixed axis}
2002/1686	{Securing a filiform haptic to a lens body}	2/2409	. . .	{Support rings therefor, e.g. for connecting valves to tissue (annuloplasty rings A61F 2/2442)}
2002/1689	{having plate-haptics}	2/2412	. . .	{with soft flexible valve members, e.g. tissue valves shaped like natural valves (check valves with flexible valve members in general F16K 15/14)}
2002/169	{Surrounding optic}	2/2415	{Manufacturing methods}
2002/16901	{Supporting structure conforms to shape of capsular bag}	2/2418	{Scaffolds therefor, e.g. support stents}
2002/16902	{Separable from intraocular lens}	2/2421	. . .	{with non-pivoting rigid closure members}
2002/16903	{Having means to temporarily stabilize haptic}	2/2424	{Ball valves}
2002/16905	{Having means on lens to reduce overall dimension of lens for insertion into small incision}	2/2427	. . .	{Devices for manipulating or deploying heart valves during implantation}
2002/169051	{Segmented zones}	2/243	{Deployment by mechanical expansion}
2002/169052	{Segments slide}	2/2433	{using balloon catheter}
2002/169053	{Segments fold}	2/2436	{Deployment by retracting a sheath}
2/1691	{Packages or dispensers for intraocular lenses (for contact lenses A45C 11/005)}	2/2439	{Expansion controlled by filaments}
2/1694	{Capsular bag spreaders therefor}	2/2442	. . .	{Annuloplasty rings or inserts for correcting the valve shape; Implants for improving the function of a native heart valve}
2002/1696	{Having structure for blocking or reducing amount of light transmitted, e.g. glare reduction}	2/2445	{Annuloplasty rings in direct contact with the valve annulus}
2002/16965	{Lens includes ultraviolet absorber}	2/2448	{D-shaped rings}
2002/1699	{Additional features not otherwise provided for}	2/2451	{Inserts in the coronary sinus for correcting the valve shape}
2/18	. . .	Internal ear or nose parts, e.g. ear-drums {(implants for middle ear ventilation or drainage A61F 11/002)}	2/2454	{Means for preventing inversion of the valve leaflets, e.g. chordae tendineae prostheses}
2002/183	{Ear parts}	2/2457	{Chordae tendineae prostheses}
2/186	{Nose parts}	2/246	{Devices for obstructing a leak through a native valve in a closed condition}
2/20	. . .	{Epiglottis}; Larynxes; Tracheae combined with larynxes or for use therewith (tracheae, bronchi per se A61F 2/04 {; tracheostomy tubes A61M 16/0465})	2/2463	{Implants forming part of the valve leaflets}
2/203	. . .	{comprising an air passage from trachea to oesophagus or to pharynx; Artificial epiglottis}	2/2466	{Delivery devices therefor}
2002/206	. . .	{Speech aids with external actuators, e.g. electrical larynxes}	2/2469	. . .	{with resilient valve members, e.g. conical spiral}
			2/2472	. . .	{Devices for testing}
			2/2475	. . .	{Venous valves}
			2/2476	. . .	{Valves implantable in the body not otherwise provided for}

WARNING

Group [A61F 2/24](#) is impacted by reclassification into group [A61F 2/2476](#).

Groups [A61F 2/24](#) and [A61F 2/2476](#) should be considered in order to perform a complete search.

WARNING

Group [A61F 2/2476](#) is incomplete pending reclassification of documents from group [A61F 2/24](#).

Groups [A61F 2/24](#) and [A61F 2/2476](#) should be considered in order to perform a complete search.

2/2478	. . .	{Passive devices for improving the function of the heart muscle, i.e. devices for reshaping the external surface of the heart, e.g. bags, strips or bands}	2002/30003	{Material related properties of the prosthesis or of a coating on the prosthesis}
2/2481	{Devices outside the heart wall, e.g. bags, strips or bands}	2002/30004	{the prosthesis being made from materials having different values of a given property at different locations within the same prosthesis}
2002/2484	{Delivery devices therefor}	2002/30006	{differing in density or specific weight}
2/2487	{Devices within the heart chamber, e.g. splints}	2002/30009	{differing in fibre orientations}
2002/249	{Device completely embedded in the heart wall}	2002/30011	{differing in porosity}
2/2493	. . .	{Transmyocardial revascularisation [TMR] devices}	2002/30014	{differing in elasticity, stiffness or compressibility}
2/2496	. . .	{Devices for determining the dimensions of the prosthetic valve to be implanted, e.g. templates, sizars}	2002/30016	{differing in hardness, e.g. Vickers, Shore, Brinell}
2/26	. .	Penis implants	2002/30019	{differing in mechanical expandability, e.g. in mechanical, self- or balloon expandability}
2/28	. .	Bones (joints A61F 2/30)	2002/30021	{differing in brittleness}
2/2803	. . .	{for mandibular reconstruction (temporo-mandibular joints A61F 2/3099 ; bone plates for the jaw A61B 17/8071)}	2002/30023	{differing in viscosity}
2002/2807	{Chin implants}	2002/30024	{differing in coefficient of friction}
2/2814	. . .	{Bone stump caps}	2002/30026	{differing in wear resistance}
2002/2817	. . .	{Bone stimulation by chemical reactions or by osteogenic or biological products for enhancing ossification, e.g. by bone morphogenetic or morphogenic proteins [BMP] or by transforming growth factors [TGF]}	2002/30028	{differing in tissue ingrowth capacity, e.g. made from both ingrowth-promoting and ingrowth-preventing parts}
2002/2821	. . .	{Bone stimulation by electromagnetic fields or electric current for enhancing ossification}	2002/30031	{differing in wettability, e.g. in hydrophilic or hydrophobic behaviours}
2002/2825	. . .	{Femur}	2002/30032	{differing in absorbability or resorbability, i.e. in absorption or resorption time}
2002/2828	{Femoral head}	2002/30036	{differing in release or diffusion time}
2002/2832	{Femoral neck}	2002/30037	{differing in coefficient of thermal expansion or dila(ta)tion}
2002/2835	. . .	{Bone graft implants for filling a bony defect or an endoprosthesis cavity, e.g. by synthetic material or biological material}	2002/30039	{differing in shape-memory transition temperatures, e.g. in martensitic transition temperature or in austenitic transition temperature}
2002/2839	{Bone plugs or bone graft dowels}	2002/30041	{differing in hardening time}
2/2846	. . .	{Support means for bone substitute or for bone graft implants, e.g. membranes or plates for covering bone defects (nets or sleeves applied to surface of endoprostheses A61F 2/30907 ; bone plates A61B 17/80 ; bone regeneration in dental surgery A61C 8/0006)}	2002/30042	{made from both cured and uncured parts}
2002/285	{Fixation appliances for attaching bone substitute support means to underlying bone}	2002/30044	{differing in melting temperature}
2002/2853	. . .	{Humerus}	2002/30046	{differing in thermal conductivity}
2/2857	. . .	{for cadavers (devices for autopsy A61B 16/00)}	2002/30051	{differing in corrosion resistance}
2002/286	. . .	{Bone stimulation by mechanical vibrations for enhancing ossification}	2002/30052	{differing in electric or magnetic properties}
2002/2864	{by ultrasonic or acoustic vibrations}	2002/30056	{differing in radiographic density}
2002/2871	. . .	{Radius}	2002/30057	{made from both cortical and cancellous adjacent parts}
2/2875	. . .	{Skull or cranium (A61F 2/2803 and A61F 2/3099 take precedence)}	2002/30059	{differing in bone mineralization, e.g. made from both mineralized and demineralized adjacent parts}
2002/2878	{for orbital repair}	2002/3006	{Properties of materials and coating materials}
2002/2882	{Malar or zygomatic implants}	2002/30062	{(bio)absorbable, biodegradable, bioerodable, (bio)resorbable, resorptive}
2002/2885	{Paranasal implants}	2002/30064	{Coating or prosthesis-covering structure made of biodegradable material}
2002/2889	{Maxillary, premaxillary or molar implants}	2002/30065	{thermoplastic, i.e. softening or fusing when heated, and hardening and becoming rigid again when cooled}
2002/2892	. . .	{Tibia}	2002/30067	{Coating or prosthesis-covering structure made of thermoplastic material}
2002/2896	. . .	{Ulna}	2002/30069	{elastomeric}
2/30	. .	Joints			
2002/30001	. . .	{Additional features of subject-matter classified in A61F 2/28 , A61F 2/30 and subgroups thereof}			

2002/3007	{ Coating or prosthesis-covering structure made of elastic material, e.g. of elastomer }	2002/30168	{ L-shaped }
2002/30072	{ Coating made of plastically deformable or self-moulding material }	2002/30169	{ Pi-shaped }
2002/30074	{ stretchable }	2002/30171	{ rosette- or star-shaped }
2002/30075	{ swellable, e.g. when wetted }	2002/30172	{ T-shaped }
2002/30077	{ shrinkable }	2002/30176	{ V-shaped }
2002/30079	{ magnetic }	2002/30177	{ W-shaped, M-shaped or sigma shaped }
2002/3008	{ radio-opaque, e.g. radio-opaque markers }	2002/30179	{ X-shaped }
2002/30082	{ radioactive }	2002/30181	{ Y-shaped }
2002/30084	{ Materials having a crystalline structure }	2002/30182	{ Other shapes }
2002/30087	{ piezoelectric }	2002/30187	{ D-shaped or half-disc-shaped }
2002/30088	{ Phase change materials [PCM], e.g. for storing latent heat }	2002/30189	{ E-shaped or epsilon-shaped }
2002/3009	{ Transparent or translucent }	2002/30191	{ heart-shaped }
2002/30092	{ using shape memory or superelastic materials, e.g. nitinol }	2002/30192	{ J-shaped }
2002/30107	{ using materials or accessories for preventing galvanic or electrolytic corrosion }	2002/30196	{ Psi-shaped or fork-shaped }
2002/30108	{ Shapes }	2002/30197	{ Omega-shaped }
2002/3011	{ Cross-sections or two-dimensional shapes }	2002/30199	{ Three-dimensional shapes }
2002/30112	{ Rounded shapes, e.g. with rounded corners }	2002/302	{ toroidal, e.g. rings }
2002/30113	{ circular }	2002/30202	{ half-toroes }
2002/30115	{ circular-O-shaped }	2002/30205	{ conical }
2002/30116	{ partial circles, i.e. circular segments }	2002/30207	{ Double convex cones, i.e. element having two convex cones, one at each of its opposite ends }
2002/30118	{ concentric circles }	2002/30209	{ Cones of elliptical or oval basis }
2002/3012	{ intersecting circles }	2002/3021	{ frustoconical }
2002/30121	{ with lobes }	2002/30212	{ Half-cones }
2002/30123	{ with two diametrically opposed lobes }	2002/30214	{ having tapered sections of different conicities }
2002/30125	{ elliptical or oval }	2002/30215	{ Stepped cones, i.e. having discrete diameter changes }
2002/30126	{ oval-O-shaped }	2002/30217	{ hollow cones, e.g. tubular-like cones }
2002/30128	{ concentric ellipses }	2002/30224	{ cylindrical }
2002/3013	{ figure-"8"- or hourglass-shaped }	2002/30225	{ Flat cylinders, i.e. discs }
2002/30131	{ horseshoe- or crescent- or C-shaped or U-shaped }	2002/30227	{ arched, domed or vaulted }
2002/30133	{ kidney-shaped or bean-shaped }	2002/30228	{ Cylinders of elliptical or oval basis }
2002/30136	{ undulated or wavy, e.g. serpentine-shaped or zigzag-shaped }	2002/3023	{ wedge-shaped cylinders }
2002/30138	{ Convex polygonal shapes }	2002/30232	{ Half-cylinders }
2002/3014	{ decagonal }	2002/30233	{ Stepped cylinders, i.e. having discrete diameter changes }
2002/30141	{ dodecagonal }	2002/30235	{ tubular, e.g. sleeves }
2002/30143	{ hexagonal }	2002/30237	{ partial tubes }
2002/30146	{ octagonal }	2002/30242	{ spherical }
2002/30148	{ lozenge- or diamond-shaped }	2002/30243	{ the overall spherical surface being composed of a plurality of adjacent circular or polygonal segments, e.g. football-like shaped }
2002/30149	{ pentagonal }	2002/30245	{ Partial spheres }
2002/30151	{ rhomboidal or parallelogram-shaped }	2002/30252	{ quadric-shaped }
2002/30153	{ rectangular }	2002/30253	{ ellipsoidal or ovoid }
2002/30154	{ square }	2002/30255	{ hyperboloidal }
2002/30156	{ triangular }	2002/30257	{ paraboloidal }
2002/30158	{ trapezoidal }	2002/30258	{ elliptic paraboloid }
2002/30159	{ Concave polygonal shapes }	2002/30261	{ parallelepipedal }
2002/30161	{ arrow-shaped }	2002/30263	{ cubical }
2002/30164	{ dovetail-shaped }	2002/30265	{ Flat parallelepipeds }
2002/30166	{ H-shaped or I-shaped }	2002/30266	{ wedge-shaped parallelepipeds }
			2002/30273	{ pyramidal }
			2002/30275	{ tetrahedral, i.e. having a triangular basis }
			2002/30276	{ frustopyramidal }

2002/3028	{polyhedral different from parallelepipedal and pyramidal}	2002/30349	{the male and female complementary cones being of different conicities, i.e. for reducing the contact area}
2002/30281	{wedge-shaped}	2002/3035	{the male convex cone having an inner female concave taper}
2002/30285	{rugby-ball-shaped}	2002/30352	{Protrusion and recess of D-shaped cross-section}
2002/30286	{barrel-shaped}	2002/30354	{Cylindrically-shaped protrusion and recess, e.g. cylinder of circular basis}
2002/30288	{bottle-shaped}	2002/30355	{Cylinder of elliptical or oval basis}
2002/30289	{helically-coiled}	2002/30357	{Stepped cylinders, i.e. having discrete diameter changes}
2002/30291	{spirally-coiled, i.e. having a 2D spiral cross-section}	2002/30359	{Pyramidally- or frustopyramidally-shaped protrusion and recess}
2002/30293	{Cylindrical body made by spirally rolling up a sheet or a strip around itself}	2002/3036	{Protrusion and recess of kidney-shaped cross-section}
2002/30294	{Conical or frustoconical body made by spirally rolling up a sheet or a strip around itself}	2002/30362	{with possibility of relative movement between the protrusion and the recess}
2002/30298	{Parallelepipedal body made by spirally rolling up a sheet or a strip around itself}	2002/30364	{Rotation about the common longitudinal axis}
2002/30299	{umbrella-shaped or mushroom-shaped}	2002/30365	{with additional means for limiting said rotation}
2002/30301	{saddle-shaped}	2002/30367	{with additional means for preventing said rotation}
2002/30303	{polypod-shaped}	2002/30369	{Limited lateral translation of the protrusion within a larger recess}
2002/30304	{nose-shaped}	2002/3037	{Translation along the common longitudinal axis, e.g. piston}
2002/30306	{harpoon-shaped}	2002/30372	{with additional means for limiting said translation}
2002/30308	{banana-shaped}	2002/30373	{with additional means for preventing said translation}
2002/30309	{hat-shaped or bell-shaped}	2002/30375	{with an intermediate bushing or sleeve between the moving parts}
2002/30313	{pear-shaped}	2002/30378	{Spherically-shaped protrusion and recess}
2002/30316	{The prosthesis having different structural features at different locations within the same prosthesis; Connections between prosthetic parts; Special structural features of bone or joint prostheses not otherwise provided for}	2002/30383	{made by laterally inserting a protrusion, e.g. a rib into a complementarily-shaped groove}
2002/30317	{The prosthesis having different structural features at different locations within the same prosthesis}	2002/30385	{the rib and groove having non-parallel, e.g. conically-tapered, cooperating sides, e.g. having a trapezoidal front cross-section}
2002/30319	{differing in moment of inertia}	2002/30387	{Dovetail connection}
2002/30321	{differing in roughness}	2002/3039	{with possibility of relative movement of the rib within the groove}
2002/30322	{differing in surface structures}	2002/30392	{Rotation}
2002/30324	{differing in thickness}	2002/30393	{with additional means for limiting said rotation}
2002/30326	{differing in height or in length}	2002/30395	{with additional means for preventing or locking said rotation}
2002/30327	{differing in diameter}	2002/30397	{Limited lateral translation of the rib within a larger groove}
2002/30329	{Connections or couplings between prosthetic parts, e.g. between modular parts; Connecting elements}	2002/30398	{Sliding}
2002/30331	{made by longitudinally pushing a protrusion into a complementarily-shaped recess, e.g. held by friction fit}	2002/304	{with additional means for limiting said sliding}
2002/30332	{Conically- or frustoconically-shaped protrusion and recess}	2002/30401	{with additional means for preventing or locking said sliding}
2002/30334	{Cone of elliptical or oval basis}			
2002/30336	{Stepped cones, i.e. having discrete diameter changes}			
2002/30337	{Inverted concave conical connections, e.g. for opposing disconnection}			
2002/30339	{Double cones, i.e. connecting element having two conical connections, one at each of its opposite ends}			
2002/30345	{Multiple conical connection, i.e. the protrusion and recess having several tapered sections of different complementary conicities}			

2002/30403	{Longitudinally-oriented cooperating ribs and grooves on mating lateral surfaces of a mainly longitudinal connection}	2002/30487	{Circumferential cooperating grooves and beads on cooperating lateral surfaces of a mainly longitudinal connection}
2002/30405	{made by screwing complementary threads machined on the parts themselves}	2002/3049	{using a slidable sleeve covering the connection}
2002/30406	{Threads machined on spherical, e.g. hemispherical, surfaces}	2002/30492	{using a locking pin}
2002/30408	{Conical threadings}	2002/30494	{Cooperating protrusions and recesses, e.g. radial serrations, located on abutting end surfaces of a longitudinal connection}
2002/3041	{having threaded portions of different pitches}	2002/30495	{using a locking ring}
2002/30411	{having two threaded end parts connected by a threaded central part with opposite threads at its opposite ends, i.e. for adjusting the distance between both end parts by rotating the central part}	2002/305	{Snap connection}
2002/30413	{having threads of increasing height or depth}	2002/30505	{spring biased}
2002/3042	{with a pin cooperating with a helical groove}	2002/30507	{using a threaded locking member, e.g. a locking screw or a set screw}
2002/30421	{Rounded threads}	2002/30514	{using a locking washer}
2002/30425	{Square threads}	2002/30515	{using a locking wedge or block}
2002/30426	{Bayonet coupling}	2002/30517	{using a locking plate}
2002/30428	{made by inserting a protrusion into a slot}	2002/30518	{with possibility of relative movement between the prosthetic parts}
2002/30429	{made by inserting a hook into a cooperating slot}	2002/3052	{unrestrained in only one direction, e.g. moving unidirectionally}
2002/30431	{made by first pushing a necked button longitudinally and then sliding it laterally within a keyhole slot}	2002/30522	{releasable, e.g. using a releasable ratchet}
2002/30433	{using additional screws, bolts, dowels, rivets or washers e.g. connecting screws}	2002/30523	{by means of meshing gear teeth}
2002/30448	{using adhesives}	2002/30525	{Worm gears}
2002/30449	{the adhesive being cement}	2002/30528	{Means for limiting said movement}
2002/30451	{soldered or brazed or welded}	2002/3053	{having additional means for preventing unwanted connections}
2002/30459	{stapled}	2002/30535	{Special structural features of bone or joint prostheses not otherwise provided for}
2002/30461	{sutured, ligatured or stitched}	2002/30537	{adjustable}
2002/30462	{retained or tied with a rope, string, thread, wire or cable}	2002/30538	{for adjusting angular orientation}
2002/30467	{using hook and loop-type fasteners}	2002/3054	{about a connection axis or implantation axis for selecting any one of a plurality of radial orientations between two modular parts, e.g. Morse taper connections, at discrete positions, angular positions or continuous positions}
2002/30469	{using band clamps}	2002/30545	{for adjusting a diameter}
2002/30471	{connected by a hinged linkage mechanism, e.g. of the single-bar or multi-bar linkage type}	2002/30546	{for adjusting elasticity, flexibility, spring rate or mechanical tension}
2002/30474	{using an intermediate sleeve interposed between both prosthetic parts to be coupled}	2002/30548	{for adjusting fluid pressure}
2002/30476	{locked by an additional locking mechanism}	2002/3055	{for adjusting length}
2002/30477	{using sharp protrusions, e.g. spikes, for anchoring into connecting prosthetic part}	2002/30553	{for adjusting a position by translation along an axis}
2002/30479	{using a locking ball}	2002/30555	{along two perpendicular axes}
2002/30481	{using a locking clip}	2002/30556	{for adjusting thickness}
2002/30482	{using a locking cam}	2002/30558	{Force-limiting means}
2002/30484	{Mechanically expandable devices located on the first prosthetic part for locking into or onto the second prosthetic part}	2002/30561	{breakable or frangible}
2002/30485	{plastically deformable}	2002/30563	{having elastic means or damping means, different from springs, e.g. including an elastomeric core or shock absorbers}
		2002/30565	{having spring elements}
		2002/30566	{Helical springs}
		2002/30568	{Multiple spring systems including two or more helical springs}
		2002/30571	{Leaf springs}
		2002/30573	{2-D spiral springs}

2002/30574	{ with an integral complete or partial collar or flange }	2002/30657	{ made of different partially-spherical concave portions }
2002/30576	{ with extending fixation tabs }	2002/30658	{ having a central conforming area surrounded by a peripheral annular non-conforming area }
2002/30578	{ having apertures, e.g. for receiving fixation screws }	2002/3066	{ having a central non-conforming area surrounded by a peripheral annular conforming area }
2002/30579	{ with mechanically expandable devices, e.g. fixation devices }	2002/30662	{ with rotation-limiting means }
2002/30581	{ having a pocket filled with fluid, e.g. liquid }	2002/30663	{ multiaxial, e.g. biaxial; multipolar, e.g. bipolar or having an intermediate shell articulating between the ball and the socket }
2002/30583	{ filled with hardenable fluid, e.g. curable in-situ }	2002/30665	{ Dual arrangement of two adjacent ball-and-socket joints }
2002/30584	{ filled with gas }	2002/30667	{ Features concerning an interaction with the environment or a particular use of the prosthesis }
2002/30586	{ having two or more inflatable pockets or chambers }	2002/30668	{ Means for transferring electromagnetic energy to implants }
2002/30588	{ filled with solid particles }	2002/3067	{ for data transfer }
2002/30589	{ Sealing means }	2002/30672	{ temporary }
2002/30593	{ hollow }	2002/30673	{ Lubricating means, e.g. synovial pocket }
2002/30594	{ slotted, e.g. radial or meridian slot ending in a polar aperture, non-polar slots, horizontal or arcuate slots }	2002/30675	{ Means for regulating synovial fluid pressure }
2002/30599	{ stackable }	2002/30677	{ Means for introducing or releasing pharmaceutical products, e.g. antibiotics, into the body }
2002/30601	{ telescopic }	2002/3068	{ the pharmaceutical product being in a reservoir }
2002/30602	{ Shaft made of a bundle of anchoring rods or bristles, e.g. fasciculate shaft }	2002/30682	{ Means for preventing migration of particles released by the joint, e.g. wear debris or cement particles }
2002/30604	{ modular }	2002/30683	{ Means for collecting wear particles in a hollow cavity inside the prosthesis }
2002/30606	{ Sets comprising both cemented and non-cemented endoprostheses }	2002/30685	{ Means for reducing or preventing the generation of wear particulates }
2002/30607	{ Kits of prosthetic parts to be assembled in various combinations for forming different prostheses }	2002/30686	{ Devices for removing particulate debris from prosthetic joints }
2002/30609	{ Sets comprising both coated and non-coated endoprostheses }	2002/30688	{ Means for allowing passage or sliding of tendons or ligaments }
2002/30614	{ Sets comprising both primary and revision endoprostheses }	2002/3069	{ Revision endoprostheses }
2002/30616	{ Sets comprising a plurality of prosthetic parts of different sizes or orientations }	2002/30691	{ Drainage means, e.g. for evacuating blood or other fluids }
2002/30617	{ Visible markings for adjusting, locating or measuring }	2002/30693	{ Air venting means }
2002/30621	{ Features concerning the anatomical functioning or articulation of the prosthetic joint }	2002/30695	{ Sound-damping or noise-reducing means }
2002/30622	{ Implant for fusing a joint or bone material }	2002/30696	{ Means for preventing the accidental forgetting of prosthetic parts inside the body during operation }
2002/30624	{ Hinged joint, e.g. with transverse axle restricting the movement }	2002/30698	{ Alarm means }
2002/30632	{ with rotation-limiting stops, e.g. projections or recesses }	2002/307	{ Prostheses for animals }
2002/30634	{ biaxial }	2002/30706	{ specially designed for children, e.g. having means for adjusting to their growth }
2002/30635	{ Cardan or gimbal joints }	2002/30708	{ Means for distinguishing between left-sided and right-sided devices, Sets comprising both left-sided and right-sided prosthetic parts }
2002/30639	{ having rolling elements between both articulating surfaces }	2002/3071	{ Identification means; Administration of patients }
2002/30642	{ having a single rolling (or sliding) ball articulating between two cups }	2002/30716	{ for single use, e.g. having means for preventing re-use }
2002/30647	{ Joints made of two toroidal rings engaged together }		
2002/30649	{ Ball-and-socket joints }		
2002/3065	{ Details of the ball-shaped head }		
2002/30652	{ Special cut-outs, e.g. flat or grooved cut-outs }		
2002/30654	{ Details of the concave socket }		
2002/30655	{ Non-spherical concave inner surface }		

2002/30718	{Means for protecting prosthetic parts, e.g. during operation}	2002/30769	{madreporic}
2002/30719	{Means for cleaning prostheses}	2/30771	{applied in original prostheses, e.g. holes or grooves}
2/30721	{Accessories}	2002/30772	{Apertures or holes, e.g. of circular cross section}
2/30723	{Plugs or restrictors for sealing a cement-receiving space (tools for inserting plugs A61F 2/4614 ; sealing collars for use during cementing A61B 17/8808)}	2002/30774	{internally-threaded}
2/30724	{Spacers for centering an implant in a bone cavity, e.g. in a cement-receiving cavity}	2002/30777	{Oblong apertures}
2002/30726	{Centering or guiding rods, e.g. for insertion of femoral shafts}	2002/30779	{arcuate}
2/30728	{Collars; Bone edge protectors (A61F 2/30734 takes precedence ; sealing collars for use during cementing A61B 17/8808)}	2002/30782	{inclined obliquely}
2002/30729	{Separate collars}	2002/30784	{Plurality of holes}
2002/30731	{Bone edge protectors}	2002/30785	{parallel}
2002/30733	{Inserts placed into an endoprosthetic cavity, e.g. for modifying a material property}	2002/30787	{inclined obliquely with respect to each other}
2/30734	{Modular inserts, sleeves or augments, e.g. placed on proximal part of stem for fixation purposes or wedges for bridging a bone defect}	2002/30789	{perpendicular with respect to each other}
2002/30736	{Augments or augmentation pieces, e.g. wedges or blocks for bridging a bone defect}	2002/3079	{Stepped or enlarged apertures, e.g. having discrete diameter changes}
2002/30738	{Sleeves}	2002/30795	{Blind bores, e.g. of circular cross-section}
2/30739	{Devices connected to the proximal part of an endoprosthetic femoral shaft for reinforcing or replacing the trochanters, e.g. the greater trochanter (proximal parts of endoprosthetic femoral shafts A61F 2/367 ; non-prosthetic trochanteric devices A61B 17/74)}	2002/30797	{internally-threaded}
2002/30741	{for the lesser trochanter}	2002/308	{oblong}
2/30742	{Bellows or hose-like seals; Sealing membranes (A61B 17/8808 takes precedence ; sealing membranes for retaining bone substitute A61F 2/2846)}	2002/30802	{arcuate}
2/30744	{End caps, e.g. for closing an endoprosthetic cavity}	2002/30803	{inclined obliquely}
2/30749	{Fixation appliances for connecting prostheses to the body}	2002/30805	{Recesses of comparatively large area with respect to their low depth}
2002/30751	{for attaching cartilage scaffolds to underlying bone}	2002/30807	{Plurality of blind bores}
2002/30752	{by means of a bed of granular material}	2002/30808	{parallel}
2002/30754	{Implants for interposition between two natural articular surfaces}	2002/3081	{inclined obliquely with respect to each other}
2/30756	{Cartilage endoprostheses (A61F 2/3603 takes precedence)}	2002/30812	{perpendicular with respect to each other}
2002/30757	{made of a sheet covering the natural articular surface, e.g. cap}	2002/30813	{Stepped or enlarged blind bores, e.g. having discrete diameter changes}
2002/30759	{Mosaicplasty, i.e. using a plurality of individual cartilage plugs for filling a substantial cartilage defect}	2002/30817	{Intersecting or overlapping blind bores}
2002/30761	{Support means for artificial cartilage, e.g. cartilage defect covering membranes}	2002/30818	{castellated or crenellated}
2002/30762	{Means for culturing cartilage}	2002/3082	{Grooves}
2002/30764	{Cartilage harvest sites}	2002/30822	{Circumferential grooves}
2002/30766	{Scaffolds for cartilage ingrowth and regeneration}	2002/30823	{having the shape of a reverse dovetail}
2/30767	{Special external or bone-contacting surface, e.g. coating for improving bone ingrowth}	2002/30825	{arcuate}
		2002/30827	{Plurality of grooves}
		2002/30828	{parallel}
		2002/3083	{inclined obliquely with respect to each other}
		2002/30831	{perpendicular with respect to each other}
		2002/30836	{knurled}
		2002/30838	{Microstructures}
		2002/3084	{Nanostructures}
		2002/30841	{Sharp anchoring protrusions for impaction into the bone, e.g. sharp pins, spikes}
		2002/30843	{Pyramidally-shaped}
		2002/30845	{with cutting edges}
		2002/3085	{with a threaded, e.g. self-tapping, bone-engaging surface, e.g. external surface}
		2002/30851	{Multiple threadings}
		2002/30858	{Threads interrupted by grooves or sidewalls, e.g. flat sidewalls}
		2002/30859	{having threaded portions of different pitches}
		2002/30861	{having threads of increasing or decreasing height}

2002/30863	{the entry end surface having flutes, relief grooves, starter notches or bevelled indentations}	2002/30935	{Concave articulating surface composed of a central conforming area surrounded by a peripheral annular non-conforming area}
2002/30864	{Microthreads}	2002/30937	{with cut-outs}
2002/30866	{Rounded threads}	2002/30939	{Means for modifying the geometry of articulating surfaces, e.g. for compensating excessive clearance caused by wear}
2002/30868	{Square, rectangular or rhomboidal threads}	2/3094	{Designing or manufacturing processes}
2002/30869	{Dovetail-shaped}	2/30942	{for designing or making customized prostheses, e.g. using templates, CT or NMR scans, finite-element analysis or CAD-CAM techniques}
2002/30871	{Trapezoidal threads}	2002/30943	{using mathematical models}
2002/30873	{Threadings machined on non-cylindrical external surfaces}	2002/30948	{using computerized tomography, i.e. CT scans}
2002/30878	{with non-sharp protrusions, for instance contacting the bone for anchoring, e.g. keels, pegs, pins, posts, shanks, stems, struts}	2002/30952	{using CAD-CAM techniques or NC-techniques}
2002/30879	{Ribs}	2002/30953	{using a remote computer network, e.g. Internet}
2002/30881	{Circumferential ribs, flanges or fins}	2002/30955	{using finite-element analysis}
2002/30883	{dovetail-shaped}	2002/30957	{using a positive or a negative model, e.g. moulds}
2002/30884	{Fins or wings, e.g. longitudinal wings for preventing rotation within the bone cavity}	2002/3096	{trimmed or cut to a customised size}
2002/30886	{externally-threaded}	2002/30962	{using stereolithography}
2002/30889	{Arcuate pegs}	2002/30963	{using templates, e.g. grid charts}
2002/30891	{Plurality of protrusions}	2/30965	{Reinforcing the prosthesis by embedding particles or fibres during moulding or dipping}
2002/30892	{parallel}	2002/30967	{Diffusion bonding}
2002/30894	{inclined obliquely with respect to each other}	2002/30968	{Sintering}
2002/30896	{perpendicular with respect to each other}	2002/3097	{using laser}
2002/30897	{Stepped protrusions, i.e. having discrete diameter changes}	2002/30971	{Laminates, i.e. layered products}
2002/30899	{Protrusions pierced with apertures}	2002/30973	{Two joined adjacent layers having complementary interlocking protrusions and recesses}
2002/30901	{longitudinally}	2002/30975	{made of two halves}
2002/30902	{laterally or radially}	2002/30976	{using hydrojet}
2002/30904	{serrated profile, i.e. saw-toothed}	2002/30978	{using electrical discharge machining [EDM]}
2002/30906	{shot- sand- or grit-blasted}	2002/30985	{using three dimensional printing [3DP]}
2/30907	{Nets or sleeves applied to surface of prostheses or in cement}	2/30988	{Other joints not covered by any of the groups A61F 2/32 - A61F 2/4425 }
2002/30909	{Nets}	2/3099	{for temporo-mandibular [TM, TMJ] joints (endoprotheses for mandibular reconstruction A61F 2/2803)}
2002/30911	{having a honeycomb structure}	2002/30991	{Mandibular components}
2002/30912	{made of expanded metal, e.g. diamond mesh or metal nets having lozenge-shaped apertures}	2002/30993	{Temporal components}
2002/30914	{Details of the mesh structure, e.g. disposition of the woven warp and weft wires}	2002/30995	{for sacro-iliac joints}
2002/30915	{made of a stack of bonded perforated sheets, grids or wire meshes}	2002/30996	{for sterno-clavicular joints}
2002/30917	{for avoiding direct contact between bone and implant, e.g. extensible membrane for preventing contamination or for easy removal}	2002/30998	{for acromio-clavicular joints}
2002/30919	{Sleeves}	2/32	for the hip
2002/3092	{having an open-celled or open-pored structure}	NOTE		
2002/30922	{Hardened surfaces}	Documents, which are of interest for more than one of the following subgroups, are classified in the hierarchically higher group only		
2002/30925	{etched}	2002/3208	{Bipolar or multipolar joints, e.g. having a femoral head articulating within an intermediate acetabular shell whilst said shell articulates within the natural acetabular socket or within an artificial outer shell}
2002/30929	{having at least two superposed coatings}	2002/3216	{tripolar}
2002/3093	{for promoting ingrowth of bone tissue}			
2002/30932	{for retarding or preventing ingrowth of bone tissue}			
2002/30934	{Special articulating surfaces}			

2002/3225	{the diameter of the inner concave femoral head-receiving cavity of the inner acetabular shell being essentially greater than the diameter of the convex femoral head}	2002/3454	{having an oblong, oval or elliptical cross-section in the equatorial plane}
2002/3233	{having anti-luxation means for preventing complete dislocation of the femoral head from the acetabular cup}	2002/3456	{ellipsoidal or having a flattened polar region}
2002/3241	{having a ring, e.g. for locking the femoral head into the acetabular cup}	2002/3459	{made of different partially-spherical portions}
2/34	Acetabular cups	2002/3462	{having a frustoconical external shape, e.g. entirely frustoconical}
2002/3401	{with radial apertures, e.g. radial bores for receiving fixation screws}	2002/3466	{having a cylindrical external shape, e.g. entirely cylindrical}
2002/3403	{Polar aperture}	2002/3469	{with non-radial inner bores or canals}
2002/3406	{Oblong apertures}	2002/3479	{Cage-like shells, e.g. hemispherical outer shells made of meridian strips or wires connected to an equatorial strip, rim or wire}
2002/3408	{Shells having at least two sets of different apertures, e.g. one set located in the equatorial zone and another set located in the polar zone}	2002/348	{Additional features}
2002/3412	{with pins or protrusions, e.g. non-sharp pins or protrusions projecting from a shell surface}	2002/3482	{Two hemispherical halves having completely different structures}
2002/3414	{Polar protrusion, e.g. for centering two concentric shells}	2002/3483	{having a convex shape, e.g. hemispherical heads}
2002/3417	{the outer shell having protrusions on meridian lines, e.g. equidistant fins or wings around the equatorial zone}	2002/3485	{Shells made of block segments linked by thin connecting strips}
2002/342	{the outer shell having circumferential protrusions parallel to the equatorial plane, e.g. circumferential fins or wings}	2002/3487	{Partial acetabular cups, e.g. strips replacing only partially the natural acetabular cartilage}
2002/3425	{the outer shell having non-meridian protrusions, e.g. fins or wings, located in planes inclined or perpendicular with respect to the equatorial plane}	2002/349	{Shell having a wavy or undulated peripheral rim}
2002/3429	{with an integral peripheral collar or flange, e.g. oriented away from the shell centre line}	2002/3493	{Spherical shell significantly greater than a hemisphere, e.g. extending over more than 200 degrees}
2002/343	{partial, i.e. not extending along the entire equatorial circumference}	2002/3495	{Spherical shell significantly smaller than a hemisphere, e.g. extending over less than 160 degrees}
2002/3432	{having apertures for receiving fixation screws}	2/36	Femoral heads {; Femoral endoprotheses}
2002/3435	{peripheral lip, e.g. elastic lip}	2/3601	{for replacing only the epiphyseal or metaphyseal parts of the femur, e.g. endoprosthetic femoral heads or necks directly fixed to the natural femur by internal fixation devices (non-prosthetic internal fixation devices for the femoral head or neck A61B 17/74)}
2002/3437	{oriented inwardly towards the shell centre line}	2/3603	{implanted without ablation of the whole natural femoral head (endoprosthetic cartilage A61F 2/30756)}
2002/344	{the inner shell having an inner hip femoral head-receiving cavity offset from its centre line}	2002/3605	{made of two or more concentric caps fitted onto one another}
2002/3441	{the outer shell having an outer surface and an inner insert receiving cavity being angularly inclined with respect to the longitudinal axis of the outer surface}	2/3607	{including proximal or total replacement of the femur}
2002/3443	{with an anti-luxation elevated rim portion, e.g. on the inner shell}	2/3609	{Femoral heads or necks; Connections of endoprosthetic heads or necks to endoprosthetic femoral shafts (A61F 2/3601 takes precedence)}
2002/3445	{having a number of shells different from two}	2002/3611	{Heads or epiphyseal parts of femur}
2002/3446	{Single cups}	2002/3613	{with lateral or oblique apertures, holes or openings}
2002/3448	{Multiple cups made of three or more concentric shells fitted or nested into one another}	2002/3615	{having a concave shape, e.g. hemispherical cups}
2002/345	{the inner and outer (hemi)spherical surfaces of a shell, e.g. an intermediate shell, having distinct centres of rotation, both located on the centre line of the shell}	2002/3621	{pierced with a longitudinal bore}
2002/3453	{having a non-hemispherical convex outer surface, e.g. quadric-shaped}	2002/3623	{Non-spherical heads}
			2002/3625	{Necks}
			2002/3627	{with lateral apertures, holes or openings}

2002/3631	{ with an integral complete or partial peripheral collar or bearing shoulder at its base }	2/389	{ Tibial components (A61F 2/3868 takes precedence) }
2002/3647	{ pierced with a longitudinal bore }	2002/3895	{ unicompartimental }
2002/365	{ Connections of heads to necks }	2/40	. . .	for shoulders
2002/3652	{ Connections of necks to shafts }	NOTE		
2002/3654	{ Connections of heads directly to shafts }	Documents, which are of interest for more than one of the following subgroups, are classified in the hierarchically higher group only		
2/3662	{ Femoral shafts }	2/4003	{ Replacing only the epiphyseal or metaphyseal parts of the humerus, i.e. endoprosthesis not comprising an entire humeral shaft (replacing only the epiphyseal or metaphyseal parts of the femur A61F 2/3601) }
2/367	{ Proximal or metaphyseal parts of shafts (trochanteric devices connected to said proximal parts A61F 2/30739) }	2002/4007	{ implanted without ablation of the whole natural humeral head }
2/3672	{ Intermediate parts of shafts }	2002/4011	{ including proximal or total replacement of the humerus }
2002/3674	{ Connections of proximal parts to distal parts }	2/4014	{ Humeral heads or necks; Connections of endoprosthetic heads or necks to endoprosthetic humeral shafts }
2/3676	{ Distal or diaphyseal parts of shafts }	2002/4018	{ Heads or epiphyseal parts of humerus }
2002/3678	{ Geometrical features }	2002/4022	{ having a concave shape, e.g. hemispherical cups }
2002/368	{ with lateral apertures, bores, holes or openings, e.g. for reducing the mass, for receiving fixation screws or for communicating with the inside of a hollow shaft }	2002/4029	{ Necks }
2002/3686	{ bent }	2002/4033	{ with an integral complete or partial peripheral collar at its base }
2002/3688	{ with opposite proximal and distal curvatures, i.e. S-shaped shaft }	2002/4037	{ Connections of heads to necks }
2002/369	{ Stepped shaft, i.e. having discrete diameter changes }	2002/4044	{ Connections of necks to shafts }
2002/3694	{ with longitudinal bores }	2002/4051	{ Connections of heads directly to shafts }
2002/3698	{ twisted about the longitudinal axis of the shaft }	2/4059	{ Humeral shafts }
2/38	. . .	for elbows or knees	2002/4062	{ Proximal or metaphyseal parts of shafts }
NOTE			2002/4066	{ for replacement or reinforcement of the greater tubercle }
Documents, which are of interest for more than one of the following subgroups, are classified in the hierarchically higher group only			2002/407	{ Intermediate parts of shafts }
2/3804	{ for elbows }	2002/4074	{ Connections of proximal or metaphyseal parts to distal or diaphyseal parts }
2002/3809	{ for radio-humeral joints }	2002/4077	{ Distal or diaphyseal parts of shafts }
2002/3813	{ for ulno-humeral joints }	2/4081	{ Glenoid components, e.g. cups }
2002/3818	{ for proximal radio-ulnar joints, i.e. PRU joints }	2002/4085	{ having a convex shape, e.g. hemispherical heads }
2002/3822	{ Humeral components }	2002/4088	{ Acromial components }
2002/3827	{ Radial components }	2002/4092	{ Clavicular components }
2002/3831	{ Ulnar components }	2002/4096	{ Coracoid process components }
2/3836	{ Special connection between upper and lower leg, e.g. constrained }	2/42	. . .	for wrists or ankles; for hands, e.g. fingers; for feet, e.g. toes
2/384	{ hinged, i.e. with transverse axle restricting the movement }	2/4202	{ for ankles }
2/3845	{ allowing only for single rotation }	2002/4205	{ Tibial components }
2/385	{ also provided with condylar bearing surfaces }	2002/4207	{ Talar components }
2/3854	{ with ball and socket joint }	2002/421	{ Fibular components, e.g. fibular-malleolar shields }
2/3859	{ Femoral components }	2002/4212	{ Tarsal bones }
2002/3863	{ Condyles fitted on an anchored base }	2002/4215	{ Lateral row of tarsal bones }
2/3868	{ with sliding tibial bearing }	2002/4217	{ Calcaneum or calcaneus or heel bone }
2/3872	{ Meniscus for implantation between the natural bone surfaces }	2002/422	{ Medial row of tarsal bones }
2/3877	{ Patellae or trochleae }	2002/4223	{ Implants for correcting a flat foot }
2002/3881	{ with moving parts }	2/4225	{ for feet, e.g. toes }
2/3886	{ for stabilising knees against anterior or lateral dislocations }	2002/4228	{ for interphalangeal joints, i.e. IP joints }

2002/4233	{for metatarso-phalangeal joints, i.e. MTP joints}	2/447	{substantially parallelepipedal, e.g. having a rectangular or trapezoidal cross-section}
2002/4238	{for tarso-metatarsal joints, i.e. TMT joints}	2002/448	{comprising multiple adjacent spinal implants within the same intervertebral space or within the same vertebra, e.g. comprising two adjacent spinal implants}
2/4241	{for hands, e.g. fingers}	2002/4485	{comprising three or more adjacent spinal implants}
2002/4243	{for interphalangeal joints, i.e. IP joints}	2002/449	{comprising multiple spinal implants located in different intervertebral spaces or in different vertebrae}
2002/4251	{for metacarpo-phalangeal joints, i.e. MCP or MP joints, e.g. knuckle joints}	2002/4495	{having a fabric structure, e.g. made from wires or fibres}
2002/4253	{for thumbs}	2/46	Special tools or methods for implanting or extracting artificial joints, accessories, bone grafts or substitutes, or particular adaptations therefor
2002/4256	{for carpo-metacarpal joints, i.e. CMC joints}	2/4601	{for introducing bone substitute, for implanting bone graft implants or for compacting them in the bone cavity}
2002/4258	{for trapezo-metacarpal joints of thumbs}	2/4603	{for insertion or extraction of endoprosthetic joints or of accessories thereof}
2/4261	{for wrists}	2/4605	{of elbows}
2002/4264	{for radio-carpal joints}	2/4606	{of wrists or ankles; of hands, e.g. fingers; of feet, e.g. toes}
2002/4266	{for ulno-carpal joints}	2/4607	{of hip femoral endoprostheses}
2002/4269	{for distal radio-ulnar joints, i.e. DRU joints}	2/4609	{of acetabular cups}
2002/4271	{Carpal bones}	2/461	{of knees}
2002/4274	{Distal carpal row, i.e. bones adjacent the metacarpal bones}	2/4611	{of spinal prostheses}
2002/4276	{Trapezium}	2/4612	{of shoulders}
2002/4279	{Trapezoid}	2/4614	{of plugs for sealing a cement-receiving space}
2002/4282	{Capitate}	2002/4615	{of spacers}
2002/4284	{Hamate}	2002/4616	{of temporo-mandibular joints}
2002/4287	{Proximal carpal row, i.e. bones adjacent the radius and the ulna}	2/4618	{of cartilage}
2002/4289	{Scaphoid or navicular bone}	2002/4619	{for extraction}
2002/4292	{Lunate}	2002/462	{of broken endoprosthetic joint parts}
2002/4294	{Triquetrum}	2002/4622	{having the shape of a forceps or a clamp}
2002/4297	{Pisiform bone}	2002/4625	{with relative movement between parts of the instrument during use}
2/44	for the spine, e.g. vertebrae, spinal discs	2002/4627	{with linear motion along or rotating motion about the instrument axis or the implantation direction, e.g. telescopic, along a guiding rod, screwing inside the instrument}
2/4405	{for apophyseal or facet joints, i.e. between adjacent spinous or transverse processes (devices implanted between spinous or transverse processes A61B 17/7062)}	2002/4628	{with linear motion along or rotating motion about an axis transverse to the instrument axis or to the implantation direction, e.g. clamping}
2/441	{made of inflatable pockets or chambers filled with fluid, e.g. with hydrogel}	2002/4629	{connected to the endoprosthesis or implant via a threaded connection}
2002/4415	{elements of the prosthesis being arranged in a chain like manner}	2002/4631	{the prosthesis being specially adapted for being cemented}
2/442	{Intervertebral or spinal discs, e.g. resilient (non-disc-shaped intervertebral inflatable pockets A61F 2/441 ; non-disc-shaped intervertebral fusion implants A61F 2/4455)}	2002/4632	{using computer-controlled surgery, e.g. robotic surgery}
2/4425	{made of articulated components}	2002/4633	{for selection of endoprosthetic joints or for pre-operative planning}
2002/443	{having two transversal endplates and at least one intermediate component}	2002/4635	{using minimally invasive surgery}
2002/4435	{Support means or repair of the natural disc wall, i.e. annulus, e.g. using plates, membranes or meshes}	2/4637	{for connecting or disconnecting two parts of a prosthesis}
2002/444	{for replacing the nucleus pulposus}	2002/4638	{Tools for performing screwing, e.g. nut or screwdrivers, or particular adaptations therefor}
2002/4445	{Means for culturing intervertebral disc tissue}	2002/4641	{for disconnecting}
2002/445	{Intervertebral disc tissue harvest sites}			
2/4455	{for the fusion of spinal bodies, e.g. intervertebral fusion of adjacent spinal bodies, e.g. fusion cages (intervertebral discs A61F 2/442)}			
2/446	{having a circular or elliptical cross-section substantially parallel to the axis of the spine, e.g. cylinders or frustocones}			
2/4465	{having a circular or kidney shaped cross-section substantially perpendicular to the axis of the spine}			

2/4644	{Preparation of bone graft, bone plugs or bone dowels, e.g. grinding or milling bone material (bone material A61F 2/28; disintegrating or milling devices B02C)}
2002/4645	{Devices for grinding or milling bone material}
2002/4646	{Devices for cleaning bone graft}
2002/4648	{Means for culturing bone graft}
2002/4649	{Bone graft or bone dowel harvest sites}
2002/465	{using heating means}
2002/4653	{using cooling means}
2002/4655	{for introducing lubricating fluid}
2/4657	{Measuring instruments used for implanting artificial joints (for surgical instruments A61B 90/06)}
2002/4658	{for measuring dimensions, e.g. length}
2002/4659	{for measuring a diameter}
2002/4661	{for measuring thickness}
2002/4662	{for measuring penetration depth}
2002/4663	{for measuring volumes or other three-dimensional shapes}
2002/4664	{for measuring conicities}
2002/4666	{for measuring force, pressure or mechanical tension}
2002/4667	{for measuring torque}
2002/4668	{for measuring angles}
2002/467	{for measuring fluid pressure}
2002/4671	{for measuring resonant frequency}
2002/4672	{for measuring temperature}
2002/4674	{for measuring the pH}
2/4675	{for cleaning or coating bones, e.g. bone cavities, prior to endoprosthesis implantation or bone cement introduction (for cleaning teeth cavities A61C 17/00; irrigators A61M 3/02)}
2002/4676	{for coating the bony surface}
2002/4677	{using a guide wire}
2/468	{Testing instruments for artificial joints (for testing non-implantable prostheses A61F 2/76)}
2002/4681	{by applying mechanical shocks, e.g. by hammering}
2002/4683	{by applying ultrasonic vibrations}
2/4684	{Trial or dummy prostheses}
2002/4685	{by means of vacuum}
2002/4687	{Mechanical guides for implantation instruments}
2002/4688	{having operating or control means}
2002/4689	{acoustic}
2002/469	{electrical}
2002/4692	{fluid}
2002/4693	{hydraulic}
2002/4694	{pneumatic}
2002/4696	{optical}
2002/4698	{magnetic}
2002/48	{Operating or control means}
2002/481	{acoustic or audible}
2002/482	{electrical}
WARNING		
Group A61F 2002/482 is incomplete pending reclassification of documents from group A61B 5/04888 .		
Groups A61B 5/04888 and A61F 2002/482 should be considered in order to perform a complete search.		
2002/484	{fluid}
2002/485	{hydraulic}
2002/487	{pneumatic}
2002/488	{Means for detecting or monitoring wear}
2/50	{Prostheses not implantable in the body ((closure means for urethra or rectum or for artificial body openings therefor A61F 2/0004)}
2002/5001	{Cosmetic coverings}
2002/5003	{having damping means, e.g. shock absorbers (for implantable joints A61F 2002/30563)}
2002/5004	{operated by electro- or magnetorheological fluids}
2002/5006	{Dampers, e.g. hydraulic damper}
2002/5007	{having elastic means different from springs, e.g. including an elastomeric insert (elastic coating A61F 2002/3007; springs A61F 2002/5072; plate-like springs for feet A61F 2002/6657)}
2002/5009	{having two or more elastomeric blocks}
2002/501	{having an inflatable pocket filled with fluid, i.e. liquid or gas (A61F 2/602, A61F 2002/74, A61F 2/7843 take precedence; for lubrication A61F 2002/5086)}
2002/5012	{having two or more inflatable pockets}
2002/5013	{filled with particles (for joints A61F 2002/30588)}
2002/5015	{hardenable fluid, e.g. curable in-situ or cold-hardening casting substance}
2002/5016	{adjustable (for implantable prostheses A61F 2002/30537)}
2002/5018	{for adjusting angular orientation}
2002/502	{for adjusting length (for implantable joints A61F 2002/3055)}
2002/5021	{for adjusting a position by translation along an axis}
2002/5023	{along two perpendicular axes}
2002/5024	{for adjusting thickness}
2002/5026	{for adjusting a diameter}
2002/5027	{for adjusting cross-section}
2002/5029	{for adjusting weight or mass}
2002/503	{for adjusting elasticity, flexibility, spring rate or mechanical tension}
2002/5032	{for adjusting fluid pressure (inflatable pockets A61F 2002/501, A61F 2/602, A61F 2/7843; fluid operating or control means A61F 2002/74)}
2002/5033	{for adjusting damping (damping means A61F 2002/5003)}
2002/5035	{for adjusting volume flow}
2002/5036	{self-adjustable, e.g. self-learning}
2002/5038	{Hinged joint, e.g. with transverse axle restricting the movement (for implantable joints A61F 2002/30624)}
2002/5039	{allowing only for single rotation}

2002/5041	. . . {having bearing bushes between the rotating parts}	2002/5098	. . . {with rotation-limiting means}
2002/5043	. . . {with rotation-limiting stops, e.g. projections or recesses}	2/52	. . Mammary prostheses (brassieres A41C 3/00)
2/5044	. . {Designing or manufacturing processes}	2002/523	. . . {Multiple breast forms made of several concentric breast-shaped layers nested into one another}
2/5046	. . . {for designing or making customized prostheses, e.g. using templates, finite-element analysis or CAD-CAM techniques}	2002/526	. . . {Nipples}
2002/5047 {using mathematical models (A61F 2002/505 takes precedence)}	2/54	. . Artificial arms or hands or parts thereof
2002/5049 {Computer aided shaping, e.g. rapid prototyping}	2002/543	. . . {Lower arms or forearms}
2002/505 {using CAD-CAM techniques or NC-techniques}	2002/546	. . . {Upper arms}
2002/5052 {Direct moulding or reforming to the stump}	2/58	. . . Elbows; Wrists {; Other joints; Hands}
2002/5053 {using a positive or a negative model, e.g. casting model or mould}	2/581 {Shoulder joints}
2002/5055	. . . {Reinforcing prostheses by embedding particles or fibres during moulding or dipping, e.g. carbon fibre composites}	2/582 {Elbow joints}
2002/5056	. . . {Laminates, i.e. layered products}	2/583 {Hands; Wrist joints}
2002/5058	. . {having means for restoring the perception of senses}	2/585 {Wrist joints}
2002/5059	. . . {the feeling of position}	2/586 {Fingers}
2002/5061	. . . {the sense of touch}	2002/587 {Thumbs}
2002/5063	. . . {the feeling of temperature, i.e. of warmth or cold}	2/588 {Hands having holding devices shaped differently from human fingers, e.g. claws, hooks, tubes}
2002/5064	. . . {for reducing pain from phantom limbs}	2/60	. . Artificial legs or feet or parts thereof
2002/5066	. . {Muscles (implantable A61F 2002/0894)}	2/601	. . . {Peg legs, e.g. wooden legs}
2002/5067	. . {having rolling elements between articulating surfaces (for implantable joints A61F 2002/30639)}	2/602	. . . {with air cushions (A61F 2/7843 takes precedence)}
2002/5069	. . . {Ball bearings}	2/604	. . . {Joints for artificial legs (A61F 2/605, A61F 2/64, A61F 2/6607 take precedence)}
2002/507	. . . {Roller bearings}	2/605	. . . {Hip joints}
2002/5072	. . {having spring elements (spring-biased locking means A61F 2002/30505; for implantable joints A61F 2002/30565; other elastic means A61F 2002/5007)}	2002/607	. . . {Lower legs}
2002/5073	. . . {Helical springs, e.g. having at least one helical spring}	2002/608	. . . {Upper legs}
2002/5075 {Multiple spring systems including two or more helical springs}	2/64	. . . Knee joints
2002/5076 {Concentric outer and inner helical springs}	2/642 {Polycentric joints, without longitudinal rotation}
2002/5078	. . . {2-D spiral springs}	2/644 {of the single-bar or multi-bar linkage type}
2002/5079	. . . {Leaf springs (A61F 2002/6657 takes precedence)}	2/646 {of the pin-guiding groove linkage type}
2002/5081	. . {Additional features (for implantable joints A61F 2002/30535)}	2002/648 {Patellae}
2002/5083	. . . {modular}	2/66	. . . Feet; Ankle joints
2002/5084	. . . {telescopic (adjusting length A61F 2002/502)}	2/6607 {Ankle joints}
2002/5086	. . . {Lubricating means}	2002/6614 {Feet}
2002/5087	. . . {Sound-damping or noise-reducing means}	2002/6621 {Toes}
2002/5089	. . . {waterproof}	2002/6628 {Big toes}
2002/509	. . . {specially designed for children, e.g. having means for adjusting to their growth (implantable A61F 2250/0082)}	2002/6635 {Metatarsals}
2002/5092	. . . {Identification means (for implantable prostheses A61F 2250/0085)}	2002/6642 {Heels}
2002/5093	. . {Tendon- or ligament-replacing cables (implantable A61F 2/08)}	2002/665 {Soles}
2002/5095	. . . {for Achilles tendons}	2002/6657 {having a plate-like or strip-like spring element, e.g. an energy-storing cantilever spring keel}
2002/5096	. . {Ball-and-socket joints (for implantable joints A61F 2002/30649)}	2002/6664 {Dual structures made of two connected cantilevered leaf springs}
		2002/6671 {C-shaped}
		2002/6678 {L-shaped}
		2002/6685 {S-shaped}
		2002/6692 {circular or loop-shaped}
		2/68	. . Operating or control means
			WARNING
			Group A61F 2/68 is impacted by reclassification into group A61F 2/70 .
			Groups A61F 2/68 and A61F 2/70 should be considered in order to perform a complete search.
		2002/6809	. . . {acoustic}
		2002/6818	. . . {for braking}

2002/6827	. . .	{Feedback system for providing user sensation, e.g. by force, contact or position}	2002/7635	{for measuring force, pressure or mechanical tension}
2002/6836	. . .	{Gears specially adapted therefor, e.g. reduction gears}	2002/764	{for measuring acceleration}
2002/6845	. . .	{Clutches}	2002/7645	{for measuring torque, e.g. hinge or turning moment, moment of force}
2002/6854	. . .	{for locking or unlocking a joint}	2002/765	{for measuring time or frequency}
2002/6863	. . .	{magnetic (magnetic prosthetic parts A61F 2002/30079)}	2002/7655	{for measuring fluid pressure}
2002/6872	. . .	{attached and mechanically operated by remaining muscle (bioelectrical control A61F 2/72)}	2002/766	{for measuring moisture}
2002/6881	. . .	{optical}	2002/7665	{for measuring temperatures}
2002/689	. . .	{Alarm means, e.g. acoustic}	2002/767	{for measuring blood pressure}
2/70	. . .	electrical	2002/7675	{for measuring oxygen content}
WARNING			2002/768	{for measuring battery status}
Group A61F 2/70 is incomplete pending reclassification of documents from group A61F 2/68 .			2002/7685	{located on natural or sound-site limbs, e.g. comparison measuring means}
Groups A61F 2/70 and A61F 2/68 should be considered in order to perform a complete search.			2002/769	{Displaying measured values}
2002/701	{operated by electrically controlled means, e.g. solenoids or torque motors}	2002/7695	. . .	{Means for testing non-implantable prostheses (for testing implantable prostheses A61F 2240/008 ; for implanting artificial joints A61F 2/468)}
2002/702	{Battery-charging stations}	2/78	. .	Means for protecting prostheses or for attaching them to the body, e.g. bandages, harnesses, straps, or stockings for the limb stump
2002/704	{computer-controlled, e.g. robotic control}	2002/7806	. . .	{using adhesive means (for connecting prosthetic parts A61F 2002/30448)}
2002/705	{Electromagnetic data transfer (for implantable prostheses A61F 2250/0002)}	2/7812	. . .	{Interface cushioning members placed between the limb stump and the socket, e.g. bandages or stockings for the limb stump}
2002/707	{Remote control}	2002/7818	{Stockings or socks for the limb stump (cosmetic coverings A61F 2002/5001)}
2002/708	{electrically self charging}	2002/7825	{Devices for putting-on or pulling-off stockings}
2/72	Bioelectrical control, e.g. myoelectric	2002/7831	{with a rope for pulling the sock inside the socket}
WARNING			2002/7837	{Sleeves for attaching or protecting, i.e. open ended hoses}
Group A61F 2/72 is incomplete pending reclassification of documents from group A61B 5/04888 .			2/7843	{Inflatable bladders}
Groups A61B 5/04888 and A61F 2/72 should be considered in order to perform a complete search.			2002/785	{Pads, e.g. relief pads}
2002/74	. . .	{fluid, i.e. hydraulic or pneumatic (inflatable pocket filled with fluid A61F 2002/501)}	2002/7856	. . .	{having finger loops or grips}
2002/741	{using powered actuators, e.g. stepper motors or solenoids}	2002/7862	. . .	{Harnesses, straps (for connecting prosthetic parts A61F 2002/30462)}
2002/742	{Low pressure systems, e.g. vacuum pump}	2002/7868	. . .	{Means for putting-on or pulling-off prostheses}
2002/744	{Vane- or curved-cylinder type actuators, e.g. actuators using rotary pistons}	2002/7875	. . .	{with releasable ratchets or pegs (snap connections A61F 2002/305 ; pushing a peg into a hole A61F 2002/30331)}
2002/745	{hydraulic}	2002/7881	. . .	{using hook and loop-type fasteners (for connecting prosthetic parts A61F 2002/30467)}
2002/747	{pneumatic}	2002/7887	. . .	{for connecting limb exoprostheses to the stump bone}
2002/748	{Valve systems}	2002/7893	. . .	{using slide fasteners, e.g. zippers}
2/76	. .	Means for assembling, fitting or testing prostheses, e.g. for measuring or balancing, {e.g. alignment means}	2/80	. . .	Sockets, e.g. of suction type
2002/7605	. . .	{for assembling by heating (for implanting artificial joints A61F 2002/465)}	2002/802	{Suction sockets, i.e. utilizing differential air pressure to retain the prosthesis on the stump}
2002/761	. . .	{for assembling by cooling (for implanting artificial joints A61F 2002/4653)}	2002/805	{having an air valve}
2002/7615	. . .	{Measuring means (for implanting artificial joints A61F 2/4657)}	2002/807	{having a vacuum reservoir chamber}
2002/762	{for measuring dimensions, e.g. a distance}			
2002/7625	{for measuring angular position}			
2002/763	{for measuring spatial position, e.g. global positioning system [GPS]}			

2/82 {Devices providing patency to, or preventing collapsing of, tubular structures of the body, e.g. stents (stent-grafts for tubular structures of the body other than blood vessels A61F 2/04 ; stent-grafts for blood vessels A61F 2/07 ; instruments specially adapted for placement or removal of stents or stent-grafts A61F 2/95 ; for closing wounds, or holding wounds closed A61B 17/04 - A61B 17/115 ; dilators A61M 29/00)}	2002/91591 {Locking connectors, e.g. using male-female connections}
2002/821	. . . {Ostial stents}	2/92	. . . Stents in the form of a rolled-up sheet expanding after insertion into the vessel {, e.g. with a spiral shape in cross-section}
2002/823	. . . {Stents, different from stent-grafts, adapted to cover an aneurysm}	2/93	. . . circumferentially expandable by using ratcheting locks
2002/825	. . . {having longitudinal struts}	2/94	. . . Stents retaining their form, i.e. not being deformable, after placement in the predetermined place
2002/826	. . . {more than one stent being applied sequentially}	2/945 hardenable, e.g. stents formed <u>in situ</u>
2002/828	. . . {Means for connecting a plurality of stents allowing flexibility of the whole structure}	2/95	. . . Instruments specially adapted for placement or removal of stents or stent-grafts
2/844	. . . folded prior to deployment	2002/9505	. . . {having retaining means other than an outer sleeve, e.g. male-female connector between stent and instrument}
2/848	. . . having means for fixation to the vessel wall, e.g. barbs	2002/9511 {the retaining means being filaments or wires}
2002/8483 {Barbs}	2/9517	. . . {handle assemblies therefor}
2002/8486 {provided on at least one of the ends}	2/9522	. . . {Means for mounting a stent or stent-graft onto or into a placement instrument}
2/852	. . . Two or more distinct overlapping stents	WARNING	
2/856	. . . Single tubular stent with a side portal passage	Group A61F 2/9522 is impacted by reclassification into groups A61F 2/9524 , A61F 2/9525 , and A61F 2/9526 .	
2/86	. . . Stents in a form characterised by the wire-like elements; Stents in the form characterised by a net-like or mesh-like structure	All groups listed in this Warning should be considered in order to perform a complete search.	
2/88 the wire-like elements formed as helical or spiral coils (forming a net-like or mesh-like structure A61F 2/90)		
2/885 {comprising a coil including a plurality of spiral or helical sections with alternate directions around a central axis}	2/9524 {Iris-type crimpers}
2/89 the wire-like elements comprising two or more adjacent rings flexibly connected by separate members	WARNING	
2/90 characterised by a net-like or mesh-like structure	Group A61F 2/9524 is incomplete pending reclassification of documents from group A61F 2/9522 .	
2/91 made from perforated sheet material or tubes, e.g. perforated by laser cuts or etched holes	Groups A61F 2/9522 and A61F 2/9524 should be considered in order to perform a complete search.	
2/915 with bands having a meander structure, adjacent bands being connected to each other	2/9525 {using a funnel}
2002/91508 {the meander having a difference in amplitude along the band}	WARNING	
2002/91516 {the meander having a change in frequency along the band}	Group A61F 2/9525 is incomplete pending reclassification of documents from group A61F 2/9522 .	
2002/91525 {within the whole structure different bands showing different meander characteristics, e.g. frequency or amplitude}	Groups A61F 2/9522 and A61F 2/9525 should be considered in order to perform a complete search.	
2002/91533 {characterised by the phase between adjacent bands}	2/9526 {using a mandrel}
2002/91541 {Adjacent bands are arranged out of phase}	WARNING	
2002/9155 {Adjacent bands being connected to each other}	Group A61F 2/9526 is incomplete pending reclassification of documents from group A61F 2/9522 .	
2002/91558 {connected peak to peak}	Groups A61F 2/9522 and A61F 2/9526 should be considered in order to perform a complete search.	
2002/91566 {connected trough to trough}	2002/9528	. . . {for retrieval of stents}
2002/91575 {connected peak to trough}	2002/9534	. . . {for repositioning of stents}
2002/91583 {by a bridge, whereby at least one of its ends is connected along the length of a strut between two consecutive apices within a band}	2/954	. . . for placing stents or stent-grafts in a bifurcation
		2/958	. . . Inflatable balloons for placing stents or stent-grafts

2002/9583	. . . {Means for holding the stent on the balloon, e.g. using protrusions, adhesives or an outer sleeve}
2002/9586	. . . {the means being inside the balloon}
2/962	. . having an outer sleeve
<u>WARNING</u>	
Group A61F 2/962 is impacted by reclassification into group A61F 2002/9623 .	
Groups A61F 2/962 and A61F 2002/9623 should be considered in order to perform a complete search.	
2002/9623	. . . {the sleeve being reinforced}
<u>WARNING</u>	
Group A61F 2002/9623 is incomplete pending reclassification of documents from group A61F 2/962 .	
Groups A61F 2/962 and A61F 2002/9623 should be considered in order to perform a complete search.	
2/966	. . . with relative longitudinal movement between outer sleeve and prosthesis, e.g. using a push rod
<u>WARNING</u>	
Group A61F 2/966 is impacted by reclassification into groups A61F 2/9661 and A61F 2/9662 .	
Groups A61F 2/966 , A61F 2/9661 , and A61F 2/9662 should be considered in order to perform a complete search.	
2/9661	. . . {the proximal portion of the stent or stent-graft is released first}
<u>WARNING</u>	
Group A61F 2/9661 is incomplete pending reclassification of documents from group A61F 2/966 .	
Groups A61F 2/966 and A61F 2/9661 should be considered in order to perform a complete search.	
2/9662	. . . {the middle portion of the stent or stent-graft is released first}
<u>WARNING</u>	
Group A61F 2/9662 is incomplete pending reclassification of documents from group A61F 2/966 .	
Groups A61F 2/966 and A61F 2/9662 should be considered in order to perform a complete search.	
2002/9665	. . . {with additional retaining means}
2/97	. . . the outer sleeve being splittable
3/00	Lengthening pieces for natural legs
4/00	Methods or devices enabling invalids to operate an apparatus or a device not forming part of the body (operating or control means for prostheses A61F 2/68; {serving devices for one-handed persons A47G 21/08})

5/00	Orthopaedic methods or devices for non-surgical treatment of bones or joints (surgical instruments or methods for treatment of bones or joints, devices specially adapted therefor A61B 17/56); Nursing devices; {Anti-rape devices} (bandages, dressings or absorbent pads A61F 13/00)
5/0003	. {Apparatus for the treatment of obesity; Anti-eating devices (surgical instruments or methods for treatment of obesity, devices specially adapted therefor A61B 17/00 ; hollow or tubular parts of organs A61F 2/04)}
5/0006	. . {Diet or mouth appliances}
5/0009	. . {External belts}
5/0013	. . {Implantable devices or invasive measures}
2005/0016	. . . {comprising measuring means}
2005/002	. . . {for sensing mechanical parameters}
2005/0023	. . . {for sensing chemical parameters}
5/0026	. . . {Anti-eating devices using electrical stimulation}
5/003	. . . {inflatable}
5/0033	. . . {with more than one chamber}
5/0036	. . . {Intragastrical devices}
5/004	. . . {remotely adjustable}
5/0043	. . . {using injection ports}
5/0046	. . . {with wireless means}
5/005	. . . {Gastric bands}
5/0053	. . . {remotely adjustable}
5/0056	. . . {using injection ports}
5/0059	. . . {with wireless means}
5/0063	. . . {wrapping the stomach}
5/0066	. . . {Closing devices for gastric bands}
5/0069	. . . {in the wall of the stomach}
5/0073	. . . {in the abdominal cavity, e.g. not attached to the stomach}
5/0076	. . . {preventing normal digestion, e.g. Bariatric or gastric sleeves}
5/0079	. . . {Pyloric or esophageal obstructions}
5/0083	. . . {Reducing the size of the stomach, e.g. gastroplasty (surgical interventions A61B 17/00)}
5/0086	. . . {using clamps, folding means or the like}
5/0089	. . {Instruments for placement or removal}
5/0093	. {Rectal devices, e.g. for the treatment of haemorrhoids}
5/0096	. {Anti-rape devices}
5/01	. Orthopaedic devices, e.g. splints, casts or braces
5/0102	. . {specially adapted for correcting deformities of the limbs or for supporting them; Ortheses, e.g. with articulations}
5/0104	. . . {without articulation}
5/0106	. . . {for the knees}
5/0109	. . . {Sleeve-like structures}
5/0111	. . . {for the feet or ankles}
5/0113	. . . {Drop-foot appliances}
5/0116	. . . {for connecting the feet to each other or to fixed surroundings (A61F 5/0193 takes precedence)}
5/0118	. . . {for the arms, hands or fingers}
5/012	. . . {inflatable}
5/0123	. . . {for the knees (A61F 5/0106 takes precedence)}

- 5/0125 {the device articulating around a single pivot-point}
 - 5/0127 {for the feet ([A61F 5/0111](#) takes precedence)}
 - 5/013 {for the arms, hands or fingers ([A61F 5/0118](#) takes precedence)}
 - 2005/0132 {Additional features of the articulation}
 - 2005/0134 {with two orthogonal pivots}
 - 2005/0137 {with two parallel pivots}
 - 2005/0139 {geared}
 - 2005/0141 {with more than two parallel pivots}
 - 2005/0144 {Multibar}
 - 2005/0146 {combining rotational and sliding movements, e.g. simulating movements of a natural joint}
 - 2005/0148 {Floating pivotal axis}
 - 2005/0151 {combining rotational and torsional movements}
 - 2005/0153 {combining rotational and stretching movements}
 - 2005/0155 {with actuating means}
 - 2005/0158 {with locking means}
 - 2005/016 {in standing position}
 - 2005/0162 {when weight is applied}
 - 2005/0165 {with limits of movement}
 - 2005/0167 {adjustable}
 - 2005/0169 {with damping means}
 - 2005/0172 {with cushions}
 - 2005/0174 {laterally placed}
 - 2005/0176 {supporting the patella}
 - 2005/0179 {with spring means}
 - 2005/0181 {Protectors for articulations}
 - 2005/0183 {Hip protectors, e.g. for elderly people}
 - 2005/0186 {Thumb protectors}
 - 2005/0188 {having pressure sensors}
 - 5/019 {Toe correcting or spreading devices}
 - 5/0193 {Apparatus specially adapted for treating hip dislocation; Abduction splints}
 - 5/0195 {Shoe-like orthopaedic devices for protecting the feet against injuries after operations}
 - 2005/0197 {with spring means}
 - 5/02 Orthopaedic corsets ([arm-rests for use as writing aids B43L 15/00](#))
 - 5/022 {consisting of one or more shells}
 - 5/024 {having pressure pads connected in a frame for reduction or correction of the curvature of the spine}
 - 5/026 {Back straightening devices with shoulder braces to force back the shoulder to obtain a correct curvature of the spine (for clavicle fractures [A61F 5/05808](#); restraining devices [A61F 5/37](#))}
 - 5/028 {Braces for providing support to the lower back, e.g. lumbo sacral supports}
 - 5/03 Corsets or bandages for abdomen, teat or breast support, with or without pads ({trusses [A61F 5/24](#), pressure-pads [A61F 5/30](#)}; brassieres [A41C 3/00](#))
- NOTE**
- Bandages for support of breasts or abdomen are classified in group [A61F 13/14](#)
- 5/04 Devices for stretching or reducing fractured limbs; Devices for distractions; Splints {(plaster of Paris bandages [A61F 13/04](#); with surgery [A61B 17/60](#))}
 - 5/042 for extension or stretching
 - 5/048 Traction splints
 - 5/05 for immobilising ([A61F 5/0102](#) takes precedence)
 - 5/055 Cervical collars
 - 5/058 Splints
 - 5/05808 {Splints for clavicle fractures}
 - 5/05816 {Inflatable splints}
 - 5/05825 {Strips of substantially planar form}
 - 5/05833 {Splints rigidified by vacuum evacuation}
 - 5/05841 {for the limbs ([A61F 5/05816](#), [A61F 5/05833](#) take precedence)}
 - 5/0585 {for the legs (toe correcting devices [A61F 5/019](#))}
 - 5/05858 {for the arms (restraining devices, e.g. slings [A61F 5/37](#))}
 - 5/05866 {for wrists, hands, fingers or thumbs}
 - 5/05875 {for fingers}
 - 5/05883 {for the neck or head ([A61F 5/05816](#), [A61F 5/05833](#) take precedence; cervical supports [A61F 5/055](#))}
 - 5/05891 {for the head, e.g. jaws, nose (nose correcting [A61F 5/08](#))}
 - 5/08 Devices for correcting deformities of the nose (; Devices for enlarging the nostril, e.g. for breathing improvement)
 - 5/10 Devices for correcting deformities of the fingers
 - 5/11 Devices for correcting deformities of the nails
 - 5/14 Special medical insertions for shoes for flat-feet, club-feet, or the like ([ordinary arch supports A43B 7/14](#))
 - 5/24 Trusses
 - 5/26 with belt springs
 - 5/28 Supports for trusses
 - 5/30 Pressure-pads ([corn-pads](#), [corn-rings A61F 13/06](#); {[tourniquets A61B 17/132](#)})
 - 5/32 Adjustable pressure pads
 - 5/34 Pressure pads filled with air or liquid ([valves specially adapted for medical use A61M 39/00](#); [connection of valves to inflatable elastic bodies B60C 29/00](#); {[valves per se F16K](#)})
 - 5/37 Restraining devices for the body or for body parts {, e.g. slings}; Restraining shirts {(handcuffs [E05B 75/00](#))}
 - 5/3707 {for the head (cervical supports [A61F 5/055](#); splints [A61F 5/05883](#))}
 - 5/3715 {for attaching the limbs to other parts of the body}
 - 5/3723 {for the arms}
 - 5/373 {for restricting the movement of the arm at the elbow}
 - 5/3738 {Slings}
 - 5/3746 {Jacket-like sling}
 - 5/3753 {Abduction support}
 - 5/3761 {for attaching the limbs to other objects ([A61F 5/3769](#) takes precedence)}
 - 5/3769 {for attaching the body to beds, wheel-chairs or the like}

- 5/3776 . . . {by means of a blanket or belts (to chairs only [A61F 5/3792](#))}
- 5/3784 {directly connected to the trunk, e.g. with jacket}
- 5/3792 . . . {to chairs, e.g. wheelchairs ([A61F 5/3784](#) takes precedence)}
- 5/40 . Suspensory bandages
- 5/41 . Devices for promoting penis erection (penis implants [A61F 2/26](#); massage of the genitals [A61H 19/00](#))
- 2005/411 . . {Penile supports}
- 2005/412 . . {by vacuum means}
- 2005/414 . . {by constricting means}
- 2005/415 . . {by inflatable means}
- 2005/417 . . {by vibrating means}
- 2005/418 . . {by electrical stimulation}
- 5/44 . Devices worn by the patient for reception of urine, faeces, catamenial or other discharge; {Portable urination aids} (absorbent pads, e.g. sanitary towels, [A61F 13/15](#); drainage appliances for wounds [A61M 27/00](#); {emptying devices for urine bags [B65B 69/0016](#)}); Colostomy devices (adhesives for colostomy devices [A61L 24/00](#); materials for colostomy devices [A61L 28/00](#))
- 5/4401 . . {with absorbent pads (diapers [A61F 13/49](#))}
- 2005/4402 . . {disposable}
- 5/4404 . . {Details or parts}
- 5/4405 . . . {Valves or valve arrangements specially adapted therefor ([A61F 5/441](#) takes precedence); Fluid inlets or outlets ([A61F 5/4407](#) takes precedence)}
- 5/4407 . . . {Closure means other than valves}
- 5/4408 . . . {Means for securing receptacles or bags to the body otherwise than by adhesives, e.g. belts, straps or harnesses ([A61F 5/449](#) takes precedence)}
- 5/441 . . having {venting or} deodorant means, e.g. filters {; having antiseptic means, e.g. bacterial barriers}
- 2005/4415 . . {venting by manual operation}
- 5/442 . . having irrigation ports or means (irrigators [A61M 3/02](#))
- 5/443 . . having {adhesive seals for securing to the body, e.g. of} hydrocolloid type, e.g. gels, starches, karaya gums ({adhesives or sealing pads therefor [A61L 24/00](#))}
- 5/445 . . Colostomy, {ileostomy or urethrostomy} devices ([A61F 5/441](#), [A61F 5/442](#), [A61F 5/443](#) take precedence)
- 2005/4455 . . . {Implantable}
- 5/448 . . . Means for attaching bag to seal ring
- 2005/4483 . . . {Convex pressure ring}
- 2005/4486 . . . {with operable locking ring}
- 5/449 . . . Body securing means, e.g. belts, garments
- 2005/4495 . . . {with floating-belt attaching ring}
- 5/451 . . Genital {or anal} receptacles ([A61F 5/441](#), [A61F 5/442](#), [A61F 5/443](#) take precedence {; other body securing means [A61F 5/4408](#); devices for taking faeces samples [A61B 10/0038](#); devices for taking urine samples [A61B 10/007](#))}
- 5/453 . . . for collecting urine or other discharge from male member ([A61F 6/04](#) takes precedence {; devices for taking sperm samples [A61B 10/0058](#))}
- 5/455 . . . for collecting urine or discharge from female member
- 5/4553 {placed in the vagina, e.g. for catamenial use (pessaries [A61F 6/08](#); absorbent cups [A61F 13/2045](#))}
- 5/4556 {Portable urination aids, e.g. to allow females to urinate from a standing position}
- 5/48 . Devices for preventing wetting or pollution of the bed
- 5/485 . . {Absorbent protective pads (mattress underlays [A47C 21/06](#); bed linen [A47G 9/02](#))}
- 5/50 . Devices for preventing finger-sucking
- 5/56 . Devices for preventing snoring ({by influencing the respiratory system by gas treatment [A61M 16/00](#))}
- 2005/563 . . {Anti-bruxisme}
- 5/566 . . {Intra-oral devices}
- 5/58 . Apparatus for correcting stammering or stuttering
- 6/00 Contraceptive devices; Pessaries; Applicators therefor (chemical aspects of contraception [A61K](#))**
- 6/005 . {Packages or dispensers for contraceptive devices}
- 6/02 . for use by males ([A61F 6/20](#) takes precedence)
- 6/04 . . Condoms, sheaths or the like {, e.g. combined with devices protecting against contagion}
- 2006/041 . . . {combined with a protective garment, e.g. underpants or mask}
- 2006/042 {covering the mouth, e.g. oral condom}
- 2006/043 . . . {with more than one barrier}
- 2006/044 . . . {with absorbent material}
- 2006/045 . . . {with closing devices at the open end}
- 2006/046 {for closing after use}
- 2006/047 . . . {with holding means}
- 2006/048 . . . {with surface protuberances}
- 2006/049 . . . {with strips to apply the condom}
- 6/06 . for use by females ([A61F 6/20](#) takes precedence)
- 6/065 . . {Condom-like devices worn by females}
- 6/08 . . Pessaries, i.e. devices worn in the vagina to support the uterus, remedy a malposition or prevent conception {, e.g. combined with devices protecting against contagion}
- 6/12 . . . Inserters or removers
- 6/14 . . intra-uterine type
- 6/142 . . . {Wirelike structures, e.g. loops, rings, spirals}
- 6/144 {with T-configuration}
- 6/146 . . . {Occluders for the cervical canal (occluding by internal devices [A61B 17/12022](#); dilators [A61M 29/00](#))}
- 6/148 . . . {with sheet-like structure}
- 6/16 . . . inflatable
- 6/18 . . . Inserters or removers {; Apparatus for loading an intra-uterine device into an insertion tube}
- 6/20 . Vas deferens occluders; Fallopian occluders
- 6/202 . . {Means specially adapted for ligaturing, compressing or clamping of oviduct or vas deferens (of tubular organs in general [A61B 17/12](#))}
- 6/204 . . . {Clamp applying devices}
- 6/206 . . {Clamps (ligaturing clamps or clips [A61B 17/122](#))}
- 6/208 . . {Implements for ligaturing}
- 6/22 . . implantable in tubes ({occluding by internal devices [A61B 17/12022](#))}
- 6/225 . . . {transcervical}

6/24	. . . characterised by valve means	2007/0056	. . {for cooling}
7/00	Heating or cooling appliances for medical or therapeutic treatment of the human body (heating or cooling means in connection with bedsteads or mattresses A47C 21/00 {; massage, therapeutic baths A61H }; hyperthermia using electric or magnetic fields or ultrasound A61N ; electric heating elements H05B)	2007/0057	. . . {of gas, e.g. air or carbon dioxide}
2007/0001	. {Body part}	2007/0058	. . . {evaporating on or near the spot to be cooled}
2007/0002	. . {Head or parts thereof}	2007/0059	. {with an open fluid circuit}
2007/0003	. . . {Face}	2007/006	. . {of gas}
2007/0004	. . . {Eyes or part of the face surrounding the eyes}	2007/0061	. . . {Using breath}
2007/0005	. . . {Ears}	2007/0062	. . . {the gas being steam or water vapour}
2007/0006	. . . {Nose}	2007/0063	. . {for cooling}
2007/0007	. . . {Forehead, e.g. headbands}	2007/0064	. . . {of gas}
2007/0008	. . . {Scalp}	2007/0065 {Causing evaporation}
2007/0009	. . . {Throat or neck}	2007/0067 {of sweat}
2007/001 {Throat only}	2007/0068	. . . {evaporating on the spot to be cooled}
2007/0011 {Neck only}	2007/0069	. . {with return means}
2007/0012 {with means for support of the head}	7/007	. {characterised by electric heating}
2007/0013	. . . {Jaw}	2007/0071	. . {using a resistor, e.g. near the spot to be heated}
2007/0014	. . . {Chin}	2007/0072	. . . {remote from the spot to be heated}
2007/0015	. . . {Cheeks}	2007/0073	. . . {thermistor}
2007/0017	. . . {Mouth}	2007/0074 {PTC}
2007/0018	. . {Trunk or parts thereof}	2007/0075	. . {using a Peltier element, e.g. near the spot to be heated or cooled}
2007/0019	. . . {Breast}	2007/0076	. . . {remote from the spot to be heated or cooled}
2007/002 {Heart}	2007/0077	. . {Details of power supply}
2007/0021	. . . {Female breast}	2007/0078	. . . {with a battery}
2007/0022	. . . {Abdomen}	2007/0079 {connectable to car battery}
2007/0023	. . . {Waist}	2007/008 {with a separate, portable battery pack}
2007/0024	. . . {Back}	2007/0081	. . . {Low voltage, e.g. using transformer}
2007/0025	. . . {Higher part of back}	2007/0082 {D.C. (A61F 2007/0078 takes precedence)}
2007/0026	. . . {Middle part of back}	2007/0084	. . . {using a solar cell}
2007/0027	. . . {Lower part of back}	7/0085	. {Devices for generating hot or cold treatment fluids}
2007/0028	. . . {Rectum}	2007/0086	. {with a thermostat}
2007/0029	. . {Arm or parts thereof}	2007/0087	. {Hand-held applicators}
2007/003	. . . {Shoulder}	2007/0088	. {Radiating heat}
2007/0031	. . . {Upper arm}	2007/0089	. {Chemotherapy developing heat}
2007/0032	. . . {Elbow}	2007/009	. {with a varying magnetic field acting upon the human body, e.g. an implant therein}
2007/0034	. . . {Lower arm}	2007/0091	. {inflatable}
2007/0035	. . . {Wrist}	2007/0092	. . {with, or also with, a substance other than air}
2007/0036	. . . {Hand}	2007/0093	. {programmed}
2007/0037	. . . {Finger}	2007/0094	. {using a remote control}
2007/0038	. . . {Thumb}	2007/0095	. {with a temperature indicator}
2007/0039	. . {Leg or parts thereof}	2007/0096	. . {with a thermometer}
2007/004	. . . {Hip}	7/0097	. {Blankets with active heating or cooling sources (warming mats A61F 7/08)}
2007/0041	. . . {Upper leg}	2007/0098	. {ways of manufacturing heating or cooling devices for therapy}
2007/0042	. . . {Knee}	7/02	. Compresses or poultices for effecting heating or cooling
2007/0043	. . . {Lower leg, calf}	2007/0201	. . {shaped as a doll}
2007/0044	. . . {Ankle}	2007/0203	. . {Cataplasms, poultices or compresses, characterised by their contents; Bags therefor}
2007/0045	. . . {Foot}	2007/0204	. . . {containing clay, mud, fango, sand, kaolin clay, volcanic or other inorganic granular solids}
2007/0046	. . . {Toe}	2007/0206	. . . {containing organic solids or fibres}
2007/0047	. . . {Sole}	2007/0207 {Plants, dried plants, seeds or fruits}
2007/0048	. . {Genitals}	2007/0209 {Synthetics, e.g. plastics}
2007/005	. . . {female}	2007/0211 {Granulars}
2007/0051	. . {Stumps after amputation}	2007/0212 {Foams}
2007/0052	. . {for treatment of skin or hair}	2007/0214 {Polymers, e.g. water absorbing}
7/0053	. {Cabins, rooms, chairs or units for treatment with a hot or cold circulating fluid}	2007/0215	. . . {containing liquids other than water}
2007/0054	. {with a closed fluid circuit, e.g. hot water}	2007/0217 {Oils}
2007/0055	. . {of gas, e.g. hot air or steam}	2007/0219 {Gels}

- 2007/022 . . . {Bags therefor}
 - 2007/0222 {made of synthetics, e.g. plastics}
 - 2007/0223 {made of textiles}
 - 2007/0225 . . {connected to the body or a part thereof}
 - 2007/0226 . . . {adhesive, self-sticking}
 - 2007/0228 . . . {with belt or strap, e.g. with buckle}
 - 2007/023 {with pockets for receiving packs or pouches}
 - 2007/0231 . . . {hook and loop-type fastener}
 - 2007/0233 . . . {connected to or incorporated in clothing or garments ([A61F 2007/023](#) takes precedence)}
 - 2007/0234 {for the upper part of the trunk, e.g. bodice}
 - 2007/0236 {for the lower part of the trunk, e.g. panty}
 - 2007/0238 {in a pocket ([A61F 2007/023](#) takes precedence)}
 - 2007/0239 . . . {using vacuum}
 - 7/0241 . . {Apparatus for the preparation of hot packs, hot compresses, cooling pads, e.g. heaters or refrigerators}
 - 2007/0242 . . {heated by microwaves}
 - 2007/0244 . . {with layers}
 - 2007/0246 . . . {with a layer having high heat transfer capability}
 - 2007/0247 {Using a substance with high conductivity}
 - 2007/0249 . . . {with a layer having low heat transfer capability}
 - 2007/025 {retaining air or other gas}
 - 2007/0252 {in closed compartments}
 - 2007/0253 {using a substance with low conductivity ([A61F 2007/025](#) takes precedence)}
 - 2007/0255 {with a reflective layer}
 - 2007/0257 . . . {with a fluid impermeable layer}
 - 2007/0258 . . . {with a fluid permeable layer}
 - 2007/026 . . . {with a fluid absorbing layer}
 - 2007/0261 . . . {medicated}
 - 2007/0263 . . . {made of a substance with therapeutic action, e.g. copper or silver}
 - 2007/0265 . . . {antiallergic}
 - 2007/0266 . . {without external heat source, i.e. using one's own body heat ([A61F 2007/0061](#) takes precedence)}
 - 2007/0268 . . {having a plurality of compartments being filled with a heat carrier ([heat packs stored in pockets A61F 2007/023](#), [A61F 2007/0238](#))}
 - 2007/0269 . . . {with separable compartments, e.g. reconnectable}
 - 2007/0271 {Permanently separable compartments, e.g. with rupturable portions}
 - 2007/0273 . . . {with openings in the walls between the compartments serving as passageways for the filler ([flowing in circuits A61F 2007/0054](#), [A61F 2007/0059](#))}
 - 2007/0274 {the walls being reduced to spot connections, e.g. spot welds}
 - 2007/0276 . . . {with separate compartments connectable by rupturing a wall or membrane}
 - 2007/0277 . . {Other details of hot water bottles, heat packs or cold packs}
 - 2007/0279 . . . {Removable covers or sleeves ([pockets connected to the body or parts thereof A61F 2007/023](#), [A61F 2007/0238](#))}
 - 2007/028 . . . {Devices for wringing}
 - 2007/0282 . . . {for particular medical treatments or effects}
 - 2007/0284 . . . {Treatment of stings or bites}
 - 2007/0285 {Local anaesthetic effect}
 - 2007/0287 {Preventing negative effects of chemotherapy}
 - 2007/0288 {during operations}
 - 2007/029 {Fat cell removal or destruction by non-ablative heat treatment}
 - 2007/0292 . . {using latent heat produced or absorbed during phase change of materials, e.g. of super-cooled solutions}
 - 2007/0293 {Triggers, activators or catalysts therefor}
 - 2007/0295 . . {for heating or cooling or use at more than one temperature}
 - 2007/0296 {Intervals of heating alternated with intervals of cooling}
 - 2007/0298 {with a section for heating and a section for cooling}
 - 7/03 . . thermophore, i.e. self-heating, {e.g. using a chemical reaction}
 - 7/032 {using oxygen from the air, e.g. pocket-stoves}
 - 7/034 {Flameless}
 - 2007/036 {Fuels}
 - 2007/038 {Carbon or charcoal, e.g. active}
 - 7/08 . . Warming pads, pans or mats ([A61F 7/02](#) takes precedence); Hot-water bottles
 - 2007/083 . . {with an outlets tube, e.g. for enema or irrigation}
 - 7/086 . . {Closures; Filling openings}
 - 7/10 . . Cooling bags, e.g. ice-bags
 - 2007/101 . . {for cooling organs in the body before or during surgery}
 - 7/103 . . {refillable}
 - 2007/105 . . . {Closures specially adapted for icebags or packs}
 - 7/106 . . {self-cooling, e.g. using a chemical reaction}
 - 2007/108 . . {Cold packs, i.e. devices to be cooled or frozen in refrigerator or freezing compartment}
 - 7/12 . . Devices for heating or cooling internal body cavities
 - 7/123 . . {using a flexible balloon containing the thermal element}
 - 2007/126 . . {for invasive application, e.g. for introducing into blood vessels}
- Treatment or protection of the eyes or ears; Substitution by other senses**
- 9/00 **Methods or devices for treatment of the eyes; Devices for putting-in contact lenses; Devices to correct squinting; Apparatus to guide the blind; Protective devices for the eyes, carried on the body or in the hand (caps with means for protecting the eyes [A42B 1/06](#); visors for helmets [A42B 3/22](#); retractors [A61B 17/02](#); manipulators specially adapted for use in surgery [A61B 34/70](#)); appliances to aid invalids to move about [A61H 3/00](#); {exercisers for the eyes [A61H 5/00](#)}; eye baths [A61H 35/02](#); sunglasses or goggles having the same features as spectacles [G02C](#))**
 - 9/0008 . . {Introducing ophthalmic products into the ocular cavity or retaining products therein ([putting in contact lenses A61F 9/0061](#); [introducing or retaining media in cavities of the body in general A61M 31/00](#))}
 - 9/0017 . . {implantable in, or in contact with, the eye, e.g. ocular inserts}
 - 9/0026 . . {Ophthalmic product dispenser attachments to facilitate positioning near the eye}

- 2009/0035 . {Devices for immobilising a patient's head with respect to the instrument}
- 2009/0043 . . {by supporting the instrument on the patient's head, e.g. head bands}
- 2009/0052 . . . {the instrument being supported on the patient's eye}
 - 9/0061 . {Devices for putting-in contact lenses}
 - 9/007 . Methods or devices for eye surgery
 - 9/00709 . . {Instruments for removing foreign bodies (for removal of intra-ocular material [A61F 9/00736](#))}
 - 9/00718 . . {Restoration of lid function}
 - 9/00727 . . {Apparatus for retinal reattachment}
 - 9/00736 . . {Instruments for removal of intra-ocular material or intra-ocular injection, e.g. cataract instruments ([A61F 9/008](#) takes precedence)}
 - 9/00745 . . . {using mechanical vibrations, e.g. ultrasonic}
 - 9/00754 . . . {for cutting or perforating the anterior lens capsule, e.g. capsulotomes}
 - 9/00763 . . . {with rotating or reciprocating cutting elements, e.g. concentric cutting needles (atherectomy cutting instruments [A61B 17/3207](#); endoscopic cutting instruments [A61B 17/320016](#))}
 - 9/00772 . . {Apparatus for restoration of tear ducts}
 - 9/00781 . . {Apparatus for modifying intraocular pressure, e.g. for glaucoma treatment (drainage implants in general [A61M 27/002](#))}
 - 9/0079 . . {using non-laser electromagnetic radiation, e.g. non-coherent light or microwaves}
 - 9/008 . . using laser
 - 9/00802 . . . {for photoablation}
 - 9/00804 {Refractive treatments}
 - 9/00806 {Correction of higher orders}
 - 9/00808 {Inducing higher orders, e.g. for correction of presbyopia}
 - 9/0081 {Transplantation}
 - 9/00812 {Inlays; Onlays; Intraocular lenses [IOL]}
 - 9/00814 {Laser features or special beam parameters therefor}
 - 9/00817 {Beam shaping with masks}
 - 9/00819 {with photoablatable masks}
 - 9/00821 {for coagulation}
 - 9/00823 {Laser features or special beam parameters therefor}
 - 9/00825 {for photodisruption}
 - 9/00827 {Refractive correction, e.g. lenticle}
 - 9/00829 {Correction of higher orders}
 - 9/00831 {Transplantation}
 - 9/00834 {Inlays; Onlays; Intraocular lenses [IOL]}
 - 9/00836 {Flap cutting}
 - 9/00838 {Correction of presbyopia}
 - 9/0084 {Laser features or special beam parameters therefor}
- 2009/00842 . . . {Permanent Structural Change [PSC] in index of refraction; Limit between ablation and plasma ignition}
- 2009/00844 . . . {Feedback systems}
- 2009/00846 {Eyetracking}
- 2009/00848 {based on wavefront}
- 2009/00851 {Optical coherence topography [OCT]}
- 2009/00853 . . . {Laser thermal keratoplasty or radial keratotomy}
- 2009/00855 . . . {Calibration of the laser system}
- 2009/00857 {considering biodynamics}
- 2009/00859 {considering nomograms}
- 2009/00861 . . . {adapted for treatment at a particular location}
- 2009/00863 {Retina}
- 2009/00865 {Sclera}
- 2009/00868 {Ciliary muscles or trabecular meshwork}
- 2009/0087 {Lens}
- 2009/00872 {Cornea}
- 2009/00874 {Vitreous}
- 2009/00876 {Iris}
- 2009/00878 . . . {Planning}
 - 2009/0088 {based on wavefront}
 - 2009/00882 {based on topography}
 - 2009/00885 . . . {for treating a particular disease}
 - 2009/00887 {Cataract}
 - 2009/00889 {Capsulotomy}
 - 2009/00891 {Glaucoma}
 - 2009/00893 {Keratoconus}
 - 2009/00895 {Presbyopia}
 - 2009/00897 . . . {Scanning mechanisms or algorithms}
- 9/009 . . . Auxiliary devices making contact with the eyeball and coupling in laser light, {e.g. gonioscopes ([apparatus for eye examination A61B 3/0008](#))}
- 9/013 . . {Instruments} for compensation of ocular refraction ([A61F 9/008](#) takes precedence) {; Instruments for use in cornea removal, for reshaping or performing incisions in the cornea}
 - 9/0133 . . . {Knives or scalpels specially adapted therefor}
 - 9/0136 . . . {Mechanical markers}
- 9/02 . Goggles {([breathing masks A62B 18/00](#); [swimming goggles A63B 33/002](#); [diving masks B63C 11/12](#))}
- 2009/021 . . {Goggles with prescription spectacle lenses}
- 9/022 . . {Use of special optical filters, e.g. multiple layers, filters for protection against laser light or light from nuclear explosions, screens with different filter properties on different parts of the screen; Rotating slit-discs ([optical filters per se G02B 5/20](#))}
- 9/023 . . . {with variable transmission, e.g. photochromic ([for welding A61F 9/067](#))}
- 9/024 . . . {Rotating discs with slits, e.g. stroboscopes}
- 9/025 . . {Special attachment of screens, e.g. hinged, removable; Roll-up protective layers}
- 9/026 . . {Paddings; Cushions; Fittings to the face}
- 9/027 . . {Straps; Buckles; Attachment of headbands}
- 9/028 . . {Ventilation means}
- 9/029 . . {Additional functions or features, e.g. protection for other parts of the face such as ears, nose or mouth; Screen wipers or cleaning devices}
- 9/04 . Eye-masks {; Devices to be worn on the face, not intended for looking through; Eye-pads for sunbathing ([eye-bandages A61F 13/12](#); [protective face-masks A41D 13/11](#); [protectors for shampooing A45D](#))}
- 9/045 . . {Eye-shades or visors; Shields beside, between or below the eyes ([caps with means for protecting the eyes A42B 1/06](#))}
- 9/06 . . Masks, shields or hoods for welders ([safety devices for welding in general F16P 1/00](#))
- 9/061 . . . {with movable shutters, e.g. filter discs; Actuating means therefor}
- 9/062 {with movable polarising filter discs}

- 9/064 . . . {with two windows, one for viewing and one for use during the welding process}
- 9/065 . . . {use of particular optical filters ([A61F 9/022](#), [A61F 9/062](#) take precedence)}
- 9/067 {with variable transmission}
- 9/068 . . . {with supply or suction of gas, air or smoke inside or outside the welding hood}
- 9/08 . Devices or methods enabling eye-patients to replace direct visual perception by another kind of perception
- 11/00 Methods or devices for treatment of the ears, e.g. surgical; Protective devices for the ears, carried on the body or in the hand; {Non-electric hearing aids}**
- 11/002 . {Surgical middle ear ventilation or drainage, e.g. permanent; Implants therefor ([drainage implants in general A61M 27/002](#))}
- 11/004 . {Ear surgery ([A61F 11/002](#) takes precedence)}
- 11/006 . {Ear cleaners, e.g. cures (cotton tips [A61F 13/38](#); cleaning by suction [A61M 1/0023](#), by irrigation [A61M 3/02](#))}
- 11/008 . {Non-electric hearing aids, e.g. ear trumpets, sound amplifiers, ear-shells (non-electric sound-amplifying devices in general [G10K 11/08](#); sound-focusing or directing using reflection in general [G10K 11/28](#))}
- 11/04 . Devices or methods enabling ear patients to replace direct auditory perception by another kind of perception {(electronic stimulation of auditory nerves [A61N 1/36036](#))}
- 11/045 . . {using mechanical stimulation of nerves (acting directly on the ear [H04R 25/00](#))}
- 11/06 . Protective devices for the ears
- 11/08 . . internal, e.g. earplugs
- 2011/085 . . . {including an inner channel}
- 11/10 . . . inflatable or expandable
- 11/12 . . . External mounting means
- 11/14 . . external, e.g. earcaps or earmuffs ([headwear, e.g. caps or helmets, with means for protecting the ears A42B 1/06](#), [A42B 3/16](#), {for hairdresser's rooms [A45D 44/12](#); for sports [A63B 71/10](#); headphones [H04R 1/10](#)})
- NOTE**
- {Group [A61F 11/14](#) contains only acoustic protection (other external protectors, see [A61F 11/06](#))}
- 2011/145 . . . {electric, e.g. for active noise reduction}
- Bandages, dressings or absorbent pads; First-aid kits**
- 13/00 Bandages or dressings (suspensory bandages [A61F 5/40](#); {contact-avoiding wound protectors [A61F 15/008](#); bandages or dressings with incorporated medicaments [A61L 15/44](#), [A61M 35/006](#); radioactive dressings [A61N 5/1029](#)); Absorbent pads (chemical aspects of, or use of materials for, bandages, dressings or absorbent pads [A61L 15/00](#); {absorbent pads for tracheostomy [A61M 16/047](#)})**
- 13/00004 . {Non-adhesive dressings}
- 13/00008 . . {characterized by the material}
- 13/00012 . . . {being made of natural material, e.g. cellulose-, protein-, collagen-based}
- 13/00017 . . . {synthetic, e.g. polymer based}
- 13/00021 . . {characterized by the structure of the dressing}
- 13/00025 . . . {made of a single layer}
- 13/00029 . . . {made of multiple layers}
- 13/00034 . . {characterized by a property}
- 13/00038 . . . {Flexibility, stretchability or elasticity}
- 13/00042 . . . {Absorbency}
- 13/00046 . . . {Air-vapor permeability}
- 13/00051 . {Accessories for dressings}
- 13/00055 . . {Saturation indicators}
- 13/00059 . . {provided with visual effects, e.g. printed or colored}
- 13/00063 . . {comprising medicaments or additives, e.g. odor control, PH control, debriding, antimicrobial ([drug delivery dressings A61K 9/70](#); chemical aspect of the additives [A61L 15/00](#))}
- 13/00068 . . {specially adapted for application or removal of fluid, e.g. irrigation or drainage of wounds, under-pressure wound-therapy ([A61F 13/0216](#) takes precedence; drainage appliances for wounds in general [A61M 27/00](#))}
- 13/00072 . . {Packaging of dressings}
- 13/00076 . . . {Packaging of adhesive dressings}
- 13/0008 {having means for facilitating the removal of the packaging and release liner}
- 13/00085 . . {having means for facilitating the application on the skin, e.g. single hand handling facilities ([A61F 13/0259](#) takes precedence; bandage applicators separate from the bandage or the packaging [A61F 15/005](#))}
- 2013/00089 . {Wound bandages ([A61F 2013/00361](#) takes precedence);}
- 2013/00093 . . {tubular}
- 2013/00097 . . . {net structure}
- 2013/00102 . . {oblong}
- 2013/00106 . . {emergency bandages, e.g. for first aid}
- 2013/0011 . . . {spray}
- 2013/00114 . . . {with check valve, e.g. for traumatic pneumothorax}
- 2013/00119 . . {elastic}
- 2013/00123 . . . {with elastic indicator}
- 2013/00127 . . . {fixation means}
- 2013/00131 . . . {elasticity distribution}
- 2013/00136 {anisotropy}
- 2013/0014 {non-linearity}
- 2013/00144 {transversal distribution}
- 2013/00148 {longitudinal distribution}
- 2013/00153 . . {coloured or with decoration pattern or printing}
- 2013/00157 . . {for burns or skin transplants ([A61F 2013/00187](#) takes precedence; not adhering to the wound [A61F 2013/00217](#))}
- 2013/00161 . . . {with wax, e.g. petroleum or bees- (; treated with lubricants [A61F 2013/00331](#))}
- 2013/00165 . . {not touching the wound}
- 2013/0017 . . {possibility of applying fluid}
- 2013/00174 . . . {possibility of applying pressure}
- 2013/00178 {hand-held CO₂ cylinder, e.g. sparklet}
- 2013/00182 . . {with transparent part}
- 2013/00187 . . {insulating; warmth or cold applying}
- 2013/00191 . . . {cooled by evaporation}
- 2013/00195 . . . {electric warmer}
- 2013/002 . . . {with temperature control}
- 2013/00204 . . . {insulating}

- 2013/00208 {by a high viscosity, low conductivity liquid}
- 2013/00212 {infra-red absorbing or reflecting}
- 2013/00217 . . {not adhering to the wound (with wax [A61F 2013/00161](#))}
- 2013/00221 {biodegradable, non-irritating}
- 2013/00225 {with non-degradable reinforcing layer, net or mesh (absorbent core with a reinforcing structure, e.g. net [A61F 2013/53463](#))}
- 2013/00229 {with alginate}
- 2013/00234 {metallic layer}
- 2013/00238 . . {characterised by way of knitting or weaving}
- 2013/00242 {to avoiding fraying or pilling (lint-free, i.e. non-linting or frying [A61F 2013/00348](#))}
- 2013/00246 . . {in a special way pervious to air or vapours}
- 2013/00251 {with macroscopic openings}
- 2013/00255 {with pores}
- 2013/00259 {thin film}
- 2013/00263 {vapour permeability >500 g/m²/24h}
- 2013/00268 {impervious, i.e. occlusive bandage}
- 2013/00272 . . {protection of the body or articulation (safety barrier for protection of the operator [A61F 2013/00297](#); protecting the body against ulcers [A61F 2013/15024](#); protection in contaminated, e.g. NBC or industrial toxic ambience [A61F 2013/15065](#))}
- 2013/00276 {for itching skin}
- 2013/0028 . . {applying of mechanical pressure; passive massage}
- 2013/00285 . . {medication confinement}
- 2013/00289 . . {easy removing of the protection sheet}
- 2013/00293 . . {anallergic or hypoallergic material}
- 2013/00297 . . {safety barrier for protection of the operator (protection of the body or articulation [A61F 2013/00272](#); protecting the body against ulcers [A61F 2013/15024](#); protection in contaminated, e.g. NBC or industrial toxic ambience [A61F 2013/15065](#); prophylaxis [A61F 2013/15081](#))}
- 2013/00302 {devices for handling dressings}
- 2013/00306 {dressing for protection of the operator during surgical procedure}
- 2013/0031 {for handling common life objects, e.g. telephone (prophylaxis [A61F 2013/15081](#))}
- 2013/00314 . . {with surface treatments}
- 2013/00319 {to make surface hydrophobic}
- 2013/00323 {to make surface hydrophilic}
- 2013/00327 {to create projections or depressions in surface}
- 2013/00331 {lubricants (with wax, e.g. petroleum or bees- [A61F 2013/00161](#); not adhering to the wound [A61F 2013/00217](#); lubricant top layers [A61F 2013/51073](#))}
- 2013/00336 {polymeric resins}
- 2013/0034 . . {with triboelectric materials}
- 2013/00344 {for increasing oxygen partial pressure}
- 2013/00348 . . {lint-free, i.e. non-linting or frying ([A61F 2013/00242](#) takes precedence)}
- 2013/00353 . . {for red nails, in-grown nails or felons (inflamed digits)}
- 2013/00357 . . {implanted wound fillings or covers (membranes for covering bone defects [A61F 2/2846](#))}
- 2013/00361 . {Plasters}
- 2013/00365 . . . {use}
- 2013/0037 {for cosmesis}
- 2013/00374 {against wrinkles, e.g. face lift}
- 2013/00378 {coloured as the skin (coloured black or yellow, or with pattern or printing [A61F 2013/00153](#))}
- 2013/00382 {reconstructing the body shape (prosthetic device [A61F 2013/00574](#))}
- 2013/00387 {skin protection (protection of the body or articulation [A61F 2013/00272](#); safety barrier for protection of the operator [A61F 2013/00297](#); for protection of suture stitches [A61F 2013/00455](#); protection of wound surround [A61F 2013/00825](#))}
- 2013/00391 {from irradiation, e.g. sun}
- 2013/00395 {from skin abrasion}
- 2013/004 {from liquid water}
- 2013/00404 {against blisters or bed sores}
- 2013/00408 {shield for protection against hypodermic needles}
- 2013/00412 {for use with needles, tubes or catheters}
- 2013/00417 {pierced by needle}
- 2013/00421 {with double adhesive layer (with cyano-acrylic adhesive [A61F 2013/00459](#); with adhesive connecting means [A61F 2013/00561](#); adhesives for plasters [A61F 2013/00655](#); with absorbent adhesives [A61F 2013/00757](#); with permeable adhesive layers [A61F 2013/00761](#); different adhesion of different adhesive layers [A61F 2013/00804](#); changing the adhesion force with strain value [A61F 2013/00838](#))}
- 2013/00425 {for removing of external skin layer, e.g. prepping}
- 2013/00429 {for conducting tests}
- 2013/00434 {Epicutaneous test}
- 2013/00438 {blood tests}
- 2013/00442 {using electrodes}
- 2013/00446 {for oriental medicine}
- 2013/00451 {for surgical sutures, e.g. butterfly type}
- 2013/00455 {for protection of suture stitches (protection of the body or articulation [A61F 2013/00272](#); safety barrier for protection of the operator [A61F 2013/00297](#); skin protection [A61F 2013/00387](#); protection of wound surround [A61F 2013/00825](#))}
- 2013/00459 {with cyano-acrylic adhesive (adhesives for mucosae [A61F 2013/00714](#) or for use on wounds [A61F 2013/00719](#))}
- 2013/00463 {haemostatic}
- 2013/00468 {applying local pressure}
- 2013/00472 {with chemical means}
- 2013/00476 {for nose}
- 2013/0048 {for toes (for red nails, in-grown nails or felons [A61F 2013/00353](#))}
- 2013/00485 {treating of athlete's foot}
- 2013/00489 {for bracing or strapping}
- 2013/00493 {torso}
- 2013/00497 {eye patch}
- 2013/00502 {for eyelids}
- 2013/00506 {for treating warts}
- 2013/0051 {for treating insect bite}
- 2013/00514 {ticks}

- 2013/00519 . . . {for treating burn (bandages for burns or skin transplants [A61F 2013/00157](#))}
- 2013/00523 {with hydrogel (wound bandages with alginate [A61F 2013/00229](#); adhesive for plasters; with hydrogel [A61F 2013/00676](#); water-based [A61F 2013/00689](#); for use on mucosae [A61F 2013/00714](#); for use on wounds [A61F 2013/00719](#); wound humidity control with hydrocolloids or superabsorbers [A61F 2013/00748](#); with absorbent adhesives [A61F 2013/00757](#); with fumed silica [A61F 2013/00787](#); with viscoelastic oil-elastomer gel [A61F 2013/00893](#))}
- 2013/00527 {artificial skin}
- 2013/00531 . . . {for exfoliation (enzymes therefor [A61F 2013/00927](#))}
- 2013/00536 . . . {for draining or irrigating wounds}
- 2013/0054 . . . {for deep wounds}
- 2013/00544 . . {form or structure}
- 2013/00548 . . . {net (wound bandages with net structure [A61F 2013/00097](#))}
- 2013/00553 . . . {with detachable parts}
- 2013/00557 {detachable absorbent pad}
- 2013/00561 {with adhesive connecting means (plasters with a double adhesive layer [A61F 2013/00421](#); with cyano-acrylic adhesive [A61F 2013/00459](#); adhesives for plasters [A61F 2013/00655](#); with absorbent adhesives [A61F 2013/00757](#); with permeable adhesive layers [A61F 2013/00761](#); different adhesion of different adhesive layers [A61F 2013/00804](#); changing the adhesion force with strain value [A61F 2013/00838](#))}
- 2013/00565 {with hook and loop-type fastener connecting means}
- 2013/0057 . . . {with openable cover}
- 2013/00574 . . . {shaped as a body part ([A61F 2013/00187](#) take precedence; use of plasters [A61F 2013/00365](#); containing means for different purposes [A61F 2013/00902](#))}
- 2013/00578 {conformable; soft or flexible, e.g. elastomeric}
- 2013/00582 . . . {Properties of backing}
- 2013/00587 {Thickness}
- 2013/00591 {breaking stress or force}
- 2013/00595 {breaking strain or extension}
- 2013/006 {Elastic modulus}
- 2013/00604 . . . {Multilayer}
- 2013/00608 {with reinforcing layers}
- 2013/00612 {with different thickness}
- 2013/00617 {with different hardness}
- 2013/00621 . . . {cast}
- 2013/00625 {in situ}
- 2013/00629 {on a model}
- 2013/00634 {foam}
- 2013/00638 {Gel}
- 2013/00642 . . . {soluble, e.g. in water}
- 2013/00646 . . . {Medication patches, e.g. transcutaneous}
- 2013/00651 {tapered, bevelled or chamfered}
- 2013/00655 . . . {adhesive (wound bandages with alginate [A61F 2013/00229](#); plasters with a double adhesive layer [A61F 2013/00421](#); with cyano-acrylic adhesive [A61F 2013/00459](#); plasters for treating burn with hydrogel [A61F 2013/00523](#); with adhesive connecting means [A61F 2013/00561](#); adhesive for plasters, with hydrogel [A61F 2013/00676](#); for use on mucosae [A61F 2013/00714](#); for use on wounds [A61F 2013/00719](#); wound humidity control with hydrocolloids or superabsorbers [A61F 2013/00748](#); with absorbent adhesives [A61F 2013/00757](#); with fumed silica [A61F 2013/00787](#); with viscoelastic oil-elastomer gel [A61F 2013/00893](#); with permeable adhesive layers [A61F 2013/00761](#); different adhesion of different adhesive layers [A61F 2013/00804](#); changing the adhesion force with strain value [A61F 2013/00838](#))}
- 2013/00659 . . . {polymeric base}
- 2013/00663 {acrylic}
- 2013/00668 {Ether}
- 2013/00672 {cyano-acrylic}
- 2013/00676 . . . {hydrogel}
- 2013/0068 {cross-linked by radiations, e.g. electron beam}
- 2013/00685 . . . {soluble in liquid, e.g. of particular pH}
- 2013/00689 . . . {water-based}
- 2013/00693 . . . {oil-based}
- 2013/00697 . . . {elastomer-, e.g. rubber- based}
- 2013/00702 {silicon-based}
- 2013/00706 . . . {basis weight}
- 2013/0071 . . . {containing active agent}
- 2013/00714 . . . {adhesives for mucosae}
- 2013/00719 . . . {adhesives for use on wounds}
- 2013/00723 . . . {non-adhesive skin fixation}
- 2013/00727 . . . {means for wound humidity control}
- 2013/00731 . . . {with absorbing pads}
- 2013/00736 {containing zeolites}
- 2013/0074 {containing foams}
- 2013/00744 {containing non-woven}
- 2013/00748 . . . {with hydrocolloids or superabsorbers (wound bandages with alginate [A61F 2013/00229](#); plasters with cyano-acrylic adhesive [A61F 2013/00459](#); plasters for treating burn with hydrogel [A61F 2013/00523](#); adhesive for plasters, with hydrogel [A61F 2013/00676](#); water-based [A61F 2013/00689](#); for use on mucosae [A61F 2013/00714](#); for use on wounds [A61F 2013/00719](#); with absorbent adhesives [A61F 2013/00757](#); with fumed silica [A61F 2013/00787](#); with viscoelastic oil-elastomer gel [A61F 2013/00893](#))}
- 2013/00753 {superabsorbent fabric of cloth}
- 2013/00757 . . . {with absorbent adhesives}
- 2013/00761 . . . {with permeable adhesive layers}
- 2013/00765 {continuous layer}
- 2013/0077 {arranged in lines}
- 2013/00774 {arranged in discrete dots}
- 2013/00778 {porous layers}
- 2013/00782 {with macroscopic openings}
- 2013/00787 . . . {fumed silica}
- 2013/00791 . . . {device for evaporation of essudates}
- 2013/00795 . . . {special helping devices}

2013/008	. . . {easy removing of the protection sheet}	2013/00923	. . . {triboelectricity (wound bandages with trioelectric materials A61F 2013/0034)}
2013/00804	. . . {different adhesion of different adhesive layers (plasters with a double adhesive layer A61F 2013/00421 ; with cyano-acrylic adhesive A61F 2013/00459 ; with adhesive connecting means A61F 2013/00561 ; adhesives for plasters A61F 2013/00655 ; with absorbent adhesives A61F 2013/00757 ; with permeable adhesive layers A61F 2013/00761 ; changing the adhesion force with strain value A61F 2013/00838)}	2013/00927	. . . {with biological activity, e.g. enzymes for debriding wounds or others, collagen or growth factors}
2013/00808	. . . {force step in removing the protection layer}	2013/00931	. . . {chitin}
2013/00812	. . . {perforate or breakable zones}	2013/00936	. . . {metal (wound bandages with a metallic layer A61F 2013/00234)}
2013/00817	. . . {handles or handling tabs}	2013/0094	. . . {for sensing physical parameters (plasters for conducting test A61F 2013/00429)}
2013/00821	. . . {with hinge means}	2013/00944	. . . {humidity; moisture}
2013/00825	. . . {protection of wound surround (protecting the body against ulcers A61F 2013/15024 ; protection in contaminated, e.g. NBC or industrial toxic ambience A61F 2013/15065 ; prophylaxis A61F 2013/15081 ; protection of the body or articulation A61F 2013/00272 ; safety barrier for protection of the operator A61F 2013/00297 ; skin protection A61F 2013/00387 ; for protection of suture stitches A61F 2013/00455)}	2013/00948	. . . {Ph, e.g. acid}
2013/00829	. . . {rigid or semi-rigid backing}	2013/00953	. . . {temperature}
2013/00834	. . . {as a frame}	2013/00957	. . . {pressure}
2013/00838	. . . {changing the adhesion force with strain value (plasters with a double adhesive layer A61F 2013/00421 ; with cyano-acrylic adhesive A61F 2013/00459 ; with adhesive connecting means A61F 2013/00561 ; adhesives for plasters A61F 2013/00655 ; with absorbent adhesives A61F 2013/00757 ; with permeable adhesive layers A61F 2013/00761 ; different adhesion of different adhesive layers A61F 2013/00804)}	2013/00961	. . . {electrical conductivity}
2013/00842	. . . {for tearing off dressing of desired size}	2013/00965	. . . {microbiological activity}
2013/00846	. . . {with transparent or translucent part}	2013/0097	. . . {oxygen content}
2013/00851	. . . {with grid or reference marks}	2013/00974	. . . {for writing or drawing, e.g. labels}
2013/00855	. . . {pervious to air or vapours (wound bandages in a special way pervious to air or vapour A61F 2013/00246)}	2013/00978	. . . {attachments assembly for prosthesis; pouch, e.g. ostomy}
2013/00859	. . . {with macroscopic openings}	2013/00982	. . . {anallergic or hypoallergic material}
2013/00863	. . . {with pores}	13/00987	. {Apparatus or processes for manufacturing non-adhesive dressings or bandages}
2013/00868	. . . {thin film}	13/00991	. . . {for treating webs, e.g. for moisturising, coating, impregnating or applying powder}
2013/00872	. . . {with controlled oxygen permeability}	13/00995	. . . {for mechanical treatments}
2013/00876	. . . {vapour permeability >500 g/mg/24h}	13/02	. Adhesive plasters or dressings (A61F 13/06 - A61F 13/15 take precedence; {for diagnosis, e.g. allergy test patches, A61B 10/0035 }; surgical adhesives or cements A61L 24/00 ; {for transdermal drug administration A61M 35/00)}
2013/0088	. . . {adjustable to a predetermined value}	13/0203	. . . {having a fluid handling member}
2013/00885	. . . {impervious, i.e. occlusive bandage}	13/0206	. . . {the fluid handling member being absorbent fibrous layer, e.g. woven or nonwoven absorbent pad, island dressings}
2013/00889	. . . {waterproof}	13/0209	. . . {comprising superabsorbent material}
2013/00893	. . . {viscoelastic oil-elastomer gel (adhesives based on oil A61F 2013/00693 ; on rubber A61F 2013/00697 ; hydrogel-based adhesives for plasters A61F 2013/00676)}	13/0213	. . . {the fluid handling member being a layer of hydrocolloid, gel forming material}
2013/00897	. . . {package for individual plaster}	13/0216	. . . {the fluid handling member being non absorbent, e.g. for use with sub- or over-pressure therapy, wound drainage or wound irrigation systems}
2013/00902	. . . {containing means}	13/022	. . . {having more than one layer with different fluid handling characteristics}
2013/00906	. . . {for transcutaneous or transdermal drugs application}	13/0223	. . . {characterized by parametric properties of the fluid handling layer, e.g. absorbency, wicking capacity, liquid distribution}
2013/0091	. . . {with disinfecting or anaesthetics means, e.g. anti-mycrobic}	13/0226	. . . {characterised by the support layer}
2013/00914	. . . {with deodorising or perfuming means}	13/023	. . . {wound covering film layers without a fluid handling layer}
2013/00919	. . . {for physical therapy, e.g. cold or magnetic}	13/0233	. . . {characterised by the occlusive layer skin contacting layer}
		13/0236	. . . {characterised by the application/handling support layer}
		13/024	. . . {the application or handling support layer being removable}
		13/0243	. . . {characterised by the properties of the skin contacting layer, e.g. air-vapor permeability}
		13/0246	. . . {characterised by the skin adhering layer}
		13/025	. . . {having a special distribution arrangement of the adhesive}
		13/0253	. . . {characterized by the adhesive material}
		13/0256	. . . {characterized by the parametric properties of the adhesive}

- 13/0259 . . {characterised by the release liner covering the skin adhering layer}
- 13/0263 . . . {especially adapted for island dressings}
- 13/0266 . . . {especially adapted for wound covering/occlusive dressings}
- 13/0269 . . {Tapes for dressing attachment (for stoma bags [A61F 5/443](#); for nappies or sanitary towels [A61F 13/58](#); wound closure tapes [A61B 17/085](#); for surgical drapes [A61B 46/00](#); attaching catheters [A61M 25/02](#))}
- 13/0273 . . {Adhesive bandages for winding around limb, trunk or head, e.g. cohesive}
- 13/0276 . . {Apparatus or processes for manufacturing adhesive dressings or bandages}
- 13/0279 . . . {by attaching individual patches on moving webs}
- 13/0283 . . . {for making adhesive or cohesive tape or fabrics therefor, e.g. coating or mechanical treatments}
- 13/0286 . . . {manufacturing of non adhesive dressings}
- 13/0289 . . . {manufacturing of adhesive dressings}
- 13/0293 . . . {manufacturing of plaster of Paris}
- 2013/0296 . . . {for making transdermal patches (chemical processes excluded)}
- 13/04 . Plaster of Paris bandages; Other stiffening bandages ([A61F 13/06](#) - [A61F 13/15](#) take precedence)
- 13/041 . . {Accessories for stiffening bandages, e.g. cast liners, heel-pieces}
- 13/043 . . . {Shoe-like cast covers; Cast socks ([A61F 15/004](#) takes precedence; shoe-like orthopaedic devices for protecting the feet against injuries after operations [A61F 5/0195](#); walking soles [A61F 13/045](#))}
- 13/045 . . . {Walking soles or heels}
- 13/046 . . . {Incorporated ventilation or cooling devices}
- 13/048 . . . {Braces for connecting two cast parts, e.g. hinged cast braces ([orthoses A61F 5/0102](#))}
- 13/06 . specially adapted for feet or legs; Corn-pads; Corn-rings
- 13/061 . . {for knees (incorporating non-textile reinforcing elements, e.g. springs or stays, [A61F 5/0111](#); Patella supports)}
- 13/062 . . . {Openable readjustable}
- 13/063 . . {Corn-pads; Corn-rings}
- 13/064 . . {for feet (incorporating non-textile reinforcing elements, e.g. springs or stays [A61F 5/0111](#); corn-pads, corn-rings [A61F 13/063](#))}
- 13/065 . . . {Looped bandages around the forefoot ([A61F 13/068](#) takes precedence)}
- 13/066 . . . {for the ankle}
- 13/067 . . . {for the sole of the foot (rigid shoe insertions for supporting the sole [A61F 5/14](#))}
- 13/068 . . . {for the toes (toe correcting or spreading devices [A61F 5/019](#))}
- 13/069 . . . {Decubitus ulcer bandages}
- 13/08 . Elastic stockings; for contracting aneurisms
- 13/085 . . . {Openable readjustable}
- 13/10 . specially adapted for fingers, hands, or arms; Finger-stalls; Nail-protectors ([restraining devices for arms A61F 5/37](#); shoulder bandages [A61F 13/14](#))}
- 13/101 . . {for the elbow, e.g. decubitus ulcer bandages ([A61F 13/107](#) takes precedence)}
- 13/102 . . . {Openable readjustable}
- 13/104 . . {for the hands or fingers ([A61F 13/107](#) takes precedence)}
- 13/105 . . . {for the fingers; Finger-stalls; Nail-protectors (devices for correcting deformities of the nails [A61F 5/11](#))}
- 13/107 . . {for wrist support (incorporating non-textile reinforcing elements, e.g. springs or metal braces [A61F 5/0118](#)); Compression devices for tennis elbow (epicondylitis)}
- 13/108 . . . {Openable readjustable}
- 13/12 . specially adapted for the head or neck
- 13/122 . . {specially adapted for the face}
- 13/124 . . . {specially adapted for the eyes}
- 13/126 . . . {specially adapted for the nose}
- 13/128 . . {specially adapted for the neck}
- 13/14 . specially adapted for the breast or abdomen ([corsets or bandages for support of breast or abdomen A61F 5/03](#))
- 13/141 . . {Milk breast pads}
- 13/143 . . {Thorax bandages or bandaging garments}
- 13/145 . . . {specially adapted for the female anatomy}
- 13/146 . . {Shoulder bandages or bandaging garments}
- 13/148 . . {Abdomen bandages or bandaging garments}
- 13/15 . Absorbent pads, e.g. sanitary towels, swabs or tampons for external or internal application to the body ([non-absorbent catamenial receptacles A61F 5/44](#)); Supporting or fastening means therefor; Tampon applicators
- 2013/15008 . . {characterized by the use}
- 2013/15016 . . . {for breast; pads for bras}
- 2013/15024 . . . {for protecting the body against ulcers}
- 2013/15032 . . . {as umbilical bandage}
- 2013/1504 {for avoiding contact with umbilical region}
- 2013/15048 . . . {for protection against contamination, or protection in using body disinfecting wipes}
- 2013/15056 {for the protection for furniture, e.g. car seats, chairs, beds}
- 2013/15065 {for protecting in contaminated ambience, e.g. NBC or industrial chemicals}
- 2013/15073 . . . {as drapes}
- 2013/15081 . . . {as prophylaxis}
- 2013/15089 {as facial prophylaxis}
- 2013/15097 {as genital prophylaxis}
- 2013/15105 {as contraceptive, e.g. condom}
- 2013/15113 . . . {for haemorrhoids}
- 2013/15121 . . . {for mild incontinence}
- 2013/1513 . . . {for anal discharge}
- 2013/15138 {for flatus, i.e. gas}
- 2013/15146 . . . {for urine collection}
- 2013/15154 . . . {for hospitalised patients}
- 2013/15162 . . . {for jaundice phototherapy, i.e. UV light-permeable or transparent materials}
- 2013/1517 . . . {for puerperae, i.e. after childbirth}
- 2013/15178 . . . {for prevention and therapy of hip dysplasia or subluxation}
- 2013/15186 . . . {for animals}
- 2013/15195 . . . {as swimwear}
- 13/15203 . . {Properties of the article, e.g. stiffness or absorbency ([chemical aspects A61L 15/00](#))}
- 13/15211 . . . {soluble or disintegratable in liquid}
- 2013/15219 {by mechanical separation of water resistant parts}
- 2013/15227 {by its solubility in particular Ph solution}

2013/15235	{by its solubility in water}	13/15626	{Making fibrous pads without outer layers}
2013/15243	. . .	{printed or coloured, e.g. to match skin}	13/15634	{Making fibrous pads between sheets or webs}
13/15252	. . .	{compostable or biodegradable}	13/15642	{by depositing continuous layers or pads of fibrous material on single sheets or webs}
2013/1526	{compostable}	13/1565	{by depositing continuous layers of fibrous material between webs, e.g. wrapping layers of fibrous material}
13/15268	. . .	{reusable (with separable parts A61F 13/505)}	13/15658	{Forming continuous, e.g. composite, fibrous webs, e.g. involving the application of pulverulent material on parts thereof}
2013/15276	. . .	{washable}	13/15666	. . .	{Wrapping formed fibrous webs or pads, e.g. the pads being formed by uniting pad pieces cut from fibrous webs}
2013/15284	. . .	{characterized by quantifiable properties}	13/15674	{by wrapping webs or pads between webs moving in their longitudinal direction}
2013/15292	{Resistance, i.e. modulus or strength}	13/15682	{by folding webs, moving in their longitudinal direction, around webs or pads}
2013/153	{in dry conditions}	13/15691	{by inserting webs or pads in a tube or a netting, e.g. involving forming of the tube or netting}
2013/15308	{in wet conditions, i.e. wet strength}	13/15699	. . .	{Forming webs by bringing together several webs, e.g. by laminating or folding several webs, with or without additional treatment of the webs}
2013/15317	{Wet compressibility, i.e. void volume/gr}	13/15707	. . .	{Mechanical treatment, e.g. notching, twisting, compressing, shaping}
2013/15325	{Stress relaxation or compression recovery}	2013/15715	{Shaping or making outer layers}
2013/15333	{to hot, e.g. 90 decC washing procedures}	13/15723	{Partitioning batts; Cutting}
2013/15341	{to fire or flame}	13/15731	{Treating webs, e.g. for giving them a fibre-like appearance, e.g. by embossing}
2013/15349	{with controlled smoke emission}	13/15739	{Sealing, e.g. involving cutting}
2013/15357	{Stiffness, e.g. Taber rigidity}	13/15747	{Folding; Pleating; Coiling; Stacking; Packaging}
2013/15365	{Dimensions}	13/15756	. . .	{Applying tabs, strips, tapes, loops; Knotting the ends of pads}
2013/15373	{Calliper, i.e. thickness}	13/15764	. . .	{Transferring, feeding or handling devices; Drives}
2013/15382	{Reduced thickness}	13/15772	. . .	{Control}
2013/1539	{being expandable}	2013/1578	{via optical means associated to computer coordinator}
2013/15398	{for giving the illusion of a thick absorbent pad}	2013/15788	{of the presence of the article or components}
2013/15406	{Basis weight}	2013/15796	{of the alignment or position of article or components}
2013/15414	{Bulk thickness}	13/15804	. . .	{Plant, e.g. involving several steps}
2013/15422	{Density}	2013/15813	{with modular lines}
2013/1543	{with a density gradient in the horizontal plane}	2013/15821	. . .	{characterized by the apparatus for manufacturing}
2013/15439	{with a density gradient in the vertical plane}	2013/15829	{using pressure liquid jet}
2013/15447	{Fibre dimension, e.g. denier or tex}	2013/15837	{using solvent}
2013/15455	{Volume-to-fibre surface area ratio}	2013/15845	{using a specific cam for programming the apparatus}
2013/15463	{Absorbency}	2013/15853	{using a specific computer algorithm for programming the apparatus}
2013/15471	{Total capacity}	2013/15861	{for bonding}
2013/15479	{Drip capacity}	2013/15869	{with ultrasonic energy}
2013/15487	{Capillary properties, e.g. wicking}	2013/15878	{by thermal bonding}
2013/15495	{pore dimension}	2013/15886	{by spot bonding}
2013/15504	{with a porosity gradient in the vertical or horizontal plane}	2013/15894	{by infra-red radiation}
2013/15512	{with specific hydrophilicity}	2013/15902	{with specific parameters, e.g. temperature, pressure}
2013/1552	{with specific diffusion velocity}	2013/1591	{via adhesive}
2013/15528	{with specific capillary or osmotic pressure}	2013/15918	{for die cutting}
2013/15536	{with a capillarity gradient in the vertical or horizontal plane}			
2013/15544	{Permeability}			
2013/15552	{Air permeability}			
2013/1556	{Water permeability}			
2013/15569	{Adhesivity}			
13/15577	. .	{Apparatus or processes for manufacturing}			
13/15585	. . .	{of babies' napkins, e.g. diapers (A61F 13/15617 - A61F 13/15804 take precedence)}			
13/15593	{having elastic ribbons fixed thereto; Devices for applying the ribbons}			
13/15601	{the ribbons being applied transversely to the direction of the movement of the webs the diapers are being made of}			
13/15609	{the ribbons being applied in an irregular path}			
13/15617	. . .	{Making absorbent pads from fibres or pulverulent material with or without treatment of the fibres}			

2013/15926 {for vacuum forming}	13/208	. . . {having means for avoiding leakage, e.g. liquid impermeable withdrawal end (A61F 13/204 takes precedence)}
2013/15934 {for making non-woven}	13/2082	. . . {Apparatus or processes of manufacturing}
2013/15943 {by air-laid technique}	13/2085 {Catamenial tampons}
2013/15951 {by wet-laid technique}	13/2088 {shaping the tampon by compressing}
2013/15959 {by spunbond technique}	13/2091 {providing grooves on the tampon}
2013/15967 {by meltblown technique}	13/2094 {rolling a web material to form a tampon}
2013/15975 {by non-bonded and deformable technique}	13/2097 {method of manufacturing tampon applicators}
2013/15983 {by hydroentangled technique}	13/26	. . . Means for inserting tampons {, i.e. applicators}
2013/15991 {in making composite multi-layered product}	13/263 {with reduced length before use, e.g. with folding rod}
2013/16	. . {Sanitary towels; Means for supporting or fastening them}	13/266 {Insertion devices, e.g. rods or plungers, separate from the tampon}
13/20	. . Tampons, e.g. catamenial tampons; Accessories therefor	13/28 with lubricating means
13/2002	. . . {characterised by the use}	13/34	. . . Means for withdrawing tampons {, e.g. withdrawal strings}
13/2005 {specially adapted for the nose cavity}	13/36	. . Surgical swabs, e.g. for absorbency or packing body cavities during surgery (A61F 13/38 takes precedence)
13/2008 {specially adapted for the oral cavity}	13/38	. . Swabs having a stick-type handle, {e.g. cotton tips (ear cleaners other than cotton tips A61F 11/006 ; swabs containing a liquid, e.g. in a rupturable reservoir, A61M 35/006)}
13/2011 {specially adapted for anal cavity}	13/385	. . . {Apparatus or processes of manufacturing}
2013/2014 {for endoscopic procedures}	13/42	. . with wetness indicator or alarm
13/2017 {specially adapted for the ear cavity}	2013/421	. . . {the alarm being a temperature change}
13/202 {Catamenial tampons (A61F 13/2022-A61F 13/34 take precedence)}	2013/422	. . . {the alarm being a colour change}
13/2022	. . . {characterised by the shape}	2013/423	. . . {the alarm being a volume change or a movement of a component}
13/2025 {adapted to change of shape once expelled of the applicator}	2013/424	. . . {having an electronic device}
13/2028 {adapted to change of shape after absorption of liquid}	2013/425	. . . {being also a toilet training aid}
13/2031 {having depressions or elevations, e.g. dots, lines}	2013/426	. . . {Moisture sensitive polymers}
13/2034 {having grooves or ribs, having a main axis in the longitudinal direction}	2013/427	. . . {pH indicator}
13/2037 {having grooves or ribs, having a main axis in the radial direction}	2013/428	. . . {for articles with superabsorbent materials}
13/204 {having an external member remaining outside the body cavity, e.g. for form fitting or leakage prevention (withdrawal strings persee A61F 13/34)}	2013/429	. . . {Thermochromic materials, e.g. ink or dye}
13/2042 {having a central tubular opening}	13/44	. . with radio-opaque material or signalling means for residual material
13/2045 {Cup-shaped type tampons (non-absorbent catamenial cups A61F 5/4553)}	13/45	. . characterised by the shape (cup-shaped type tampons A61F 13/2045)
13/2048 {Ball-shaped tampons}	2013/4506	. . . {special configurations using catheter or tube}
13/2051	. . . {characterised by the material or the structure of the inner absorbing core}	2013/4512	. . . {folded in special shape during use (A61F 13/534 , A61F 13/551 , A61F 13/56 , A61F 13/15747 take precedence)}
13/2054 {made by compressing a not-rolled web or pledged}	2013/4518 {formed from two separated panels}
13/2057 {made of foam}	2013/4525 {by front and rear joined laterally at the crotch}
13/206 {Tampons made of rolled-up material}	2013/4531 {by lateral panels joined at the centreline, i.e. along the longitudinal axis}
13/2062 {Tampons made from folded lengths of material, e.g. of string}	2013/4537 {with aeration ducts (with hose-like, tubular sealing barriers A61F 13/49473)}
13/2065 {Tampons folded from sheets of material (A61F 13/206 takes precedence)}	2013/4543 {with a special transverse section (A61F 13/534 takes precedence)}
13/2068 {Tampons made from several layers (A61F 13/2065 , A61F 13/206 take precedence)}	2013/455 {having a "W" shape}
13/2071	. . . {characterised by the material or the structure of the outer layer}	2013/4556 {having a "M" shape}
13/2074	. . . {impregnated with hydrophobic, hydrophilic, skin enhancers, medicinal etc. substances}	2013/4562 {cup-shaped}
13/2077	. . . {having a visual effect, e.g. printed or embossed}	2013/4568 {three-dimensional; with split absorbent core}
		2013/4575 {connected by elastic means}
		2013/4581 {with absorbent core in separated pieces}

2013/4587	. . . {with channels or deep spot depressions on the upper surface (A61F 13/4704 and A61F 13/49001 take precedence)}	13/49011 {the elastic means is located at the waist region}
2013/4593	. . . {allowing introduction of medical instruments without removing the absorbent article}	13/49012 {the elastic means being elastic panels}
13/47	. . . Sanitary towels, incontinence pads or napkins (A61F 13/49 takes precedence)	13/49014 {the elastic means is located at the side panels}
13/4702 {having a reinforcing member}	13/49015 {the elastic means being elastic panels}
13/4704 {having preferential bending zones, e.g. fold lines or grooves}	13/49017 {the elastic means being located at the crotch region}
2013/4706 {enlarged in the anal area}	13/49019 {the elastic means being placed longitudinally, transversely or diagonally over the article}
2013/4708 {Panty-liner}	13/4902 {characterised by the elastic material}
13/471 specially adapted for male use	2013/49022 {being elastomeric sheet}
13/472 specially adapted for female use {(A61F 13/474 , A61F 13/475 , A61F 13/476 take precedence)}	2013/49023 {being textured, e.g. corrugated}
13/47209 {having only interlabial part, i.e. with no extralabial parts}	2013/49025 {having multiple elastic strands}
13/47218 {with a raised crotch region, e.g. hump}	2013/49026 {with variable spacing}
13/47227 {for interlabial use}	2013/49028 {with different tensile stress}
13/47236 {characterised by an unusual contour}	2013/4903 {being a net}
13/47245 {with asymmetry around the x or y axis}	2013/49031 {being elastic in longitudinal direction}
13/47254 {with a tanga shape}	2013/49033 {being elastic in transversal direction}
13/47263 {with activating means, e.g. elastic, heat or chemical activatable means}	2013/49034 {being elastic in both the transversal and longitudinal direction}
13/47272 {with a longitudinal raised end, e.g. cup-shaped gluteal groove (for edge leakage prevention A61F 13/494)}	2013/49036 {having a inelastic zone by deactivating the elastic property}
2013/47281 {with internal collecting device}	2013/49038 {the elastic means is located all around the absorbent article's perimeter}
2013/4729 {combining catamenial pad and tampon}	2013/49039 {the elastic means is located around the target zone}
13/474 adjustable	2013/49041 {having a specific location other than covered by groups A61F 13/49011 - A61F 13/49019 }
13/475 characterised by edge leakage prevention means	2013/49042 {with only stretchable part, i.e. part being not elastic but only extensible with not a full recovery of its original length}
13/4751 {the means preventing fluid flow in a transversal direction}	2013/49044 {being stretchable non-elastic panels, (A61F 13/4902 takes precedence)}
13/4752 {the means being an upstanding barrier}	2013/49046 {at the crotch}
13/4753 {the barrier being not integral with the topsheet or backsheet}	2013/49047 {at the ears}
13/4755 {the means being a flat barrier on or inside the absorbent article, e.g. backsheet wrapped around the edges}	2013/49049 {on the hips}
13/4756 {the means consisting of grooves, e.g. channels, depressions or embossments, resulting in a heterogeneous surface level}	2013/4905 {at the waist}
13/4757 {the means being located outside the perimeter of the absorbent core (A61F 13/4752 takes precedence)}	2013/49052 {having a specific direction of stretchability}
13/4758 {the means preventing fluid flow in a longitudinal direction}	2013/49053 {being stretchable in the longitudinal direction or machine direction, i.e. longitudinal}
13/476 characterised by encircling the crotch region of the undergarment	2013/49055 {being stretchable in transversal direction or cross machine direction}
13/49	. . . Absorbent articles specially adapted to be worn around the waist, e.g. diapers	2013/49057 {being stretchable in both longitudinal and transversal direction}
13/49001 {having preferential bending zones, e.g. fold lines or grooves}	13/49058 {characterised by the modular concept of constructing the diaper}
13/49003 {Reusable, washable fabric diapers}	13/4906 {the diaper having an outer chassis forming the diaper and an independent absorbent structure attached to the chassis}
13/49004 {with fastening means}	13/49061 {the diaper having one or two waist members forming the diaper waist region and an independent absorbent structure attached to the one or two waist members forming the crotch region}
13/49006 {the reusable article being in the form of pants or briefs, e.g. slip or panty for light incontinence}		
13/49007 {Form-fitting, self-adjusting disposable diapers}		
13/49009 {with elastic means}		

2013/49063	{the diaper having decoupled components}	13/49473	{the edge leakage prevention means having a continuous closed form, e.g. circle, ellipse, rectangle}
2013/49065	{being joined by a transverse line}	2013/4948	{the edge leakage prevention means being elastic}
2013/49066	{being joined by an area of low stiffness}	2013/49486	{the edge leakage prevention means being padded}
2013/49068	{characterized by the shape of the outline}	2013/49493	{the edge leakage prevention means being or forming three-dimensional barrier with raised lateral side-or end-wall}
2013/49069	{being rectangular, i.e. parallelepiped}	13/495	with faecal cavity
2013/49071	{being triangular}	2013/4951	{with internal barriers}
2013/49073	{being trapezoidal}	2013/4953	{with rear faecal part separate from front urinary part}
2013/49074	{hourglass; dog bone-shaped}	2013/4955	{with separable, disposable upper body layer}
2013/49076	{as "I"-shaped}	2013/4956	{with vertical spacer or separator keeping other components out of contact}
2013/49077	{as "T"-shaped}	2013/4958	{with a faecal management layer}
2013/49079	{as backbone-shape}	13/496	in the form of pants or briefs
2013/4908	{concave}	13/4963	{characterized by the seam}
2013/49082	{being a complex shape not covered by the other groups A61F 2013/49068 - A61F 2013/4908 }	2013/4966	{with intentionally damp topsheet}
2013/49084	{conformable}	13/505	with separable parts, e.g. combination of disposable and reusable parts, (A61F 13/20 , A61F 13/49003) take precedence; supporting or fastening means A61F 13/56 ; {belts or the like A61F 13/64 }
2013/49085	{with a multiplicity of rounded, i.e. spherical elements}	2013/5055	{Possibility of doubling or putting in new pieces}
2013/49087	{having breakable lateral stitches or panels}	13/51	characterised by the outer layers ({ wicking or transfer layers A61F 13/537 })
2013/49088	{characterized by the leg opening}	2013/51002	{with special fibres}
2013/4909	{being asymmetric leg openings}	2013/51004	{characterized by the length of the fibres}
2013/49092	{comprising leg cuffs}	2013/51007	{characterized by the orientation of fibres}
2013/49093	{having multiple barriers}	2013/51009	{characterized by the shape of the fibres}
2013/49095	{Being formed by lateral sleetes}	2013/51011	{characterized by the count of the fibres, e.g. denier or tex}
2013/49096	{with braces}	2013/51014	{characterized by the connection between the fibres}
2013/49098	{Other Details not otherwise provided of the absorbent articles specially adapted to be worn around the waist}	2013/51016	{followed by a distension heat treatment}
13/491	specially adapted for gender distinct urine discharge pattern	2013/51019	{being cellulosic material}
13/4915	{specially adapted for male use}	2013/51021	{being chemically modified}
13/493	adjustable {by adding or removing material, e.g. umbilical cord arrangements (adjustable by the fastening A61F 13/5638 , A61F 13/5655)}	2013/51023	{being polymeric fibres}
13/494	characterised by edge leakage prevention means	2013/51026	{being in thermoplastic material}
13/49406	{the edge leakage prevention means being at the crotch region}	2013/51028	{being bicomponent}
13/49413	{the edge leakage prevention means being an upstanding barrier}	2013/5103	{being hydrophobic}
13/4942	{the barrier not being integral with the top- or back-sheet}	2013/51033	{being hydrophilic}
13/49426	{the barrier having an absorbent medium}	2013/51035	{being biodegradable, e.g. Rayon, polylactate, dioxanone}
2013/49433	{the barrier having variable heights}	2013/51038	{being a mixture of fibres}
2013/4944	{having multiple barriers}	2013/5104	{with pulp and polymeric fibres}
13/49446	{the edge leakage prevention means being an impermeable sheet or impermeable part of a sheet placed on or under the top sheet (A61F 13/49413 takes precedence)}	2013/51042	{with hydrophobic and hydrophilic fibres}
13/49453	{the edge leakage prevention sheet being combined with the impermeable backing sheet, e.g. integral with the backing sheet}	2013/51045	{with thermoplastic binder}
13/4946	{the edge leakage prevention means being an absorbent medium (A61F 13/49426 takes precedence)}	2013/51047	{with antibacterial agents}
13/49466	{the edge leakage prevention means being at the waist region}	2013/5105	{with mineral or inert material}
			2013/51052	{having different diameters}
			2013/51054	{having different densities}
			2013/51057	{having different ratio of fibres}
			2013/51059	{being sprayed with chemicals}
			2013/51061	{for rendering the surface hydrophobic}
			2013/51064	{in the legs area}
			2013/51066	{for rendering the surface hydrophilic}

2013/51069	{by hydrophilisation with plasma or corona discharge}	13/5125	{the apertures not being formed through the complete thickness of the topsheet, e.g. blind holes (blind holes in a single layered topsheet A61F 13/51104)}
2013/51071	{with anti-static agents}	13/5126	{characterised by the planar distribution of the apertures, e.g. in a predefined pattern}
2013/51073	{with lubricants}	2013/5127	{characterized by the dimension of apertures}
2013/51076	{with perfumes or odour-masking agents}	2013/5128	{characterized by open targets or acquisitions or vulnerability zones}
2013/51078	{being embossed}	13/513	{characterised by its function or properties, e.g. stretchability, breathability, rewet, visual effect;} having areas of different permeability
2013/5108	{in grids}	13/51305	{having areas of different permeability}
2013/51083	{in point}	13/51311	{the permeability gradient being in the vertical direction}
2013/51085	{in diamonds}	2013/51316	{with low friction coefficient}
2013/51088	{in very fine microtexture}	2013/51322	{being elastomeric or stretchable}
2013/5109	{with odour control}	2013/51327	{in only one specific direction}
2013/51092	{characterized by the dimensions}	2013/51333	{in only specific parts or sections of the top layer}
2013/51095	{being metallic}	2013/51338	{having improved touch or feeling, e.g. smooth film}
2013/51097	{with high friction coefficient for fixation of the bandage}	2013/51344	{with pile webs or velvet-like tissues}
13/511	Topsheet, i.e. the permeable cover or layer facing the skin	2013/5135	{with flame retardant agents or fire extinguishing agents}
13/51104	{the top sheet having a three-dimensional cross-section, e.g. corrugations, embossments, recesses or projections}	2013/51355	{for improving fluid flow}
13/51108	{the top sheet having corrugations or embossments having one axis relatively longer than the other axis, e.g. forming channels or grooves in a longitudinal direction}	2013/51361	{with pleats or folds}
13/51113	{comprising an additive, e.g. lotion or odour control (A61F 13/51108 takes precedence)}	2013/51366	{with hydrophilic lower face}
2013/51117	{the lotion having skin care properties}	2013/51372	{with valve or valve-like upper layer; Tapered capillary structures}
13/51121	{characterised by the material}	2013/51377	{having decoration properties}
2013/51126	{being nets}	2013/51383	{being adapted for female properties}
2013/5113	{being foams}	2013/51388	{being adapted to male properties}
2013/51134	{the foam being compressed and expandable, e.g. a cellulosic sponge}	13/51394	{creating a visual effect, e.g. having a printed or coloured topsheet, printed or coloured sub-layer but being visible from the topsheet, other than embossing for purposes of bonding, wicking, acquisition, leakage-prevention}
2013/51139	{being woven or knitted fabrics}	13/514	Backsheet, i.e. the impermeable cover or layer furthest from the skin (A61F 13/51211 , A61F 13/51252 take precedence)}
2013/51143	{being papers}	13/51401	{characterised by the material}
2013/51147	{being polymeric films}	13/51403	{with activating means, e.g. for closing apertures upon contact with water}
2013/51152	{having specific distance between the fibres}	13/51405	{treated or coated, e.g. with moisture repellent agent}
2013/51156	{having integrally attached}	2013/51407	{being flexible}
13/5116	{being formed of multiple layers (A61F 13/5123 takes precedence)}	2013/51409	{being a film}
2013/51165	{with the combination of films and nonwovens}	2013/51411	{being impervious to fluids but not for air or vapours}
2013/51169	{the nonwoven being hydroentangled or needlingentangled to the film}	2013/51413	{with macroscopic openings}
2013/51173	{with the combination of polymeric films}	2013/51415	{with pores}
2013/51178	{with the combination of nonwoven webs}	2013/51417	{with thin films}
2013/51182	{with non-continuous bonding}	2013/51419	{with stretched areas}
2013/51186	{specially shaped topsheets}	2013/51421	{only in special places}
2013/51191	{Self-sealing top layers}	2013/51423	{the vapour permeability being less than 500g/m/24h}
2013/51195	{not contacting the absorber}	2013/51425	{being impervious, i.e. occlusive}
13/512	characterised by its apertures, e.g. perforations	2013/51427	{having valves}
13/5121	{characterised by the vertical shape of the apertures, e.g. three dimensional apertures, e.g. macro-apertures}	2013/51429	{being elastomeric or stretchable sheet}
13/5122	{and comprising secondary apertures, e.g. macro-apertures in combination with microapertures}			
13/5123	{the apertures being formed on a multilayer top sheet}			

2013/51431	{in the composition of the elastomer}	2013/530051	{being made in cross-linked cellulosic fibres}
2013/51433	{being biodegradable}	2013/530058	{with specific method of producing wood pulp fibres}
2013/51435	{having flame retardant agent or fire extinguishing agent}	2013/530065	{with chemical pulp}
2013/51437	{being integral with absorbent core}	2013/530072	{with sulphate pulp, e.g. Kraft}
2013/51439	{being foams}	2013/53008	{being unbleached}
2013/51441	{being a fibrous material}	2013/530087	{with debonding agents}
2013/51443	{being impervious to fluids and being air permeable}	2013/530094	{with mechanical pulp}
2013/51445	{comprising microfibres, e.g. Gore-Tex}	2013/530102	{with thermomechanical pulp}
2013/51447	{being air permeable}	2013/530109	{with chemithermomechanical pulp}
2013/51449	{being knitted or woven fabrics}	2013/530116	{with recycled material, e.g. paper}
2013/5145	{being treated materials}	2013/530124	{with compressed and delaminated material}
2013/51452	{being nonwovens}	2013/530131	{being made in fibre but being not pulp}
2013/51454	{being papers}	2013/530138	{characterized by the fibre length}
13/51456	{characterised by its properties}	2013/530145	{being short}
13/51458	{being air-pervious or breathable}	2013/530153	{being long}
13/5146	{having apertures of perforations}	2013/53016	{having special shape}
13/51462	{being defined by a value or parameter}	2013/530167	{being crimped}
13/51464	{being stretchable or elastomeric}	2013/530175	{with capillary channel}
13/51466	{providing stretchability without the use of elastic material}	2013/530182	{characterized by the connection between the fibres}
2013/51468	{being removable}	2013/530189	{with thermoplastic adhesive}
2013/5147	{the outer layer being adhesive itself}	2013/530197	{with water-soluble binder}
2013/51472	{for reducing noise}	2013/530204	{being alcohol-based binder}
13/51474	{characterised by its structure}	2013/530211	{with water-insoluble binder}
13/51476	{being three-dimensional, e.g. embossed, textured, pleated, or with three-dimensional features, like gathers or loops}	2013/530218	{followed by heat treatment}
13/51478	{being a laminate, e.g. multi-layered or with several layers}	2013/530226	{with polymeric fibres}
13/5148	{having an impervious inner layer and a cloth-like outer layer}	2013/530233	{being thermoplastic fibres}
2013/51482	{being laminated on paper}	2013/53024	{being bicomponent fibres}
13/51484	{being inhomogeneous in the plane of the sheet, i.e. having zones of different properties or structures}	2013/530248	{being thermosetting fibres}
2013/51486	{with specially shaped backsheets}	2013/530255	{being hydrophobic fibres}
2013/51488	{for napkins}	2013/530262	{only in particular parts or specially arranged}
2013/5149	{being embossed}	2013/53027	{the maximum being at the crotch}
2013/51492	{having specially shaped gas or air bubbles or bag-like structure}	2013/530277	{the maximum being at front or rear}
2013/51494	{having underlayer extending around the longitudinal edges of the absorbent core}	2013/530284	{the maximum being at a certain depth in the thickness}
13/51496	{having visual effects}	2013/530291	{the maximum being along the sides}
13/51498	{Details not otherwise provided for}	2013/530299	{being hydrophilic fibres}
13/515	characterised by the interconnection of the topsheet and the backsheet	2013/530306	{coated with superabsorbent polymer}
13/52	{Layers coated or treated to decrease absorbency}	2013/530313	{being biodegradable}
13/53	characterised by the absorbing medium (A61F 13/20 takes precedence)	2013/530321	{in biopolymer, e.g. PHA}
2013/530007	{being made from pulp}	2013/530328	{being mineral fibres, e.g. glass}
2013/530014	{being made in hard wood pulp}	2013/530335	{being in peat moss}
2013/530021	{being made in soft wood pulp}	2013/530343	{being natural fibres}
2013/530029	{being made from cotton}	2013/53035	{of cotton}
2013/530036	{being made in chemically-modified cellulosic material, e.g. Rayon}	2013/530357	{of wool}
2013/530043	{being made in oxidized cellulose}	2013/530364	{of bamboo}
		2013/530372	{of ramie or jute or linen}
		2013/530379	{comprising mixtures of fibres}
		2013/530386	{with pulp and polymeric}
		2013/530394	{in coform}
		2013/530401	{with hydrophobic and hydrophilic fibres}
		2013/530408	{with thermoplastic binder}
		2013/530416	{having different count, e.g. denier or tex}
		2013/530423	{having different densities}
		2013/53043	{with different ratio of components}
		2013/530437	{having a part with elevated absorption means}
		2013/530445	{by defining a target or acquisition or vulnerability zone}

- 2013/530452 {having chemically-stiffened fibres}
- 2013/530459 {being curled}
- 2013/530467 {being twisted}
- 2013/530474 {being cross-linked}
- 2013/530481 . . . {having superabsorbent materials, i.e. highly absorbent polymer gel materials}
- 2013/530489 {being randomly mixed in with other material}
- 2013/530496 {being fixed to fibres}
- 2013/530503 {comprising poly-aluminium-chloride}
- 2013/53051 {being only in particular parts or specially arranged}
- 2013/530518 {the maximum being at the crotch}
- 2013/530525 {the maximum being at front or rear}
- 2013/530532 {the maximum being at certain depth in the thickness}
- 2013/53054 {the maximum being along the side edges}
- 2013/530547 {positioned in a separate layer or layers}
- 2013/530554 {and being fixed to a web}
- 2013/530562 {being arranged in discontinuous pattern}
- 2013/530569 {characterized by the particle size}
- 2013/530576 {having different size in different parts}
- 2013/530583 {characterized by the form}
- 2013/530591 {in granules or particles}
- 2013/530598 {in aggregates}
- 2013/530605 {in sheet}
- 2013/530613 {in fibres}
- 2013/53062 {being made into a paper or non-woven}
- 2013/530627 {in flakes}
- 2013/530635 {in thin film}
- 2013/530642 {being cross-linked or polymerised in situ}
- 2013/530649 {in sponge or foam}
- 2013/530656 {being cut into pieces}
- 2013/530664 {being a knitted or woven fabric}
- 2013/530671 {being mixed with mineral or inert material, e.g. "introfying particles"}
- 2013/530678 {with citric acid}
- 2013/530686 {with metallic soluble salts, e.g. Na, K, Mg chloride}
- 2013/530693 {with polymeric material}
- 2013/5307 {characterized by the quantity or ratio of superabsorbent material}
- 2013/530708 {characterized by the absorbency properties}
- 2013/530715 {by the acquisition rate}
- 2013/530722 {by the delayed absorbency}
- 2013/530729 {by the swelling rate}
- 2013/530737 {by the absorbent capacity}
- 2013/530744 {by the absorbency under load}
- 2013/530751 {by the centrifugal load}
- 2013/530759 {by the osmotic feature}
- 2013/530766 {by the cross-link factor}
- 2013/530773 {by the inverse temperature transition}
- 2013/530781 {by the ionic surfactant, e.g. salt resistant}
- 2013/530788 {characterized by the gel layer permeability}
- 2013/530795 {being biodegradable}
- 2013/530802 . . . {characterized by the foam or sponge other than superabsorbent ([A61F 2013/530649 takes precedence](#))}
- 2013/53081 {with special pore dimension or arrangement}
- 2013/530817 {being open cells}
- 2013/530824 {the cells being opened by mechanical or physical treatment}
- 2013/530832 {being closed cells}
- 2013/530839 {being hydrophilic}
- 2013/530846 {being hydrophobic}
- 2013/530854 {being collapsed or collapsible foam}
- 2013/530861 {having slit regions}
- 2013/530868 . . . {characterized by the liquid distribution or transport means other than wicking layer ([A61F 13/537 takes precedence](#))}
- 2013/530875 {having holes}
- 2013/530883 {having folds}
- 2013/53089 {having impervious part}
- 2013/530897 {having capillary means, e.g. pore or fibre size gradient}
- 2013/530905 {being hydrophilic}
- 2013/530912 {being hydrophobic}
- 2013/530919 {being hydroneutral}
- 2013/530927 {having longitudinal barriers}
- 2013/530934 {having a density gradient}
- 2013/530941 {through the thickness}
- 2013/530948 {along the length}
- 2013/530956 {being only in particular parts or specially arranged}
- 2013/530963 {being maximum at the crotch}
- 2013/53097 {being at front or rear region}
- 2013/530978 {being at a particular depth in the thickness}
- 2013/530985 {being along the side edges}
- 2013/530992 . . . {in the form of string or ball instead of sheets}
- 13/531 . . . having a homogeneous composition through the thickness of the pad ([A61F 13/538](#), [A61F 13/539 take precedence](#))
- 2013/5312 {with structure resisting compression}
- 2013/5315 {with a tissue-wrapped core}
- 2013/5317 {with integral impervious bottom surface}
- 13/532 inhomogeneous in the plane of the pad
- 13/5323 {having absorbent material located in discrete regions, e.g. pockets}
- 2013/5326 {being a flanged fibrous pad}
- 13/533 having discontinuous areas of compression
- 13/534 . . . having an inhomogeneous composition through the thickness of the pad ([A61F 13/538](#), [A61F 13/539 take precedence](#); homogeneous cores with tissue wrapping [A61F 13/53](#))
- 13/53409 {having a folded core}
- 13/53418 {having a C-folded cross-section}
- 13/53427 {having an e-folded cross-section}
- 13/53436 {having an undulated or corrugated cross-section}
- 2013/53445 {from several sheets}
- 2013/53454 {with mirror-like structure}
- 2013/53463 {with a reinforcing structure, e.g. net}
- 2013/53472 {being a non-woven tissue wrapping the core}
- 2013/53481 {being biodegradable}
- 2013/5349 {being a tissue-wrapped core}

- 13/535 inhomogeneous in the plane of the pad, e.g. core absorbent layers being of different sizes {(A61F 13/5323, A61F 13/537 take precedence)}
- 2013/5355 {with terraced core}
- 13/536 having discontinuous areas of compression
- 13/537 characterised by a layer facilitating or inhibiting flow in one direction or plane, e.g. a wicking layer {(A61F 13/538 takes precedence)}
- 13/53704 {the layer having an inhibiting function on liquid propagation}
- 13/53708 {the layer having a promotional function on liquid propagation in at least one direction}
- 13/53713 {the layer having a promotional function on liquid propagation in the vertical direction}
- 13/53717 {the layer having a promotional function on liquid propagation in the horizontal direction}
- 2013/53721 {with capillary means}
- 2013/53726 {on the top layer}
- 2013/5373 {on the bottom layer}
- 2013/53734 {with compressed lines}
- 2013/53739 {with compressed points}
- 13/53743 {characterised by the position of the layer relative to the other layers}
- 13/53747 {the layer is facing the topsheet (layer is part of the topsheet A61F 13/511)}
- 13/53752 {the layer is embedded in the absorbent core}
- 13/53756 {the layer facing the back-sheet}
- 13/5376 {characterised by the performance of the layer, e.g. acquisition rate, distribution time, transfer time}
- 2013/53765 {characterized by its geometry}
- 2013/53769 {with the wicking layer not contacting the absorbent core}
- 2013/53773 {with a deformable spacing structure}
- 2013/53778 {with grooves}
- 2013/53782 {with holes}
- 2013/53786 {with folds}
- 2013/53791 {being resilient or elastic}
- 2013/53795 {being a surge management layer}
- 13/538 characterised by specific fibre orientation or weave
- 2013/5383 {by the fibre orientation in the x-y plane}
- 2013/5386 {by the fibre orientation in the z plane or vertical direction}
- 13/539 characterised by the connection of the absorbent layers with each other or with the outer layers
- 2013/53908 {with adhesive}
- 2013/53916 {with epicyclical pattern}
- 2013/53925 {with intermittent pattern, e.g. spots}
- 2013/53933 {with water-soluble binder}
- 2013/53941 {being alcohol-based binder}
- 2013/5395 {with thermoplastic agent, i.e. softened by heat}
- 2013/53958 {with separate adhesive layer}
- 2013/53966 {by needling, sewing, blow-needling}
- 2013/53975 {by Hydraulic entanglement}
- 2013/53983 {with hook and loop-type fastener or the like}
- 2013/53991 {by ultrasonic method}
- 13/551 Packaging before or after use {(general packaging of absorbent pads B65D 85/00)}
- 13/55105 {packaging of diapers}
- 13/5511 {characterized by the container (A61F 15/00 takes precedence)}
- 13/55115 {characterized by the features before use, e.g. how are the diapers folded or arranged in a package}
- 13/5512 {after use}
- 2013/55125 {the disposal system being a bag or a pocket integral with or attached to the diaper}
- 13/5513 {packaging of feminine sanitary napkins}
- 13/55135 {before use}
- 13/5514 {each item packaged single}
- 13/55145 {multiple packaged items}
- 13/5515 {after use}
- 2013/55155 {the disposal system being a bag or pocket integral with or attached to the sanitary napkin}
- 13/5516 {packaging of interlabial absorbing articles}
- 13/55165 {before use}
- 13/5517 {after use}
- 13/55175 {packaging of tampons}
- 13/5518 {after use}
- 13/55185 {in combination with the applicator}
- 13/5519 {packages containing more than one kind of item, e.g. tampon and napkin, or diaper and an exchangeable insert}
- 2013/55195 {Packaging for dispensing and disposing}
- 13/56 Supporting or fastening means
- 13/5605 {specially adapted for sanitary napkins or the like}
- 13/5611 {using fastening strips, e.g. adhesive, on the undergarment-facing side}
- 13/5616 {using flaps, e.g. adhesive, for attachment to the undergarment (leakage prevention means encircling the crotch portion A61F 13/476)}
- 13/5622 {specially adapted for diapers or the like}
- 2013/5627 {comprising a zip fastener}
- 13/5633 {open type diaper}
- 13/5638 {adjustable open type diapers (adjustable otherwise than by the fasteners A61F 13/493)}
- 13/5644 {having more than one pair of fasteners}
- 13/565 {pants type diaper}
- 13/5655 {adjustable pants type diapers (adjustable otherwise than by the fasteners A61F 13/493)}
- 2013/5661 {in special holders for beds, chairs or seats}
- 2013/5666 {connected to itself (A61F 13/58 and A61F 13/62 take precedence)}
- 2013/5672 {with buttons or the like (A61F 13/78 takes precedence)}
- 2013/5677 {refastenable}
- 2013/5683 {Disposition or arrangement}
- 2013/5688 {inclined at an oblique angle to the longitudinal axis}

2013/5694	. . .	{Other non adhesive means than hook and loop-type fastener or belts (A61F 13/62 , A61F 13/64 and A61F 13/66 take precedence)}
13/58	. . .	Adhesive tab fastener elements (A61F 13/5611 , A61F 13/5616 , A61F 13/66 take precedence)
13/581	. . .	{Tab fastener elements combining adhesive and mechanical fastening (fabric strip fastener elements A61F 13/62)}
2013/582	. . .	{with one strip on one place}
2013/583	. . .	{with strips on several places}
2013/585	. . .	{being spot like}
2013/586	. . .	{on lateral flaps}
2013/587	. . .	{on rear or front tabs}
2013/588	. . .	{on waist panels}
13/60	. . .	with release means associated with tab fasteners
13/62	. . .	{Mechanical fastening means, (A61F 13/5611 , A61F 13/5616 , A61F 13/581 , A61F 13/66 take precedence); Fabric strip fastener elements, e.g. hook and loop}
13/622	. . .	{Fabric strip fastener elements, e.g. hook and loop}
13/625	. . .	{characterised by the hook}
13/627	. . .	{characterised by the loop}
13/64	. . .	Straps, belts, ties or endless bands (A61F 13/5605 , A61F 13/5622 , A61F 13/66 take precedence)
13/66	. . .	Garments, holders or supports not integral with absorbent pads
13/665	. . .	{Means specific for supporting or fastening sanitary towels; and sanitary towels}
13/68	. . .	abdominal enclosing type
13/70	. . .	with openable or removable crotch portion
13/72	. . .	with endless waist encircling band, e.g. panty type
13/74	. . .	having means to retain absorbent pads
13/76	. . .	transverse to width of the pads or fastener elements, e.g. straps, end flaps or tucks
13/78	. . .	Button or snap fastener elements
13/80	. . .	adjustable relative to body crotch area
13/82	. . .	with means for attaching to the body
13/84	. .	Accessories, not otherwise provided for, for absorbent pads
2013/8402	. . .	{including disposal means (A61F 13/5512 , A61F 13/5515 , A61F 13/5517 , A61F 13/5518 take precedence)}
13/8405	. . .	{Additives, e.g. for odour, disinfectant or pH control}
2013/8408	. . .	{with odour control}
2013/8411	. . .	{in controlling solution Ph}
2013/8414	. . .	{with anti-microbial}
2013/8417	. . .	{being anti-mycosis}
2013/842	. . .	{with active charcoal}
2013/8423	. . .	{with molecular sieves; zeolites}
2013/8426	. . .	{with metallic salts}
2013/8429	. . .	{with ion exchange resins}
2013/8432	. . .	{with glycerine polyol}
2013/8435	. . .	{with plant derivatives}
2013/8438	. . .	{being enzymes, e.g. proteolysis, cellulase}
2013/8441	. . .	{being cultures}
2013/8444	. . .	{being microbial, e.g. bulgaricus}
2013/8447	. . .	{in using different incompatible substances}

2013/845	. . .	{being powder embodied in a polymeric matrix}
2013/8452	. . .	{being contained in microcapsules}
2013/8455	. . .	{being lubricants}
2013/8458	. . .	{having bees-wax}
2013/8461	. . .	{having petroleum derivative}
2013/8464	. . .	{having plant derivative}
2013/8467	. . .	{being antistatic agents}
2013/847	. . .	{being infrared absorbing agent}
2013/8473	. . .	{for diagnostic purposes}
2013/8476	. . .	{with various devices or method}
2013/8479	. . .	{including electric or magnetic devices}
2013/8482	. . .	{including numeric control, e.g. using computer}
2013/8485	. . .	{including optical filtering devices}
2013/8488	. . .	{including testing apparatus}
2013/8491	. . .	{including test methods}
2013/8494	. . .	{including pumping devices}
2013/8497	. . .	{having decorations or indicia means}

15/00 Auxiliary appliances for wound dressings; Dispensing containers for dressings or bandages
 {(packaging of absorbent articles such as diapers, feminine hygiene absorbing pads or tampons [A61F 13/551](#); packaging of wound dressings [A61F 13/00072](#))}

15/001	. .	{Packages or dispensers for bandages, cotton balls, drapes, dressings, gauze, gowns, sheets, sponges, swabsticks or towels (A61F 15/007 takes precedence)}
15/002	. .	{dispensers for web or tape like bandages}
15/003	. .	{dispensers for catamenial tampons}
15/004	. .	{Bandage protectors}
15/005	. .	{Bandage applicators}
15/006	. .	{Bandage fasteners}
15/007	. .	{Bandage winders}
15/008	. .	{Appliances for wound protecting, e.g. avoiding contact between wound and bandage (corn plasters A61F 13/063)}
15/02	. .	Devices for cutting bandages of any kind, e.g. shears, cast-cutting saws

17/00 First-aid kits

2210/00	Particular material properties of prostheses classified in groups A61F 2/00 - A61F 2/26 or A61F 2/82 or A61F 9/00 or A61F 11/00 or subgroups thereof
2210/0004	. bioabsorbable
2210/0009	. using materials or accessories for preventing galvanic or electrolytic corrosion
2210/0014	. using shape memory or superelastic materials, e.g. nitinol
2210/0019	. . operated at only one temperature whilst inside or touching the human body, e.g. constrained in a non-operative shape during surgery, another temperature only occurring before the operation
2210/0023	. . operated at different temperatures whilst inside or touching the human body, heated or cooled by external energy source or cold supply
2210/0028	. . . cooled
2210/0033	. . . electrically, e.g. heated by resistor
2210/0038 electromagnetically

- 2210/0042 . . . using a fluid, e.g. circulating
- 2210/0047 . . . heated by light
- 2210/0052 . . . ultrasonically
- 2210/0057 . stretchable
- 2210/0061 . swellable
- 2210/0066 . shrinkable
- 2210/0071 . thermoplastic
- 2210/0076 . multilayered, e.g. laminated structures
- 2210/008 . Phase change materials [PCM], e.g. for storing latent heat
- 2210/0085 . hardenable in situ, e.g. epoxy resins
- 2210/009 . magnetic
- 2210/0095 . radioactive

Filters; Devices providing patency to tubular structures; Prostheses; Accessories

2220/00 Fixations or connections for prostheses classified in groups [A61F 2/00](#) - [A61F 2/26](#) or [A61F 2/82](#) or [A61F 9/00](#) or [A61F 11/00](#) or subgroups thereof

- 2220/0008 . Fixation appliances for connecting prostheses to the body
- 2220/0016 . . with sharp anchoring protrusions, e.g. barbs, pins, spikes
- 2220/0025 . Connections or couplings between prosthetic parts, e.g. between modular parts; Connecting elements
- 2220/0033 . . made by longitudinally pushing a protrusion into a complementary-shaped recess, e.g. held by friction fit
- 2220/0041 . . using additional screws, bolts, dowels or rivets, e.g. connecting screws
- 2220/005 . . using adhesives
- 2220/0058 . . soldered or brazed or welded
- 2220/0066 . . stapled
- 2220/0075 . . sutured, ligatured or stitched, retained or tied with a rope, string, thread, wire or cable
- 2220/0083 . . using hook and loop-type fasteners
- 2220/0091 . . connected by a hinged linkage mechanism, e.g. of the single-bar or multi-bar linkage type

2230/00 Geometry of prostheses classified in groups [A61F 2/00](#) - [A61F 2/26](#) or [A61F 2/82](#) or [A61F 9/00](#) or [A61F 11/00](#) or subgroups thereof

- 2230/0002 . Two-dimensional shapes, e.g. cross-sections
- 2230/0004 . . Rounded shapes, e.g. with rounded corners
- 2230/0006 . . . circular
- 2230/0008 . . . elliptical or oval
- 2230/0001 . . . Figure-8-shaped, e.g. hourglass-shaped
- 2230/0013 . . . Horseshoe-shaped, e.g. crescent-shaped, C-shaped, U-shaped
- 2230/0015 . . . Kidney-shaped, e.g. bean-shaped
- 2230/0017 . . Angular shapes
- 2230/0019 . . . rectangular
- 2230/0021 . . . square
- 2230/0023 . . . triangular
- 2230/0026 . . . trapezoidal
- 2230/0028 . . Shapes in the form of latin or greek characters
- 2230/003 . . . Alpha-shaped
- 2230/0032 . . . B-shaped
- 2230/0034 . . . D-shaped
- 2230/0036 . . . E-shaped, e.g. epsilon-shaped
- 2230/0039 . . . H-shaped
- 2230/0041 . . . J-shaped
- 2230/0043 . . . L-shaped

- 2230/0045 . . . Omega-shaped
- 2230/0047 . . . Pi-shaped
- 2230/005 . . . Rosette-shaped, e.g. star-shaped
- 2230/0052 . . . T-shaped
- 2230/0054 . . . V-shaped
- 2230/0056 . . . W-shaped, e.g. M-shaped, sigma-shaped
- 2230/0058 . . . X-shaped
- 2230/006 . . . Y-shaped
- 2230/0063 . Three-dimensional shapes
- 2230/0065 . . toroidal, e.g. ring-shaped, doughnut-shaped
- 2230/0067 . . conical
- 2230/0069 . . cylindrical
- 2230/0071 . . spherical
- 2230/0073 . . Quadric-shaped
- 2230/0076 . . . ellipsoidal or ovoid
- 2230/0078 . . . hyperboloidal
- 2230/008 . . . paraboloidal
- 2230/0082 . . parallelepipedal
- 2230/0084 . . . cubical
- 2230/0086 . . Pyramidal, tetrahedral, or wedge-shaped
- 2230/0089 . . . tetrahedral, i.e. having a triangular basis
- 2230/0091 . . helically-coiled or spirally-coiled, i.e. having a 2-D spiral cross-section
- 2230/0093 . . Umbrella-shaped, e.g. mushroom-shaped
- 2230/0095 . . Saddle-shaped
- 2230/0097 . . Harpoon-shaped

2240/00 Manufacturing or designing of prostheses classified in groups [A61F 2/00](#) - [A61F 2/26](#) or [A61F 2/82](#) or [A61F 9/00](#) or [A61F 11/00](#) or subgroups thereof

- 2240/001 . Designing or manufacturing processes
- 2240/002 . . Designing or making customized prostheses
- 2240/004 . . . Using a positive or negative model, e.g. moulds
- 2240/005 . . Templates
- 2240/007 . . Dummy prostheses
- 2240/008 . . Means for testing implantable prostheses

2250/00 Special features of prostheses classified in groups [A61F 2/00](#) - [A61F 2/26](#) or [A61F 2/82](#) or [A61F 9/00](#) or [A61F 11/00](#) or subgroups thereof

- 2250/0001 . Means for transferring electromagnetic energy to implants
- 2250/0002 . . for data transfer
- 2250/0003 . having an inflatable pocket filled with fluid, e.g. liquid or gas
- 2250/0004 . adjustable
- 2250/0006 . . for adjusting angular orientation
- 2250/0007 . . for adjusting length
- 2250/0008 . . for adjusting a position by translation along an axis or two perpendicular axes
- 2250/0009 . . for adjusting thickness
- 2250/001 . . for adjusting a diameter
- 2250/0012 . . for adjusting elasticity, flexibility, spring rate or mechanical tension
- 2250/0013 . . for adjusting fluid pressure
- 2250/0014 . having different values of a given property or geometrical feature, e.g. mechanical property or material property, at different locations within the same prosthesis
- 2250/0015 . . differing in density or specific weight
- 2250/0017 . . . differing in yarn density
- 2250/0018 . . differing in elasticity, stiffness or compressibility

2250/0019	. . differing in hardness, e.g. Vickers, Shore, Brinell	2250/0076	. . waterproof
2250/002	. . differing in moment of inertia	2250/0078	. . Gender-specific, e.g. different for male and female patients
2250/0021	. . differing in coefficient of friction	2250/0079	. . Means for preventing the accidental forgetting of prosthetic parts inside the body during operation
2250/0023	. . differing in porosity	2250/008	. . Alarm means
2250/0024	. . . made from both porous and non-porous parts, e.g. adjacent parts	2250/0081	. . Prosthesis for animals
2250/0025	. . differing in roughness	2250/0082	. . specially designed for children, e.g. having means for adjusting to their growth
2250/0026	. . differing in surface structures	2250/0084	. . Means for distinguishing between left-sided and right-sided devices; Sets comprising both left-sided and right-sided prosthetic parts
2250/0028	. . differing in fibre orientations	2250/0085	. . Identification means; Administration of patients
2250/0029	. . differing in bending or flexure capacity	2250/0086	. . . with bar code
2250/003	. . differing in adsorbability or resorbability, i.e. in adsorption or resorption time	2250/0087	. . . colour-coded
2250/0031	. . . made from both resorbable and non-resorbable prosthetic parts, e.g. adjacent parts	2250/0089	. . . coded with symbols, e.g. dots, numbers, letters, words
2250/0032	. . differing in radiographic density	2250/009	. . for single use, e.g. having means for preventing re-use
2250/0034	. . differing in viscosity	2250/0091	. . transparent or translucent
2250/0035	. . differing in release or diffusion time	2250/0092	. . Means for cleaning prostheses
2250/0036	. . differing in thickness	2250/0093	. . Ultrasound system, e.g. for inducing coagulation during eye surgery
2250/0037	. . differing in height or in length	2250/0095	. . . with high intensity focused ultrasound
2250/0039	. . differing in diameter	2250/0096	. . Markers and sensors for detecting a position or changes of a position of an implant, e.g. RF sensors, ultrasound markers
2250/004	. . differing in coefficient of thermal expansion, e.g. dilation, dilatation	2250/0097	. . . Visible markings, e.g. indicia
2250/0041	. . differing in wear resistance	2250/0098	. . . radio-opaque, e.g. radio-opaque markers
2250/0042	. . differing in shape-memory transition temperatures, e.g. in martensitic transition temperature, in austenitic transition temperature	2310/00	Prostheses classified in A61F 2/28 or A61F 2/30 - A61F 2/44 being constructed from or coated with a particular material
2250/0043	. . differing in electric properties, e.g. in electrical conductivity, in galvanic properties	2310/00005	. The prosthesis being constructed from a particular material
2250/0045	. . . differing in electromagnetical properties	2310/00011	. . Metals or alloys
2250/0046	. . differing in melting temperature	2310/00017	. . . Iron- or Fe-based alloys, e.g. stainless steel
2250/0047	. . differing in thermal conductivity	2310/00023	. . . Titanium or titanium-based alloys, e.g. Ti-Ni alloys
2250/0048	. . differing in mechanical expandability, e.g. in mechanical, self- or balloon expandability	2310/00029	. . . Cobalt-based alloys, e.g. Co-Cr alloys or Vitallium
2250/005	. . differing in colour	2310/00035	. . . Other metals or alloys
2250/0051	. . differing in tissue ingrowth capacity, e.g. made from both ingrowth-promoting and ingrowth-preventing parts	2310/00041 Magnesium or Mg-based alloys
2250/0052	. . . differing in bone ingrowth capacity	2310/00047 Aluminium or Al-based alloys
2250/0053	. . differing in optical properties	2310/00053 Vanadium or V-based alloys
2250/0054	. . differing in corrosion resistance	2310/00059 Chromium or Cr-based alloys
2250/0056	. . differing in wettability, e.g. in hydrophilic or hydrophobic behaviours	2310/00065 Manganese or Mn-based alloys
2250/0057	. . made from both cured and uncured parts	2310/00071 Nickel or Ni-based alloys
2250/0058	. Additional features; Implant or prostheses properties not otherwise provided for	2310/00077 Copper or Cu-based alloys
2250/0059	. . temporary	2310/00083 Zinc or Zn-based alloys
2250/006	. . modular	2310/00089 Zirconium or Zr-based alloys
2250/0062	. . . Kits of prosthetic parts to be assembled in various combinations for forming different prostheses	2310/00095 Niobium or Nb-based alloys
2250/0063	. . . Nested prosthetic parts	2310/00101 Molybdenum or Mo-based alloys
2250/0064	. . . Sets comprising a plurality of prosthetic parts of different sizes	2310/00107 Palladium or Pd-based alloys
2250/0065	. . telescopic	2310/00113 Silver or Ag-based alloys
2250/0067	. . Means for introducing or releasing pharmaceutical products into the body	2310/00119 Tin or Sn-based alloys
2250/0068	. . . the pharmaceutical product being in a reservoir	2310/00125 Hafnium or Hf-based alloys
2250/0069	. . Sealing means	2310/00131 Tantalum or Ta-based alloys
2250/007	. . . O-rings	2310/00137 Tungsten or W-based alloys
2250/0071	. . breakable or frangible	2310/00143 Iridium or Ir-based alloys
2250/0073	. . Force-limiting means	2310/00149 Platinum or Pt-based alloys
2250/0074	. . . Torque-limiting means	2310/00155 Gold or Au-based alloys
2250/0075	. . Sound-damping or noise-reducing means	2310/00161	. . Carbon; Graphite

2310/00167	. . .	Diamond or diamond-like carbon	2310/00473	Coating made of zinc or Zn-based alloys
2310/00173	. . .	Graphite	2310/00479	Coating made of germanium or Ge-based alloys
2310/00179	. .	Ceramics or ceramic-like structures	2310/00485	Coating made of zirconium or Zr-based alloys
2310/00185	. . .	based on metal oxides	2310/00491	Coating made of niobium or Nb-based alloys
2310/00191	containing beryllium oxide	2310/00497	Coating made of molybdenum or Mo-based alloys
2310/00197	containing magnesia or magnesium oxide	2310/00502	Coating made of ruthenium or Ru-based alloys
2310/00203	containing alumina or aluminium oxide	2310/00508	Coating made of rhodium or Rh-based alloys
2310/00209	Corundum or Sapphire	2310/00514	Coating made of palladium or Pd-based alloys
2310/00215	containing silica or silicon oxide	2310/0052	Coating made of silver or Ag-based alloys
2310/00221	containing calcia or calcium oxide	2310/00526	Coating made of indium or In-based alloys
2310/00227	containing titania or titanium oxide	2310/00532	Coating made of tin or Sn-based alloys
2310/00233	containing chromia or chromium oxides CrO, CrO ₂ or CrO ₃	2310/00538	Coating made of hafnium or Hf-based alloys
2310/00239	containing zirconia or zirconium oxide ZrO ₂	2310/00544	Coating made of tantalum or Ta-based alloys
2310/00245	containing niobium oxide	2310/0055	Coating made of tungsten or W-based alloys
2310/00251	containing hafnia or hafnium oxide	2310/00556	Coating made of iridium or Ir-based alloys
2310/00257	containing tantalum oxide	2310/00562	Coating made of platinum or Pt-based alloys
2310/00263	. . .	based on metal borides	2310/00568	Coating made of gold or Au-based alloys
2310/00269	. . .	based on metal carbides	2310/00574	. .	Coating or prosthesis-covering structure made of carbon, e.g. of pyrocarbon
2310/00275	containing boron carbide	2310/0058	. . .	Coating made of diamond or of diamond-like carbon DLC
2310/00281	containing silicon carbide	2310/00586	. . .	Coating made of graphite
2310/00287	containing titanium carbide	2310/00592	. .	Coating or prosthesis-covering structure made of ceramics or of ceramic-like compounds
2310/00293	. . .	containing a phosphorus-containing compound, e.g. apatite	2310/00598	. . .	Coating or prosthesis-covering structure made of compounds based on metal oxides or hydroxides
2310/00299	. . .	based on metal nitrides	2310/00604	Coating made of aluminium oxide or hydroxides
2310/00305	containing boron nitride	2310/0061	Coating made of silicon oxide or hydroxides
2310/00311	containing aluminium nitride	2310/00616	Coating made of titanium oxide or hydroxides
2310/00317	containing silicon nitride	2310/00622	Coating made of chromium oxide or hydroxides
2310/00323	containing titanium nitride	2310/00628	Coating made of cobalt oxide or hydroxides
2310/00329	. .	Glasses, e.g. bioglass	2310/00634	Coating made of zirconium oxide or hydroxides
2310/00335	. . .	Porcelain	2310/0064	Coating made of niobium oxide or hydroxides
2310/00341	. .	Coral, e.g. aragonite, porite	2310/00646	Coating made of molybdenum oxide or hydroxides
2310/00347	. .	Nacre or mother-of-pearl	2310/00652	Coating made of hafnium oxide or hydroxides
2310/00353	. .	Bone cement, e.g. polymethylmethacrylate or PMMA	2310/00658	Coating made of tantalum oxide or hydroxides
2310/00359	. .	Bone or bony tissue	2310/00664	Coating made of tungsten oxide or hydroxides
2310/00365	. .	Proteins; Polypeptides; Degradation products thereof	2310/0067	. . .	Coating or prosthesis-covering structure made of compounds based on metal borides
2310/00371	. . .	Collagen	2310/00676	Coating made of aluminium boride
2310/00377	. . .	Fibrin	2310/00682	Coating made of titanium boride
2310/00383	. . .	Gelatin	2310/00688	Coating made of vanadium boride
2310/00389	. .	The prosthesis being coated or covered with a particular material	2310/00694	Coating made of chromium boride
2310/00395	. .	Coating or prosthesis-covering structure made of metals or of alloys	2310/007	Coating made of cobalt boride
2310/00401	. . .	Coating made of iron, of stainless steel or of other Fe-based alloys	2310/00706	Coating made of zirconium boride
2310/00407	. . .	Coating made of titanium or of Ti-based alloys	2310/00712	Coating made of molybdenum boride
2310/00413	. . .	Coating made of cobalt or of Co-based alloys	2310/00718	Coating made of lanthanum boride
2310/00419	. . .	Other metals	2310/00724	Coating made of tungsten boride
2310/00425	Coating made of magnesium or of Mg-based alloys			
2310/00431	Coating made of aluminium or of Al-based alloys			
2310/00437	Coating made of silicon or Si-based alloys			
2310/00443	Coating made of vanadium or of V-based alloys			
2310/00449	Coating made of chromium or Cr-based alloys			
2310/00455	Coating made of manganese Mn-based alloys			
2310/00461	Coating made of nickel or Ni-based alloys			
2310/00467	Coating made of copper or Cu-based alloys			

2310/0073	. . .	Coating or prosthesis-covering structure made of compounds based on metal carbides
2310/00736	Coating made of boron carbide
2310/00742	Coating made of silicon carbide
2310/00748	Coating made of titanium carbide
2310/00754	Coating made of chromium carbide
2310/0076	Coating made of nickel carbide
2310/00766	Coating made of zirconium carbide
2310/00772	Coating made of niobium carbide
2310/00778	Coating made of hafnium carbide
2310/00784	Coating made of tantalum carbide
2310/0079	Coating made of tungsten carbide
2310/00796	. . .	Coating or prosthesis-covering structure made of a phosphorus-containing compound, e.g. hydroxy(l)apatite
2310/00802	. . .	Coating or prosthesis-covering structure made of compounds based on metal hydrides
2310/00808	Coating made of titanium hydride
2310/00814	Coating made of vanadium hydride
2310/0082	Coating made of chromium hydride
2310/00826	Coating made of zirconium hydride
2310/00832	Coating made of niobium hydride
2310/00838	Coating made of hafnium hydride
2310/00844	Coating made of tantalum hydride
2310/0085	. . .	Coating or prosthesis-covering structure made of compounds based on metal chlorides
2310/00856	. . .	Coating or prosthesis-covering structure made of compounds based on metal nitrides
2310/00862	Coating made of boron nitride
2310/00868	Coating made of aluminium nitride
2310/00874	Coating made of silicon nitride
2310/0088	Coating made of titanium nitride
2310/00886	Coating made of chromium nitride
2310/00892	Coating made of zirconium nitride
2310/00898	Coating made of niobium nitride
2310/00904	Coating made of hafnium nitride
2310/0091	Coating made of tantalum nitride
2310/00916	. . .	Coating or prosthesis-covering structure made of compounds based on metal sulfides
2310/00922	Coating made of molybdenum sulfide
2310/00928	. .	Coating or prosthesis-covering structure made of glass or of glass-containing compounds, e.g. of bioglass
2310/00934	. . .	Coating made of enamel
2310/0094	. . .	Coating made of porcelain
2310/00946	. .	Coating or prosthesis-covering structure made of nacre or mother-of-pearl
2310/00952	. .	Coating, pre-coating or prosthesis-covering structure made of bone cement, e.g. pre-applied PMMA cement mantle
2310/00958	. .	Coating or prosthesis-covering structure made of bone or of bony tissue
2310/00964	. .	Coating or prosthesis-covering structure made of cartilage
2310/0097	. .	Coating or prosthesis-covering structure made of pharmaceutical products, e.g. antibiotics
2310/00976	. .	Coating or prosthesis-covering structure made of proteins or of polypeptides, e.g. of bone morphogenic proteins BMP or of transforming growth factors TGF
2310/00982	. . .	Coating made of collagen
2310/00988	. . .	Coating made of fibrin
2310/00994	. . .	Coating made of gelatin