



- 5/08 . . for sawing with the saw blade abutting parallel against a surface of the workpiece
- 5/10 . Wheeled circular saws; Circular saws designed to be attached to tractors or other vehicles and driven by same {(saw assemblies designed to be mounted on or driven by tractors [B27B 11/12](#))}
- 5/12 . Cylinder saws {([B27C 1/007](#) takes precedence)}
- 5/14 . Rim-driven circular saws
- 5/16 . Saw benches ([B27B 15/06](#) takes precedence)
- 5/165 . . {Convertible sawing devices}
- 5/18 . . with feedable circular saw blade, e.g. arranged on a carriage
- 5/181 . . . {the saw blade being arranged underneath a work-table}
- 5/182 . . . . {the saw blade performing a pivoting movement only}
- 5/184 . . . . {the saw blade performing a rectilinear movement only}
- 5/185 . . . {the saw blade being carried by a pivoted lever ([B27B 5/181](#) and [B27B 5/188](#) take precedence)}
- 5/187 . . . {the saw blade being fitted on a movable carriage ([B27B 5/181](#) takes precedence)}
- 5/188 . . . {the saw blade being mounted on a hanging arm or at the end of a set of bars, e.g. parallelograms}
- 5/20 . . . the saw blade being adjustable according to depth or angle of cut; Radial saws, i.e. sawing machines with a pivoted radial arm for guiding the movable carriage
- 5/201 . . . . {Radial sawing machines; Machines having a saw blade on an extendable radial arm}
- 5/202 . . . . {with the saw blade underneath a work-table}
- 5/203 . . . . . {the saw blade performing a pivoting movement only}
- 5/205 . . . . . {the saw blade performing a rectilinear movement only}
- 5/206 . . . . . {the saw blade being carried by a pivoted lever ([B27B 5/208](#) takes precedence)}
- 5/207 . . . . . {the saw blade being fitted on a movable carriage}
- 5/208 . . . . . {the saw blade being mounted on a hanging arm or at the end of a set of bars, e.g. parallelograms}
- 5/22 . . with non-feedable circular saw blade
- 5/222 . . . {the saw blade being arranged underneath the work-table; Guiding arrangements for the work-table}
- 5/224 . . . {the workpieces being fitted on a pivoting support}
- 5/226 . . . {the workpieces being radially fed by means of a turning drum}
- 5/228 . . . {Cross-cutting automatically laterally-fed travelling workpieces; Reducing lumber to desired lengths}
- 5/24 . . . the saw blade being adjustable according to depth or angle of cut
- 5/243 . . . . {the saw blade being arranged underneath the work-table (the circular saw blade arranged underneath a stationary work-table for sawing material in general [B23D 45/06](#))}
- 5/246 . . . . {End cutting of automatically laterally-fed travelling workpieces}
- 5/26 . . . the table being adjustable according to depth or angle of cut
- 5/265 . . . . {with the saw blade arranged underneath the work-table}
- 5/29 . Details; Component parts; Accessories
- 5/30 . . for mounting or securing saw blades or saw spindles
- 5/32 . . . Devices for securing circular saw blades to the saw spindle
- 5/325 . . . . {using fluid pressure means}
- 5/34 . . . Devices for securing a plurality of circular saw blades on a single saw spindle; Equipment for adjusting the mutual distance {(arrangements for adjusting the mutual distances of circular saw machines for lengthwise sawing of trunks [B27B 7/04](#))}
- 5/36 . . . Mounting for swivelling or tilting the circular saw blade {, e.g. using an adjustable mounting (slotting or mortising machines [B27F 5/02](#))}
- 5/38 . . Devices for braking the circular saw blade or the saw spindle; Devices for damping vibrations of the circular saw blade, e.g. silencing {([B23D 47/005](#) takes precedence)}
- 7/00 Sawing machines working with circular saw blades, specially designed for length sawing of trunks**
- 7/02 . by making use of circular saws mounted substantially at right angles, e.g. vertically and horizontally
- 7/04 . by making use of a plurality of circular saws mounted on a single spindle; Arrangements for adjusting the mutual distances {(equipment for adjusting the mutual distance of circular wood saws in general [B27B 5/34](#))}
- 9/00 Portable power-driven circular saws for manual operation (details or components, e.g. handles, casings, of portable power-driven tools not particularly related to the operation performed [B25F 5/00](#))**
- 9/02 . Arrangements for adjusting the cutting depth or the amount of tilting
- 9/04 . Guiding equipment, e.g. for cutting panels {(circular sawing machines for dividing plates in parts of determined size, e.g. panels [B27B 5/06](#))}
- 11/00 Cross-cut reciprocating saws with power drive; Appurtenances therefor**
- 11/02 . Arrangements for guiding the saw blade
- 11/04 . . Supports able to be attached to the work
- 11/06 . Arrangements for chucking the saw blade, with or without releasable transmission mechanisms for uncoupling the drive
- 11/08 . Frames, pillars, or beds
- 11/10 . Devices for clamping the work or holding same in position
- 11/12 . Saw assemblies designed to be mounted on or driven by tractors {(circular saws designed to be attached to tractors or other vehicles and driven by same [B27B 5/10](#))}
- Band or strap sawing machines**
- 13/00 Band or strap sawing machines (for length cutting of trunks [B27B 15/00](#)); Components or equipment therefor**

- 13/02 . Frames; Pillars
- 13/04 . Work-tables; Arrangements for tilting the band saw blade
- 13/06 . Saw pulleys; Bearings therefor
- 13/08 . Arrangements for stretching the band saw blade  
([B23D 55/10](#) takes precedence)
- 13/10 . Guiding equipment for the band saw blade, e.g. guide rollers, back guides, side guides  
([B23D 55/08](#) takes precedence)
- 13/12 . Lubricating devices specially designed for band saw blades
- 13/14 . Braking devices specially designed for band sawing machines, e.g. acting after damage of the band saw blade
- 13/16 . Accessories, e.g. for cooling the saw blade

**15/00 Band or strap sawing machines specially designed for length cutting of trunks**

- 15/02 . with horizontally-guided saw blade, i.e. horizontal log band saw
- 15/04 . with vertically-guided saw blade
- 15/06 . in combined arrangement with circular saws for performing simultaneously several sawing procedures
- 15/08 . with a plurality of band saw blades

**17/00 Chain saws; Equipment therefor** ([{slotting or mortising machines equipped with chain cutters B27F 5/06}](#))

- 17/0008 . [{Means for carrying the chain saw, e.g. handles \(B27B 17/0033 takes precedence\)}](#)
- 17/0016 . [{Devices to adapt the chain saw for other purposes, e.g. drilling}](#)
- 17/0025 . [{Length measuring devices incorporated in the chain saw}](#)
- 17/0033 . [{Devices for attenuation of vibrations}](#)
- 17/0041 . [{Saw benches or saw bucks}](#)
- 17/005 . . [{with the saw mounted on a carriage}](#)
- 17/0058 . . [{with the saw being pivotally mounted}](#)
- 17/0066 . . [{with the saw mounted upright}](#)
- 17/0075 . . [{the workpiece being held in a cantilever manner}](#)
- 17/0083 . [{Attachments for guiding or supporting chain saws during operation}](#)
- 17/0091 . [{Wheeled chain saws; Chain saws mounted on or driven by vehicles, e.g. for sawing trees \*in situ\*}](#)
- 17/02 . Chain saws equipped with guide bar ([B27B 17/06](#) takes precedence)
- 17/025 . . [{Composite guide bars, e.g. laminated, multisectioned; Guide bars of diverse material}](#)
- 17/04 . . Roller bearing guides
- 17/06 . Chain saws mounted on a bow
- 17/08 . Drives or gearings; Devices for swivelling or tilting the chain saw
- 17/083 . . [{Devices for arresting movement of the saw chain}](#)
- 17/086 . . [{Angle drives}](#)
- 17/10 . . Transmission clutches specially designed for chain saws
- 17/12 . Lubricating devices specially designed for chain saws
- 17/14 . Arrangements for stretching the chain saw

**19/00 Other reciprocating saws with power drive; Fret-saws**

- 19/002 . [{Power-driven hand saws}](#)
- 19/004 . . [{in which the saw blade is chucked at both ends}](#)
- 19/006 . [{with oscillating saw blades; Hand saws with oscillating saw blades}](#)
- 19/008 . . [{having a plurality of saw blades or saw blades having plural cutting zones}](#)
- 19/02 . Saws with a power-driven blade chucked at both ends or at one end only, e.g. jig saws, scroll saws  
([B27B 19/10](#) takes precedence)
- 19/04 . . characterised by power drive, e.g. by electromagnetic drive
- 19/06 . . Stationary machines
- 19/065 . . . [{hand-operated or foot-operated}](#)
- 19/09 . . portable
- 19/10 . Fret-saws, i.e. with bilaterally chucked saw blade in a manually-guided bow
- 19/12 . . with power drive
- 19/14 . . with hand drive

**21/00 Hand saws without power drive** ([{hand saws with oscillating saw blades,} B27B 19/14 takes precedence](#)); **Equipment for hand sawing, e.g. saw horses** ([{work benches B25H 1/00; saw guides B27B 11/02}](#))

- 21/02 . Buck or hack saws
- 21/04 . Cross-cut saws; Pad saws
- 21/06 . Arrangements for stretching the saw blade
- 21/08 . Arrangements of gauging or adjusting equipment on hand saws, e.g. for limiting the cutting depth

**23/00 Other cutting of wood by non-rotary toothed tools; Tools therefor** ([cutting with hot wire B27M 1/06](#))

**Components or accessories for saws**

**25/00 Feeding devices for timber in saw mills or sawing machines; Feeding devices for trees** ([{B27B 29/00}, B27B 31/00 take precedence](#))

- 25/02 . with feed and pressure rollers
- 25/04 . with feed chains or belts
- 25/06 . Resilient feeding or pressing accessories, e.g. pads, springs
- 25/08 . Feeding devices able to be attached to any sawing machine
- 25/10 . Manually-operated feeding or pressing accessories, e.g. pushers

**27/00 Guide fences or stops for timber in saw mills or sawing machines; Measuring equipment thereon** ([safety guards or devices specially designed for wood saws B27G 19/00; constructional features of measuring devices G01B](#))

- 27/02 . arranged laterally and parallel with respect to the plane of the saw blade
- 27/04 . arranged perpendicularly to the plane of the saw blade
- 27/06 . arranged angularly with respect to the plane of the saw blade, e.g. for mitring ([{devices for mitring wood B27G 5/00}](#))
- 27/08 . arranged adjustably, not limited to only one of the groups [B27B 27/02](#) - [B27B 27/06](#)
- 27/10 . Devices for moving or adjusting the guide fences or stops

- 29/00**     **Gripping, clamping, or holding devices for the trunk or log in saw mills or sawing machines**  
(for other timber, [see the relevant groups for the machines](#); safety guards or devices specially designed for wood saws [B27G 19/00](#)); **Travelling trunk or log carriages** {(for logs being held in a cantilever manner [B27B 17/0075](#))}
- 29/02     . Clamping angles; Gripping equipment thereon
- 29/04     . Trunk or log carriages with gripping means which do not pass the saw blade(s), specially for gang saws; Arrangement of gripping accessories thereon
- 29/06     . . Auxiliary trunk or log carriages for carrying initially the log to the feed rollers or for carrying the sawn part of the log
- 29/08     . Trunk or log carriages with gripping means designed to pass the saw blade(s), especially for band saws; Arrangement of gripping accessories thereon; Turning devices thereon
- 29/085    . . {Turning devices thereon}
- 29/10     . . Assemblies for laterally adjusting or controlling the clamping or turning devices with respect to the thickness of the board to be sawn
- 31/00**     **Arrangements for conveying, loading, turning, adjusting, or discharging the log or timber, specially designed for saw mills or sawing machines** ([B27B 29/00](#) takes precedence {; arrangements for raising or lowering the feed rollers of gang saw mills [B27B 3/14](#); driving mechanisms for the feed rollers of gang saw mills [B27B 3/16](#)})
- 31/003    . {with rollers}
- 31/006    . {with chains or belts}
- 31/02     . Loading equipment for travelling carriages
- 31/04     . Turning equipment {(turning devices on trunk or log carriages [B27B 29/08](#))}
- 31/06     . Adjusting equipment, e.g. using optical projection {(see also [B27L 5/022](#))}
- 31/08     . Discharging equipment
- 33/00**     **Sawing tools for saw mills, sawing machines, or sawing devices**
- 33/02     . Structural design of saw blades or saw teeth
- 33/04     . . Gang saw blades
- 33/06     . . Band saw blades
- 33/08     . . Circular saw blades
- 33/10     . . Hand saw blades
- 33/12     . . Saw blades having inserted or exchangeably arranged bits or toothed segments
- 33/14     . Saw chains {(saw chains for slotting or mortising devices [B27F 5/08](#))}
- 33/141    . . {with means to control the depth of cut}
- 33/142    . . {Cutter elements}
- 33/144    . . . {having cutting inserts or exchangeable cutting teeth}
- 33/145    . . . {having plural teeth on a single link}
- 33/147    . . {with incorporated lubricating means}
- 33/148    . . {with means permitting replacement of cutter elements}
- 33/16     . Saw wires; Twisted saw strips
- 33/20     . Edge trimming saw blades or tools combined with means to disintegrate waste