

CPC COOPERATIVE PATENT CLASSIFICATION

H ELECTRICITY

(NOTE omitted)

H01 BASIC ELECTRIC ELEMENTS

(NOTES omitted)

H01M PROCESSES OR MEANS, e.g. BATTERIES, FOR THE DIRECT CONVERSION OF CHEMICAL ENERGY INTO ELECTRICAL ENERGY

NOTE

This subclass covers galvanic primary or secondary cells or batteries, fuel cells or stacks.

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

4/00	Electrodes	4/0438	. . . {by electrochemical processing (electroless electrochemical plating C23C 18/54)}
	NOTE	4/044 {Activating, forming or electrochemical attack of the supporting material}
	In classifying electrodes of hybrid cells, the individual half-cells of the hybrid cell are considered separately, e.g. an electrode in the primary half of a primary/fuel type hybrid cell is considered to be a primary-cell electrode covered by H01M 4/06 .	4/0442 {Anodisation, Oxidation (electrolytic coating by anodisation C25D 9/00)}
4/02	. Electrodes composed of, or comprising, active material	4/0445 {Forming after manufacture of the electrode, e.g. first charge, cycling}
2004/021	. . {Physical characteristics, e.g. porosity, surface area}	4/0447 {of complete cells or cells stacks}
2004/022	. . {Electrodes made of one single microscopic fiber}	4/045 {Electrochemical coating; Electrochemical impregnation}
2004/023	. . {Gel electrode}	4/0452 {from solutions}
2004/024	. . {Insertable electrodes}	4/0454 {from melts}
2004/025	. . {with shapes other than plane or cylindrical}	4/0457 {from dispersions or suspensions; Electrophoresis}
2004/026	. . {characterised by the polarity}	4/0459 {Electrochemical doping, intercalation, occlusion or alloying}
2004/027	. . . {Negative electrodes}	4/0461 {Electrochemical alloying}
2004/028	. . . {Positive electrodes}	4/0464 {Electro organic synthesis}
2004/029	. . . {Bipolar electrodes}	4/0466 {Electrochemical polymerisation}
4/04	. . Processes of manufacture in general	4/0469 {Electroforming a self-supporting electrode; Electroforming of powdered electrode material}
4/0402	. . . {Methods of deposition of the material}	4/0471 {involving thermal treatment, e.g. firing, sintering, backing particulate active material, thermal decomposition, pyrolysis}
4/0404 {by coating on electrode collectors}	4/0473 {Filling tube-or pockets type electrodes; Applying active mass in cup-shaped terminals}
4/0407 {by coating on an electrolyte layer}	4/0476 {with molten material}
4/0409 {by a doctor blade method, slip-casting or roller coating}	4/0478 {with dispersions, suspensions or pastes}
4/0411 {by extrusion}	4/048 {with dry powder}
4/0414 {by screen printing}	4/0483 {by methods including the handling of a melt (H01M 4/0438 , take precedence)}
4/0416 {involving impregnation with a solution, dispersion, paste or dry powder (H01M 4/0438 takes precedence)}	4/0485 {Casting}
4/0419 {involving spraying}	4/0488 {Alloying}
4/0421 {involving vapour deposition}	4/049 {Manufacturing of an active layer by chemical means}
4/0423 {Physical vapour deposition}	4/0492 {Chemical attack of the support material}
4/0426 {Sputtering}	4/0495 {Chemical alloying}
4/0428 {Chemical vapour deposition}	4/0497 {Chemical precipitation}
4/043	. . . {involving compressing or compaction}	4/06	. . Electrodes for primary cells
4/0433 {Molding}	4/08	. . . Processes of manufacture
4/0435 {Rolling or calendering}		

4/10 of pressed electrodes with central core, i.e. dollies	4/368 {Liquid depolarisers}
4/12 of consumable metal or alloy electrodes (use of alloy compositions as active materials H01M 4/38)	4/38 of elements or alloys
4/13	. . Electrodes for accumulators with non-aqueous electrolyte, e.g. for lithium-accumulators; Processes of manufacture thereof	4/381 {Alkaline or alkaline earth metals elements (H01M 4/40 takes precedence)}
	NOTE	4/382 {Lithium (H01M 4/405 takes precedence)}
	This group does not cover electrodes for accumulators working at high temperatures, e.g. molten sodium electrodes, which subject matter is classified in group H01M 10/39	4/383 {Hydrogen absorbing alloys}
4/131	. . . Electrodes based on mixed oxides or hydroxides, or on mixtures of oxides or hydroxides, e.g. LiCoOx	4/385 {of the type LaNi ₅ }
4/1315 containing halogen atoms, e.g. LiCoOxFy	4/386 {Silicon or alloys based on silicon}
4/133	. . . Electrodes based on carbonaceous material, e.g. graphite-intercalation compounds or CFx	4/387 {Tin or alloys based on tin}
4/134	. . . Electrodes based on metals, Si or alloys	4/388 {Halogens}
4/136	. . . Electrodes based on inorganic compounds other than oxides or hydroxides, e.g. sulfides, selenides, tellurides, halogenides or LiCoFy	4/40 Alloys based on alkali metals
4/137	. . . Electrodes based on electro-active polymers	4/405 {Alloys based on lithium}
4/139	. . . Processes of manufacture	4/42 Alloys based on zinc
4/1391 of electrodes based on mixed oxides or hydroxides, or on mixtures of oxides or hydroxides, e.g. LiCoOx	4/44 Alloys based on cadmium
4/13915 containing halogen atoms, e.g. LiCoOxFy	4/46 Alloys based on magnesium or aluminium
4/1393 of electrodes based on carbonaceous material, e.g. graphite-intercalation compounds or CFx	4/463 {Aluminium based}
4/1395 of electrodes based on metals, Si or alloys	4/466 {Magnesium based}
4/1397 of electrodes based on inorganic compounds other than oxides or hydroxides, e.g. sulfides, selenides, tellurides, halogenides or LiCoFy	4/48 of inorganic oxides or hydroxides
4/1399 of electrodes based on electro-active polymers	4/481 {of mercury}
4/14	. . Electrodes for lead-acid accumulators	4/483 {for non-aqueous cells (H01M 4/485 takes precedence)}
4/16	. . . Processes of manufacture	4/485 of mixed oxides or hydroxides for inserting or intercalating light metals, e.g. LiTi ₂ O ₄ or LiTi ₂ OxFy (H01M 4/505 , H01M 4/525 take precedence)
4/18 of Planté electrodes	4/50 of manganese
4/20 of pasted electrodes	4/502 {for non-aqueous cells (H01M 4/505 takes precedence)}
4/21 Drying of pasted electrodes	4/505 of mixed oxides or hydroxides containing manganese for inserting or intercalating light metals, e.g. LiMn ₂ O ₄ or LiMn ₂ OxFy
4/22 Forming of electrodes	4/52 of nickel, cobalt or iron
4/23 Drying or preserving electrodes after forming	4/521 {of iron for aqueous cells}
4/24	. . Electrodes for alkaline accumulators	4/523 {for non-aqueous cells (H01M 4/525 takes precedence)}
4/242	. . . {Hydrogen storage electrodes}	4/525 of mixed oxides or hydroxides containing iron, cobalt or nickel for inserting or intercalating light metals, e.g. LiNiO ₂ , LiCoO ₂ or LiCoOxFy
4/244	. . . {Zinc electrodes}	4/54 of silver
4/246	. . . {Cadmium electrodes}	4/56 of lead
4/248	. . . {Iron electrodes}	4/57 of "grey lead", i.e. powders containing lead and lead oxide
4/26	. . . Processes of manufacture	4/58 of inorganic compounds other than oxides or hydroxides, e.g. sulfides, selenides, tellurides, halogenides or LiCoFy; of polyanionic structures, e.g. phosphates, silicates or borates
4/28 Precipitating active material on the carrier	4/5805 {Phosphides}
4/29 by electrochemical methods	4/581 {Chalcogenides or intercalation compounds thereof}
4/30 Pressing	4/5815 {Sulfides}
4/32	. . . Nickel oxide or hydroxide electrodes	4/582 {Halogenides}
4/34	. . . Silver oxide or hydroxide electrodes	4/5825 {Oxygenated metallic slats or polyanionic structures, e.g. borates, phosphates, silicates, olivines}
4/36	. . Selection of substances as active materials, active masses, active liquids		NOTE
4/362	. . . {Composites}		Polyanionic structures comprises elements not changing oxidation state during electrochemical reaction, e.g. P, Si, B
4/364 {as mixtures}	4/583 Carbonaceous material, e.g. graphite-intercalation compounds or CFx
4/366 {as layered products}		

4/5835 {Comprising fluorine or fluoride salts}	4/806 {Nonwoven fibrous fabric containing only fibres}
4/587 for inserting or intercalating light metals	4/808 {Foamed, spongy materials}
4/60	. . . of organic compounds	4/82	. . . Multi-step processes for manufacturing carriers for lead-acid accumulators
4/602 {Polymers}	4/84 involving casting
4/604 {containing aliphatic main chain polymers}	4/86	. Inert electrodes with catalytic activity, e.g. for fuel cells
4/606 {containing aromatic main chain polymers}	4/8605	. . {Porous electrodes}
4/608 {containing heterocyclic rings}	4/861	. . . {with a gradient in the porosity}
4/62	. . Selection of inactive substances as ingredients for active masses, e.g. binders, fillers	4/8615	. . . {Bifunctional electrodes for rechargeable cells}
4/621	. . . {Binders}	4/8621	. . . {containing only metallic or ceramic material, e.g. made by sintering or sputtering}
4/622 {being polymers}	4/8626	. . . {characterised by the form}
4/623 {fluorinated polymers}	4/8631 {Bipolar electrodes}
4/624	. . . {Electric conductive fillers}	4/8636	. . {with a gradient in another property than porosity (H01M 4/861 takes precedence)}
4/625 {Carbon or graphite}	4/8642	. . . {Gradient in composition}
4/626 {Metals}	4/8647	. . {consisting of more than one material, e.g. consisting of composites}
4/627	. . . {Expanders for lead-acid accumulators}	4/8652	. . . {as mixture}
4/628	. . . {Inhibitors, e.g. gassing inhibitors, corrosion inhibitors}	4/8657	. . . {layered}
4/64	. . Carriers or collectors	4/8663	. . {Selection of inactive substances as ingredients for catalytic active masses, e.g. binders, fillers}
4/66	. . . Selection of materials	4/8668	. . . {Binders}
4/661 {Metal or alloys, e.g. alloy coatings (H01M 4/669 take precedence)}	4/8673	. . . {Electrically conductive fillers}
4/662 {Alloys (collectors of lead alloys (H01M 4/685))}	2004/8678	. . {characterised by the polarity}
4/663 {containing carbon or carbonaceous materials as conductive part, e.g. graphite, carbon fibres}	2004/8684	. . . {Negative electrodes}
4/664 {Ceramic materials}	2004/8689	. . . {Positive electrodes}
4/665 {Composites}	2004/8694	. . . {Bipolar electrodes}
4/666 {in the form of mixed materials (H01M 4/668 takes precedence)}	4/88	. . Processes of manufacture
4/667 {in the form of layers, e.g. coatings}	4/8803	. . . {Supports for the deposition of the catalytic active composition (H01M 4/90 takes precedence)}
4/668 {Composites of electroconductive material and synthetic resins}	4/8807 {Gas diffusion layers}
4/669 {Steels}	4/881 {Electrolytic membranes}
4/68 for use in lead-acid accumulators	4/8814 {Temporary supports, e.g. decal}
4/685 {Lead alloys}	4/8817	. . . {Treatment of supports before application of the catalytic active composition (coated porous composites H01M 8/0245)}
4/70	. . . characterised by shape or form	4/8821 {Wet proofing}
4/72 Grids	4/8825	. . . {Methods for deposition of the catalytic active composition}
4/73 for lead-acid accumulators, e.g. frame plates	4/8828 {Coating with slurry or ink}
4/74 Meshes or woven material; Expanded metal	4/8832 {Ink jet printing}
4/742 {perforated material}	4/8835 {Screen printing}
4/745 {Expanded metal}	4/8839 {Painting}
4/747 {Woven material}	4/8842 {Coating using a catalyst salt precursor in solution followed by evaporation and reduction of the precursor}
4/75 Wires, rods or strips	4/8846 {Impregnation}
4/76 Containers for holding the active material, e.g. tubes, capsules	4/885 {followed by reduction of the catalyst salt precursor}
4/762 {Porous or perforated metallic containers}	4/8853 {Electrodeposition}
4/765 {Tubular type or pencil type electrodes; tubular or multitubular sheaths or covers of insulating material for said tubular-type electrodes}	4/8857 {Casting, e.g. tape casting, vacuum slip casting}
4/767 {Multitubular sheaths or covers}	4/886 {Powder spraying, e.g. wet or dry powder spraying, plasma spraying}
4/78 Shapes other than plane or cylindrical, e.g. helical	4/8864 {Extrusion}
4/80 Porous plates, e.g. sintered carriers	4/8867 {Vapour deposition}
4/801 {Sintered carriers}	4/8871 {Sputtering}
4/803 {of only powdered material}		
4/805 {of powdered and fibrous material}		

4/8875	. . . {Methods for shaping the electrode into free-standing bodies, like sheets, films or grids, e.g. moulding, hot-pressing, casting without support, extrusion without support}	6/04	. Cells with aqueous electrolyte
4/8878	. . . {Treatment steps after deposition of the catalytic active composition or after shaping of the electrode being free-standing body}	6/045	. . {characterised by aqueous electrolyte}
4/8882 {Heat treatment, e.g. drying, baking}	6/06	. . Dry cells, i.e. cells wherein the electrolyte is rendered non-fluid
4/8885 {Sintering or firing}	6/08	. . . with cup-shaped electrodes
4/8889 {Cosintering or cofiring of a catalytic active layer with another type of layer}	6/085 {of the reversed type, i.e. anode in the centre}
4/8892 {Impregnation or coating of the catalyst layer, e.g. by an ionomer}	6/10	. . . with wound or folded electrodes
4/8896 {Pressing, rolling, calendering (membrane electrode assemblies H01M 8/1004)}	6/103 {Cells with electrode of only one polarity being folded or wound}
4/90	. . Selection of catalytic material	2006/106 {Elliptic wound cells}
4/9008	. . . {Organic or organo-metallic compounds}	6/12	. . . with flat electrodes
4/9016	. . . {Oxides, hydroxides or oxygenated metallic salts}	6/14	. Cells with non-aqueous electrolyte
4/9025 {Oxides specially used in fuel cell operating at high temperature, e.g. SOFC}	6/145	. . {containing ammonia}
4/9033 {Complex oxides, optionally doped, of the type M1MeO3, M1 being an alkaline earth metal or a rare earth, Me being a metal, e.g. perovskites}	6/16	. . with organic electrolyte (H01M 6/18 takes precedence)
4/9041	. . . {Metals or alloys (H01M 4/92 takes precedence)}	6/162	. . . {characterised by the electrolyte}
4/905 {specially used in fuel cell operating at high temperature, e.g. SOFC}	6/164 {by the solvent}
4/9058 {of noble metals or noble-metal based alloys}	6/166 {by the solute}
4/9066 {of metal-ceramic composites or mixtures, e.g. cermets}	6/168 {by additives}
4/9075	. . . {Catalytic material supported on carriers, e.g. powder carriers (H01M 4/8807 , H01M 4/881 , H01M 4/8814 , H01M 4/925 take precedence)}	6/18	. . with solid electrolyte
4/9083 {on carbon or graphite}	6/181	. . . {with polymeric electrolytes}
4/9091	. . . {Unsupported catalytic particles; loose particulate catalytic materials, e.g. in fluidised state}	6/182	. . . {with halogenide as solid electrolyte}
4/92	. . . Metals of platinum group (H01M 4/94 {, H01M 4/9058 } take precedence)	6/183 {with fluoride as solid electrolyte}
4/921 {Alloys or mixtures with metallic elements}	6/185	. . . {with oxides, hydroxides or oxysalts as solid electrolytes}
4/923 {Compounds thereof with non-metallic elements}	6/186 {Only oxysalts-containing solid electrolytes}
4/925 {supported on carriers, e.g. powder carriers}	6/187	. . . {Solid electrolyte characterised by the form}
4/926 {on carbon or graphite}	6/188	. . . {Processes of manufacture}
4/928 {Unsupported catalytic particles; loose particulate catalytic materials, e.g. in fluidised state}	6/20	. . . working at high temperature (deferred-action thermal cells H01M 6/36)
4/94	. . Non-porous diffusion electrodes, e.g. palladium membranes, ion exchange membranes	6/22	. Immobilising of electrolyte
4/96	. . Carbon-based electrodes	6/24	. Cells comprising two different electrolytes
4/98	. . Raney-type electrodes	6/26	. Cells without oxidising active material, e.g. Volta cells
6/00	Primary cells; Manufacture thereof	6/28	. Standard cells, e.g. Weston cells
	NOTE	6/30	. Deferred-action cells
	In this group, primary cells are electrochemical generators in which the cell energy is present in chemical form and is not regenerated.	6/32	. . activated through external addition of electrolyte or of electrolyte components
6/005	. {Devices for making primary cells}	6/34	. . . Immersion cells, e.g. sea-water cells
6/02	. Details (of electrodes H01M 4/00 ; of non-active parts H01M 50/00)	6/36	. . containing electrolyte and made operational by physical means, e.g. thermal cells
		6/38	. . . by mechanical means
		6/385 {by insertion of electrodes}
		6/40	. Printed batteries {, e.g. thin film batteries}
		6/42	. Grouping of primary cells into batteries (H01M 6/40 takes precedence)
		6/425	. . {Multimode batteries, batteries with "reserve cells"}
		6/44	. . of tubular or cup-shaped cells
		6/46	. . of flat cells
		6/48	. . . with bipolar electrodes
		6/485 {Side-by-side bipolar batteries}

- 6/50 . . . Methods or arrangements for servicing or maintenance, e.g. for maintaining operating temperature ([constructional details of current conducting connections for detecting conditions inside cells or batteries, e.g. details of voltage sensing terminals, H01M 50/569](#))

WARNING

Group [H01M 6/50](#) is impacted by reclassification into group [H01M 50/569](#).

Groups [H01M 6/50](#) and [H01M 50/569](#) should be considered in order to perform a complete search.

- 6/5005 . . . {Auxiliary electrodes}
 6/5011 . . . {for several cells simultaneously or successively}
 6/5016 . . . {Multimode utilisation}
 6/5022 . . . {Arrangements for moving electrodes or separating elements}
 6/5027 . . . {Dummy cells}
 6/5033 . . . {used as charging means for another battery}
 6/5038 . . . {Heating or cooling of cells or batteries}
 6/5044 . . . {Cells or batteries structurally combined with cell condition indicating means}

WARNING

Group [H01M 6/5044](#) is incomplete pending reclassification of documents from group [H01M 50/572](#).

Group [H01M 6/5044](#) is also impacted by reclassification into group [H01M 50/569](#).

Groups [H01M 50/572](#), [H01M 6/5044](#), and [H01M 50/569](#) should be considered in order to perform a complete search.

- 6/505 . . . {Cells combined with indicating means for external visualization of the condition, e.g. by change of colour or of light intensity}

WARNING

Group [H01M 6/505](#) is impacted by reclassification into group [H01M 50/569](#).

Groups [H01M 6/505](#) and [H01M 50/569](#) should be considered in order to perform a complete search.

- 6/5055 . . . {End of discharge indicated by a voltage step}

WARNING

Group [H01M 6/5055](#) is impacted by reclassification into group [H01M 50/569](#).

Groups [H01M 6/5055](#) and [H01M 50/569](#) should be considered in order to perform a complete search.

- 6/5061 . . . {Cells combined with sound indicating means}

WARNING

Group [H01M 6/5061](#) is impacted by reclassification into group [H01M 50/569](#).

Groups [H01M 6/5061](#) and [H01M 50/569](#) should be considered in order to perform a complete search.

- 6/5066 . . . {Type recognition}
 6/5072 . . . {Preserving or storing cells}

- 6/5077 . . . {Regeneration of reactants or electrolyte}
 6/5083 . . . {Testing apparatus}
 6/5088 . . . {Initial activation; predischARGE; Stabilisation of initial voltage}
 2006/5094 . . . {Aspects relating to capacity ratio of electrolyte/ electrodes or anode/cathode}

- 6/52 . . . Reclaiming serviceable parts of waste cells or batteries {, e.g. recycling}

8/00 Fuel cells; Manufacture thereof**NOTE**

In this group, the following expression is used with the meaning indicated:

- "Fuel cell" means an electrochemical generator wherein the reactants are supplied from outside.

- 8/002 . . . {Shape, form of a fuel cell}
 8/004 . . . {Cylindrical, tubular or wound}
 8/006 . . . {Flat}
 8/008 . . . Disposal or recycling of fuel cells
 8/02 . . . Details ([electrodes H01M 4/86 - H01M 4/98](#))
 8/0202 . . . Collectors; Separators, e.g. bipolar separators; Interconnectors
 8/0204 Non-porous and characterised by the material
 8/0206 Metals or alloys
 8/0208 Alloys
 8/021 Alloys based on iron
 8/0213 Gas-impermeable carbon-containing materials
 8/0215 Glass; Ceramic materials
 8/0217 Complex oxides, optionally doped, of the type AMO₃, A being an alkaline earth metal or rare earth metal and M being a metal, e.g. perovskites
 8/0219 {Chromium complex oxides}
 8/0221 Organic resins; Organic polymers
 8/0223 Composites
 8/0226 in the form of mixtures
 8/0228 in the form of layered or coated products
 8/023 . . . Porous and characterised by the material
 8/0232 Metals or alloys
 8/0234 Carbonaceous material
 8/0236 Glass; Ceramics; Cermets
 8/0239 Organic resins; Organic polymers
 8/0241 Composites
 8/0243 in the form of mixtures
 8/0245 in the form of layered or coated products
 8/0247 . . . characterised by the form ([characterised by a channel configuration H01M 8/0258](#))
 8/025 semicylindrical
 8/0252 tubular
 8/0254 corrugated or undulated
 8/0256 Vias, i.e. connectors passing through the separator material

- 8/0258 . . . characterised by the configuration of channels, e.g. by the flow field of the reactant or coolant

WARNING

Group [H01M 8/0258](#) is incomplete pending reclassification of documents from group [H01M 8/0267](#) and impacted by reclassification into [H01M 8/2483](#).
Groups [H01M 8/0258](#), [H01M 8/0267](#) and [H01M 8/2483](#) should be considered in order to perform a complete search.

- 8/026 characterised by grooves, e.g. their pitch or depth

WARNING

Groups [H01M 8/026](#)-[H01M 8/0265](#) are incomplete pending reclassification of documents from group [H01M 8/0267](#).
Group [H01M 8/0267](#) should be considered when searching any group of the range [H01M 8/026](#)-[H01M 8/0265](#) in order to perform a complete search.

- 8/0263 having meandering or serpentine paths

- 8/0265 the reactant or coolant channels having varying cross sections

- 8/0267 . . . having heating or cooling means, e.g. heaters or coolant flow channels

WARNING

Group [H01M 8/0267](#) is impacted by reclassification into groups [H01M 8/0258](#) - [H01M 8/0265](#) and [H01M 8/2483](#).

Groups [H01M 8/0267](#) should be considered when searching any group in the range [H01M 8/0258](#) - [H01M 8/0265](#) or group [H01M 8/2483](#).

- 8/0269 . . . {Separators, collectors or interconnectors including a printed circuit board}

- 8/0271 . . Sealing or supporting means around electrodes, matrices or membranes

WARNING

Group [H01M 8/0271](#) is incomplete pending reclassification of documents from group [H01M 8/0297](#).

Group [H01M 8/0297](#) and [H01M 8/0271](#) should be considered in order to perform a complete search.

- 8/0273 . . . with sealing or supporting means in the form of a frame

WARNING

Group [H01M 8/0273](#) is incomplete pending reclassification of documents from group [H01M 8/0276](#).

Group [H01M 8/0276](#) and [H01M 8/0273](#) should be considered in order to perform a complete search.

- 8/0276 . . . Sealing means characterised by their form ([H01M 8/0273](#) takes precedence)

WARNING

Group [H01M 8/0276](#) is impacted by reclassification into group [H01M 8/0273](#).

Groups [H01M 8/0276](#) and [H01M 8/0273](#) should be considered in order to perform a complete search.

- 8/0278 {O-rings}

- 8/028 . . . Sealing means characterised by their material

- 8/0282 Inorganic material

- 8/0284 Organic resins; Organic polymers

- 8/0286 . . . Processes for forming seals

- 8/0289 . . Means for holding the electrolyte (solid polymer electrolytes [H01M 8/1018](#))

- 8/0293 . . . Matrices for immobilising electrolyte solutions

- 8/0295 . . . Matrices for immobilising electrolyte melts

- 8/0297 . . Arrangements for joining electrodes, reservoir layers, heat exchange units or bipolar separators to each other ([H01M 8/0271](#) takes precedence)

WARNING

Group [H01M 8/0297](#) is impacted by reclassification into groups [H01M 8/0271](#).

Groups [H01M 8/0297](#) and [H01M 8/0271](#) should be considered in order to perform a complete search.

- 8/04 . . Auxiliary arrangements, e.g. for control of pressure or for circulation of fluids

- 8/04007 . . related to heat exchange

- 8/04014 . . . Heat exchange using gaseous fluids; Heat exchange by combustion of reactants

- 8/04022 {Heating by combustion}

- 8/04029 . . . Heat exchange using liquids

- 8/04037 . . . {Electrical heating}

- 8/04044 . . . Purification of heat exchange media

- 8/04052 . . . {Storage of heat in the fuel cell system}

- 8/04059 . . . {Evaporative processes for the cooling of a fuel cell}

- 8/04067 . . . {Heat exchange or temperature measuring elements, thermal insulation, e.g. heat pipes, heat pumps, fins}

- 8/04074 {Heat exchange unit structures specially adapted for fuel cell}

- 8/04082 . . Arrangements for control of reactant parameters, e.g. pressure or concentration

- 8/04089 . . . of gaseous reactants

- 8/04097 {with recycling of the reactants ([H01M 8/04119](#), [H01M 8/04104](#) take precedence)}

- 8/04104 {Regulation of differential pressures}

- 8/04111 using a compressor turbine assembly

- 8/04119 with simultaneous supply or evacuation of electrolyte; Humidifying or dehumidifying

- 8/04126 {Humidifying}

- 8/04134 {by coolants}

- 8/04141 {by water containing exhaust gases}

- 8/04149 {by diffusion, e.g. making use of membranes}

- 8/04156 {with product water removal}

- 8/04164 {by condensers, gas-liquid separators or filters}
- 8/04171 {using adsorbents, wicks or hydrophilic material}
- 8/04179 {by purging or increasing flow or pressure of reactants}
- 8/04186 . . . of liquid-charged or electrolyte-charged reactants
- 8/04194 {Concentration measuring cells}
- 8/04197 . . . {Preventing means for fuel crossover}
- 8/04201 . . . {Reactant storage and supply, e.g. means for feeding, pipes}
- 8/04208 {Cartridges, cryogenic media or cryogenic reservoirs}
- 8/04216 {characterised by the choice for a specific material, e.g. carbon, hydride, absorbent}
- 8/04223 . . during start-up or shut-down; Depolarisation or activation, e.g. purging; Means for short-circuiting defective fuel cells

WARNING

Group [H01M 8/04223](#) is impacted by reclassification into groups groups [H01M 8/04225-H01M 8/04228](#) and [H01M 8/043-H01M 8/04303](#).

Groups [H01M 8/04223](#) should be considered when searching any group of the ranges [H01M 8/04225 - H01M 8/04228](#) and [H01M 8/043-H01M 8/04303](#) in order to perform a complete search.

- 8/04225 . . . during start-up

WARNING

Groups [H01M 8/04225-H01M 8/04228](#) are incomplete pending reclassification of documents from group [H01M 8/04223](#).

Group [H01M 8/04223](#) should be considered when searching any group of the range [H01M 8/04225-H01M 8/04228](#) in order to perform a complete search.

- 8/04228 . . . during shut-down
- 8/04231 . . . {Purging of the reactants}
- 8/04238 . . . {Depolarisation}
- 8/04246 . . . {Short circuiting means for defective fuel cells (detection of defective fuel cells [H01M 8/04664](#), methods for shunting fuel cells [H01M 8/04955](#))}
- 8/04253 . . . {Means for solving freezing problems}
- 8/04268 . . . {Heating of fuel cells during the start-up of the fuel cells}
- 8/04276 . . Arrangements for managing the electrolyte stream, e.g. heat exchange
- 8/04283 . . . {Supply means of electrolyte to or in matrix-fuel cells}
- 8/04291 . . Arrangements for managing water in solid electrolyte fuel cell systems ([H01M 8/04119](#) takes precedence)
- 8/04298 . . Processes for controlling fuel cells or fuel cell systems

- 8/043 . . . applied during specific periods

WARNING

Groups [H01M 8/043 - H01M 8/04303](#) are incomplete pending reclassification of documents from group [H01M 8/04223](#).

Group [H01M 8/04223](#) should be considered any group of the range [H01M 8/043-H01M 8/04303](#) in order to perform a complete search.

- 8/04302 applied during start-up
- 8/04303 applied during shut-down
- 8/04305 . . . {Modeling, demonstration models of fuel cells, e.g. for training purposes}
- 8/04313 . . . characterised by the detection or assessment of variables; characterised by the detection or assessment of failure or abnormal function
- 8/0432 Temperature; Ambient temperature
- 8/04328 {of anode reactants at the inlet or inside the fuel cell}
- 8/04335 {of cathode reactants at the inlet or inside the fuel cell}
- 8/04343 {of anode exhausts}
- 8/0435 {of cathode exhausts}
- 8/04358 {of the coolant}
- 8/04365 {of other components of a fuel cell or fuel cell stacks}
- 8/04373 {of auxiliary devices, e.g. reformers, compressors, burners}
- 8/0438 Pressure; Ambient pressure; Flow
- 8/04388 {of anode reactants at the inlet or inside the fuel cell}
- 8/04395 {of cathode reactants at the inlet or inside the fuel cell}
- 8/04402 {of anode exhausts}
- 8/0441 {of cathode exhausts}
- 8/04417 {of the coolant}
- 8/04425 {at auxiliary devices, e.g. reformers, compressors, burners}
- 8/04432 {Pressure differences, e.g. between anode and cathode}
- 8/0444 Concentration; Density ([H01M 8/04492](#) takes precedence)
- 8/04447 {of anode reactants at the inlet or inside the fuel cell}
- 8/04455 {of cathode reactants at the inlet or inside the fuel cell}
- 8/04462 {of anode exhausts}
- 8/0447 {of cathode exhausts}
- 8/04477 {of the electrolyte}
- 8/04485 {of the coolant}
- 8/04492 Humidity; Ambient humidity; Water content
- 8/045 {of anode reactants at the inlet or inside the fuel cell}
- 8/04507 {of cathode reactants at the inlet or inside the fuel cell}
- 8/04514 {of anode exhausts}
- 8/04522 {of cathode exhausts}
- 8/04529 {of the electrolyte}
- 8/04537 Electric variables
- 8/04544 {Voltage}
- 8/04552 {of the individual fuel cell}
- 8/04559 {of fuel cell stacks}

8/04567	{of auxiliary devices, e.g. batteries, capacitors}	8/04932	{of the individual fuel cell}
8/04574	{Current}	8/0494	{of fuel cell stacks}
8/04582	{of the individual fuel cell}	8/04947	{of auxiliary devices, e.g. batteries, capacitors}
8/04589	{of fuel cell stacks}	8/04949	{other electric variables, e.g. resistance or impedance}
8/04597	{of auxiliary devices, e.g. batteries, capacitors}	8/04951	{of the individual fuel cell}
8/04604	{Power, energy, capacity or load}	8/04952	{of fuel cell stacks}
8/04611	{of the individual fuel cell}	8/04953	{of auxiliary devices, e.g. batteries, capacitors}
8/04619	{of fuel cell stacks}	8/04955	Shut-off or shut-down of fuel cells
8/04626	{of auxiliary devices, e.g. batteries, capacitors}	8/04992	. . .	characterised by the implementation of mathematical or computational algorithms, e.g. feedback control loops, fuzzy logic, neural networks or artificial intelligence
8/04634	{Other electric variables, e.g. resistance or impedance}	8/06	.	Combination of fuel cells with means for production of reactants or for treatment of residues (regenerative fuel cells H01M 8/18)
8/04641	{of the individual fuel cell}	8/0606	. .	with means for production of gaseous reactants
8/04649	{of fuel cell stacks}	8/0612	. . .	from carbon-containing material
8/04656	{of auxiliary devices, e.g. batteries, capacitors}	8/0618	{Reforming processes, e.g. autothermal, partial oxidation or steam reforming}
8/04664	Failure or abnormal function	8/0625	{in a modular combined reactor/fuel cell structure}
8/04671	{of the individual fuel cell}	8/0631	{Reactor construction specially adapted for combination reactor/fuel cell (hydrogen C01B 3/00 ; reactors for physicochemical processes B01J 19/00)}
8/04679	{of fuel cell stacks}	8/0637	Direct internal reforming at the anode of the fuel cell
8/04686	{of auxiliary devices, e.g. batteries, capacitors}	8/0643	{Gasification of solid fuel}
8/04694	. . .	characterised by variables to be controlled	8/065	. . .	by dissolution of metals or alloys; by dehydrating metallic substances
8/04701	Temperature	8/0656	. . .	by electrochemical means (H01M 8/065 takes precedence)
8/04708	{of fuel cell reactants}	8/0662	. .	Treatment of gaseous reactants or gaseous residues, e.g. cleaning
8/04716	{of fuel cell exhausts}	8/0668	. . .	Removal of carbon monoxide or carbon dioxide
8/04723	{of the coolant}	8/0675	. . .	{Removal of sulfur}
8/04731	{of other components of a fuel cell or fuel cell stacks}	8/0681	. . .	{Reactant purification by the use of electrochemical cells}
8/04738	{of auxiliary devices, e.g. reformer, compressor, burner}	8/0687	. . .	{Reactant purification by the use of membranes or filters}
8/04746	Pressure; Flow	8/0693	. .	{Treatment of the electrolyte residue, e.g. reconcentrating}
8/04753	{of fuel cell reactants}	8/08	.	Fuel cells with aqueous electrolytes
8/04761	{of fuel cell exhausts}	8/083	. .	Alkaline fuel cells
8/04768	{of the coolant}	8/086	. .	Phosphoric acid fuel cells [PAFC]
8/04776	{at auxiliary devices, e.g. reformer, compressor, burner}	8/10	.	Fuel cells with solid electrolytes
8/04783	{Pressure differences, e.g. between anode and cathode}	8/1004	. .	characterised by membrane-electrode assemblies [MEA] (H01M 8/12 takes precedence)
8/04791	Concentration; Density (H01M 8/04828 takes precedence)	8/1006	. . .	Corrugated, curved or wave-shaped MEA
8/04798	{of fuel cell reactants}	8/1007	. .	with both reactants being gaseous or vaporised (H01M 8/12 takes precedence)
8/04805	{of fuel cell exhausts}	8/1009	. .	with one of the reactants being liquid, solid or liquid-charged (H01M 8/12 takes precedence)
8/04813	{of the coolant}	8/1011	. . .	Direct alcohol fuel cells [DAFC], e.g. direct methanol fuel cells [DMFC]
8/0482	{of the electrolyte}	8/1013	{Other direct alcohol fuel cells [DAFC]}
8/04828	Humidity; Water content	8/1016	. .	characterised by the electrolyte material (H01M 8/12 takes precedence)
8/04835	{of fuel cell reactants}	8/1018	. . .	Polymeric electrolyte materials
8/04843	{of fuel cell exhausts}			
8/0485	{of the electrolyte}			
8/04858	Electric variables			
8/04865	{Voltage}			
8/04873	{of the individual fuel cell}			
8/0488	{of fuel cell stacks}			
8/04888	{of auxiliary devices, e.g. batteries, capacitors}			
8/04895	{Current}			
8/04902	{of the individual fuel cell}			
8/0491	{of fuel cell stacks}			
8/04917	{of auxiliary devices, e.g. batteries, capacitors}			
8/04925	{Power, energy, capacity or load}			

8/102	characterised by the chemical structure of the main chain of the ion-conducting polymer	8/1076	{Micromachining techniques, e.g. masking, etching steps or photolithography}
		NOTE	8/1079	{Inducing porosity into non porous precursors membranes, e.g. leaching, pore stretching}
		When classifying in this group, structures having two or more heteroatoms belonging to the groups O, P, N, S or Si must be completely identified by classification in all relevant subgroups.	8/1081	starting from solutions, dispersions or slurries exclusively of polymers
8/1023	having only carbon, e.g. polyarylenes, polystyrenes or polybutadiene-styrenes	8/1083	{Starting from polymer melts other than monomer melts}
8/1025	having only carbon and oxygen, e.g. polyethers, sulfonated polyetheretherketones [S-PEEK], sulfonated polysaccharides, sulfonated celluloses or sulfonated polyesters	8/1086	After-treatment of the membrane other than by polymerisation
8/1027	having carbon, oxygen and other atoms, e.g. sulfonated polyethersulfones [S-PES]	8/1088	Chemical modification, e.g. sulfonation
8/103	having nitrogen, e.g. sulfonated polybenzimidazoles [S-PBI], polybenzimidazoles with phosphoric acid, sulfonated polyamides [S-PA] or sulfonated polyphosphazenes [S-PPh]	8/109	{thermal other than drying, e.g. sintering}
8/1032	having sulfur, e.g. sulfonated-polyethersulfones [S-PES]	8/1093	{mechanical, e.g. pressing, puncturing}
8/1034	having phosphorus, e.g. sulfonated polyphosphazenes [S-PPh]	2008/1095	. .	{Fuel cells with polymeric electrolytes}
8/1037	having silicon, e.g. sulfonated crosslinked polydimethylsiloxanes	8/1097	. .	Fuel cells applied on a support, e.g. miniature fuel cells deposited on silica supports
8/1039	halogenated, e.g. sulfonated polyvinylidene fluorides	8/12	. .	operating at high temperature, e.g. with stabilised ZrO ₂ electrolyte
8/1041	Polymer electrolyte composites, mixtures or blends	8/1213	. . .	characterised by the electrode/electrolyte combination or the supporting material
8/1044	Mixtures of polymers, of which at least one is ionically conductive	8/122	Corrugated, curved or wave-shaped MEA
8/1046	Mixtures of at least one polymer and at least one additive	8/1226	characterised by the supporting layer
8/1048	Ion-conducting additives, e.g. ion-conducting particles, heteropolyacids, metal phosphate or polybenzimidazole with phosphoric acid	8/1231	. . .	with both reactants being gaseous or vaporised
8/1051	Non-ion-conducting additives, e.g. stabilisers, SiO ₂ or ZrO ₂	8/1233	. . .	with one of the reactants being liquid, solid or liquid-charged
8/1053	consisting of layers of polymers with at least one layer being ionically conductive	8/124	. . .	characterised by the process of manufacturing or by the material of the electrolyte
8/1055	{Inorganic layers on the polymer electrolytes, e.g. inorganic coatings}	8/1246	the electrolyte consisting of oxides
8/1058	characterised by a porous support having no ion-conducting properties	8/1253	the electrolyte containing zirconium oxide
8/106	characterised by the chemical composition of the porous support	8/126	the electrolyte containing cerium oxide
8/1062	characterised by the physical properties of the porous support, e.g. its porosity or thickness	8/1266	{the electrolyte containing bismuth oxide}
8/1065	characterised by the form, e.g. perforated or wave-shaped	8/1273	{Fuel cells with solid halide electrolytes}
8/1067	characterised by their physical properties, e.g. porosity, ionic conductivity or thickness	2008/128	. . .	{Fuel cells with solid halide electrolytes}
8/1069	characterised by the manufacturing processes	8/1286	. . .	Fuel cells applied on a support, e.g. miniature fuel cells deposited on silica supports
8/1072	by chemical reactions, e.g. <u>insitu</u> polymerisation or <u>insitu</u> crosslinking	2008/1293	. . .	{Fuel cells with solid oxide electrolytes}
8/1074	{Sol-gel processes}	8/14	. .	Fuel cells with fused electrolytes
			8/141	. .	{the anode and the cathode being gas-permeable electrodes or electrode layers}
			8/142	. . .	{with matrix-supported or semi-solid matrix-reinforced electrolyte}
			8/143	. .	{with liquid, solid or electrolyte-charged reactants}
			8/144	. .	{characterised by the electrolyte material}
			8/145	. . .	{comprising carbonates}
			8/146	. .	{Fuel cells with molten hydroxide}
			2008/147	. .	{Fuel cells with molten carbonates}
			8/148	. .	{Measures, other than selecting a specific electrode material, to reduce electrode dissolution}
			8/16	. .	Biochemical fuel cells, i.e. cells in which microorganisms function as catalysts
			8/18	. .	Regenerative fuel cells, e.g. redox flow batteries or secondary fuel cells
			8/182	. .	{Regeneration by thermal means}
			8/184	. .	{Regeneration by electrochemical means}
			8/186	. . .	{by electrolytic decomposition of the electrolytic solution or the formed water product}

- 8/188 . . . {by recharging of redox couples containing fluids; Redox flow type batteries}
- 8/20 . Indirect fuel cells, e.g. fuel cells with redox couple being irreversible ([H01M 8/18](#) takes precedence)
- 8/22 . Fuel cells in which the fuel is based on materials comprising carbon or oxygen or hydrogen and other elements; Fuel cells in which the fuel is based on materials comprising only elements other than carbon, oxygen or hydrogen
- 8/222 . . {Fuel cells in which the fuel is based on compounds containing nitrogen, e.g. hydrazine, ammonia}
- 8/225 . . {Fuel cells in which the fuel is based on materials comprising particulate active material in the form of a suspension, a dispersion, a fluidised bed or a paste}
- 8/227 . . {Dialytic cells or batteries; Reverse electrodialysis cells or batteries}
- 8/24 . Grouping of fuel cells, e.g. stacking of fuel cells

WARNING

Group [H01M 8/24](#) is impacted by reclassification into group [H01M 8/2404](#).

Groups [H01M 8/24](#) and [H01M 8/2404](#) should be considered in order to perform a complete search.

- 8/2404 . . Processes or apparatus for grouping fuel cells

WARNING

Group [H01M 8/2404](#) is incomplete pending reclassification of documents from groups [H01M 8/24](#), [H01M 8/241](#), [H01M 8/242](#), [H01M 8/2425](#), [H01M 8/243](#), [H01M 8/2435](#), [H01M 8/244](#), [H01M 8/245](#) and [H01M 8/246](#).

All groups listed in this warning should be considered when searching [H01M 8/2404](#) to perform a complete search.

- 8/2405 . . {comprising spaced diffusion electrodes or electrode layers with interposed electrolyte layer or electrolyte compartment}

(Frozen)

WARNING

Group [H01M 8/2405](#) is no longer used for the classification of documents as of February 1, 2016. The content of this group is being reclassified into groups [H01M 8/2457](#) and [H01M 8/2459](#).

Group [H01M 8/2405](#) should be considered when searching group [H01M 8/2457](#) or [H01M 8/2459](#) in order to perform a complete search.

- 8/241 . . with solid or matrix-supported electrolytes

WARNING

Group [H01M 8/241](#) is impacted by reclassification into groups [H01M 8/2404](#) and [H01M 8/2418](#).

Groups [H01M 8/241](#) should be considered when searching group [H01M 8/2404](#) or group [H01M 8/2418](#) in order to perform a complete search.

- 8/2415 . . . {External manifolded battery stock}

(Frozen)

WARNING

Group [H01M 8/2415](#) is no longer used for the classification of documents as of February 1, 2016. The content of this group is being reclassified into groups [H01M 8/2484](#) and [H01M 8/2485](#).

Groups [H01M 8/2415](#) should be considered when searching group [H01M 8/2484](#) or [H01M 8/2485](#) in order to perform a complete search.

- 8/2418 . . . Grouping by arranging unit cells in a plane ([H01M 8/2425](#), [H01M 8/244](#) take precedence)

WARNING

Group [H01M 8/2418](#) is incomplete pending reclassification of documents from group [H01M 8/241](#).

Group [H01M 8/241](#) and [H01M 8/2418](#) should be considered in order to perform a complete search.

- 8/242 . . . comprising framed electrodes or intermediary frame-like gaskets ([H01M 8/2425](#), [H01M 8/244](#) take precedence)

WARNING

Group [H01M 8/242](#) is incomplete pending reclassification of documents from groups [H01M 8/245](#) and [H01M 8/246](#), and impacted by reclassification into groups [H01M 8/2404](#).

Group [H01M 8/242](#), [H01M 8/2404](#), [H01M 8/245](#), and [H01M 8/246](#) should be considered in order to perform a complete search.

- 8/2425 . . . High-temperature cells with solid electrolytes

WARNING

Group [H01M 8/2425](#) is incomplete pending reclassification of documents from group [H01M 8/245](#) and [H01M 8/246](#), and impacted by reclassification into groups [H01M 8/2428](#), [H01M 8/2432](#) and [H01M 8/2404](#).

Groups [H01M 8/2425](#), [H01M 8/2428](#), [H01M 8/2432](#), [H01M 8/2404](#), [H01M 8/245](#) and [H01M 8/246](#) should be considered in order to perform a complete search.

- 8/2428 Grouping by arranging unit cells on a surface of any form, e.g. planar or tubular

WARNING

Group [H01M 8/2428](#) is incomplete pending reclassification of documents from groups [H01M 8/2425](#), [H01M 8/245](#) and [H01M 8/246](#).

Groups [H01M 8/2425](#), [H01M 8/245](#), [H01M 8/246](#), and [H01M 8/2428](#) should be considered in order to perform a complete search.

- 8/243 Grouping of unit cells of tubular or cylindrical configuration

WARNING

Group [H01M 8/243](#) is impacted by reclassification into group [H01M 8/2404](#). Groups [H01M 8/243](#) and [H01M 8/2404](#) should be considered in order to perform a complete search.

- 8/2432 Grouping of unit cells of planar configuration

WARNING

Group [H01M 8/2432](#) is incomplete pending reclassification of documents from groups [H01M 8/2425](#), [H01M 8/245](#) and [H01M 8/246](#).

Groups [H01M 8/2425](#), [H01M 8/245](#), [H01M 8/246](#) and [H01M 8/2432](#) should be considered in order to perform a complete search.

- 8/2435 with monolithic core structure, e.g. honeycombs

WARNING

Group [H01M 8/2435](#) is impacted by reclassification into group [H01M 8/2404](#). Groups [H01M 8/2435](#) and [H01M 8/2404](#) should be considered in order to perform a complete search.

- 8/244 with matrix-supported molten electrolyte

WARNING

Group [H01M 8/244](#) is/are impacted by reclassification into group [H01M 8/2404](#). Groups [H01M 8/244](#) and [H01M 8/2404](#) should be considered in order to perform a complete search.

- 8/2445 . . {comprising spaced diffusion electrodes or electrode layers with interposed electrolyte compartment with possible electrolyte supply or circulation}
(Frozen)

WARNING

Group [H01M 8/2445](#) is no longer used for the classification of documents as of February 1, 2016. The content of this group is being reclassified into groups [H01M 8/2457](#) and [H01M 8/2459](#).

Groups [H01M 8/2445](#) should be considered when searching group [H01M 8/2457](#) or [H01M 8/2459](#) in order to perform a complete search.

- 8/245 . . . {comprising framed electrodes or intermediary frame-like gaskets}
(Frozen)

WARNING

Group [H01M 8/245](#) is no longer used for the classification of documents as of February 1, 2016. The content of this group is being reclassified into groups [H01M 8/2404](#), [H01M 8/2428](#), [H01M 8/2432](#), [H01M 8/242](#) and [H01M 8/2425](#).

Groups [H01M 8/245](#) should be considered when searching any of the listed groups of this warning in order to perform a complete search.

- 8/2455 . . with liquid, solid or electrolyte-charged reactants
8/2457 . . with both reactants being gaseous or vaporised

WARNING

Group [H01M 8/2457](#) is incomplete pending reclassification of documents from groups [H01M 8/2405](#) and [H01M 8/2445](#).

Groups [H01M 8/2405](#), [H01M 8/2445](#) and [H01M 8/2457](#) should be considered in order to perform a complete search.

- 8/2459 . . {Comprising electrode layers with interposed electrolyte compartment with possible electrolyte supply or circulation}

WARNING

Group [H01M 8/2459](#) is/are incomplete pending reclassification of documents from groups [H01M 8/2405](#) and [H01M 8/2445](#).

Groups [H01M 8/2405](#), [H01M 8/2445](#) and [H01M 8/2459](#) should be considered in order to perform a complete search.

- 8/246 . . {having liquid, solid or electrolyte-charged reactants with framed electrodes or intermediary frame-like gaskets}
(Frozen)

WARNING

Group [H01M 8/246](#) is no longer used for the classification of documents as of February 1, 2016. The content of this group is being reclassified into groups [H01M 8/2404](#), [H01M 8/2428](#), [H01M 8/2432](#), [H01M 8/242](#) and [H01M 8/2425](#).

Groups [H01M 8/246](#) should be considered when searching any of the listed groups of this warning in order to perform a complete search.

- 8/2465 . . Details of groupings of fuel cells

WARNING

Group [H01M 8/2465](#) is impacted by reclassification into group [H01M 8/2483](#).

Groups [H01M 8/2465](#) and [H01M 8/2483](#) should be considered in order to perform a complete search.

- 8/247 . . . Arrangements for tightening a stack, for accommodation of a stack in a tank or for assembling different tanks

- 8/2475 Enclosures, casings or containers of fuel cell stacks
- 8/248 Means for compression of the fuel cell stacks
- 8/2483 characterised by internal manifolds

WARNING

Group [H01M 8/2483](#) is incomplete pending reclassification of documents from groups [H01M 8/0258](#) and [H01M 8/2465](#).

Groups [H01M 8/0258](#), [H01M 8/2465](#) and [H01M 8/2483](#) should be considered in order to perform a complete search.

- 8/2484 characterised by external manifolds

WARNING

Group [H01M 8/2484](#) is incomplete pending reclassification of documents from groups [H01M 8/2415](#) and [H01M 8/2485](#).

Groups [H01M 8/2415](#), [H01M 8/2485](#) and [H01M 8/2484](#) should be considered in order to perform a complete search.

- 8/2485 Arrangements for sealing external manifolds; Arrangements for mounting external manifolds around a stack

WARNING

Group [H01M 8/2485](#) is incomplete pending reclassification of documents from group [H01M 8/2415](#) and impacted by reclassification into group [H01M 8/2484](#).

Groups [H01M 8/2415](#), [H01M 8/2485](#) and [H01M 8/2484](#) should be considered in order to perform a complete search.

- 8/249 . . . comprising two or more groupings of fuel cells, e.g. modular assemblies

- 8/2495 of fuel cells of different types

10/00 Secondary cells; Manufacture thereof**NOTE**

In this group, secondary cells are accumulators receiving and supplying electrical energy by means of reversible electrochemical reactions.

- 10/02 . . Details (of electrodes [H01M 4/00](#); of non-active parts [H01M 50/00](#))

- 10/04 . . Construction or manufacture in general ([H01M 10/058](#), [H01M 10/12](#), [H01M 10/28](#), [H01M 10/38](#) take precedence)

WARNING

Group [H01M 10/04](#) is impacted by reclassification into group [H01M 10/058](#).

Groups [H01M 10/04](#) and [H01M 10/058](#) should be considered in order to perform a complete search.

- 10/0404 . . {Machines for assembling batteries}
- 10/0409 . . . {for cells with wound electrodes}
- 10/0413 . . {Large-sized flat cells or batteries for motive or stationary systems with plate-like electrodes}
- 10/0418 . . . {with bipolar electrodes}
- 10/0422 . . {Cells or battery with cylindrical casing}

- 10/0427 . . . {Button cells}
- 10/0431 . . {Cells with wound or folded electrodes ([H01M 10/045](#) takes precedence)}
- 10/0436 . . {Small-sized flat cells or batteries for portable equipment}
- 10/044 . . . {with bipolar electrodes}
- 10/0445 . . {Multimode batteries, e.g. containing auxiliary cells or electrodes switchable in parallel or series connections}
- 10/045 . . {Cells or batteries with folded plate-like electrodes}
- 10/0454 . . . {Cells or batteries with electrodes of only one polarity folded}
- 10/0459 . . {Cells or batteries with folded separator between plate-like electrodes}
- 10/0463 . . {Cells or batteries with horizontal or inclined electrodes}
- 10/0468 . . {Compression means for stacks of electrodes and separators}
- 10/0472 . . {Vertically superposed cells with vertically disposed plates}
- 10/0477 . . {with circular plates}
- 10/0481 . . {Compression means other than compression means for stacks of electrodes and separators}
- 10/0486 . . {Frames for plates or membranes}
- 10/049 . . {Processes for forming or storing electrodes in the battery container}
- 2010/0495 . . {Nanobatteries}
- 10/05 . . Accumulators with non-aqueous electrolyte ([H01M 10/39](#) takes precedence)
- 10/052 . . Li-accumulators
- 10/0525 . . . Rocking-chair batteries, i.e. batteries with lithium insertion or intercalation in both electrodes; Lithium-ion batteries
- 10/054 . . Accumulators with insertion or intercalation of metals other than lithium, e.g. with magnesium or aluminium
- 10/056 . . characterised by the materials used as electrolytes, e.g. mixed inorganic/organic electrolytes
- 10/0561 . . . the electrolyte being constituted of inorganic materials only
- 10/0562 Solid materials
- 10/0563 Liquid materials, e.g. for Li-SOCl₂ cells
- 10/0564 . . . the electrolyte being constituted of organic materials only
- 10/0565 Polymeric materials, e.g. gel-type or solid-type
- 10/0566 Liquid materials
- 10/0567 characterised by the additives
- 10/0568 characterised by the solutes
- 10/0569 characterised by the solvents
- 10/058 . . Construction or manufacture

WARNING

Group [H01M 10/058](#) is incomplete pending reclassification of documents from group [H01M 10/04](#).

Groups [H01M 10/04](#) and [H01M 10/058](#) should be considered in order to perform a complete search.

- 10/0583 . . . of accumulators with folded construction elements except wound ones, i.e. folded positive or negative electrodes or separators, e.g. with "Z"-shaped electrodes or separators
- 10/0585 . . . of accumulators having only flat construction elements, i.e. flat positive electrodes, flat negative electrodes and flat separators
- 10/0587 . . . of accumulators having only wound construction elements, i.e. wound positive electrodes, wound negative electrodes and wound separators
- 10/06 . Lead-acid accumulators ([semi-lead accumulators H01M 10/20](#))
- 10/08 . . Selection of materials as electrolytes
- 10/10 . . . Immobilising of electrolyte
- 10/12 . . Construction or manufacture
- 10/121 . . . {Valve regulated lead acid batteries [VRLA]}
- 10/122 . . . {Multimode batteries}
- 10/123 . . . {Cells or batteries with cylindrical casing}
- 10/124 {Button cells}
- 10/125 . . . {Cells or batteries with wound or folded electrodes}
- 10/126 . . . {Small-sized flat cells or batteries for portable equipment ([H01M 10/123](#) and [H01M 10/125](#) take precedence)}
- 10/127 {with bipolar electrodes}
- 10/128 . . . {Processes for forming or storing electrodes in the battery container}
- 10/14 . . . Assembling a group of electrodes or separators
- 10/16 . . . Suspending or supporting electrodes or groups of electrodes in the case
- 10/18 . . with bipolar electrodes
- 10/20 . Semi-lead accumulators, i.e. accumulators in which only one electrode contains lead
- 10/22 . . Selection of materials as electrolytes
- 10/24 . Alkaline accumulators
- 10/26 . . Selection of materials as electrolytes
- 10/28 . . Construction or manufacture
- 10/281 . . . {Large cells or batteries with stacks of plate-like electrodes}
- 10/282 {with bipolar electrodes}
- 10/283 . . . {Cells or batteries with two cup-shaped or cylindrical collectors ([H01M 10/281](#) takes precedence)}
- 10/285 {Button cells}
- 10/286 . . . {Cells or batteries with wound or folded electrodes}
- 10/287 . . . {Small-sized flat cells or batteries for portable equipment ([H01M 10/283](#) and [H01M 10/286](#) take precedence)}
- 10/288 . . . {Processes for forming or storing electrodes in the battery container}
- 10/30 . . Nickel accumulators ([H01M 10/34](#) takes precedence)
- 10/32 . . Silver accumulators ([H01M 10/34](#) takes precedence)
- 10/34 . Gastight accumulators
- 10/342 . . {Gastight lead accumulators ([H01M 10/121](#) takes precedence)}
- 10/345 . . {Gastight metal hydride accumulators}
- 10/347 . . . {with solid electrolyte}
- 10/36 . Accumulators not provided for in groups [H01M 10/05-H01M 10/34](#)
- 10/365 . . {Zinc-halogen accumulators}
- 10/38 . . Construction or manufacture
- 10/39 . . working at high temperature
- 10/3909 . . . {Sodium-sulfur cells}
- 10/3918 {characterised by the electrolyte}
- 10/3927 {Several layers of electrolyte or coatings containing electrolyte}
- 10/3936 {Electrolyte with a shape other than plane or cylindrical}
- 10/3945 {containing additives or special arrangements in the sodium compartment}
- 10/3954 {containing additives or special arrangement in the sulfur compartment}
- 10/3963 {Sealing means between the solid electrolyte and holders}
- 10/3972 {Flexible parts}
- 10/3981 {Flat cells}
- 10/399 . . . {Cells with molten salts}
- 10/42 . Methods or arrangements for servicing or maintenance of secondary cells or secondary half-cells ([H01M 10/60](#) takes precedence)
- 10/4207 . . {for several batteries or cells simultaneously or sequentially}
- 10/4214 . . {Arrangements for moving electrodes or electrolyte}
- 10/4221 . . {with battery type recognition}
- 10/4228 . . {Leak testing of cells or batteries}
- 10/4235 . . {Safety or regulating additives or arrangements in electrodes, separators or electrolyte ([H01M 10/4242](#) takes precedence)}
- 10/4242 . . {Regeneration of electrolyte or reactants}
- 10/425 . . {Structural combination with electronic components, e.g. electronic circuits integrated to the outside of the casing ([printed circuits H05K 1/00](#))}
- 10/4257 . . . {Smart batteries, e.g. electronic circuits inside the housing of the cells or batteries}
- 10/4264 . . . {with capacitors}
- 2010/4271 . . . {Battery management systems including electronic circuits, e.g. control of current or voltage to keep battery in healthy state, cell balancing}
- 2010/4278 . . . {Systems for data transfer from batteries, e.g. transfer of battery parameters to a controller, data transferred between battery controller and main controller}
- 10/4285 . . {Testing apparatus}
- 2010/4292 . . {Aspects relating to capacity ratio of electrodes/electrolyte or anode/cathode}
- 10/44 . . Methods for charging or discharging ([circuits for charging H02J 7/00](#))
- 10/441 . . . {for several batteries or cells simultaneously or sequentially}
- 10/443 . . . {in response to temperature}
- 10/445 . . . {in response to gas pressure}
- 10/446 . . . {Initial charging measures}
- 10/448 . . . {End of discharge regulating measures}
- 10/46 . . Accumulators structurally combined with charging apparatus ([circuits for charging H02J 7/00](#))
- 10/465 . . . {with solar battery as charging system}

- 10/48 . . Accumulators combined with arrangements for measuring, testing or indicating the condition of cells, e.g. the level or density of the electrolyte ([constructional details of current conducting connections for detecting conditions inside cells or batteries, e.g. details of voltage sensing terminals, H01M 50/569](#))
- WARNING**
- Group [H01M 10/48](#) is impacted by reclassification into group [H01M 50/569](#).
- Groups [H01M 10/48](#) and [H01M 50/569](#) should be considered in order to perform a complete search.
- 10/482 . . . {for several batteries or cells simultaneously or sequentially}
- WARNING**
- Group [H01M 10/482](#) is impacted by reclassification into group [H01M 50/569](#).
- Groups [H01M 10/482](#) and [H01M 50/569](#) should be considered in order to perform a complete search.
- 10/484 . . . {for measuring electrolyte level, electrolyte density or electrolyte conductivity}
- WARNING**
- Group [H01M 10/484](#) is impacted by reclassification into group [H01M 50/569](#).
- Groups [H01M 10/484](#) and [H01M 50/569](#) should be considered in order to perform a complete search.
- 10/486 . . . {for measuring temperature}
- WARNING**
- Group [H01M 10/486](#) is impacted by reclassification into group [H01M 50/569](#).
- Groups [H01M 10/486](#) and [H01M 50/569](#) should be considered in order to perform a complete search.
- 10/488 . . . {Cells or batteries combined with indicating means for external visualization of the condition, e.g. by change of colour or of light density}
- WARNING**
- Group [H01M 10/488](#) is impacted by reclassification into group [H01M 50/569](#).
- Groups [H01M 10/488](#) and [H01M 50/569](#) should be considered in order to perform a complete search.
- 10/52 . . Removing gases inside the secondary cell, e.g. by absorption ([vent plugs or other mechanical arrangements for facilitating escape of gases H01M 50/30](#))
- 10/523 . . . {by recombination on a catalytic material}
- 10/526 . . . {by gas recombination on the electrode surface or by structuring the electrode surface to improve gas recombination}
- 10/54 . Reclaiming serviceable parts of waste accumulators
- 10/60 . Heating or cooling; Temperature control
- 10/61 . . Types of temperature control
- 10/613 . . . Cooling or keeping cold
- 10/615 . . . Heating or keeping warm
- 10/617 . . . for achieving uniformity or desired distribution of temperature
- 10/62 . . specially adapted for specific applications
- 10/623 . . . Portable devices, e.g. mobile telephones, cameras or pacemakers
- 10/6235 Power tools
- 10/625 . . . Vehicles
- 10/627 . . . Stationary installations, e.g. power plant buffering or backup power supplies
- 10/63 . . Control systems ([charging or discharging in response to temperature H01M 10/44](#) {, [H01M 10/443](#)}; [measurement of temperature H01M 10/48](#) {, [H01M 10/486](#)})
- 10/633 . . . characterised by algorithms, flow charts, software details or the like
- 10/635 . . . based on ambient temperature
- 10/637 . . . characterised by the use of reversible temperature-sensitive devices, e.g. NTC, PTC or bimetal devices; characterised by control of the internal current flowing through the cells, e.g. by switching ([means for preventing undesired use or discharge H01M 50/572](#))
- 10/64 . . characterised by the shape of the cells
- 10/643 . . . Cylindrical cells
- 10/647 . . . Prismatic or flat cells, e.g. pouch cells
- 10/65 . . Means for temperature control structurally associated with the cells
- 10/651 . . . characterised by parameters specified by a numeric value or mathematical formula, e.g. ratios, sizes or concentrations
- 10/652 characterised by gradients ([for achieving a desired temperature gradient H01M 10/617](#))
- 10/653 . . . characterised by electrically insulating or thermally conductive materials
- 10/654 . . . located inside the innermost case of the cells, e.g. mandrels, electrodes or electrolytes
- 10/655 . . . Solid structures for heat exchange or heat conduction
- 10/6551 Surfaces specially adapted for heat dissipation or radiation, e.g. fins or coatings
- 10/6552 Closed pipes transferring heat by thermal conductivity or phase transition, e.g. heat pipes
- 10/6553 Terminals or leads
- 10/6554 Rods or plates
- 10/6555 arranged between the cells
- 10/6556 Solid parts with flow channel passages or pipes for heat exchange ([closed pipes H01M 10/6552](#))
- 10/6557 arranged between the cells
- 10/656 . . . characterised by the type of heat-exchange fluid
- 10/6561 Gases
- 10/6562 with free flow by convection only
- 10/6563 with forced flow, e.g. by blowers
- 10/6564 using compressed gas
- 10/6565 with recirculation or U-turn in the flow path, i.e. back and forth
- 10/6566 Means within the gas flow to guide the flow around one or more cells, e.g. manifolds, baffles or other barriers ([H01M 10/6565 takes precedence](#))

- 10/6567 Liquids
- 10/6568 characterised by flow circuits, e.g. loops, located externally to the cells or cell casings
- 10/6569 Fluids undergoing a liquid-gas phase change or transition, e.g. evaporation or condensation ([heat pipes H01M 10/6552](#))
- 10/657 . . . by electric or electromagnetic means
- 10/6571 Resistive heaters ([arrangements for heating the battery by its resistance to the internal current H01M 10/637](#))
- 10/6572 Peltier elements or thermoelectric devices
- 10/658 . . . by thermal insulation or shielding
- 10/659 . . . by heat storage or buffering, e.g. heat capacity or liquid-solid phase changes or transition
- 10/6595 . . . by chemical reactions other than electrochemical reactions of the cells, e.g. catalytic heaters or burners
- 10/66 . . Heat-exchange relationships between the cells and other systems, e.g. central heating systems or fuel cells
- 10/663 . . . the system being an air-conditioner or an engine
- 10/667 . . . the system being an electronic component, e.g. a CPU, an inverter or a capacitor
- 12/00 Hybrid cells; Manufacture thereof (hybrid capacitors [H01G 11/00](#))**

NOTES

1. This group does not cover hybrid cells comprising capacitor electrodes and battery electrodes, which are covered by group [H01G 11/00](#).
2. In this group, hybrid cells are electrochemical generators having two different types of half-cells, the half-cell being an electrode-electrolyte combination of either a primary, a secondary or a fuel cell.

WARNING

Group [H01M 12/00](#) is impacted by reclassification into group [H01G 11/00](#) – [H01G 11/86](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 12/005 . {composed of a half-cell of the capacitor type and of a half-cell of the primary or secondary battery type ([hybrid capacitors H01G 9/155](#))}

WARNING

Group [H01M 12/005](#) is no longer used for the classification of documents as of January 1, 2019.

The content of this groups is being reclassified into [H01G 11/00](#) - [H01G 11/86](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 12/02 . Details ([of electrodes H01M 4/00; of non-active parts H01M 50/00](#))
- 12/04 . composed of a half-cell of the fuel-cell type and of a half-cell of the primary-cell type
- 12/06 . . with one metallic and one gaseous electrode
- 12/065 . . . {with [plate-like electrodes or stacks of plate-like electrodes](#)}

- 12/08 . composed of a half-cell of a fuel-cell type and a half-cell of the secondary-cell type
- 12/085 . . {[Zinc-halogen cells or batteries](#)}

14/00 Electrochemical current or voltage generators not provided for in groups [H01M 6/00](#) - [H01M 12/00](#); Manufacture thereof

NOTE

This group does not cover solar cells, photocells, photoelectrochemical cells or photovoltaic cells, which are covered by the following groups:

- semiconductor devices sensitive to light and adapted for the conversion of the energy of such radiation into electrical energy are covered by group [H01L 31/00](#);
- solid-state devices using organic materials as active part specially adapted for sensing light and adapted for the conversion of the energy of such radiation into electrical energy are covered by group [H01L 51/42](#);
- electrolytic light-sensitive devices, e.g. dye-sensitised solar cells, are covered by group [H01G 9/20](#);
- photovoltaic modules structurally associated with energy storage means, e.g. batteries, are covered by group [H02S 40/38](#).

- 14/005 . {[Photoelectrochemical storage cells \(light sensitive devices H01G 9/20, semiconductors sensitive to light H01L 31/00\)](#)}

16/00 Structural combinations of different types of electrochemical generators

- 16/003 . {of fuel cells with other electrochemical devices, e.g. capacitors, electrolyzers}
- 16/006 . . {of fuel cells with rechargeable batteries}

50/00 Constructional details or processes of manufacture of the non-active parts of electrochemical cells other than fuel cells, e.g. hybrid cells

- 50/10 . Primary casings, jackets or wrappings of a single cell or a single battery

WARNING

Group [H01M 50/10](#) is impacted by reclassification into groups [H01M 50/102](#), [H01M 50/103](#), [H01M 50/105](#), [H01M 50/107](#), [H01M 50/109](#), [H01M 50/11](#), [H01M 50/14](#), [H01M 50/141](#), [H01M 50/143](#), and [H01M 50/145](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/102 . . characterised by their shape or physical structure

WARNING

Groups [H01M 50/102](#), [H01M 50/103](#), [H01M 50/105](#), [H01M 50/107](#), [H01M 50/109](#), and [H01M 50/11](#) are incomplete pending reclassification of documents from group [H01M 50/10](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/103 . . . prismatic or rectangular ([H01M 50/109](#), [H01M 50/11](#) take precedence)
- 50/105 . . . Pouches or flexible bags
- 50/107 . . . having curved cross-section, e.g. round or elliptic ([H01M 50/103](#), [H01M 50/109](#), [H01M 50/11](#) take precedence)
- 50/109 . . . of button or coin shape
- 50/11 . . . having a structure in the form of a chip
- 50/112 . . . Monobloc comprising multiple compartments

WARNING

Group [H01M 50/112](#) is impacted by reclassification into group [H01M 50/114](#).
Groups [H01M 50/112](#) and [H01M 50/114](#) should be considered in order to perform a complete search.

- 50/114 . . . specially adapted for lead-acid cells

WARNING

Group [H01M 50/114](#) is incomplete pending reclassification of documents from group [H01M 50/112](#).
Groups [H01M 50/112](#) and [H01M 50/114](#) should be considered in order to perform a complete search.

- 50/116 . . characterised by the material

WARNING

Group [H01M 50/116](#) is impacted by reclassification into groups [H01M 50/117](#), [H01M 50/119](#), [H01M 50/121](#), [H01M 50/122](#), [H01M 50/124](#), [H01M 50/126](#), [H01M 50/128](#), [H01M 50/129](#), [H01M 50/131](#), [H01M 50/133](#), [H01M 50/134](#), [H01M 50/136](#), [H01M 50/14](#), [H01M 50/141](#), [H01M 50/143](#), and [H01M 50/145](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/117 . . . Inorganic material

WARNING

Groups [H01M 50/117](#) and [H01M 50/119](#) are incomplete pending reclassification of documents from group [H01M 50/116](#).
Groups [H01M 50/116](#), [H01M 50/117](#), and [H01M 50/119](#) should be considered in order to perform a complete search.

- 50/119 . . . Metals
- 50/121 . . . Organic material

WARNING

Group [H01M 50/121](#) is incomplete pending reclassification of documents from group [H01M 50/116](#).
Groups [H01M 50/116](#) and [H01M 50/121](#) should be considered in order to perform a complete search.

- 50/122 . . . Composite material consisting of a mixture of organic and inorganic materials

WARNING

Group [H01M 50/122](#) is incomplete pending reclassification of documents from group [H01M 50/116](#).

Groups [H01M 50/116](#) and [H01M 50/122](#) should be considered in order to perform a complete search.

- 50/124 . . . having a layered structure

WARNING

Groups [H01M 50/124](#), [H01M 50/126](#), [H01M 50/128](#), and [H01M 50/129](#) are incomplete pending reclassification of documents from group [H01M 50/116](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/1243 {characterised by the internal coating on the casing}

- 50/1245 {characterised by the external coating on the casing}

- 50/126 comprising three or more layers

- 50/128 with two or more layers of only inorganic material

- 50/129 with two or more layers of only organic material

- 50/131 . . characterised by physical properties, e.g. gas-permeability or size

WARNING

Groups [H01M 50/131](#) - [H01M 50/136](#) are incomplete pending reclassification of documents from group [H01M 50/116](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/133 . . . Thickness

- 50/134 . . . Hardness

- 50/136 . . . Flexibility or foldability

- 50/138 . . adapted for specific cells, e.g. electrochemical cells operating at high temperature

- 50/1385 . . . {Hybrid cells}

- 50/14 . . for protecting against damage caused by external factors

WARNING

Groups [H01M 50/14](#) - [H01M 50/145](#) are incomplete pending reclassification of documents from groups [H01M 50/10](#) and [H01M 50/116](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/141 . . . for protecting against humidity

- 50/143 . . . Fireproof; Explosion-proof

- 50/145 . . . for protecting against corrosion

50/147 . . . Lids or covers

WARNING

Group [H01M 50/147](#) is impacted by reclassification into groups [H01M 50/591](#) and [H01M 50/593](#).

Groups [H01M 50/147](#), [H01M 50/591](#), and [H01M 50/593](#) should be considered in order to perform a complete search.

50/148 . . . characterised by their shape

WARNING

Group [H01M 50/148](#) is impacted by reclassification into groups [H01M 50/15](#), [H01M 50/152](#), and [H01M 50/153](#).

All groups listed in this Warning should be considered in order to perform a complete search.

50/15 for prismatic or rectangular cells
([H01M 50/153](#) takes precedence)**WARNING**

Group [H01M 50/15](#) is incomplete pending reclassification of documents from group [H01M 50/148](#).

Groups [H01M 50/148](#) and [H01M 50/15](#) should be considered in order to perform a complete search.

50/152 for cells having curved cross-section, e.g. round or elliptic ([H01M 50/15](#), [H01M 50/153](#) take precedence)**WARNING**

Group [H01M 50/152](#) is incomplete pending reclassification of documents from group [H01M 50/148](#).

Groups [H01M 50/148](#) and [H01M 50/152](#) should be considered in order to perform a complete search.

50/153 for button or coin cells

WARNING

Group [H01M 50/153](#) is incomplete pending reclassification of documents from group [H01M 50/148](#).

Groups [H01M 50/148](#) and [H01M 50/153](#) should be considered in order to perform a complete search.

50/1535 {adapted for specific cells, e.g. electrochemical cells operating at high temperature}

50/1537 {for hybrid cells}

50/154 {Lid or cover comprising an axial bore for receiving a central current collector}

50/155 . . . characterised by the material

WARNING

Group [H01M 50/155](#) is impacted by reclassification into groups [H01M 50/157](#), [H01M 50/159](#), [H01M 50/16](#), [H01M 50/162](#), [H01M 50/164](#), [H01M 50/591](#), and [H01M 50/593](#).

All groups listed in this Warning should be considered in order to perform a complete search.

50/157 Inorganic material

WARNING

Groups [H01M 50/157](#) and [H01M 50/159](#) are incomplete pending reclassification of documents from group [H01M 50/155](#).

Groups [H01M 50/155](#), [H01M 50/157](#), and [H01M 50/159](#) should be considered in order to perform a complete search.

50/159 Metals

50/16 Organic material

WARNING

Group [H01M 50/16](#) is incomplete pending reclassification of documents from group [H01M 50/155](#).

Groups [H01M 50/155](#) and [H01M 50/16](#) should be considered in order to perform a complete search.

50/162 Composite material consisting of a mixture of organic and inorganic materials

WARNING

Group [H01M 50/162](#) is incomplete pending reclassification of documents from group [H01M 50/155](#).

Groups [H01M 50/155](#) and [H01M 50/162](#) should be considered in order to perform a complete search.

50/164 having a layered structure

WARNING

Group [H01M 50/164](#) is incomplete pending reclassification of documents from group [H01M 50/155](#).

Groups [H01M 50/155](#) and [H01M 50/164](#) should be considered in order to perform a complete search.

50/166 . . . characterised by the methods of assembling casings with lids

WARNING

Group [H01M 50/166](#) is impacted by reclassification into groups [H01M 50/167](#), [H01M 50/169](#), and [H01M 50/171](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/167 by crimping
WARNING
 Group [H01M 50/167](#) is incomplete pending reclassification of documents from group [H01M 50/166](#).
 Groups [H01M 50/166](#) and [H01M 50/167](#) should be considered in order to perform a complete search.
- 50/169 by welding, brazing or soldering
WARNING
 Group [H01M 50/169](#) is incomplete pending reclassification of documents from group [H01M 50/166](#).
 Groups [H01M 50/166](#) and [H01M 50/169](#) should be considered in order to perform a complete search.
- 50/171 using adhesives or sealing agents
WARNING
 Group [H01M 50/171](#) is incomplete pending reclassification of documents from group [H01M 50/166](#).
 Groups [H01M 50/166](#) and [H01M 50/171](#) should be considered in order to perform a complete search.
- 50/172 . . Arrangements of electric connectors penetrating the casing
WARNING
 Group [H01M 50/172](#) is impacted by reclassification into groups [H01M 50/174](#), [H01M 50/176](#), [H01M 50/178](#), [H01M 50/179](#), and [H01M 50/181](#).
 All groups listed in this Warning should be considered in order to perform a complete search.
- 50/174 . . . adapted for the shape of the cells
WARNING
 Groups [H01M 50/174](#), [H01M 50/176](#), [H01M 50/178](#), [H01M 50/179](#), and [H01M 50/181](#) are incomplete pending reclassification of documents from group [H01M 50/172](#).
 All groups listed in this Warning should be considered in order to perform a complete search.
- 50/176 for prismatic or rectangular cells
 ([H01M 50/181](#) takes precedence)
- 50/178 for pouch or flexible bag cells
- 50/179 for cells having curved cross-section, e.g. round or elliptic ([H01M 50/176](#), [H01M 50/181](#) take precedence)
- 50/181 for button or coin cells
- 50/182 {for cells with a collector centrally disposed in the active mass, e.g. Leclanché cells}
- 50/183 . . Sealing members
WARNING
 Group [H01M 50/183](#) is impacted by reclassification into groups [H01M 50/184](#), [H01M 50/186](#), [H01M 50/188](#), [H01M 50/19](#), [H01M 50/191](#), [H01M 50/193](#), [H01M 50/195](#), [H01M 50/197](#), and [H01M 50/198](#).
 All groups listed in this Warning should be considered in order to perform a complete search.
- 50/184 . . . characterised by their shape or structure
WARNING
 Group [H01M 50/184](#) is incomplete pending reclassification of documents from group [H01M 50/183](#).
 Groups [H01M 50/183](#) and [H01M 50/184](#) should be considered in order to perform a complete search.
- 50/186 . . . characterised by the disposition of the sealing members
WARNING
 Groups [H01M 50/186](#) and [H01M 50/188](#) are incomplete pending reclassification of documents from group [H01M 50/183](#).
 Groups [H01M 50/183](#), [H01M 50/186](#), and [H01M 50/188](#) should be considered in order to perform a complete search.
- 50/188 the sealing members being arranged between the lid and terminal
- 50/19 . . . characterised by the material
WARNING
 Groups [H01M 50/19](#) - [H01M 50/198](#) are incomplete pending reclassification of documents from group [H01M 50/183](#).
 All groups listed in this Warning should be considered in order to perform a complete search.
- 50/191 Inorganic material
- 50/193 Organic material
- 50/195 Composite material consisting of a mixture of organic and inorganic materials
- 50/197 having a layered structure
- 50/198 characterised by physical properties, e.g. adhesiveness or hardness

- 50/20 . Mountings; Secondary casings or frames; Racks, modules or packs; Suspension devices; Shock absorbers; Transport or carrying devices; Holders (structural combination of accumulators with charging apparatus [H01M 10/46](#))
- WARNING**
- Group [H01M 50/20](#) is impacted by reclassification into groups [H01M 50/202](#), [H01M 50/204](#), [H01M 50/207](#), [H01M 50/209](#), [H01M 50/211](#), [H01M 50/213](#), [H01M 50/216](#), [H01M 50/218](#), [H01M 50/22](#), [H01M 50/222](#), [H01M 50/224](#), [H01M 50/227](#), [H01M 50/229](#), [H01M 50/231](#), [H01M 50/233](#), [H01M 50/236](#), [H01M 50/238](#), [H01M 50/24](#), [H01M 50/242](#), [H01M 50/244](#), [H01M 50/247](#), [H01M 50/249](#), [H01M 50/251](#), [H01M 50/253](#), [H01M 50/262](#), [H01M 50/264](#), [H01M 50/267](#), [H01M 50/269](#), [H01M 50/271](#), [H01M 50/273](#), [H01M 50/276](#), [H01M 50/278](#), [H01M 50/28](#), [H01M 50/282](#), [H01M 50/284](#), [H01M 50/287](#), [H01M 50/289](#), [H01M 50/291](#), [H01M 50/293](#), [H01M 50/296](#), [H01M 50/298](#), and [B60L 50/64](#).
- All groups listed in this Warning should be considered in order to perform a complete search.
- 50/202 . . Casings or frames around the primary casing of a single cell or a single battery
- WARNING**
- Group [H01M 50/202](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).
- Groups [H01M 50/20](#) and [H01M 50/202](#) should be considered in order to perform a complete search.
- 50/204 . . Racks, modules or packs for multiple batteries or multiple cells
- WARNING**
- Group [H01M 50/204](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).
- Groups [H01M 50/20](#) and [H01M 50/204](#) should be considered in order to perform a complete search.
- 50/207 . . . characterised by their shape
- WARNING**
- Group [H01M 50/207](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).
- Groups [H01M 50/20](#) and [H01M 50/207](#) should be considered in order to perform a complete search.
- 50/209 adapted for prismatic or rectangular cells ([H01M 50/216](#) takes precedence)
- WARNING**
- Group [H01M 50/209](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).
- Group [H01M 50/209](#) is also impacted by reclassification into group [H01M 50/211](#).
- Groups [H01M 50/20](#), [H01M 50/209](#), and [H01M 50/211](#) should be considered in order to perform a complete search.
- 50/211 adapted for pouch cells
- WARNING**
- Group [H01M 50/211](#) is incomplete pending reclassification of documents from groups [H01M 50/20](#) and [H01M 50/209](#).
- Groups [H01M 50/20](#), [H01M 50/209](#), and [H01M 50/211](#) should be considered in order to perform a complete search.
- 50/213 adapted for cells having curved cross-section, e.g. round or elliptic ([H01M 50/209](#), [H01M 50/216](#) take precedence)
- WARNING**
- Group [H01M 50/213](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).
- Groups [H01M 50/20](#) and [H01M 50/213](#) should be considered in order to perform a complete search.
- 50/216 adapted for button or coin cells
- WARNING**
- Group [H01M 50/216](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).
- Groups [H01M 50/20](#) and [H01M 50/216](#) should be considered in order to perform a complete search.
- 50/218 . . characterised by the material
- WARNING**
- Groups [H01M 50/218](#) - [H01M 50/231](#) are incomplete pending reclassification of documents from group [H01M 50/20](#).
- All groups listed in this Warning should be considered in order to perform a complete search.
- 50/22 . . . of the casings or racks
- 50/222 Inorganic material
- 50/224 Metals
- 50/227 Organic material
- 50/229 Composite material consisting of a mixture of organic and inorganic materials
- 50/231 having a layered structure

- 50/233 . . characterised by physical properties of casings or racks, e.g. dimensions

WARNING

Groups [H01M 50/233](#) - [H01M 50/242](#) are incomplete pending reclassification of documents from group [H01M 50/20](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/236 . . . Hardness
 50/238 . . . Flexibility or foldability
 50/24 . . . adapted for protecting batteries from their environment, e.g. from corrosion ([thermal insulation H01M 10/658](#))

- 50/242 . . . adapted for protecting batteries against vibrations, collision impact or swelling

- 50/244 . . Secondary casings; Racks; Suspension devices; Carrying devices; Holders characterised by their mounting method

WARNING

Group [H01M 50/244](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).

Groups [H01M 50/20](#) and [H01M 50/244](#) should be considered in order to perform a complete search.

- 50/247 . . specially adapted for portable devices, e.g. mobile phones, computers, hand tools or pacemakers

WARNING

Group [H01M 50/247](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).

Groups [H01M 50/20](#) and [H01M 50/247](#) should be considered in order to perform a complete search.

- 50/249 . . specially adapted for aircraft or vehicles, e.g. cars or trains ([constructional details of batteries specially adapted for electric vehicles B60L 50/64](#))

WARNING

Group [H01M 50/249](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).

Groups [H01M 50/20](#) and [H01M 50/249](#) should be considered in order to perform a complete search.

- 50/251 . . specially adapted for stationary devices, e.g. power plant buffering or backup power supplies

WARNING

Group [H01M 50/251](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).

Groups [H01M 50/20](#) and [H01M 50/251](#) should be considered in order to perform a complete search.

- 50/253 . . adapted for specific cells, e.g. electrochemical cells operating at high temperature

WARNING

Group [H01M 50/253](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).

Groups [H01M 50/20](#) and [H01M 50/253](#) should be considered in order to perform a complete search.

- 50/256 . . Carrying devices, e.g. belts
 50/258 . . Modular batteries; Casings provided with means for assembling

- 50/26 . . . Assemblies sealed to each other in a non-detachable manner

- 50/262 . . with fastening means, e.g. locks

WARNING

Groups [H01M 50/262](#) and [H01M 50/264](#) are incomplete pending reclassification of documents from group [H01M 50/20](#).

Groups [H01M 50/20](#), [H01M 50/262](#), and [H01M 50/264](#) should be considered in order to perform a complete search.

- 50/264 . . . for cells or batteries, e.g. straps, tie rods or peripheral frames

- 50/267 . . having means for adapting to batteries or cells of different types or different sizes

WARNING

Group [H01M 50/267](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).

Groups [H01M 50/20](#) and [H01M 50/267](#) should be considered in order to perform a complete search.

- 50/269 . . Mechanical means for varying the arrangement of batteries or cells for different uses, e.g. for changing the number of batteries or for switching between series and parallel wiring ([methods or arrangements for servicing or maintenance H01M 6/50, H01M 10/42](#))

WARNING

Group [H01M 50/269](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).

Groups [H01M 50/20](#) and [H01M 50/269](#) should be considered in order to perform a complete search.

- 50/271 . . Lids or covers for the racks or secondary casings

WARNING

Groups [H01M 50/271](#) - [H01M 50/282](#) are incomplete pending reclassification of documents from group [H01M 50/20](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/273 . . . characterised by the material
 50/276 Inorganic material
 50/278 Organic material

- 50/28 . . . Composite material consisting of a mixture of organic and inorganic materials
- 50/282 . . . having a layered structure
- 50/284 . . with incorporated circuit boards, e.g. printed circuit boards [PCB]

WARNING

Groups [H01M 50/284](#) and [H01M 50/287](#) are incomplete pending reclassification of documents from group [H01M 50/20](#).

Groups [H01M 50/20](#), [H01M 50/284](#), and [H01M 50/287](#) should be considered in order to perform a complete search.

- 50/287 . . . Fixing of circuit boards to lids or covers
- 50/289 . . characterised by spacing elements or positioning means within frames, racks or packs ([spacing elements inside cells other than separators, membranes or diaphragms H01M 50/471](#))

WARNING

Groups [H01M 50/289](#) - [H01M 50/293](#) are incomplete pending reclassification of documents from group [H01M 50/20](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/291 . . . characterised by their shape
- 50/293 . . . characterised by the material
- 50/296 . . characterised by terminals of battery packs ([terminals of batteries H01M 50/543](#))

WARNING

Group [H01M 50/296](#) is incomplete pending reclassification of documents from groups [H01M 50/20](#) and [H01M 50/543](#).

Groups [H01M 50/20](#), [H01M 50/543](#), and [H01M 50/296](#) should be considered in order to perform a complete search.

- 50/298 . . characterised by the wiring of battery packs

WARNING

Group [H01M 50/298](#) is incomplete pending reclassification of documents from group [H01M 50/20](#).

Groups [H01M 50/20](#) and [H01M 50/298](#) should be considered in order to perform a complete search.

- 50/30 . Arrangements for facilitating escape of gases
- 50/308 . . Detachable arrangements, e.g. detachable vent plugs or plug systems
- 50/317 . . Re-sealable arrangements
- 50/325 . . . comprising deformable valve members, e.g. elastic or flexible valve members
- 50/333 Spring-loaded vent valves
- 50/342 . . Non-re-sealable arrangements
- 50/3425 . . . {[in the form of rupturable membranes or weakened parts, e.g. pierced with the aid of a sharp member](#)}

- 50/35 . . Gas exhaust passages comprising elongated, tortuous or labyrinth-shaped exhaust passages

WARNING

Group [H01M 50/35](#) is impacted by reclassification into groups [H01M 50/358](#) and [H01M 50/367](#).

Groups [H01M 50/35](#), [H01M 50/358](#), and [H01M 50/367](#) should be considered in order to perform a complete search.

- 50/358 . . . External gas exhaust passages located on the battery cover or case

WARNING

Group [H01M 50/358](#) is incomplete pending reclassification of documents from group [H01M 50/35](#).

Groups [H01M 50/35](#) and [H01M 50/358](#) should be considered in order to perform a complete search.

- 50/367 . . . Internal gas exhaust passages forming part of the battery cover or case; Double cover vent systems

WARNING

Group [H01M 50/367](#) is incomplete pending reclassification of documents from group [H01M 50/35](#).

Groups [H01M 50/35](#) and [H01M 50/367](#) should be considered in order to perform a complete search.

- 50/375 . . Vent means sensitive to or responsive to temperature
- 50/383 . . Flame arresting or ignition-preventing means
- 50/392 . . with means for neutralising or absorbing electrolyte; with means for preventing leakage of electrolyte through vent holes
- 50/394 . . {[Gas-pervious parts or elements](#)}
- 50/40 . Separators; Membranes; Diaphragms; Spacing elements inside cells

WARNING

Group [H01M 50/40](#) is impacted by reclassification into groups [H01M 50/471](#), [H01M 50/474](#), [H01M 50/477](#), [H01M 50/48](#), [H01M 50/483](#), [H01M 50/486](#), [H01M 50/489](#), [H01M 50/491](#), [H01M 50/494](#), and [H01M 50/497](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/403 . . Manufacturing processes of separators, membranes or diaphragms

WARNING

Group [H01M 50/403](#) is impacted by reclassification into group [H01M 50/406](#).

Groups [H01M 50/403](#) and [H01M 50/406](#) should be considered in order to perform a complete search.

50/406 . . . Moulding; Embossing; Cutting

WARNING

Group [H01M 50/406](#) is incomplete pending reclassification of documents from group [H01M 50/403](#).

Groups [H01M 50/403](#) and [H01M 50/406](#) should be considered in order to perform a complete search.

50/409 . . Separators, membranes or diaphragms characterised by the material

WARNING

Group [H01M 50/409](#) is impacted by reclassification into groups [H01M 50/443](#), [H01M 50/489](#), [H01M 50/491](#), [H01M 50/494](#), and [H01M 50/497](#).

All groups listed in this Warning should be considered in order to perform a complete search.

50/411 . . . Organic material

WARNING

Group [H01M 50/411](#) is impacted by reclassification into groups [H01M 50/414](#), [H01M 50/417](#), [H01M 50/42](#), [H01M 50/423](#), [H01M 50/426](#), [H01M 50/429](#), [H01M 50/489](#), [H01M 50/491](#), [H01M 50/494](#), and [H01M 50/497](#).

All groups listed in this Warning should be considered in order to perform a complete search.

50/414 Synthetic resins, e.g. thermoplastics or thermosetting resins

WARNING

Groups [H01M 50/414](#) - [H01M 50/426](#) are incomplete pending reclassification of documents from group [H01M 50/411](#).

All groups listed in this Warning should be considered in order to perform a complete search.

50/417 Polyolefins

50/42 Acrylic resins

50/423 Polyamide resins

50/426 Fluorocarbon polymers

50/429 Natural polymers

WARNING

Group [H01M 50/429](#) is incomplete pending reclassification of documents from group [H01M 50/411](#).

Groups [H01M 50/411](#) and [H01M 50/429](#) should be considered in order to perform a complete search.

50/4295 {Natural cotton, cellulose or wood}

50/431 . . . Inorganic material

WARNING

Group [H01M 50/431](#) is impacted by reclassification into groups [H01M 50/434](#), [H01M 50/437](#), [H01M 50/489](#), [H01M 50/491](#), [H01M 50/494](#), and [H01M 50/497](#).

All groups listed in this Warning should be considered in order to perform a complete search.

50/434 Ceramics

WARNING

Groups [H01M 50/434](#) and [H01M 50/437](#) are incomplete pending reclassification of documents from group [H01M 50/431](#).

Groups [H01M 50/431](#), [H01M 50/434](#), and [H01M 50/437](#) should be considered in order to perform a complete search.

50/437 Glass

50/44 . . . Fibrous material

50/443 . . . Particulate material

WARNING

Group [H01M 50/443](#) is incomplete pending reclassification of documents from group [H01M 50/409](#).

Groups [H01M 50/409](#) and [H01M 50/443](#) should be considered in order to perform a complete search.

50/446 . . . Composite material consisting of a mixture of organic and inorganic materials

50/449 . . . having a layered structure

WARNING

Group [H01M 50/449](#) is impacted by reclassification into groups [H01M 50/451](#), [H01M 50/454](#), [H01M 50/457](#), [H01M 50/489](#), [H01M 50/491](#), [H01M 50/494](#), and [H01M 50/497](#).

All groups listed in this Warning should be considered in order to perform a complete search.

50/451 comprising layers of only organic material and layers containing inorganic material

WARNING

Group [H01M 50/451](#) is incomplete pending reclassification of documents from group [H01M 50/449](#).

Groups [H01M 50/449](#) and [H01M 50/451](#) should be considered in order to perform a complete search.

- 50/454 . . . comprising a non-fibrous layer and a fibrous layer superimposed on one another

WARNING

Group [H01M 50/454](#) is incomplete pending reclassification of documents from group [H01M 50/449](#).

Groups [H01M 50/449](#) and [H01M 50/454](#) should be considered in order to perform a complete search.

- 50/457 . . . comprising three or more layers

WARNING

Group [H01M 50/457](#) is incomplete pending reclassification of documents from group [H01M 50/449](#).

Groups [H01M 50/449](#) and [H01M 50/457](#) should be considered in order to perform a complete search.

- 50/46 . . Separators, membranes or diaphragms characterised by their combination with electrodes

- 50/461 . . . {with adhesive layers between electrodes and separators}

- 50/463 . . Separators, membranes or diaphragms characterised by their shape

WARNING

Group [H01M 50/463](#) is impacted by reclassification into groups [H01M 50/466](#) and [H01M 50/469](#).

Groups [H01M 50/463](#), [H01M 50/466](#), and [H01M 50/469](#) should be considered in order to perform a complete search.

- 50/466 . . . U-shaped, bag-shaped or folded

WARNING

Group [H01M 50/466](#) is incomplete pending reclassification of documents from group [H01M 50/463](#).

Groups [H01M 50/463](#) and [H01M 50/466](#) should be considered in order to perform a complete search.

- 50/469 . . . tubular or cylindrical

WARNING

Group [H01M 50/469](#) is incomplete pending reclassification of documents from group [H01M 50/463](#).

Groups [H01M 50/463](#) and [H01M 50/469](#) should be considered in order to perform a complete search.

- 50/471 . . Spacing elements inside cells other than separators, membranes or diaphragms (for preventing incorrect contact inside or outside batteries [H01M 50/584](#)); Manufacturing processes thereof

WARNING

Groups [H01M 50/471](#) - [H01M 50/486](#) are incomplete pending reclassification of documents from group [H01M 50/40](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/474 . . . characterised by their position inside the cells
 50/477 . . . characterised by their shape
 50/48 . . . characterised by the material
 50/483 Inorganic material
 50/486 Organic material
 50/489 . . Separators, membranes, diaphragms or spacing elements inside the cells, characterised by their physical properties, e.g. swelling degree, hydrophilicity or shut down properties

WARNING

Groups [H01M 50/489](#) - [H01M 50/497](#) are incomplete pending reclassification of documents from groups [H01M 50/40](#), [H01M 50/409](#), [H01M 50/411](#), [H01M 50/431](#), and [H01M 50/449](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/491 . . . Porosity
 50/494 . . . Tensile strength
 50/497 . . . Ionic conductivity
 50/50 . . Current conducting connections for cells or batteries

WARNING

Group [H01M 50/50](#) is impacted by reclassification into group [H01M 50/569](#).

Groups [H01M 50/50](#) and [H01M 50/569](#) should be considered in order to perform a complete search.

- 50/502 . . Interconnectors for connecting terminals of adjacent batteries; Interconnectors for connecting cells outside a battery casing

WARNING

Group [H01M 50/502](#) is impacted by reclassification into groups [H01M 50/503](#), [H01M 50/505](#), [H01M 50/507](#), [H01M 50/509](#), [H01M 50/51](#), [H01M 50/512](#), [H01M 50/514](#), [H01M 50/516](#), [H01M 50/517](#), [H01M 50/519](#), [H01M 50/521](#), [H01M 50/522](#), [H01M 50/524](#), [H01M 50/526](#), and [H01M 50/569](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/503 . . . characterised by the shape of the interconnectors
- WARNING**
- Group [H01M 50/503](#) is incomplete pending reclassification of documents from group [H01M 50/502](#).
- Groups [H01M 50/502](#) and [H01M 50/503](#) should be considered in order to perform a complete search.
- 50/505 . . . comprising a single busbar
- WARNING**
- Group [H01M 50/505](#) is incomplete pending reclassification of documents from group [H01M 50/502](#).
- Groups [H01M 50/502](#) and [H01M 50/505](#) should be considered in order to perform a complete search.
- 50/507 . . . comprising an arrangement of two or more busbars within a container structure, e.g. busbar modules
- WARNING**
- Group [H01M 50/507](#) is incomplete pending reclassification of documents from group [H01M 50/502](#).
- Groups [H01M 50/502](#) and [H01M 50/507](#) should be considered in order to perform a complete search.
- 50/509 . . . characterised by the type of connection, e.g. mixed connections
- WARNING**
- Groups [H01M 50/509](#) - [H01M 50/512](#) are incomplete pending reclassification of documents from group [H01M 50/502](#).
- All groups listed in this Warning should be considered in order to perform a complete search.
- 50/51 Connection only in series
- 50/512 Connection only in parallel
- 50/514 . . . Methods for interconnecting adjacent batteries or cells
- WARNING**
- Groups [H01M 50/514](#) - [H01M 50/517](#) are incomplete pending reclassification of documents from group [H01M 50/502](#).
- All groups listed in this Warning should be considered in order to perform a complete search.
- 50/516 by welding, soldering or brazing
- 50/517 by fixing means, e.g. screws, rivets or bolts

- 50/519 . . . comprising printed circuit boards [PCB]
- WARNING**
- Group [H01M 50/519](#) is incomplete pending reclassification of documents from group [H01M 50/502](#).
- Groups [H01M 50/502](#) and [H01M 50/519](#) should be considered in order to perform a complete search.
- 50/521 . . . characterised by the material
- WARNING**
- Groups [H01M 50/521](#) - [H01M 50/526](#) are incomplete pending reclassification of documents from group [H01M 50/502](#).
- All groups listed in this Warning should be considered in order to perform a complete search.
- 50/522 Inorganic material
- 50/524 Organic material
- 50/526 having a layered structure
- 50/528 . . . Fixed electrical connections, i.e. not intended for disconnection
- 50/529 . . . Intercell connections through partitions, e.g. in a battery casing
- 50/531 . . . Electrode connections inside a battery casing
- WARNING**
- Group [H01M 50/531](#) is impacted by reclassification into groups [H01M 50/533](#), [H01M 50/534](#), and [H01M 50/536](#).
- All groups listed in this Warning should be considered in order to perform a complete search.
- 50/533 . . . characterised by the shape of the leads or tabs
- WARNING**
- Group [H01M 50/533](#) is incomplete pending reclassification of documents from groups [H01M 50/531](#), [H01M 50/538](#), [H01M 50/54](#), and [H01M 50/541](#).
- All groups listed in this Warning should be considered in order to perform a complete search.
- 50/534 . . . characterised by the material of the leads or tabs
- WARNING**
- Group [H01M 50/534](#) is incomplete pending reclassification of documents from groups [H01M 50/531](#), [H01M 50/538](#), [H01M 50/54](#), and [H01M 50/541](#).
- All groups listed in this Warning should be considered in order to perform a complete search.

- 50/536 . . . characterised by the method of fixing the leads to the electrodes, e.g. by welding

WARNING

Group [H01M 50/536](#) is incomplete pending reclassification of documents from groups [H01M 50/531](#), [H01M 50/538](#), [H01M 50/54](#), and [H01M 50/541](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/538 . . . Connection of several leads or tabs of wound or folded electrode stacks

WARNING

Group [H01M 50/538](#) is impacted by reclassification into groups [H01M 50/533](#), [H01M 50/534](#), and [H01M 50/536](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/54 . . . Connection of several leads or tabs of plate-like electrode stacks, e.g. electrode pole straps or bridges

WARNING

Group [H01M 50/54](#) is impacted by reclassification into groups [H01M 50/533](#), [H01M 50/534](#), and [H01M 50/536](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/541 for lead-acid accumulators

WARNING

Group [H01M 50/541](#) is impacted by reclassification into groups [H01M 50/533](#), [H01M 50/534](#), and [H01M 50/536](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/543 . . Terminals

WARNING

Group [H01M 50/543](#) is impacted by reclassification into groups [H01M 50/547](#), [H01M 50/548](#), [H01M 50/55](#), [H01M 50/552](#), [H01M 50/553](#), [H01M 50/559](#), [H01M 50/562](#), [H01M 50/564](#), [H01M 50/566](#), [H01M 50/567](#), [H01M 50/569](#), and [H01M 50/296](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/545 . . . formed by the casing of the cells (cup shaped terminals adapted for cells having curved cross-section [H01M 50/56](#))

- 50/547 . . . characterised by the disposition of the terminals on the cells

WARNING

Groups [H01M 50/547](#) - [H01M 50/55](#) are incomplete pending reclassification of documents from groups [H01M 50/543](#), [H01M 50/555](#), and [H01M 50/557](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/548 on opposite sides of the cell

- 50/55 on the same side of the cell

- 50/552 . . . characterised by their shape

WARNING

Groups [H01M 50/552](#), [H01M 50/553](#), and [H01M 50/559](#) are incomplete pending reclassification of documents from group [H01M 50/543](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/553 Terminals adapted for prismatic, pouch or rectangular cells

- 50/555 Window-shaped terminals

WARNING

Group [H01M 50/555](#) is impacted by reclassification into groups [H01M 50/547](#), [H01M 50/548](#), [H01M 50/55](#), [H01M 50/562](#), [H01M 50/564](#), [H01M 50/566](#), and [H01M 50/567](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/557 Plate-shaped terminals

WARNING

Group [H01M 50/557](#) is impacted by reclassification into groups [H01M 50/547](#), [H01M 50/548](#), [H01M 50/55](#), [H01M 50/562](#), [H01M 50/564](#), [H01M 50/566](#), and [H01M 50/567](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/559 Terminals adapted for cells having curved cross-section, e.g. round, elliptic or button cells ([H01M 50/553](#) takes precedence)

- 50/56 Cup shaped terminals

- 50/561 {Hollow metallic terminals, e.g. terminal bushings}

- 50/562 . . . characterised by the material

WARNING

Group [H01M 50/562](#) is incomplete pending reclassification of documents from groups [H01M 50/543](#), [H01M 50/555](#), and [H01M 50/557](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/564 . . . characterised by their manufacturing process

WARNING

Groups [H01M 50/564](#) - [H01M 50/567](#) are incomplete pending reclassification of documents from groups [H01M 50/543](#), [H01M 50/555](#), and [H01M 50/557](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/566 by welding, soldering or brazing
 50/567 by fixing means, e.g. screws, rivets or bolts
 50/569 . . . Constructional details of current conducting connections for detecting conditions inside cells or batteries, e.g. details of voltage sensing terminals ([battery terminal connectors with integrated measuring arrangements G01R 31/364](#))

WARNING

Group [H01M 50/569](#) is incomplete pending reclassification of documents from groups [H01M 6/50](#), [H01M 6/5044](#), [H01M 6/505](#), [H01M 6/5055](#), [H01M 6/5061](#), [H01M 10/48](#), [H01M 10/482](#), [H01M 10/484](#), [H01M 10/486](#), [H01M 10/488](#), [H01M 50/50](#), [H01M 50/502](#), and [H01M 50/543](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/571 . . Methods or arrangements for affording protection against corrosion; Selection of materials therefor
 50/572 . . Means for preventing undesired use or discharge

WARNING

Group [H01M 50/572](#) is impacted by reclassification into groups [H01M 6/5044](#), [H01M 50/574](#), [H01M 50/583](#), [H01M 50/584](#), [H01M 50/586](#), [H01M 50/588](#), [H01M 50/59](#), [H01M 50/591](#), [H01M 50/593](#), [H01M 50/595](#), and [H01M 50/597](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/574 . . . Devices or arrangements for the interruption of current

WARNING

Groups [H01M 50/574](#) and [H01M 50/583](#) are incomplete pending reclassification of documents from group [H01M 50/572](#).

Groups [H01M 50/572](#), [H01M 50/574](#), and [H01M 50/583](#) should be considered in order to perform a complete search.

- 50/576 in response to theft
 50/578 in response to pressure
 50/579 in response to shock
 50/581 in response to temperature
 50/583 in response to current, e.g. fuses
 50/584 . . . for preventing incorrect connections inside or outside the batteries

WARNING

Groups [H01M 50/584](#), [H01M 50/586](#), [H01M 50/588](#), [H01M 50/59](#), [H01M 50/595](#), and [H01M 50/597](#) are incomplete pending reclassification of documents from group [H01M 50/572](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/586 inside the batteries, e.g. incorrect connections of electrodes
 50/588 outside the batteries, e.g. incorrect connections of terminals or busbars
 50/59 characterised by the protection means
 50/591 Covers

WARNING

Group [H01M 50/591](#) is incomplete pending reclassification of documents from groups [H01M 50/147](#), [H01M 50/155](#), and [H01M 50/572](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/593 Spacers; Insulating plates

WARNING

Group [H01M 50/593](#) is incomplete pending reclassification of documents from groups [H01M 50/147](#), [H01M 50/155](#), and [H01M 50/572](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/595 Tapes
 50/597 Protection against reversal of polarity
 50/598 Guarantee labels

- 50/60 . Arrangements or processes for filling or topping-up with liquids; Arrangements or processes for draining liquids from casings

WARNING

Group [H01M 50/60](#) is impacted by reclassification into groups [H01M 50/609](#), [H01M 50/618](#), [H01M 50/627](#), [H01M 50/673](#), and [H01M 50/682](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/609 . . Arrangements or processes for filling with liquid, e.g. electrolytes

WARNING

Groups [H01M 50/609](#), [H01M 50/618](#), and [H01M 50/627](#) are incomplete pending reclassification of documents from group [H01M 50/60](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/618 . . . Pressure control
50/627 . . . Filling ports
50/636 . . . Closing or sealing filling ports, e.g. using lids

WARNING

Group [H01M 50/636](#) is impacted by reclassification into groups [H01M 50/645](#), [H01M 50/655](#), [H01M 50/664](#), and [H01M 50/668](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 50/645 Plugs

WARNING

Groups [H01M 50/645](#) and [H01M 50/655](#) are incomplete pending reclassification of documents from group [H01M 50/636](#).

Groups [H01M 50/636](#), [H01M 50/645](#), and [H01M 50/655](#) should be considered in order to perform a complete search.

- 50/655 specially adapted for venting
50/664 Temporary seals, e.g. for storage of instant batteries or seawater batteries

WARNING

Group [H01M 50/664](#) is incomplete pending reclassification of documents from group [H01M 50/636](#).

Groups [H01M 50/636](#) and [H01M 50/664](#) should be considered in order to perform a complete search.

- 50/668 . . {Means for preventing spilling of liquid or electrolyte, e.g. when the battery is tilted or turned over}

WARNING

Group [H01M 50/668](#) is incomplete pending reclassification of documents from group [H01M 50/636](#).

Groups [H01M 50/636](#) and [H01M 50/668](#) should be considered in order to perform a complete search.

- 50/673 . . Containers for storing liquids; Delivery conduits therefor

WARNING

Groups [H01M 50/673](#) and [H01M 50/682](#) are incomplete pending reclassification of documents from group [H01M 50/60](#).

Groups [H01M 50/60](#), [H01M 50/673](#), and [H01M 50/682](#) should be considered in order to perform a complete search.

- 50/682 . . . accommodated in battery or cell casings
50/691 . . Arrangements or processes for draining liquids from casings; Cleaning battery or cell casings
50/70 . Arrangements for stirring or circulating the electrolyte
50/73 . . Electrolyte stirring by the action of gas on or in the electrolyte
50/77 . . with external circulating path

2200/00 Safety devices for primary or secondary batteries

- 2200/10 . Temperature sensitive devices
2200/101 . . Bimetal
2200/103 . . Fuse
2200/105 . . NTC
2200/106 . . PTC
2200/108 . . Normal resistors
2200/20 . Pressure-sensitive devices
2200/30 . Preventing polarity reversal

2220/00 Batteries for particular applications

- 2220/10 . Batteries in stationary systems, e.g. emergency power source in plant
2220/20 . Batteries in motive systems, e.g. vehicle, ship, plane
2220/30 . Batteries in portable systems, e.g. mobile phone, laptop

2250/00 Fuel cells for particular applications; Specific features of fuel cell system

- 2250/10 . Fuel cells in stationary systems, e.g. emergency power source in plant
2250/20 . Fuel cells in motive systems, e.g. vehicle, ship, plane
2250/30 . Fuel cells in portable systems, e.g. mobile phone, laptop
2250/40 . Combination of fuel cells with other energy production systems
2250/402 . . Combination of fuel cell with other electric generators ([combination of fuel cells with other electrochemical generator H01M 16/003](#))
2250/405 . . Cogeneration of heat or hot water
2250/407 . . Combination of fuel cells with mechanical energy generators

2300/00 Electrolytes

- 2300/0002 . Aqueous electrolytes
- 2300/0005 . . Acid electrolytes
- 2300/0008 . . . Phosphoric acid-based
- 2300/0011 . . . Sulfuric acid-based
- 2300/0014 . . Alkaline electrolytes
- 2300/0017 . Non-aqueous electrolytes
- 2300/002 . . Inorganic electrolyte
- 2300/0022 . . . Room temperature molten salts
- 2300/0025 . . Organic electrolyte
- 2300/0028 . . . characterised by the solvent
- 2300/0031 Chlorinated solvents
- 2300/0034 Fluorinated solvents
- 2300/0037 Mixture of solvents
- 2300/004 Three solvents
- 2300/0042 Four or more solvents
- 2300/0045 . . . Room temperature molten salts comprising at least one organic ion
- 2300/0048 . . Molten electrolytes used at high temperature
- 2300/0051 . . . Carbonates
- 2300/0054 . . . Halogenides
- 2300/0057 Chlorides
- 2300/006 . . . Hydroxides
- 2300/0062 . . . Nitrates
- 2300/0065 . . Solid electrolytes
- 2300/0068 . . . inorganic
- 2300/0071 Oxides
- 2300/0074 Ion conductive at high temperature
- 2300/0077 based on zirconium oxide
- 2300/008 Halides
- 2300/0082 . . . Organic polymers
- 2300/0085 . Immobilising or gelification of electrolyte
- 2300/0088 . Composites
- 2300/0091 . . in the form of mixtures
- 2300/0094 . . in the form of layered products, e.g. coatings
- 2300/0097 . . . with adhesive layers