

CPC COOPERATIVE PATENT CLASSIFICATION

C CHEMISTRY; METALLURGY

(NOTES omitted)

CHEMISTRY

C07 ORGANIC CHEMISTRY

(NOTES omitted)

C07F ACYCLIC, CARBOCYCLIC OR HETEROCYCLIC COMPOUNDS CONTAINING ELEMENTS OTHER THAN CARBON, HYDROGEN, HALOGEN, OXYGEN, NITROGEN, SULFUR, SELENIUM OR TELLURIUM (metal-containing porphyrins [C07D 487/22](#))

NOTES

1. Attention is drawn to Note (3) [C07](#), which defines the last place priority rule applied in the range of subclasses [C07C-C07K](#) and within these subclasses.
2. Attention is drawn to Note (6) following the title of class [C07](#).
3. Attention is drawn to Note (3) after the title of section [C](#), which Note indicates to which version of the periodic table of chemical elements the IPC refers.
4. In this subclass, organic acid salts, alcoholates, phenates, chelates or mercaptides are classified as the parent compounds.
5. Compounds containing Se or Te are classified with their sulfur homologues
6. A hydrocarbon chain is considered to be terminated by a heteroatom or by a carbon atom having three bonds to heteroatoms with at the most one to halogen
7. When groups, e.g. aromatic or aliphatic groups, are mentioned without further indications, it means that the group concerned can be further substituted. Otherwise it will be indicated, e.g. [C07F 9/11](#) with hydroxyalkyl compounds without further substituents on alkyl.

WARNINGS

1. The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:
[C07F 9/6593](#) covered by [C07F 9/65815](#)
2. In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00 Compounds containing elements of Groups 1 or 11 of the Periodic System

- 1/005 . {without C-Metal linkages}
- 1/02 . Lithium compounds
- 1/04 . Sodium compounds
- 1/06 . Potassium compounds
- 1/08 . Copper compounds
- 1/10 . Silver compounds
- 1/12 . Gold compounds

3/00 Compounds containing elements of Groups 2 or 12 of the Periodic System

- 3/003 . {without C-Metal linkages}
- 3/006 . {Beryllium compounds}
- 3/02 . Magnesium compounds
- 3/04 . Calcium compounds
- 3/06 . Zinc compounds
- 3/08 . Cadmium compounds
- 3/10 . Mercury compounds
- 3/103 . . {without C-Mercury linkages}
- 3/12 . . Aromatic substances containing mercury
- 3/14 . . Heterocyclic substances containing mercury

5/00 Compounds containing elements of Groups 3 or 13 of the Periodic System

- 5/003 . {without C-Metal linkages}
- 5/02 . Boron compounds
- 5/022 . . {without C-boron linkages}
- 5/025 . . {Boronic and borinic acid compounds}
- 5/027 . . {Organoboranes and organoborohydrides}
- 5/04 . . Esters of boric acids
- 5/05 . . Cyclic compounds having at least one ring containing boron but no carbon in the ring
- 5/06 . Aluminium compounds
- 5/061 . . {with C-aluminium linkage}
- 5/062 . . . {Al linked exclusively to C}
- 5/064 . . . {compounds with an Al-Halogen linkage}
- 5/065 . . . {compounds with an Al-H linkage}
- 5/066 . . . {compounds with Al linked to an element other than Al, C, H or halogen (this includes Al-cyanide linkage)}
- 5/067 {compounds with Al also linked to H or halogen}
- 5/068 {preparation of alum(in)oxanes}
- 5/069 . . {without C-aluminium linkages}

7/00	Compounds containing elements of Groups 4 or 14 of the Periodic System
7/003	. {without C-Metal linkages}
7/02	. Silicon compounds
7/025	. . {without C-silicon linkages}
7/04	. . Esters of silicic acids
7/06	. . . with hydroxyaryl compounds
7/07	. . . Cyclic esters
7/08	. . Compounds having one or more C—Si linkages
7/0801	. . . {General processes}
7/0803	. . . {Compounds with Si-C or Si-Si linkages}
7/0805 {comprising only Si, C or H atoms}
7/0807 {comprising Si as a ring atom}
7/081 {comprising at least one atom selected from the elements N, O, halogen, S, Se or Te}
7/0812 {comprising a heterocyclic ring}
7/0814 {said ring is substituted at a C ring atom by Si}
7/0816 {said ring comprising Si as a ring atom}
7/0825 {Preparations of compounds not comprising Si-Si or Si-cyano linkages}
7/0827 {Syntheses with formation of a Si-C bond}
7/0829 {Hydrosilylation reactions}
7/083 {Syntheses without formation of a Si-C bond}
7/0832 {Other preparations}
7/0834	. . . {Compounds having one or more O-Si linkage (for compounds with C-O-Si linkages see C07F 7/18)}
7/0836 {Compounds with one or more Si-OH or Si-O-metal linkage}
7/0838 {Compounds with one or more Si-O-Si sequences (compounds with a ring containing only alternating Si and O atoms, i.e. cyclosilanes C07F 7/21)}
7/087 {Compounds of unknown structure containing a Si-O-Si sequence}
7/0872 {Preparation and treatment thereof}
7/0874 {Reactions involving a bond of the Si-O-Si linkage}
7/0876 {Reactions involving the formation of bonds to a Si atom of a Si-O-Si sequence other than a bond of the Si-O-Si linkage}
7/0878 {Si-C bond}
7/0879 {Hydrosilylation reactions}
7/0889 {Reactions not involving the Si atom of the Si-O-Si sequence}
7/089 {Treatments not covered by a preceding group}
7/0892 {Compounds with a Si-O-N linkage}
7/0894 {Compounds with a Si-O-O linkage}
7/0896	. . . {Compounds with a Si-H linkage}
7/0898	. . . {Compounds with a Si-S linkage}
7/10	. . . containing nitrogen {having a Si-N linkage}
7/12	. . . Organo silicon halides
7/121 {Preparation or treatment not provided for in C07F 7/14 , C07F 7/16 or C07F 7/20 }

NOTE

The silicon atom involved in the reaction that is attached or becomes attached

to the highest number of halide atoms determines classification

7/122 {by reactions involving the formation of Si-C linkages (hydrosilylation reactions C07F 7/14 ; direct synthesis C07F 7/16)}
7/123 {by reactions involving the formation of Si-halogen linkages}
7/125 {by reactions involving both Si-C and Si-halogen linkages, the Si-C and Si-halogen linkages can be to the same or to different Si atoms, e.g. redistribution reactions}
7/126 {by reactions involving the formation of Si-Y linkages, where Y is not a carbon or halogen atom}
7/127 {by reactions not affecting the linkages to the silicon atom}
7/128 {by reactions covered by more than one of the groups C07F 7/122 - C07F 7/127 and of which the starting material is unknown or insufficiently determined}
7/14 Preparation thereof from {optionally substituted} halogenated silanes and hydrocarbons {hydrosilylation reactions}
7/16 Preparation thereof from silicon and halogenated hydrocarbons {direct synthesis}
7/18	. . . Compounds having one or more C—Si linkages as well as one or more C—O—Si linkages
7/1804 {Compounds having Si-O-C linkages (Si-O-acyl linkages C07F 7/1896)}
7/1872 {Preparation; Treatments not provided for in C07F 7/20 }
7/1876 {by reactions involving the formation of Si-C linkages}
7/188 {by reactions involving the formation of Si-O linkages}
7/1884 {by dismutation}
7/1888 {by reactions involving the formation of other Si-linkages, e.g. Si-N}
7/1892 {by reactions not provided for in C07F 7/1876 - C07F 7/1888 }
7/1896 {Compounds having one or more Si-O-acyl linkages}
7/20	. . . Purification, separation
7/21	. . Cyclic compounds having at least one ring containing silicon, but no carbon in the ring
7/22	. Tin compounds
7/2204	. . {Not belonging to the groups C07F 7/2208 - C07F 7/2296 }
7/2208	. . {Compounds having tin linked only to carbon, hydrogen and/or halogen}
7/2224	. . {Compounds having one or more tin-oxygen linkages}
7/226	. . {Compounds with one or more Sn-S linkages}
7/2284	. . {Compounds with one or more Sn-N linkages}
7/2288	. . {Compounds with one or more Sn-metal linkages}
7/2296	. . {Purification, stabilisation, isolation}
7/24	. Lead compounds
7/26	. . Tetra-alkyl lead compounds
7/28	. Titanium compounds
7/30	. Germanium compounds


9/00	Compounds containing elements of Groups 5 or 15 of the Periodic System	9/1417 {Compounds containing the structure P-O-C(=X)- (X = O, S, Se)}
9/005	. {Compounds of elements of Group 5 of the Periodic System without metal-carbon linkages}	9/1418 {Compounds containing the structure P-O-N}
9/02	. Phosphorus compounds (sugar phosphates C07H 11/04 ; nucleotides C07H 19/00 , C07H 21/00 ; nucleic acids C07H 21/00)	9/142 with hydroxyalkyl compounds without further substituents on alkyl
9/025	. . {Purification; Separation; Stabilisation; Desodorisation of organo-phosphorus compounds (of natural phosphatides C07F 9/103 ; phosphines C07F 9/5095)}	9/143 with unsaturated acyclic alcohols
9/04	. . Reaction products of phosphorus sulfur compounds with hydrocarbons	9/144 with cycloaliphatic alcohols
9/06	. . without P—C bonds	9/145 with hydroxyaryl compounds
9/062	. . . {Organo-phosphoranes without P-C bonds}	9/146 containing P-halide groups
9/065 {Phosphoranes containing the structure P=N-}	9/16	. . . Esters of thiophosphoric acids or thiophosphorous acids
9/067 {Polyphosphazenes containing the structure [P=N-n] (cyclic compounds C07F 9/65812)}	9/165 Esters of thiophosphoric acids
9/08	. . . Esters of oxyacids of phosphorus ({ C07F 9/062 takes precedence})	9/1651 {with hydroxyalkyl compounds with further substituents on alkyl}
9/09 Esters of phosphoric acids	9/1652 {Polyol derivatives esterified at least twice by (thio)phosphoric acid esters}
9/091 {with hydroxyalkyl compounds with further substituents on alkyl}	9/1653 {with arylalkanols}
9/092 {substituted by B, Si or a metal}	9/1654 {Compounds containing the structure P(=X)n-X-acyl, P(=X)n-X-heteroatom, P(=X)n-X-CN (X = O, S, Se; n = 0, 1)}
9/093 {Polyol derivatives esterified at least twice by phosphoric rests}	9/1655 {Compounds containing the structure P(=X)n-S-(S)x- (X = O, S, Se; n=0,1; x>=1)}
9/094 {with arylalkanols}	9/1656 {Compounds containing the structure P(=X)n-X-C(=X)- (X = O, S, Se; n = 0, 1)}
9/095 {Compounds containing the structure P(=O)-O-acyl, P(=O)-O-heteroatom, P(=O)-O-CN}	9/1657 {Compounds containing the structure P(=X)n-X-N (X = O, S, Se; n = 0, 1)}
9/096 {Compounds containing the structure P(=O)-O-C(=X)- (X = O, S, Se)}	9/1658 {Esters of thiopolyphosphoric acids or anhydrides}
9/097 {Compounds containing the structure P(=O)-O-N}	9/17 with hydroxyalkyl compounds without further substituents on alkyl
9/098 {Esters of polyphosphoric acids or anhydrides}	9/173 with unsaturated acyclic alcohols
9/10 Phosphatides, e.g. lecithin	9/177 with cycloaliphatic alcohols
9/103 {Extraction or purification by physical or chemical treatment of natural phosphatides; Preparation of compositions containing phosphatides of unknown structure}	9/18 with hydroxyaryl compounds
9/106 {Adducts, complexes, salts of phosphatides}	9/20 containing P-halide groups
9/11 with hydroxyalkyl compounds without further substituents on alkyl	9/2003 {containing the structure Hal-P-X-unsaturated acyclic rest}
9/113 with unsaturated acyclic alcohols	9/2006 {containing the structure Hal-P-X-aryl}
9/117 with cycloaliphatic alcohols	9/201 Esters of thiophosphorus acids
9/12 with hydroxyaryl compounds	9/2015 {with hydroxyalkyl compounds with further substituents on alkyl}
9/14 containing P(=O)-halide groups	9/202 with hydroxyl compounds without further substituents on alkyl
9/1403 {containing the structure Hal-P(=O)-O-unsaturated acyclic rest}	9/203 with unsaturated acyclic alcohols
9/1406 {containing the structure Hal-P(=O)-O-aryl}	9/204 with cycloaliphatic alcohols
9/141 Esters of phosphorous acids	9/205 with hydroxyaryl compounds
9/1411 {with hydroxyalkyl compounds with further substituents on alkyl}	9/206 containing P-halide groups
9/1412 {Polyol derivatives esterified at least twice by phosphorous acid rests}	9/22	. . . Amides of acids of phosphorus
9/1414 {with arylalkanols}	9/222 {Amides of phosphoric acids}
9/1415 {Compounds containing the structure P-O-acyl, P-O-heteroatom, P-O-CN}	9/224 {Phosphorus triamides}
		9/226 {containing the structure P-isocyanates}
		9/228 {containing the structure P-N-N, e.g. azides, hydrazides}
		9/24 Esteramides
		9/2404 {the ester moiety containing a substituent or a structure which is considered as characteristic}
		9/2408 {of hydroxyalkyl compounds}
		9/2412 {of unsaturated acyclic alcohols}
		9/2416 {of cycloaliphatic alcohols}
		9/242 {of hydroxyaryl compounds}

9/2425	{containing the structure (RX) (RR'N)P(=Y)-Z-(C)n-Z'-P(=Y)(XR)2 (X = O, S, NR; Y = O, S, electron pair; Z = O, S; Z' = O, S)}	9/3223	{Esters of cycloaliphatic acids}
9/2429	{of arylalkanols}	9/3229	{Esters of aromatic acids (P-C aromatic linkage)}
9/2433	{Compounds containing the structure N-P(=X)n-X-acyl, N-P(=X)n-X- heteroatom, N-P(=X)n-X-CN (X = O, S, Se; n = 0, 1)}	9/3235	{Esters of poly(thio)phosphinic acids}
9/2437	{Compounds containing the structure N-P(=X)n-S(S)x-(X = O, S, Se; n=0,1; x>=1)}	9/3241	{Esters of arylalkanephosphinic acids}
9/2441	{containing the structure N-P(=X)n- X-C(=X) (X = O, S, Se; n = 0, 1)}	9/3247	{Esters of acids containing the structure -C(=X)-P(=X)(R)(XH) or NC-P(=X)(R) (XH), (X = O, S, Se)}
9/2445	{containing the structure N-P(=X)n- X-N (X = O, S, Se; n = 0, 1)}	9/3252	{containing the structure -C(=X)- P(=X)(R)(XR), (X = O, S, Se)}
9/245	{containing the structure N-P(=X)n- X-P (X = O, S, Se; n = 0, 1)}	9/3258	{the ester moiety containing a substituent or a structure which is considered as characteristic}
9/2454	{the amide moiety containing a substituent or a structure which is considered as characteristic}	9/3264	{Esters with hydroxyalkyl compounds}
9/2458	{of aliphatic amines}	9/327	{Esters with unsaturated acyclic alcohols}
9/2462	{of unsaturated acyclic amines}	9/3276	{Esters with cycloaliphatic alcohols}
9/2466	{of cycloaliphatic amines}	9/3282	{Esters with hydroxyaryl compounds}
9/247	{of aromatic amines (N-C aromatic linkage)}	9/3288	{Esters with arylalkanols}
9/2475	{of aralkylamines}	9/3294	{Compounds containing the structure R2P(=X)-X-acyl, R2P(=X)-X- heteroatom, R2P(=X)-X-CN (X = O, S, Se)}
9/2479	{Compounds containing the structure P(=X)n-N-acyl, P(=X)n-N-heteroatom, P(=X)n-N-CN (X = O, S, Se; n = 0, 1)}	9/34	Halides thereof
9/2483	{containing the structure P(=X)n-N-S (X = O, S, Se; n = 0, 1)}	9/36	Amides thereof
9/2487	{containing the structure P(=X)n-N- C(=X) (X = O, S, Se; n = 0, 1)}	9/38	Phosphonic acids RP(=O)(OH)2; Thiophosphonic acids {, i.e. RP(=X)(XH)2 (X = S, Se)}
9/2491	{containing the structure P(=X)n-N-N (X = O, S, Se; n = 0, 1)}	9/3804	{not used, see subgroups}
9/2495	{containing the structure P(=X)n-N-P (X = O, S, Se; n = 0, 1)}	9/3808	{Acyclic saturated acids which can have further substituents on alkyl}
9/26	containing P-halide groups	9/3813	{N-Phosphonomethylglycine; Salts or complexes thereof}
9/28	with one or more P—C bonds	9/3817	{Acids containing the structure (RX)2P(=X)-alk-N...P (X = O, S, Se)}
9/30	Phosphinic acids R2P(=O)(OH); Thiophosphonic acids {, i.e. R2P(=X)(XH) (X = S, Se)}	9/3821	{substituted by B, Si, P or a metal (C07F 9/3839 takes precedence)}
9/301	{Acyclic saturated acids which can have further substituents on alkyl}	9/3826	{Acyclic unsaturated acids}
9/302	{Acyclic unsaturated acids}	9/383	{Cycloaliphatic acids}
9/303	{Cycloaliphatic acids}	9/3834	{Aromatic acids (P-C aromatic linkage)}
9/304	{Aromatic acids (P-C aromatic linkage)}	9/3839	{Polyphosphonic acids}
9/305	{Poly(thio)phosphinic acids}	9/3843	{containing no further substituents than -PO3H2 groups}
9/306	{Arylalkanephosphinic acids, e.g. Ar- (CH2)n-P(=X)(R)(XH), (X = O, S, Se; n>=1)}	9/3847	{Acyclic unsaturated derivatives}
9/307	{Acids containing the structure -C(=X)- P(=X)(R)(XH) or NC-P(=X)(R)(XH), (X = O, S, Se)}	9/3852	{Cycloaliphatic derivatives}
9/308	{Pyrophosphinic acids; Phosphinic acid anhydrides}	9/3856	{containing halogen or nitro(so) substituents}
9/32	Esters thereof	9/386	{containing hydroxy substituents in the hydrocarbon radicals}
9/3205	{the acid moiety containing a substituent or a structure which is considered as characteristic}	9/3865	{containing sulfur substituents}
9/3211	{Esters of acyclic saturated acids which can have further substituents on alkyl}	9/3869	{containing carboxylic acid or carboxylic acid derivative substituents}
9/3217	{Esters of acyclic unsaturated acids}	9/3873	{containing nitrogen substituents, e.g. N.....H or N-hydrocarbon rest which can be substituted by halogen or nitro(so), N.....O, N.....S, N.....C(=X)- (X = O, S) , N.....N, N...C(=X)...N (X = O, S)}
			9/3878	{containing substituents selected from B, Si, P (other than -PO3H2 groups) or a metal}
			9/3882	{Arylalkanephosphonic acids (C07F 9/3839 takes precedence)}

- 9/3886 {Acids containing the structure $-C(=X)-P(=X)(XH)_2$ or $NC-P(=X)(XH)_2$, (X = O, S, Se)}
- 9/3891 {Acids containing the structure $-C(=X)-P(=X)(XH)_2$, (X = O, S, Se)}
- 9/3895 {Pyrophosphonic acids; phosphonic acid anhydrides}
- 9/40 Esters thereof
- 9/4003 {the acid moiety containing a substituent or a structure which is considered as characteristic}
- 9/4006 {Esters of acyclic acids which can have further substituents on alkyl}
- 9/4009 {Esters containing the structure $(RX)_2P(=X)-alk-N...P$ (X = O, S, Se)}
- 9/4012 {substituted by B, Si, P or a metal ([C07F 9/4025](#) takes precedence)}
- 9/4015 {Esters of acyclic unsaturated acids}
- 9/4018 {Esters of cycloaliphatic acids}
- 9/4021 {Esters of aromatic acids (P-C aromatic linkage)}
- 9/4025 {Esters of poly(thio)phosphonic acids}
- 9/4028 {containing no further substituents than $-PO_3H_2$ groups in free or esterified form}
- 9/4031 {Acyclic unsaturated derivatives}
- 9/4034 {Cycloaliphatic derivatives}
- 9/4037 {containing halogen or nitro(so) substituents}
- 9/404 {containing hydroxy substituents in the hydrocarbon radicals}
- 9/4043 {containing sulfur substituents}
- 9/4046 {containing carboxylic acid or carboxylic acid derivative substituents}
- 9/405 {containing nitrogen substituents, e.g. $N....H$ or N -hydrocarbon rest which can be substituted by halogen or nitro(so), $N....O$, $N....S$, $N....C(=X)-$ (X = O, S), $N....N$, $N...C(=X)...N$ (X = O, S)}
- 9/4053 {containing substituents selected from B, Si, P ([other than \$-PO_3H_2\$ groups in free or esterified form](#)), or a metal}
- 9/4056 {Esters of arylalkanephosphonic acids ([C07F 9/4025](#) takes precedence)}
- 9/4059 {Compounds containing the structure $(RY)_2P(=X)-(CH_2)_n-C(=O)-(CH_2)_m-Ar$, (X, Y = O, S, Se; $n \geq 1$, $m \geq 0$)}
- 9/4062 {Esters of acids containing the structure $-C(=X)-P(=X)(XR)_2$ or $NC-P(=X)(XR)_2$, (X = O, S, Se)}
- 9/4065 {Esters of acids containing the structure $-C(=X)-P(=X)(XR)_2$, (X = O, S, Se)}
- 9/4068 {Esters of pyrophosphonic acids; Esters of phosphonic acid anhydrides}
- 9/4071 {the ester moiety containing a substituent or a structure which is considered as characteristic}
- 9/4075 {Esters with hydroxyalkyl compounds}
- 9/4078 {Esters with unsaturated acyclic alcohols}
- 9/4081 {Esters with cycloaliphatic alcohols}
- 9/4084 {Esters with hydroxyaryl compounds}
- 9/4087 {Esters with arylalkanols}
- 9/409 {Compounds containing the structure $P(=X)-X-acyl$, $P(=X)-X-heteroatom$, $P(=X)-X-CN$ (X = O, S, Se)}
- 9/4093 {Compounds containing the structure $P(=X)-X-C(=X)-$ (X = O, S, Se)}
- 9/4096 {Compounds containing the structure $P(=X)-X-N$ (X = O, S, Se)}
- 9/42 Halides thereof
- 9/425 {Acid or estermonohalides thereof, e.g. $RP(=X)(YR)(Hal)$ (X, Y = O, S; R = H, or hydrocarbon group)}
- 9/44 Amides thereof
- 9/4403 {the acid moiety containing a substituent or a structure which is considered as characteristic}
- 9/4407 {Amides of acyclic saturated acids which can have further substituents on alkyl}
- 9/4411 {Amides of acyclic unsaturated acids}
- 9/4415 {Amides of cycloaliphatic acids}
- 9/4419 {Amides of aromatic acids (P-C aromatic linkage)}
- 9/4423 {Amides of poly (thio)phosphonic acids}
- 9/4426 {Amides of arylalkanephosphonic acids}
- 9/443 {Amides of acids containing the structure $-C(=Y)-P(=X)(XR)-N$ or $NC-(P(=X)(XR)-N)$ }
- 9/4434 {the ester moiety containing a substituent or a structure which is considered as characteristic}
- 9/4438 {Ester with hydroxyalkyl compounds}
- 9/4442 {Esters with unsaturated acyclic alcohols}
- 9/4446 {Esters with cycloaliphatic alcohols}
- 9/4449 {Esters with hydroxyaryl compounds}
- 9/4453 {Esters with arylalkanols}
- 9/4457 {Compounds containing the structure $C-P(=X)(X-acyl)-N$, $C-P(=X)(X-heteroatom)-N$ or $C-P(=X)(X-CN)-N$ (X, Y = O, S)}
- 9/4461 {the amide moiety containing a substituent or a structure which is considered as characteristic}
- 9/4465 {of aliphatic amines}
- 9/4469 {of unsaturated acyclic amines}
- 9/4473 {of cycloaliphatic amines}
- 9/4476 {of aromatic amines (N-C aromatic linkage)}
- 9/448 {of aralkylamines}
- 9/4484 {Compounds containing the structure $C-P(=X)(N-acyl)-X$, $C-P(=X)(N-heteroatom)-X$ or $C-P(=X)(N-CN)-X$ (X = O, S, Se)}
- 9/4488 {Compounds containing the structure $P(=X)(N-S-)$ (X = O, S, Se)}
- 9/4492 {Compounds containing the structure $P(=X)(N-C(=X)-)$ (X = O, S, Se)}
- 9/4496 {Compounds containing the structure $P(=X)(N-N-)$ (X = O, S, Se)}

- 9/46 . . . Phosphinous acids $R_2=P-OH$;
Thiophosphinous acids; Aminophosphines
 R_2-P-NH_2 {including $R_2P(=O)H$; derivatives
thereof}
- 9/48 . . . Phosphonous acids $R-P(OH)_2$;
Thiophosphonous acids {including $RHP(=O)$
(OH); Derivatives thereof}
- 9/4808 {the acid moiety containing a substituent
or structure which is considered as
characteristic}
- 9/4816 {Acyclic saturated acids or derivatives
which can have further substituents on
alkyl}
- 9/4825 {Acyclic unsaturated acids or derivatives}
- 9/4833 {Cycloaliphatic acids or derivatives}
- 9/4841 {Aromatic acids or derivatives (P-C
aromatic linkage)}
- 9/485 {Polyphosphonous acids or derivatives}
- 9/4858 {Acids or derivatives containing the
structure $-C(=X)-P(XR)_2$ or $NC-P(XR)_2$
(X = O, S, Se)}
- 9/4866 {the ester moiety containing a substituent
or structure which is considered as
characteristic}
- 9/4875 {Esters with hydroxy aryl compounds}
- 9/4883 {Amides or esteramides thereof, e.g.
 $RP(NR'_2)_2$ or $RP(XR')(NR'_2)$ (X = O, S)}
- 9/4891 {Monohalide derivatives $RP(XR')$ (Hal) (X
= O, S, N) (dihalide derivatives [C07F 9/52](#))}
- 9/50 . . . Organo-phosphines
- 9/5004 {Acyclic saturated phosphines}
- 9/5009 {substituted by B, Si, P or a metal
([C07F 9/5027](#) takes precedence)}
- 9/5013 {Acyclic unsaturated phosphines}
- 9/5018 {Cycloaliphatic phosphines}
- 9/5022 {Aromatic phosphines (P-C aromatic
linkage)}
- 9/5027 {Polyphosphines}
- 9/5031 {Arylalkane phosphines ([C07F 9/5027](#) takes
precedence)}
- 9/5036 {Phosphines containing the structure $-C(=X)-$
P or $NC-P$ }
- 9/504 {Organo-phosphines containing a P-P bond}
- 9/5045 {Complexes or chelates of phosphines with
metallic compounds or metals}
- 9/505 {Preparation; Separation; Purification;
Stabilisation}
- 9/5054 {by a process in which the phosphorus
atom is not involved}
- 9/5059 {by addition of phosphorus compounds to
alkenes or alkynes}
- 9/5063 {from compounds having the structure
P-H or P-Heteroatom, in which one or
more of such bonds are converted into P-C
bonds ([C07F 9/5059](#) takes precedence)}
- 9/5068 {from starting materials having the
structure $>P-Hal$ }
- 9/5072 {from starting materials having the
structure P-H ([C07F 9/5059](#) takes
precedence)}
- 9/5077 {from starting materials having the
structure P-Metal, including R_2PM^+ }
- 9/5081 {from starting materials having
the structure $>P-Het$, Het being an
heteroatom different from Hal or Metal}
- 9/5086 {from phosphonium salts as starting
materials}
- 9/509 {by reduction of pentavalent phosphorus
derivatives, e.g. $-P=X$ with X = O, S, Se or
 $-P-Hal_2$ }
- 9/5095 {Separation; Purification; Stabilisation}
- 9/52 Halophosphines
- 9/53 Organo-phosphine oxides; Organo-
phosphine thioxides
- 9/5304 {Acyclic saturated phosphine oxides or
thioxides}
- 9/5308 {substituted by B, Si, P or a metal}
- 9/5312 {substituted by a phosphorus atom
([C07F 9/5329](#) takes precedence)}
- 9/5316 {Unsaturated acyclic phosphine oxides or
thioxides}
- 9/532 {Cycloaliphatic phosphine oxides or
thioxides}
- 9/5325 {Aromatic phosphine oxides or thioxides
(P-C aromatic linkage)}
- 9/5329 {Polyphosphine oxides or thioxides}
- 9/5333 {Arylalkane phosphine oxides or thioxides
([C07F 9/5329](#) takes precedence)}
- 9/5337 {Phosphine oxides or thioxides containing
the structure $-C(=X)-P(=X)$ or $NC-P(=X)$
(X = O, S, Se)}
- 9/5341 {Organo-phosphine oxides or thioxides
containing a P-P bond}
- 9/5345 {Complexes or chelates of phosphine-
oxides or thioxides with metallic
compounds or metals}
- 9/535 . . . Organo-phosphoranes
- 9/5352 {Phosphoranes containing the structure
 $P=C-$ }
- 9/5355 {Phosphoranes containing the structure
 $P=N-$ }
- 9/5357 {Polyphosphazenes containing the
structure $[P=N]_n$ (cyclic phosphazenes
[C07F 9/65812](#))}
- 9/54 . . . Quaternary phosphonium compounds
- 9/5407 {Acyclic saturated phosphonium
compounds}
- 9/5414 {substituted by B, Si, P or a metal}
- 9/5421 {substituted by a phosphorus atom
([C07F 9/5449](#) takes precedence)}
- 9/5428 {Acyclic unsaturated phosphonium
compounds}
- 9/5435 {Cycloaliphatic phosphonium compounds}
- 9/5442 {Aromatic phosphonium compounds (P-C
aromatic linkage)}
- 9/5449 {Polyphosphonium compounds}
- 9/5456 {Arylalkane phosphonium compounds}
- 9/5463 {Compounds of the type "quasi-
phosphonium", e.g. $(C)_aP-(Y)_b$ wherein a
+b=4, b>=1 and Y=heteroatom, generally N
or O}
- 9/547 . . . Heterocyclic compounds, e.g. containing
phosphorus as a ring hetero atom

9/5475	. . . {having nitrogen and selenium with or without oxygen or sulfur as ring hetero atoms; having nitrogen and tellurium with or without oxygen or sulfur as ring hetero atoms}	9/6527	. . . having nitrogen and oxygen atoms as the only ring hetero atoms
9/553	. . . having one nitrogen atom as the only ring hetero atom	9/653 Five-membered rings
9/5532 {Seven-(or more) membered rings}	9/65306 {containing two nitrogen atoms}
9/5535 {condensed with carbocyclic rings or ring systems}	9/65312 {having the two nitrogen atoms in positions 1 and 2}
9/5537 {the heteroring containing the structure - C(=O)-N-C(=O)- (both carbon atoms belong to the heteroring)}	9/65318 {having the two nitrogen atoms in positions 1 and 3}
9/564 Three-membered rings	9/65324 {condensed with carbocyclic rings or carbocyclic ring systems}
9/568 Four-membered rings	9/6533 Six-membered rings
9/5686 {condensed with carbocyclic rings or ring systems}	9/65335 {condensed with carbocyclic rings or carbocyclic ring systems}
9/572 Five-membered rings	9/6536	. . . having nitrogen and sulfur atoms with or without oxygen atoms, as the only ring hetero atoms
9/5728 {condensed with carbocyclic rings or carbocyclic ring systems}	9/6539 Five-membered rings
9/576 Six-membered rings	9/65392 {containing two nitrogen atoms}
9/5765 {condensed with carbocyclic rings or carbocyclic ring systems}	9/65395 {having the two nitrogen atoms in positions 1 and 2}
9/58 Pyridine rings	9/65397 {having the two nitrogen atoms in positions 1 and 3}
9/59 Hydrogenated pyridine rings	9/6541 condensed with carbocyclic rings or {carbocyclic} ring systems
9/60 Quinoline or hydrogenated quinoline ring systems	9/6544 Six-membered rings
9/62 Isoquinoline or hydrogenated isoquinoline ring systems	9/6547 condensed with carbocyclic rings or {carbocyclic} ring systems
9/64 Acridine or hydrogenated acridine ring systems	9/655	. . . having oxygen atoms, with or without sulfur, selenium, or tellurium atoms, as the only ring hetero atoms
9/645	. . . having two nitrogen atoms as the only ring hetero atoms	9/65502 {the oxygen atom being part of a three-membered ring}
9/6503 Five-membered rings	9/65505 {Phosphonic acids containing oxirane groups; esters thereof}
9/65031 {having the nitrogen atoms in the positions 1 and 2}	9/65507 {condensed with carbocyclic rings or carbocyclic ring systems}
9/65038 {condensed with carbocyclic rings or carbocyclic ring systems}	9/6551 {the oxygen atom being part of a four-membered ring}
9/6506 having the nitrogen atoms in positions 1 and 3	9/65512 {condensed with carbocyclic rings or carbocyclic ring systems}
9/65068 {condensed with carbocyclic rings or carbocyclic ring systems}	9/65515 {the oxygen atom being part of a five-membered ring}
9/6509 Six-membered rings	9/65517 {condensed with carbocyclic rings or carbocyclic ring systems}
9/650905 {having the nitrogen atoms in the positions 1 and 2}	9/6552 {the oxygen atom being part of a six-membered ring}
9/650947 {condensed with carbocyclic rings or carbocyclic ring systems}	9/65522 {condensed with carbocyclic rings or carbocyclic ring systems}
9/650952 {having the nitrogen atoms in the positions 1 and 4}	9/65525 {the oxygen atom being part of a seven-(or more) membered ring}
9/650994 {condensed with carbocyclic rings or carbocyclic ring systems}	9/65527 {condensed with carbocyclic rings or carbocyclic ring systems}
9/6512 having the nitrogen atoms in positions 1 and 3	9/6553	. . . having sulfur atoms, with or without selenium or tellurium atoms, as the only ring hetero atoms
9/65128 {condensed with carbocyclic rings or carbocyclic ring systems}	9/655309 {the sulfur atom being part of a three-membered ring}
9/6515	. . . having three nitrogen atoms as the only ring hetero atoms	9/655318 {condensed with carbocyclic rings or carbocyclic ring systems}
9/6518 Five-membered rings	9/655327 {the sulfur atom being part of a four-membered ring}
9/65188 {condensed with carbocyclic rings or carbocyclic ring systems}	9/655336 {condensed with carbocyclic rings or carbocyclic ring systems}
9/6521 Six-membered rings		
9/65218 {condensed with carbocyclic rings or carbocyclic ring systems}		
9/6524	. . . having four or more nitrogen atoms as the only ring hetero atoms		

- 9/655345 {the sulfur atom being part of a five-membered ring}
- 9/655354 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/655363 {the sulfur atom being part of a six-membered ring}
- 9/655372 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/655381 {the sulfur atom being part of a seven-(or more) membered ring}
- 9/65539 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6558 . . . containing at least two different or differently substituted hetero rings neither condensed among themselves nor condensed with a common carbocyclic ring or ring system
- 9/65583 {each of the hetero rings containing nitrogen as ring hetero atom}
- 9/65586 {at least one of the hetero rings does not contain nitrogen as ring hetero atom}
- 9/6561 . . . containing systems of two or more relevant hetero rings condensed among themselves or condensed with a common carbocyclic ring or ring system, with or without other non-condensed hetero rings
- 9/65611 {containing the ring system 
- (X = CH₂, O, S, NH) optionally with an additional double bond and/or substituents, e.g. penicillins and analogs}
- 9/65613 {containing the ring system 
- (X = CH₂, O, S, NH) optionally with an additional double bond and/or substituents, e.g. cephalosporins and analogs}
- 9/65615 {containing a spiro condensed ring system of the formula  where at least one of the atoms X or Y is a hetero atom, e.g. S}
- 9/65616 {containing the ring system 
- having three or more than three double bonds between ring members or between ring members and non-ring members, e.g. purine or analogs}
- 9/65618 {containing the ring system, e.g. flavins or analogues} 
- 9/6564 . . . having phosphorus atoms, with or without nitrogen, oxygen, sulfur, selenium or tellurium atoms, as ring hetero atoms
- 9/6568 having phosphorus atoms as the only ring hetero atoms
- 9/65681 {the ring phosphorus atom being part of a (thio)phosphinic acid or ester thereof}
- 9/65683 {the ring phosphorus atom being part of a phosphine}
- 9/65685 {the ring phosphorus atom being part of a phosphine oxide or thioxide}
- 9/65686 {the ring phosphorus atom being part of an organo-phosphorane}
- 9/65688 {the ring phosphorus atom being part of a phosphonium compound}
- 9/6571 having phosphorus and oxygen atoms as the only ring hetero atoms
- 9/657109 {esters of oxyacids of phosphorus in which one or more exocyclic oxygen atoms have been replaced by (a) sulfur atom(s)}
- 9/657118 {non-condensed with carbocyclic rings or heterocyclic rings or ring systems}
- 9/657127 {condensed with carbocyclic or heterocyclic rings or ring systems}
- 9/657136 {the molecule containing more than one cyclic phosphorus atom}
- 9/657145 {the cyclic phosphorus atom belonging to more than one ring system}
- 9/657154 {Cyclic esteramides of oxyacids of phosphorus}
- 9/657163 {the ring phosphorus atom being bound to at least one carbon atom}
- 9/657172 {the ring phosphorus atom and one oxygen atom being part of a (thio)phosphinic acid ester: 
- (X = O, S)}
- 9/657181 {the ring phosphorus atom and, at least, one ring oxygen atom being part of a (thio)phosphonic acid derivative}
- 9/65719 {the ring phosphorus atom and, at least, one ring oxygen atom being part of a (thio)phosphonous acid derivative}
- 9/6574 Esters of oxyacids of phosphorus {[\(C07F 9/657163 takes precedence\)](#)}
- 9/65742 {non-condensed with carbocyclic rings or heterocyclic rings or ring systems}
- 9/65744 {condensed with carbocyclic or heterocyclic rings or ring systems}
- 9/65746 {the molecule containing more than one cyclic phosphorus atom}
- 9/65748 {the cyclic phosphorus atom belonging to more than one ring system}
- 9/6578 having phosphorus and sulfur atoms with or without oxygen atoms, as ring hetero atoms
- 9/65785 {the ring phosphorus atom and, at least, one ring sulfur atom being part of a thiophosphonic acid derivative}
- 9/6581 having phosphorus and nitrogen atoms with or without oxygen or sulfur atoms, as ring hetero atoms
- 9/65811 {having four or more phosphorus atoms as ring hetero atoms}
- 9/65812 {Cyclic phosphazenes [P=N-]_n, n>=3}
- 9/65814 {n = 3 or 4}
- 9/65815 {n = 3}
- 9/65817 {n = 4}
- 9/65818 {n > 4}
- 9/6584 having one phosphorus atom as ring hetero atom

- 9/65842 {Cyclic amide derivatives of acids of phosphorus, in which one nitrogen atom belongs to the ring}
- 9/65844 {the phosphorus atom being part of a five-membered ring which may be condensed with another ring system}
- 9/65846 {the phosphorus atom being part of a six-membered ring which may be condensed with another ring system}
- 9/65848 {Cyclic amide derivatives of acids of phosphorus, in which two nitrogen atoms belong to the ring}
- 9/6587 having two phosphorus atoms as ring hetero atoms in the same ring
- 9/659 having three phosphorus atoms as ring hetero atoms in the same ring
{(C07F 9/65812 takes precedence)}
- 9/6596 . . . having atoms other than oxygen, sulfur, selenium, tellurium, nitrogen or phosphorus as ring hetero atoms
- 9/66 . Arsenic compounds
- 9/68 . . without As—C bonds
- 9/70 . . Organo-arsenic compounds
- 9/72 . . . Aliphatic compounds
- 9/74 . . . Aromatic compounds
- 9/76 containing hydroxyl groups
- 9/78 containing amino groups
- 9/80 . . . Heterocyclic compounds
- 9/82 Arsenic compounds containing one or more pyridine rings
- 9/84 Arsenic compounds containing one or more quinoline ring systems
- 9/86 Arsenic compounds containing one or more isoquinoline ring systems
- 9/88 Arsenic compounds containing one or more acridine ring systems
- 9/90 . Antimony compounds
- 9/902 . . {Compounds without antimony-carbon linkages}
- 9/92 . . Aromatic compounds
- 9/94 . Bismuth compounds
- 11/00 Compounds containing elements of Groups 6 or 16 of the Periodic System**
- 11/005 . {compounds without a metal-carbon linkage}
- 13/00 Compounds containing elements of Groups 7 or 17 of the Periodic System**
- 13/005 . {Compounds without a metal-carbon linkage}
- 15/00 Compounds containing elements of Groups 8, 9, 10 or 18 of the Periodic System**
- 15/0006 . {compounds of the platinum group}
- 15/0013 . . {without a metal-carbon linkage}
- 15/002 . . {Osmium compounds}
- 15/0026 . . . {without a metal-carbon linkage}
- 15/0033 . . {Iridium compounds}
- 15/004 . . . {without a metal-carbon linkage}
- 15/0046 . . {Ruthenium compounds}
- 15/0053 . . . {without a metal-carbon linkage}
- 15/006 . . {Palladium compounds}
- 15/0066 . . . {without a metal-carbon linkage}
- 15/0073 . . {Rhodium compounds}
- 15/008 . . . {without a metal-carbon linkage}
- 15/0086 . . {Platinum compounds}
- 15/0093 . . . {without a metal-carbon linkage}
- 15/02 . Iron compounds
- 15/025 . . {without a metal-carbon linkage}
- 15/03 . . Sideramines; The corresponding desferri compounds
- 15/04 . Nickel compounds
- 15/045 . . {without a metal-carbon linkage}
- 15/06 . Cobalt compounds
- 15/065 . . {without a metal-carbon linkage}
- 17/00 Metallocenes**
- 17/02 . of metals of Groups 8, 9 or 10 of the Periodic System
- 19/00 Metal compounds according to more than one of main groups C07F 1/00 - C07F 17/00**
- 19/005 . {without metal-C linkages}