

# CPC COOPERATIVE PATENT CLASSIFICATION

## F MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING (NOTE omitted)

### LIGHTING; HEATING

## F24 HEATING; RANGES; VENTILATING (NOTE omitted)

## F24H FLUID HEATERS, e.g. WATER OR AIR HEATERS, HAVING HEAT-GENERATING MEANS, e.g. HEAT PUMPS, IN GENERAL (steam generation F22)

### NOTES

1. The distinguishing feature of the air heaters covered by this subclass is that the heat is predominantly released to the air by convection, mostly by forced circulation of the air. The domestic stoves or ranges covered by subclasses [F24B](#), [F24C](#) may also be fired or electric air heaters but they release their heat to a considerable extent by radiation and only to some extent by natural convection.
2. In this subclass, the following terms are used with the meanings indicated:
  - "water" includes other liquids and means always the liquid to be heated;
  - "air" includes other gases or gas mixtures and means always the gas to be heated;
  - "furnace tubes" means tubes inside the heater wherein combustion is performed;
  - "fire tubes" means tubes inside the heater through which flue-gases flow from a combustion chamber located outside the tubes;
  - "heater" means apparatus including both heat generating means and means for transferring the generated heat to water or air.
3. All storage heaters are classified in group [F24H 7/00](#).

<b>1/00</b>	<b>Water heaters, e.g. boilers, continuous-flow heaters or water-storage heaters (steam boilers <a href="#">F22B</a>)</b>	1/122	. . . . {combined with storage tank}
		1/124	. . . {using fluid fuel}
		1/125	. . . . {combined with storage tank}
1/0009	. {of the reduced pressure or vacuum steam type}	1/127	. . . {using solid fuel}
1/0018	. {using electric energy supply}	1/128	. . . . {combined with storage tank}
1/0027	. {using fluid fuel}	1/14	. . . by tubes, e.g. bent in serpentine form
1/0036	. . {of the sealed type}	1/142	. . . . {using electric energy supply}
1/0045	. . {with catalytic combustion}	1/145	. . . . {using fluid fuel}
1/0054	. {Gas- or oil-fired immersion heaters for open containers or ponds}	1/147	. . . . {using solid fuel}
1/0063	. {using solid fuel}	1/16	. . . . helically or spirally coiled
1/0072	. {Special adaptations}	1/162	. . . . . {using electrical energy supply}
1/009	. . {for vehicle systems}	1/165	. . . . . {using fluid fuel}
1/06	. Portable or mobile, e.g. collapsible	1/167	. . . . . {using solid fuel}
1/08	. Packaged or self-contained boilers, i.e. water heaters with control devices and pump in a single unit	1/18	. Water-storage heaters
1/10	. Continuous-flow heaters, i.e. heaters in which heat is generated only while the water is flowing, e.g. with direct contact of the water with the heating medium	1/181	. . {Construction of the tank}
1/101	. . {using electric energy supply}	1/182	. . . {Insulation}
1/102	. . . {with resistance}	1/183	. . . {Inner linings}
1/103	. . . . {with bare resistances in direct contact with the fluid}	1/185	. . {using electric energy supply ( <a href="#">F24H 1/201</a> takes precedence)}
1/105	. . . . {formed by the tube through which the fluid flows}	1/186	. . {using fluid fuel}
1/106	. . . {with electrodes}	1/187	. . {using solid fuel}
1/107	. . {using fluid fuel}	1/188	. . {with means for compensating water expansion}
1/108	. . {using solid fuel}	1/20	. . with immersed heating elements, e.g. electric elements or furnace tubes
1/12	. . in which the water is kept separate from the heating medium	1/201	. . . {using electric energy supply}
1/121	. . . {using electric energy supply}	1/202	. . . . {with resistances}
		1/203	. . . . {with electrodes}
		1/205	. . . {with furnace tubes}
		1/206	. . . . {with submerged combustion chamber}
		1/207	. . . . {with water tubes}
		1/208	. . . {with tubes filled with heat transfer fluid}

- 1/22 . Water heaters other than continuous-flow or water-storage heaters, e.g. water heaters for central heating
- 1/225 . . {electrical central heating boilers}
- 1/24 . . with water mantle surrounding the combustion chamber or chambers
- 1/26 . . . the water mantle forming an integral body
- 1/263 . . . . {with a dry-wall combustion chamber}
- 1/28 . . . . including one or more furnace or fire tubes
- 1/282 . . . . . {with flue gas passages built-up by coaxial water mantles}
- 1/285 . . . . . {with the fire tubes arranged alongside the combustion chamber}
- 1/287 . . . . . {with the fire tubes arranged in line with the combustion chamber}
- 1/30 . . . the water mantle being built up from sections
- 1/32 . . . . with vertical sections arranged side by side
- 1/34 . . with water chamber arranged adjacent to the combustion chamber or chambers, e.g. above or at side
- 1/36 . . . the water chamber including one or more fire tubes
- 1/38 . . with water contained in separate elements, e.g. radiator-type element
- 1/40 . . with water tube or tubes
- 1/403 . . . {the water tubes being arranged in one or more circles around the burner}
- 1/406 . . . {the tubes forming a membrane wall}
- 1/41 . . . in serpentine form
- 1/43 . . . helically or spirally coiled
- 1/44 . . with combinations of two or more of the types covered by groups [F24H 1/24](#) - [F24H 1/40](#) {, e.g. boilers having a combination of features covered by [F24H 1/24](#) - [F24H 1/40](#)}
- 1/445 . . . {with integrated flue gas condenser}
- 1/46 . Water heaters having plural combustion chambers
- 1/48 . Water heaters for central heating incorporating heaters for domestic water
- 1/50 . . incorporating domestic water tanks
- 1/52 . . incorporating heat exchangers for domestic water ([F24H 1/50](#) takes precedence)
- 1/523 . . . {Heat exchangers for sanitary water directly heated by the burner}
- 1/526 . . . {Pipes in pipe heat exchangers for sanitary water}
- 1/54 . Water heaters for bathtubs or pools; Water heaters for reheating the water in bathtubs or pools
- 3/00 Air heaters**
- 3/002 . {using electric energy supply}
- 3/004 . . {with a closed circuit for a heat transfer liquid}
- 3/006 . {using fluid fuel}
- 3/008 . {using solid fuel}
- 3/02 . with forced circulation
- 3/022 . . {using electric energy supply}
- 3/025 . . {using fluid fuel}
- 3/027 . . {using solid fuel}
- 3/04 . . the air being in direct contact with the heating medium, e.g. electric heating element
- 3/0405 . . . {using electric energy supply, e.g. the heating medium being a resistive element; Heating by direct contact, i.e. with resistive elements, electrodes and fins being bonded together without additional element in-between ([F24H 3/06](#), [F24H 3/08](#), [F24H 3/10](#) take precedence)}
- 3/0411 . . . . {for domestic or space-heating systems}
- 3/0417 . . . . . {portable or mobile}
- 3/0423 . . . . {hand-held air guns}
- 3/0429 . . . . {For vehicles}
- 3/0435 . . . . . {Structures comprising heat spreading elements in the form of fins}
- 3/0441 . . . . . {Interfaces between the electrodes of a resistive heating element and the power supply means}
- 3/0447 . . . . . {Forms of the electrode terminals, e.g. tongues or clips}
- 3/0452 . . . . . {Frame constructions}
- 3/0458 . . . . . {One-piece frames}
- 3/0464 . . . . . {Two-piece frames, e.g. two-shell frames, also including frames as a central body with two covers}
- 3/047 . . . . . {Multiple-piece frames assembled on their four or more edges}
- 3/0476 . . . . . {Means for putting the electric heaters in the frame under strain, e.g. with springs}
- 3/0482 . . . . . {Frames with integrated fan}
- 3/0488 . . . {using fluid fuel}
- 3/0494 . . . {using solid fuel}
- 3/06 . . the air being kept separate from the heating medium, e.g. using forced circulation of air over radiators
- 3/062 . . . {using electric energy supply; the heating medium being the resistive element ([F24H 3/08](#), [F24H 3/10](#) takes precedence)}
- 3/065 . . . {using fluid fuel}
- 3/067 . . . {using solid fuel}
- 3/08 . . . by tubes
- 3/081 . . . . {using electric energy supply}
- 3/082 . . . . . {The tubes being an electrical isolator containing the heater}
- 3/084 . . . . . {The tubes being an electrode for the heater}
- 3/085 . . . . . {The tubes containing an electrically heated intermediate fluid, e.g. water}
- 3/087 . . . . {using fluid fuel}
- 3/088 . . . . {using solid fuel}
- 3/10 . . . by plates
- 3/102 . . . . {using electric energy supply}
- 3/105 . . . . {using fluid fuel}
- 3/107 . . . . {using solid fuel}
- 3/12 . with additional heating arrangements
- 4/00 Fluid heaters characterised by the use of heat pumps**
- 4/02 . Water heaters
- 4/04 . . Storage heaters
- 4/06 . Air heaters
- 6/00 Combined water and air heaters**
- 7/00 Storage heaters, i.e. heaters in which the energy is stored as heat in masses for subsequent release**

- 7/002 . {using electrical energy supply}
- 7/005 . {using fluid fuel}
- 7/007 . {using solid fuel}
- 7/02 . the released heat being conveyed to a transfer fluid
- 7/0208 . . {using electrical energy supply}
- 7/0216 . . . {the transfer fluid being air}
- 7/0225 . . . . {with supplementary heating means}
- 7/0233 . . . {the transfer fluid being water}
- 7/0241 . . . . {with supplementary heating means}
- 7/025 . . {using fluid fuel}
- 7/0258 . . . {the transfer fluid being air}
- 7/0266 . . . {the transfer fluid being water}
- 7/0275 . . {using solid fuel}
- 7/0283 . . . {the transfer fluid being air}
- 7/0291 . . . {the transfer fluid being water}
- 7/04 . . with forced circulation of the transfer fluid
- 7/0408 . . . {using electrical energy supply}
- 7/0416 . . . . {the transfer fluid being air}
- 7/0425 . . . . . {with supplementary heating means}
- 7/0433 . . . . {the transfer medium being water}
- 7/0441 . . . . . {with supplementary heating means}
- 7/045 . . . {using fluid fuel}
- 7/0458 . . . . {the transfer fluid being air}
- 7/0466 . . . . {the transfer fluid being water}
- 7/0475 . . . {using solid fuel}
- 7/0483 . . . . {the transfer fluid being air}
- 7/0491 . . . . {the transfer fluid being water}
- 7/06 . the released heat being radiated
- 7/062 . . {with electrical energy supply}
- 7/065 . . {with fluid fuel}
- 7/067 . . {with solid fuel}
- 8/00 Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation**
- 8/003 . {having means for moistening the combustion air with condensate from the combustion gases}
- 8/006 . {Means for removing condensate from the heater}
- 9/00 Details**
- 9/0005 . {for water heaters}
- 9/001 . . {Guiding means}
- 9/0015 . . . {in water channels}
- 9/0021 . . . . {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid}
- 9/0026 . . . . {in combustion gas channels}
- 9/0031 . . . . {with means for changing or adapting the path of the flue gas}
- 9/0036 . . {Dispositions against condensation of combustion products}
- 9/0042 . . {Cleaning arrangements}
- 9/0052 . {for air heaters}
- 9/0057 . . {Guiding means}
- 9/0063 . . . {in air channels}
- 9/0068 . . . {in combustion gas channels}
- 9/0073 . . {Arrangement or mounting of means for forcing the circulation of air}
- 9/0078 . . . {for storage heaters}
- 9/0084 . {Combustion air preheating}
- 9/0089 . . {by double wall boiler mantle}
- 9/0094 . {having means for transporting the boiler}
- 9/02 . Casings; Cover lids; Ornamental panels
- 9/06 . Arrangement of mountings or supports {for heaters, e.g. boilers, other than space heating radiators (space heating radiators [F24D 19/02](#))}
- 9/12 . Arrangements for connecting heaters to circulation pipes
- 9/13 . . for water heaters
- 9/133 . . . {Storage heaters}
- 9/136 . . . . {Arrangement of inlet valves used therewith}
- 9/139 . . . {Continuous flow heaters}
- 9/14 . Arrangements for connecting different sections, e.g. in water heaters ([arrangements for connecting heaters to circulation pipes F24H 9/12](#))
- 9/142 . . {Connecting hydraulic components}
- 9/144 . . . {Valve seats, piping and heat exchanger connections integrated into a one-piece hydraulic unit}
- 9/146 . . {Connecting elements of a heat exchanger}
- 9/148 . . {Arrangements of boiler components on a frame or within a casing to build the fluid heater, e.g. boiler}
- 9/16 . Arrangements for water drainage
- 9/17 . . Means for retaining water leaked from heaters
- 9/18 . Arrangement or mounting of grates or heating means
- 9/1809 . . for water heaters
- WARNING**
- Group [F24H 9/1809](#) is impacted by reclassification into group [F24H 9/1832](#).
- Groups [F24H 9/1809](#) and [F24H 9/1832](#) should be considered in order to perform a complete search.
- 9/1818 . . . Arrangement or mounting of electric heating means
- 9/1827 . . . . {Positive temperature coefficient [PTC] resistor}
- 9/1832 . . . Arrangement or mounting of combustion heating means, e.g. grates or burners
- WARNING**
- Group [F24H 9/1832](#) is incomplete pending reclassification of documents from group [F24H 9/1809](#).
- Groups [F24H 9/1809](#) and [F24H 9/1832](#) should be considered in order to perform a complete search.
- 9/1836 . . . . using fluid fuel
- 9/1845 . . . . using solid fuel
- 9/1854 . . for air heaters
- WARNING**
- Group [F24H 9/1854](#) is impacted by reclassification into group [F24H 9/1877](#).
- Groups [F24H 9/1854](#) and [F24H 9/1877](#) should be considered in order to perform a complete search.
- 9/1863 . . . Arrangement or mounting of electric heating means
- 9/1872 . . . . {PTC}

- 9/1877 . . . Arrangement or mounting of combustion heating means, e.g. grates or burners

#### **WARNING**

Group [F24H 9/1877](#) is incomplete pending reclassification of documents from group [F24H 9/1854](#).

Groups [F24H 9/1854](#) and [F24H 9/1877](#) should be considered in order to perform a complete search.

- 9/1881 . . . . using fluid fuel  
 9/189 . . . . using solid fuel  
 9/20 . . . Arrangement or mounting of control or safety devices

#### **WARNING**

Group [F24H 9/20](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/2007 . . {for water heaters}

#### **WARNING**

Group [F24H 9/2007](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/2014 . . . {using electrical energy supply}

#### **WARNING**

Group [F24H 9/2014](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/2021 . . . . {Storage heaters}

#### **WARNING**

Group [F24H 9/2021](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/2028 . . . . {Continuous-flow heaters}

#### **WARNING**

Group [F24H 9/2028](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/2035 . . . {using fluid fuel}

#### **WARNING**

Group [F24H 9/2035](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/2042 . . . . {Preventing or detecting the return of combustion gases}

#### **WARNING**

Group [F24H 9/2042](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/205 . . . . . {Closing the energy supply}

#### **WARNING**

Group [F24H 9/205](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/2057 . . . {using solid fuel}

#### **WARNING**

Group [F24H 9/2057](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/2064 . . {for air heaters}

#### **WARNING**

Group [F24H 9/2064](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 9/2071 . . . {using electrical energy supply}

#### **WARNING**

Group [F24H 9/2071](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

9/2078 . . . {Storage heaters}

#### **WARNING**

Group [F24H 9/2078](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

9/2085 . . . {using fluid fuel}

#### **WARNING**

Group [F24H 9/2085](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

9/2092 . . . {using solid fuel}

#### **WARNING**

Group [F24H 9/2092](#) is impacted by reclassification into groups [F24H 9/25](#), [F24H 9/28](#), and [F24H 15/00 - F24H 15/493](#).

All groups listed in this Warning should be considered in order to perform a complete search.

9/25 . . of remote control devices or control-panels

#### **WARNING**

Groups [F24H 9/25](#) and [F24H 9/28](#) are incomplete pending reclassification of documents from groups [F24H 9/20](#), [F24H 9/2007](#), [F24H 9/2014](#), [F24H 9/2021](#), [F24H 9/2028](#), [F24H 9/2035](#), [F24H 9/2042](#), [F24H 9/205](#), [F24H 9/2057](#), [F24H 9/2064](#), [F24H 9/2071](#), [F24H 9/2078](#), [F24H 9/2085](#), and [F24H 9/2092](#).

All groups listed in this Warning should be considered in order to perform a complete search.

9/28 . . . characterised by the graphical user interface [GUI]

9/40 . Arrangements for preventing corrosion

#### **WARNING**

Groups [F24H 9/40](#), [F24H 9/455](#), and [F24H 9/457](#) are incomplete pending reclassification of documents from group [F24H 9/45](#).

All groups listed in this Warning should be considered in order to perform a complete search.

9/45 . . for preventing galvanic corrosion, e.g. cathodic or electrolytic means

#### **WARNING**

Group [F24H 9/45](#) is impacted by reclassification into groups [F24H 9/40](#), [F24H 9/455](#), and [F24H 9/457](#).

All groups listed in this Warning should be considered in order to perform a complete search.

9/455 . . . {for water heaters}

9/457 . . . {for air heaters}

#### **15/00 Control of fluid heaters**

#### **WARNING**

Groups [F24H 15/00 - F24H 15/493](#) are incomplete pending reclassification of documents from groups [F24D 19/10 - F24D 19/1096](#) and [F24H 9/20 - F24H 9/2092](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 15/10 . characterised by the purpose of the control
- 15/104 . . Inspection; Diagnosis; Trial operation
- 15/108 . . Resuming operation, e.g. after power outages
- 15/112 . . Preventing or detecting blocked flues
- 15/116 . . . Disabling the heating means in response thereto
- 15/12 . . Preventing or detecting fluid leakage
- 15/124 . . Preventing or detecting electric faults, e.g. electric leakage
- 15/128 . . Preventing overheating
- 15/132 . . . Preventing the operation of water heaters with low water levels, e.g. dry-firing
- 15/136 . . Defrosting or de-icing; Preventing freezing
- 15/14 . . Cleaning; Sterilising; Preventing contamination by bacteria or microorganisms, e.g. by replacing fluid in tanks or conduits
- 15/144 . . Measuring or calculating energy consumption
- 15/148 . . . Assessing the current energy consumption
- 15/152 . . . Forecasting future energy consumption
- 15/156 . . Reducing the quantity of energy consumed; Increasing efficiency
- 15/16 . . Reducing cost using the price of energy, e.g. choosing or switching between different energy sources
- 15/164 . . . where the price of the electric supply changes with time
- 15/168 . . Reducing the electric power demand peak
- 15/172 . . Scheduling based on user demand, e.g. determining starting point of heating
- 15/174 . . Supplying heated water with desired temperature or desired range of temperature
- 15/175 . . . where the difference between the measured temperature and a set temperature is kept under a predetermined value
- 15/176 . . Improving or maintaining comfort of users
- 15/18 . . . Preventing sudden or unintentional change of fluid temperature
- 15/184 . . Preventing harm to users from exposure to heated water, e.g. scalding
- 15/196 . . Automatically filling bathtubs or pools; Reheating the water in bathtubs or pools
- 15/20 . characterised by control inputs



15/204	. . Temperature of the air before heating	15/429	. . . . for selecting operation modes
15/208	. . Temperature of the air after heating	15/436	. . . . for selecting sleeping modes
15/212	. . Temperature of the water	15/443	. . . using a central controller connected to several sub-controllers
15/215	. . . before heating	15/45	. . . remotely accessible
15/219	. . . after heating	15/457	. . . . using telephone networks or Internet communication
15/223	. . . in the water storage tank	15/464	. . . . using local wireless communication
15/225	. . . . at different heights of the tank	15/479	. . . . for programming the system
15/227	. . Temperature of the refrigerant in heat pump cycles	15/486	. . using timers
15/231	. . . at the evaporator	15/493	. . specially adapted for enabling recognition of parts newly installed in the fluid heating system, e.g. for retrofitting or for repairing by replacing parts
15/232	. . . at the condenser		
15/235	. . Temperature of exhaust gases	<b>2203/00</b>	<b>** to be deleted **</b>
15/238	. . Flow rate	<b>2210/00</b>	<b>Burner and heat exchanger are integrated</b>
15/242	. . Pressure	<b>2220/00</b>	<b>Measures for environmentally correct disposal</b>
15/246	. . Water level	<b>2230/00</b>	<b>Solid fuel fired boiler</b>
15/248	. . . of water storage tanks	2230/02	. Solid and fluid fuel fired boilers
15/25	. . Temperature of the heat-generating means in the heater	<b>2240/00</b>	<b>Fluid heaters having electrical generators</b>
15/254	. . Room temperature		<b><u>WARNING</u></b>
15/258	. . Outdoor temperature		Group <a href="#">F24H 2240/00</a> is impacted by reclassification into groups <a href="#">F24D 18/00</a> and <a href="#">F24D 2101/00</a> - <a href="#">F24D 2105/10</a> .
15/262	. . Weather information or forecast		Groups <a href="#">F24H 2240/00</a> , <a href="#">F24D 18/00</a> and <a href="#">F24D 2101/00</a> - <a href="#">F24D 2105/10</a> should be considered in order to perform a complete search.
15/265	. . Occupancy		
15/269	. . Time, e.g. hour or date		
15/273	. . Address or location		
15/277	. . Price		
15/281	. . Input from user		
15/288	. . Accumulation of deposits, e.g. lime or scale		
15/292	. . Metering of electricity sold to the grid		
15/296	. . Information from neighbouring devices		
15/30	. characterised by control outputs; characterised by the components to be controlled		
15/305	. . Control of valves ( <a href="#">of heat pumps F24H 15/385</a> , <a href="#">F24H 15/39</a> )	2240/01	. Batteries, electrical energy storage device
15/31	. . . of valves having only one inlet port and one outlet port, e.g. flow rate regulating valves		<b><u>WARNING</u></b>
15/315	. . . of mixing valves		Group <a href="#">F24H 2240/01</a> is impacted by reclassification into groups <a href="#">F24D 18/00</a> and <a href="#">F24D 2101/00</a> - <a href="#">F24D 2105/10</a> .
15/32	. . . of switching valves ( <a href="#">for by-passing F24H 15/325</a> )		Groups <a href="#">F24H 2240/01</a> , <a href="#">F24D 18/00</a> and <a href="#">F24D 2101/00</a> - <a href="#">F24D 2105/10</a> should be considered in order to perform a complete search.
15/325	. . . of by-pass valves		
15/33	. . Control of dampers		
15/335	. . Control of pumps, e.g. on-off control ( <a href="#">control of compressors of heat pumps F24H 15/38</a> )	2240/02	. with combustion engines
15/34	. . . Control of the speed of pumps		<b><u>WARNING</u></b>
15/345	. . Control of fans, e.g. on-off control ( <a href="#">control of fans of heat pump units F24H 15/375</a> )		Group <a href="#">F24H 2240/02</a> is impacted by reclassification into groups <a href="#">F24D 18/00</a> and <a href="#">F24D 2101/00</a> - <a href="#">F24D 2105/10</a> .
15/35	. . . Control of the speed of fans		Groups <a href="#">F24H 2240/02</a> , <a href="#">F24D 18/00</a> and <a href="#">F24D 2101/00</a> - <a href="#">F24D 2105/10</a> should be considered in order to perform a complete search.
15/355	. . Control of heat-generating means in heaters		
15/36	. . . of burners		
15/365	. . . . of two or more burners, e.g. an array of burners		
15/37	. . . of electric heaters		
15/375	. . Control of heat pumps	2240/04	. . External combustion engines
15/38	. . . Control of compressors of heat pumps		<b><u>WARNING</u></b>
15/385	. . . Control of expansion valves of heat pumps		Group <a href="#">F24H 2240/04</a> is impacted by reclassification into groups <a href="#">F24D 18/00</a> and <a href="#">F24D 2101/00</a> - <a href="#">F24D 2105/10</a> .
15/39	. . . Control of valves for distributing refrigerant to different evaporators or condensers in heat pumps		Groups <a href="#">F24H 2240/04</a> , <a href="#">F24D 18/00</a> and <a href="#">F24D 2101/00</a> - <a href="#">F24D 2105/10</a> should be considered in order to perform a complete search.
15/395	. . Information to users, e.g. alarms		
15/40	. characterised by the type of controllers		
15/407	. . using electrical switching, e.g. TRIAC		
15/414	. . using electronic processing, e.g. computer-based		
15/421	. . . using pre-stored data		

- 2240/06 . . Internal combustion engines

**WARNING**

Group [F24H 2240/06](#) is impacted by reclassification into groups [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#).

Groups [F24H 2240/06](#), [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#) should be considered in order to perform a complete search.

- 2240/08 . with peltier elements

**WARNING**

Group [F24H 2240/08](#) is impacted by reclassification into groups [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#).

Groups [F24H 2240/08](#), [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#) should be considered in order to perform a complete search.

- 2240/09 . with photovoltaic cells

**WARNING**

Group [F24H 2240/09](#) is impacted by reclassification into groups [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#).

Groups [F24H 2240/09](#), [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#) should be considered in order to perform a complete search.

- 2240/10 . with fuel cells

**WARNING**

Group [F24H 2240/10](#) is impacted by reclassification into groups [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#).

Groups [F24H 2240/10](#), [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#) should be considered in order to perform a complete search

- 2240/12 . with thermodynamic cycle for converting thermal energy to mechanical power to produce electrical energy

**WARNING**

Group [F24H 2240/12](#) is impacted by reclassification into groups [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#).

Groups [F24H 2240/12](#), [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#) should be considered in order to perform a complete search.

- 2240/122 . . Stirling cycles

**WARNING**

Group [F24H 2240/122](#) is impacted by reclassification into groups [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#).

Groups [F24H 2240/122](#), [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#) should be considered in order to perform a complete search.

- 2240/125 . . Carnot cycles

**WARNING**

Group [F24H 2240/125](#) is impacted by reclassification into groups [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#).

Groups [F24H 2240/125](#), [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#) should be considered in order to perform a complete search.

- 2240/127 . . Rankine cycles, e.g. steam heat engines

**WARNING**

Group [F24H 2240/127](#) is impacted by reclassification into groups [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#).

Groups [F24H 2240/127](#), [F24D 18/00](#) and [F24D 2101/00](#) - [F24D 2105/10](#) should be considered in order to perform a complete search.

**2250/00 Electrical heat generating means**

- 2250/02 . Resistances

- 2250/04 . Positive or negative temperature coefficients, e.g. PTC, NTC

- 2250/06 . Peltier

- 2250/08 . Induction

- 2250/10 . Electrodes

- 2250/12 . Microwaves

- 2250/14 . Lamps