

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

TRANSPORTING

B65 CONVEYING; PACKING; STORING; HANDLING THIN OR FILAMENTARY MATERIAL

B65D CONTAINERS FOR STORAGE OR TRANSPORT OF ARTICLES OR MATERIALS, e.g. BAGS, BARRELS, BOTTLES, BOXES, CANS, CARTONS, CRATES, DRUMS, JARS, TANKS, HOPPERS, FORWARDING CONTAINERS; ACCESSORIES, CLOSURES, OR FITTINGS THEREFOR; PACKAGING ELEMENTS; PACKAGES

NOTES

1. In this subclass, the indexing codes of [B65D 2519/00004](#) - [B65D 2519/00995](#) should be added, if applicable
2. This subclass covers:
 - containers, packaging elements or packages with auxiliary means or provisions for displaying articles or materials;
 - methods of packaging which are wholly characterised by the form of the package produced or the form of the container or packaging element used, as distinct from the operations performed or the apparatus employed, which are covered by subclass [B65B](#)
3. This subclass, which is intended to be as comprehensive as possible, only excludes containers or packages of a nature clearly confined to a single other subclass, which are classified in that subclass
4. In this subclass, groups [B65D 5/00](#), [B65D 27/00](#), [B65D 29/00](#), [B65D 31/00](#) or [B65D 65/00](#) include constructional features of foldable or erectable container or wrapper blanks as well as the containers or wrappers formed by folding or erecting such blanks
5. Containers, packaging elements or packages classified in group [B65D 85/00](#), are also classified according to the constructional or functional features, if such features are of interest
6. In this subclass, the following terms or expressions are used with the meanings indicated:
 - "rigid or semi-rigid containers" includes:
 - a. containers not deformed by, or not taking-up the shape of, their contents;
 - b. containers adapted to be temporarily deformed to expel their contents;
 - c. pallets;
 - d. trays;
 - "flexible containers" includes:
 - a. containers deformed by, or taking-up the shape of, their contents;
 - b. containers adapted to be permanently deformed to expel their contents;
 - "packaging elements" includes:
 - a. elements, other than containers, for covering, protecting, stiffening, or holding together articles or materials to be stored or transported;
 - b. packaging materials of special type or form not provided for in other subclasses;
 - "packages" includes:
 - a. combination of containers or packaging elements with articles or materials to be stored or transported;
 - b. articles joined together for convenience of storage or transport;
 - "paper" includes materials, e.g. cardboard, plastic sheet materials, laminated materials, or metal foils, worked in a manner analogous to paper;
 - "large containers", in groups [B65D 88/00](#) or [B65D 90/00](#), means containers having about the size of containers used in container traffic, sometimes referred to as freight, forwarding or "ISO" (International Standardization) containers, or larger containers
7. Tamper-indicating means for containers or closures are classified in the group appropriate to the type of container or closure, e.g. [B65D 5/54](#), [B65D 17/00](#), [B65D 27/30](#), [B65D 27/30](#), [B65D 27/34](#), [B65D 33/34](#), [B65D 41/32](#), [B65D 47/36](#), [B65D 49/12](#), [B65D 51/20](#), [B65D 55/06](#)

WARNINGS

1. The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

B65D 5/34	covered by	B65D 5/325
B65D 5/35	covered by	B65D 5/325
B65D 5/355	covered by	B65D 5/0005
B65D 5/43	covered by	B65D 5/42
B65D 5/462	covered by	B65D 5/46008 - B65D 5/46032

B65D

B65D

(continued)

B65D 5/465	covered by	B65D 5/46008 - B65D 5/46032
B65D 5/468	covered by	B65D 5/4608
B65D 5/472	covered by	B65D 5/46048
B65D 5/475	covered by	B65D 5/46008
B65D 5/478	covered by	B65D 5/46056
B65D 5/4805 - B65D 5/489	covered by	B65D 5/48002
B65D 5/49 - B65D 5/499	covered by	B65D 5/48024
B65D 5/63	covered by	B65D 5/72
B65D 6/00 - B65D 6/40	covered by	B65D 7/00 , B65D 9/00 , B65D 11/00 , B65D 15/00
B65D 8/00 - B65D 8/22	covered by	B65D 7/00 , B65D 9/00 , B65D 11/00 , B65D 15/00
B65D 19/22	covered by	B65D 19/0004
B65D 19/24	covered by	B65D 19/0004
B65D 19/26	covered by	B65D 19/0004
B65D 19/28	covered by	B65D 19/0004
B65D 19/30	covered by	B65D 19/0004
B65D 19/31	covered by	B65D 19/0004
B65D 19/32	covered by	B65D 19/0002 , B65D 19/0004
B65D 19/34	covered by	B65D 19/0004
B65D 21/024	covered by	B65D 21/0201
B65D 21/028	covered by	B65D 21/0204
B65D 21/032	covered by	B65D 21/0209
B65D 21/036	covered by	B65D 21/0217
B65D 25/26	covered by	B65D 81/02
B65D 30/00 - B65D 30/28	covered by	B65D 29/00 , B65D 31/00
B65D 33/17	covered by	B65D 33/1633
B65D 33/36	covered by	B65D 75/58
B65D 33/38	covered by	B65D 75/5861
B65D 35/48 - B65D 35/54	covered by	B65D 47/2018
B65D 39/18	covered by	B65D 39/00
B65D 41/01	covered by	B65D 41/00
B65D 43/03	covered by	B65D 43/00 + B65D 2543/00027
B65D 43/04	covered by	B65D 43/0214
B65D 43/10	covered by	B65D 43/0204
B65D 47/22	covered by	B65D 47/20
B65D 47/34	covered by	B05B 11/00
B65D 50/08	covered by	B65D 55/02
B65D 50/10	covered by	B65D 55/02
B65D 50/12	covered by	B65D 55/02
B65D 50/14	covered by	B65D 55/02
B65D 65/26 - B65D 65/32	covered by	B65D 75/58
B65D 65/34	covered by	B65D 75/66
B65D 65/36	covered by	B65D 75/58
B65D 71/52 - B65D 71/68	covered by	B65D 71/0003 - B65D 71/0077
B65D 75/60 - B65D 75/64	covered by	B65D 75/58
B65D 81/15	covered by	B65D 81/05
B65D 81/17	covered by	B65D 81/02
B65D 83/18	covered by	B65D 83/201 , B65D 83/206
B65D 83/58	covered by	B65D 83/44
B65D 83/76	covered by	B65D 83/0005
B65D 85/57	covered by	G11B 23/00
B65D 85/575	covered by	G11B 23/00
B65D 85/86 - B65D 85/90	covered by	H01L 21/00 , H05K 13/00

2. In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

General kinds of rigid or semi-rigid containers ([large containers B65D 88/00](#))

- 1/00 Containers having bodies formed in one piece, e.g. by casting metallic material, by moulding plastics, by blowing vitreous material, by throwing ceramic material, by moulding pulped fibrous material, by deep-drawing operations performed on sheet material (by winding, bending, or folding paper [B65D 3/00](#), [B65D 5/00](#); specially constructed to be opened by cutting, piercing, or tearing of wall portions [B65D 17/00](#); pallets [B65D 19/00](#); details of bottles or of jars [B65D 23/00](#); bundles of articles held together by packaging elements for convenience of storage or transport, e.g. portable segregating carriers for plural receptacles such as beer cans, pop bottles, [B65D 71/00](#))**
- 1/02 . Bottles or similar containers with necks or like restricted apertures, designed for pouring contents ([thermally-insulated containers B65D 81/38](#), [A47J 41/00](#); {feeding-bottles [A61J 9/00](#)})
- 1/0207 . . {characterised by material, e.g. composition, physical features}
- 1/0215 . . . {multilayered ([B65D 81/3837](#) takes precedence)}
- 1/0223 . . {characterised by shape}
- 1/023 . . . {Neck construction}
- 1/0238 {Integral frangible closures}
- 1/0246 {Closure retaining means, e.g. beads, screw-threads}
- 1/0253 {Means facilitating removal of the closure, e.g. cams, levers}
- 1/0261 . . . {Bottom construction ([B65D 1/06](#) takes precedence)}
- 1/0269 {Openers}
- 1/0276 {having a continuous contact surface, e.g. Champagne-type bottom}
- 1/0284 {having a discontinuous contact surface, e.g. discrete feet}
- 1/0292 . . . {Foldable bottles}
- 1/04 . . Multi-cavity bottles
- 1/06 . . with closable apertures at bottom
- 1/08 . . adapted to discharge drops ([droppers B65D 47/18](#))
- 1/09 . Ampoules ([specially adapted for medical or pharmaceutical purposes A61J 1/06](#))
- 1/095 . . {made of flexible material}
- 1/10 . Jars, e.g. for preserving foodstuffs ([B65D 81/3837](#) takes precedence)}
- 1/12 . Cans, casks, barrels, or drums
- 1/14 . . characterised by shape
- 1/16 . . . of curved cross-section, e.g. cylindrical
- 1/165 {Cylindrical cans}
- 1/18 . . . of polygonal cross-section
- 1/20 . . characterised by location or arrangement of filling or discharge apertures
- 1/22 . Boxes or like containers with side walls of substantial depth for enclosing contents ([B65D 43/162](#), [B65D 81/02](#), [B65D 81/3813](#) take precedence)}
- 1/225 . . {Collapsible boxes}
- 1/24 . . with moulded compartments or partitions
- 1/243 . . . {Crates for bottles or like containers}
- 1/246 {Cover elements inserted in crates}

- 1/26 . . Thin-walled containers, e.g. formed by deep-drawing operations ([B65D 1/165](#) takes precedence)}
- 1/265 . . . {[Drinking cups B65D 81/3865](#) takes precedence, holders for plastic cups [A47G 23/0208](#)}
- 1/28 . . . formed of laminated material
- 1/30 . . . Groups of containers joined together end-to-end or side-by-side
- 1/32 . Containers adapted to be temporarily deformed by external pressure to expel contents ([B65D 47/2018](#), [B65D 83/0055](#) take precedence } ; containers for pharmaceutical purposes [A61J 1/20](#), [A61M 5/19](#); containers with disinfecting linings [A61L 2/00](#); liquid sprayers [B05B](#); oil cans [F16N 3/00](#))
- 1/323 . . {the container comprising internally a dip tube through which the contents pass}
- 1/326 . . {the container comprising an, externally located, integrally formed tube through which the contents pass (integrally formed suction tubes [B65D 77/286](#))}
- 1/34 . Trays or like shallow containers ([B65D 81/3813](#) takes precedence)}
- 1/36 . . with moulded compartments or partitions
- 1/38 . Baskets or like containers of skeleton or apertured construction ([crates for bottles or like containers B65D 1/243](#))}
- 1/40 . Details of walls ([other container details B65D 23/00](#), [B65D 25/00](#))
- 1/42 . . Reinforcing or strengthening parts or members
- 1/44 . . . Corrugations
- 1/46 . . . Local reinforcements, e.g. adjacent closures
- 1/48 . . . Reinforcements of dissimilar materials, e.g. metal frames in plastic walls
- 3/00 Rigid or semi-rigid containers having bodies or peripheral walls of curved or partially-curved cross-section made by winding or bending paper without folding along defined lines**
- 3/02 . characterised by shape
- 3/04 . . essentially cylindrical
- 3/06 . . essentially conical or frusto-conical
- 3/08 . . having a cross-section of varying shape, e.g. circular merging into square or rectangular
- 3/10 . characterised by form of integral or permanently secured end closure
- 3/12 . . Flanged discs permanently secured, e.g. by adhesives or by heat-sealing
- 3/14 . . . Discs fitting within container end and secured by bending, rolling, or folding operations
- 3/16 . . Discs without flanges engaging a groove in the container body
- 3/18 . . . and secured by rolling in the end of the body
- 3/20 . . with end portion of body adapted to be closed, by flattening or folding operations, e.g. formed with crease lines or flaps
- 3/22 . with double walls; with walls incorporating air-chambers; with walls made of laminated material ([for thermal insulating purposes B65D 81/3818](#))}
- 3/24 . with several compartments
- 3/26 . Opening arrangements or devices incorporated in, or attached to, containers
- 3/261 . . {the opening arrangement being located in the container side wall}
- 3/262 . . . {forming a circumferential line of weakness}

- 3/263 {and having an attached or applied tearing or reinforcing element}
- 3/264 . . . {forming a longitudinal line of weakness}
- 3/265 {and having an attached or applied tearing or reinforcing element}
- 3/266 . . . {forming a helical line of weakness}
- 3/267 {and having an attached or applied tearing or reinforcing element}
- 3/268 . . {the opening arrangement being located in a container closure}
- 3/28 . Other details of walls
- 3/30 . . Local reinforcements, e.g. metallic rims
- 5/00 Rigid or semi-rigid containers of polygonal cross-section, e.g. boxes, cartons or trays, formed by folding or erecting one or more blanks made of paper (rigid pallets with side walls [B65D 19/02](#))**
- 5/0005 . {of variable capacity}
- 5/001 . {stackable}
- 5/0015 . . {the container being formed by folding up portions connected to a central panel}
- 5/002 . . . {having integral corner posts ([B65D 5/0045](#) and [B65D 5/0065](#) take precedence)}
- 5/0025 {the corner posts being formed as a prolongation of a doubled-over extension of the side walls}
- 5/003 . . . {having ledges formed by extensions of the side walls ([B65D 5/0045](#) and [B65D 5/0065](#) take precedence)}
- 5/0035 {the ledges being located between side walls and doubled-over extensions ([B65D 5/0025](#) takes precedence)}
- 5/004 {with separate means inserted between the doubled-over side walls for preventing lateral motion between stacked crates, i.e. the elements themselves not presenting stacking features, e.g. "n" shaped wires}
- 5/0045 . . . {having both integral corner posts and ledges}
- 5/005 . . {Separate or attached stacking elements}
- 5/0055 . . . {saddling the side walls of the container ([B65D 5/006](#) takes precedence)}
- 5/006 . . . {Separate corner posts and like elements ([B65D 5/0065](#) takes precedence)}
- 5/0065 . . . {Separate elements inserted in or attached to integral corner posts or ledges}
- 5/007 . . . {Wooden elements affixed to the container blank before or during erection}
- 5/0075 . . . {Paper elements affixed to the container blank before or during erection}
- 5/008 . {the container body having a pyramidal shape}
- 5/0085 . {the container body comprising two mating compartments hinged together ([B65D 77/006](#) takes precedence)}
- 5/009 . {the container body comprising a set of interconnected cells, e.g. hinged one to another}
- 5/0095 . {the container body having an L-shaped configuration}
- 5/02 . by folding or erecting a single blank to form a tubular body with or without subsequent folding operations, or the addition of separate elements, to close the ends of the body ([B65D 5/36](#) takes precedence)
- 5/0209 . . {the tubular body having a curved or partially curved cross-section}
- 5/0218 . . {with end closures having an axially movable end wall; the end wall and body being interconnected by foldable panel-elements}
- 5/0227 . . {with end closures formed by inward folding of flaps and securing them by heat-sealing, by applying adhesive to the flaps or by staples}
- 5/0236 . . {with end closures formed by inward folding of flaps and securing them by adhesive tapes, labels or the like; for decoration purposes ([B65D 5/4245](#), [B65D 5/4262](#) take precedence)}
- 5/0245 . . {with end closures formed by inward folding of flaps, to form a sunken or hollow end wall, e.g. for the packaging of books ([internal supporting elements](#) [B65D 5/50](#))}
- 5/0254 . . {with end closures formed by inward folding of flaps and securing them by means of a tongue integral with one of the flaps}
- 5/0263 . . {with end closures formed by inward folding of flaps, three of them being formed of a continuous strip, the fourth being a separate flap}
- 5/0272 . . {with end closures formed by applying a web on the edge of the body, and subsequent inward folding of flaps}
- 5/0281 . . {the tubular body presenting double or multiple walls ([for thermal insulating purposes](#) [B65D 81/3853](#))}
- 5/029 . . {the tubular body presenting a special shape ([pyramidal](#) [B65D 5/008](#))}
- 5/04 . . the tubular body having no end closures
- 5/06 . . with end-closing or contents-supporting elements formed by folding inwardly a wall extending from, and continuously around, an end of the tubular body
- 5/061 . . . {Rectangular containers having a body with gusset-flaps folded inwardly beneath the closure flaps}
- 5/062 {with supplemental means facilitating the opening, e.g. tear lines, tear tabs}
- 5/063 {with supplemental clamping elements mounted on the container top}
- 5/064 . . . {Rectangular containers having a body with gusset-flaps folded outwardly or adhered to the side or the top of the container}
- 5/065 {with supplemental means facilitating the opening, e.g. tear lines, tear tabs}
- 5/066 {with supplemental clamping elements mounted on the container top}
- 5/067 . . . {Gable-top containers}
- 5/068 {with supplemental means facilitating the opening, e.g. tear lines, tear tabs}
- 5/069 {with supplemental clamping elements mounted on the fin of the container-top}
- 5/08 . . with end closures formed by inward-folding of portions of body, e.g. flaps, interconnected by, or incorporating, gusset folds ([by inward-folding of a wall extending continuously around an end of the body and incorporating gusset folds](#) [B65D 5/06](#))
- 5/10 . . with end closures formed by inward-folding of self-locking flaps hinged to tubular body
- 5/103 . . . {one of the self-locking flaps having a tongue engaging into an opening of an opposite flap}
- 5/106 {the opening being a slot}
- 5/12 . . with end closures formed separately from tubular body

- 5/14 . . . with inset end closures
- 5/16 . . the tubular body being formed with an aperture or removable portion arranged to allow removal or insertion of contents through one or more sides (contents-dispensing means [B65D 5/72](#))
- 5/18 . by folding a single blank to U-shape to form the base of the container and opposite sides of the body portion, the remaining sides being formed primarily by extensions of one or more of these opposite sides, e.g. flaps hinged thereto ([B65D 5/36](#) takes precedence)
- 5/20 . by folding-up portions connected to a central panel from all sides to form a container body, e.g. of tray-like form ([B65D 5/36](#) takes precedence)
- 5/2004 . . {the container body having hollow side-walls}
- 5/2009 . . . {all formed by folding extensions of the side walls}
- 5/2014 . . {the central panel having a non rectangular shape}
- 5/2019 . . . {with at least partially curved edges or the like}
- 5/2023 {the folded-up portions being folded along non-rectilinear fold-lines}
- 5/2028 . . . {triangular}
- 5/2033 . . . {polygonal having more than four sides, e.g. hexagonal, octagonal}
- 5/2038 . . {at least two opposed folded-up portions having a non-rectangular shape}
- 5/2042 . . . {triangular}
- 5/2047 . . . {trapezoidal, e.g. to form a body with diverging side walls ([B65D 5/2033](#) takes precedence)}
- 5/2052 . . {characterised by integral closure-flaps}
- 5/2057 . . . {Inter-engaging self-locking flaps ([B65D 5/4254](#) takes precedence)}
- 5/2061 {of triangular shape}
- 5/2066 . . . {Cooperating flaps fixed together by separate mechanical elements, e.g. staples, clips, straps, labels, tape}
- 5/2071 {of triangular shape}
- 5/2076 . . . {Cooperating flaps glued together}
- 5/208 {of triangular shape}
- 5/2085 . . {the central panel having incisions defining foldable flaps hinged to its edges}
- 5/209 . . {the adjacent edges of folded-up portions being joined by moulding seams *in situ*}
- 5/2095 . . {a part of the folded-up portions defining an inwardly folded ledge at the edges of the central panel}
- 5/22 . . held erect by extensions of one or more sides being doubled-over to enclose extensions of adjacent sides
- 5/24 . . with adjacent sides interconnected by gusset folds
- 5/241 . . . {and the gussets folds connected to the inside of the container body ([B65D 5/247](#) and [B65D 5/248](#) take precedence)}
- 5/242 {the gussets folds comprising more than two gusset panels}
- 5/243 {the container body comprising a continuous rim or flange}
- 5/244 . . . {and the gussets folds connected to the outside of the container body ([B65D 5/247](#), [B65D 5/248](#) take precedence)}
- 5/245 {the gussets folds comprising more than two gusset panels}
- 5/246 {the container body comprising a continuous rim or flange}
- 5/247 . . . {and being maintained in erected condition by integral mechanical locking means formed on, or coacting with, the gusset folds, e.g. locking tabs, tongue and slit ([B65D 5/248](#) takes precedence)}
- 5/248 . . . {and at least one side being extended and doubled-over to enclose the adjacent gusset flaps}
- 5/26 . . with extensions of opposite sides mutually interlocking to lie against other sides
- 5/28 . . with extensions of sides permanently secured to adjacent sides, with sides permanently secured together by adhesive strips, or with sides held in place solely by rigidity of material
- 5/30 . . with tongue-and-slot or like connections between sides and extensions of other sides
- 5/301 . . . {the tongue being a part of a lateral extension of a side wall}
- 5/302 {combined with a slot provided in an adjacent side wall}
- 5/304 {the tongue being folded over after being introduced in the slot}
- 5/305 {combined with a slot provided at the fold line between an adjacent side wall and a lateral extension thereof}
- 5/307 {combined with a tongue provided in an adjacent side wall}
- 5/308 . . . {the slot being provided in a lateral extension of a side wall combined with a tongue being a part of an adjacent side wall}
- 5/32 . . having bodies formed by folding and interconnecting two or more blanks {each blank forming a body part, whereby each body part comprises at least one outside face of the box, carton or tray}
- 5/321 . . {at least one container body part formed by folding up portions of a single blank connected to a central panel from all sides}
- 5/322 . . {at least one container body part formed by folding a single blank to essentially U-shape with or without extensions which form openable lid elements}
- 5/323 . . . {and two further opposed body panels formed from two essentially planar blanks}
- 5/324 . . . {at least two container body parts, each formed by folding a single blank to essentially U-shape}
- 5/325 {whereby one blank forms three sides of the body, and the other blank forms the remaining sides, a hinged lid, and the opposite end closure}
- 5/326 . . {at least one container body part formed by folding a single blank to a permanently assembled tube}
- 5/327 . . . {at least two container body parts, each formed by folding a single blank to a permanently assembled tube}
- 5/328 {and the tubular body parts being aligned axially to form a container}
- 5/36 . specially constructed to allow collapsing and re-erecting without disengagement of side or bottom connections
- 5/3607 . . {formed by folding or erecting a single blank}

- 5/3614 . . . {to form a tubular body, at least one of the ends of the body remaining connected}
- 5/3621 {collapsed along two fold lines of the tubular body}
- 5/3628 {collapsed along median lines of two opposite sides of the rectangular tubular body}
- 5/3635 . . . {by folding-up portions connected to a central panel from all sides to form a container body}
- 5/3642 {the secured corners presenting diagonal, bisecting or similar folding lines, the central panel presenting no folding line}
- 5/365 {the extensions of one or more sides being doubled-over to enclose extensions of adjacent sides}
- 5/3657 {the adjacent sides being interconnected by gusset folds}
- 5/3664 {and at least one side being extended and doubled-over to enclose the adjacent gusset flaps}
- 5/3671 {the sides being connected to extensions of other sides by tongue-and-slot connections}
- 5/3678 {collapsed along median lines of two opposite sides and the central panel}
- 5/3685 . . . {by folding the blank to U-shape to form the base and opposite sides, the remaining sides being formed by extensions of these opposite sides}
- 5/3692 . . {Devices formed separately from container body for holding in erected state, e.g. rubber bands, carton strips}
- 5/38 . Drawer-and-shell type containers
- 5/40 . specially constructed to contain liquids
- 5/42 . Details of containers or of foldable or erectable container blanks
- 5/4204 . . {Inspection openings or windows}
- 5/4208 . . {Means facilitating suspending, lifting, handling, or the like of containers ([handles B65D 5/46](#))}
- 5/4212 . . {Information or decoration elements, e.g. content indicators, or for mailing ([B65D 5/522 takes precedence](#))}
- 5/4216 . . . {Cards, coupons or the like formed integrally with, or printed directly on, the container or lid}
- 5/422 {as an extra panel or panels folded against or inside the container ([B65D 5/4237 takes precedence](#))}
- 5/4225 {as an extra panel or panels projecting out of the plane of the container ([B65D 5/4241 takes precedence](#))}
- 5/4229 {in the form of a detachable panel}
- 5/4233 . . . {Cards, coupons, labels or the like formed separately from the container or lid}
- 5/4237 {located in a compartment formed by a container wall and additional panel or panels formed integrally with the container}
- 5/4241 {located in a compartment formed by a double-walled panel projecting out of the plane of the container}
- 5/4245 {Bands covering at least 3 adjacent faces of a container ([B65D 5/4262 takes precedence](#))}
- 5/425 . . . {Decoration elements}
- 5/4254 {formed by two or mating closure panels, e.g. forming a butterfly, bow-tie, etc.}
- 5/4258 {providing 3-dimensional perspective images by means of two or more spaced apart images}
- 5/4262 {Bands covering at least 3 adjacent faces of a container provided with a decoration, e.g. bow}
- 5/4266 . . {Folding lines, score lines, crease lines}
- 5/427 . . {Individual packages joined together, e.g. by means of integral tabs ([B65D 5/5495 takes precedence](#))}
- 5/4275 . . . {by bonding, adhesive, hook and loop-type fastener or the like}
- 5/4279 . . {Joints, seams, leakproof joints or corners, special connections between panels ([B65D 5/209 takes precedence](#))}
- 5/4283 . . . {Connections formed by separate elements, e.g. clips, bands, straps ([B65D 5/0227](#), [B65D 5/0236 take precedence](#))}
- 5/4287 {the container being formed by folding-up portions connected to a central panel from all sides, adjacent sides being interconnected by gusset folds and the container being maintained in erected condition by means of the separate connectors coacting with the gusset folds}
- 5/4291 . . {Containers provided with an acoustic device, e.g. for indicating opening of the package}
- 5/4295 . . {Ventilating arrangements, e.g. openings, space elements}
- 5/44 . . Integral, inserted or attached portions forming internal or external fittings
- 5/441 . . . {Reinforcements ([linings B65D 5/56](#))}
- 5/443 {Integral reinforcements, e.g. folds, flaps ([double walls B65D 5/02](#))}
- 5/445 {Reinforcements formed separately from the container}
- 5/446 {Wooden reinforcements}
- 5/448 {Metal or wire reinforcements}
- 5/46 . . . Handles
- 5/46008 {formed separately from the container body}
- 5/46016 {Straps used as handles fixed to the container by glueing, stapling, heat-sealing ([for packages in wrappers B65D 75/56](#))}
- 5/46024 {Straps used as handles with anchoring elements fixed in slots}
- 5/46032 {Handles with anchoring elements, e.g. formed by folding a blank ([B65D 5/46064 takes precedence](#); straps [B65D 5/46024](#))}
- 5/4604 {not formed by folding a blank}
- 5/46048 {made of metal wire}
- 5/46056 {made of cord}
- 5/46064 {formed by folding a blank serving also as a partition in the container}
- 5/46072 {integral with the container}
- 5/4608 {Handgrip holes}
- 5/46088 {formed by extensions of closure flaps, by closure flaps or by extensions of side flaps of a container formed by folding a blank to form a tubular body}
- 5/46096 {two opposite closure flaps being provided with handle elements which are in contact with each other}

- 5/46104 {at least one of the other closure flaps being provided with a slit which completely encompasses the two handle elements to maintain the handle in position}
- 5/46112 {either the handle elements being formed with lugs which engage with the other side walls or closure flaps, or the other closure flaps folding over a part of the handle to maintain the handle in position}
- 5/4612 {formed by extensions of side flaps or by side flaps of a container formed by folding-up portions connected to a central panel from all sides}
- 5/46128 {two opposite closure flaps being provided with handle elements which are in contact with each other}
- 5/46136 {at least one of the other closure flaps being provided with a slit which completely encompasses the two handle elements to maintain the handle in position}
- 5/46144 {either the handle elements being formed with lugs which engage with the other side walls or closure flaps, or the other closure flaps folding over a part of the handle to maintain the handle in position}
- 5/46152 {formed in closure flaps of a container formed by folding a blank to U-shape to form the base and opposite sides, the remaining sides being formed by extensions of these opposite sides}
- 5/4616 {two opposite closure flaps being provided with handle elements which are in contact with each other}
- 5/46168 {at least one of the other closure flaps being provided with a slit which completely encompasses the two handle elements to maintain the handle in position}
- 5/46176 {either the handle elements being formed with lugs which engage with the other side walls or closure flaps, or the other closure flaps folding over a part of the handle to maintain the handle in position}
- 5/46184 {formed by extensions of parts of the blank, serving also as a partition in the container}
- 5/46192 {formed by incisions in the container or blank forming straps used as handles}
- 5/48 Partitions
- 5/48002 {integral}
- 5/48004 {Squaring, i.e. at least four not aligned compartments}
- 5/48006 {Longitudinal partition provided with cut flaps folded perpendicular to the partition}
- 5/48008 {formed by folding extensions hinged to the upper or lower edges of a tubular body ([B65D 5/48006 takes precedence](#))}
- 5/4801 {formed by folding extensions of side panels of a "cross-like" body blank}
- 5/48012 {combined with inserted partitions}
- 5/48014 {formed by folding extensions hinged to the side edges of a tubular body ([B65D 5/48004 takes precedence](#); partition separated by erecting the body [B65D 5/48048](#))}
- 5/48016 {formed by folding extensions hinged to the upper or lower edges of a tubular body ([B65D 5/48008 takes precedence](#))}
- 5/48018 {formed by folding extensions of side panels of a "cross-like" body blank ([B65D 5/4801 takes precedence](#))}
- 5/4802 {formed by folding inwardly portions cut in the body ([B65D 5/48006 takes precedence](#))}
- 5/48022 {formed by two parallel panels located in the base of a tray being folded up towards each other}
- 5/48024 {inserted}
- 5/48026 {Squaring or like elements, e.g. honeycomb element, i.e. at least four not aligned compartments ([B65D 5/48012 takes precedence](#))}
- 5/48028 {formed by folding a single blank ([B65D 5/48034 takes precedence](#))}
- 5/4803 {not made of paper, e.g. of moulded plastic}
- 5/48032 {made of paper, provided with an at least partial bottom}
- 5/48034 {by folding a single blank}
- 5/48036 {Longitudinal partition provided with cut flaps folded perpendicular to the partition}
- 5/48038 {Strips crossing each other}
- 5/4804 {formed by folding strips essentially in tubes, U- or S-shape}
- 5/48042 {Strip provided with series of folding lines forming the partitions}
- 5/48044 {Blank provided with cut flaps folded perpendicular to the blank ([B65D 5/48026 takes precedence](#))}
- 5/48046 {Plain strips not fixed by gluing or other fastening elements ([B65D 5/48048 takes precedence](#))}
- 5/48048 {Single partition formed by folding one or more blanks and provided with flaps fixed to or maintained by parts of the container body ([B65D 5/4804 takes precedence](#))}
- 5/50 Internal supporting or protecting elements for contents (elements formed by inward-folding of a wall extending from, and continuously around, an end of a tubular body [B65D 5/06](#); partitions [B65D 5/48](#))
- 5/5002 {Integral elements for containers having tubular body walls}
- 5/5004 {formed as an extension of the end closures ([hollow or recessed end closures B65D 5/0245](#))}
- 5/5007 {formed by inwardly protruding of folded parts of the body}
- 5/5009 {in combination with the end closures or extensions thereof}
- 5/5011 {formed by folding inwardly of extensions hinged to the upper or lower edges of the body}

- 5/5014 {and with an integral end closure
([B65D 5/5004](#) takes precedence)}
- 5/5016 {formed by folding inwardly of extensions
hinged to the side edges of the body}
- 5/5019 {formed by openings in the body walls}
- 5/5021 {Integral elements for containers formed by
folding-up portions connected to a central
panel from all sides}
- 5/5023 {Integral elements for containers of other
type, e.g. formed by folding a blank to U-
shape}
- 5/5026 {Hollow frame-like elements surrounding
the object}
- 5/5028 {Elements formed separately from the
container body}
- 5/503 {Tray-like elements formed in one piece
(formed by folding a blank [B65D 5/5038](#))}
- 5/5033 {Corner pads or corner posts}
- 5/5035 {Paper elements (in combination with
wooden elements [B65D 5/5095](#))}
- 5/5038 {Tray-like elements formed by
folding a blank and presenting
openings or recesses (without external
box [B65D 71/72](#); external face of
container provided with opening for
receiving object in display position
[B65D 5/5286](#))}
- 5/504 {Racks having upstanding ridges formed
by folds, and provided with slits or
recesses}
- 5/5042 {Hollow tubular elements provided with
slits or openings}
- 5/5045 {Tubular lining and supporting
elements}
- 5/5047 {Blocks}
- 5/505 {formed by folding up one or more
blanks to form a hollow block}
- 5/5052 {and provided with slits or recesses
in which at least a part of the
contents are located ([B65D 5/504](#)
takes precedence)}
- 5/5054 {formed by a plurality of layers
contacting each other, e.g. multiple
layers of corrugated cardboard}
- 5/5057 {and provided with slits or recesses
in which at least a part of the
contents are located}
- 5/5059 {Paper panels presenting one or
more openings or recesses in which
at least a part of the contents are
located ([B65D 5/5038](#), [B65D 5/5052](#),
[B65D 5/5057](#) and [B65D 5/5286](#) take
precedence)}
- 5/5061 {the openings or recesses being
located in different panels of a
single blank ([B65D 5/5066](#) takes
precedence)}
- 5/5064 {Inverted U- or V-shaped paper
elements provided with slits or
recesses in which at least a part of the
contents are located ([B65D 5/504](#) and
[B65D 5/5052](#) takes precedence)}
- 5/5066 {Paper elements formed by folding or
assembling two or more panels to create
a central aperture extending in at least
two planes in which the contents are
located}
- 5/5069 {Capping elements, i.e. elements which
are located onto one or more ends of the
contents, before the contents are inserted
into the package}
- 5/5071 {each capping element being formed
by assembling two or more blanks}
- 5/5073 {U-shaped elements supporting the
articles locally at their sides}
- 5/5076 {U-shaped elements supporting the
articles along substantially their whole
length, e.g. a cradle ([B65D 5/508](#) takes
precedence)}
- 5/5078 {Pockets whereby the articles are
inserted into the pockets, e.g. inverted
U-shaped elements ([B65D 5/508](#) takes
precedence)}
- 5/508 {Combination of U-shaped and inverted
U-shaped elements}
- 5/5083 {each item being partially located
in a U-shaped element and partially
located in an inverted U-shaped
element, e.g. for bottles}
- 5/5085 {the elements forming grooves, ribs, or
the like, situated on opposed walls and
between which the articles are located
(for rigid containers [B65D 25/107](#))}
- 5/5088 {Plastic elements ([trays B65D 5/503](#))}
- 5/509 {Foam plastic elements}
- 5/5092 {Wooden elements}
- 5/5095 {Wooden elements in combination with
paper elements}
- 5/5097 {Central hubs or shafts}
- 5/52 External stands or display elements for contents
- 5/5206 {External stands for supporting the container
in display position, e.g. easels, covers
forming a support for the containers in the
display position}
- 5/5213 {Internal elements supporting the contents
and movable for displaying them, e.g.
movable bottoms or trays}
- 5/522 {Containers provided with decoration or
information elements which are displaced to
display the contents}
- 5/5226 {formed integrally with the container or lid
([B65D 5/526](#) takes precedence)}
- 5/5233 {Display panels located within the upper
surface of the container and being raised
to simultaneously provide a dispensing
opening}
- 5/524 {the panel in the raised position being
folded about itself}
- 5/5246 {formed separately from the container or
lid}
- 5/5253 {Containers initially closed but folded about
a central axis to display the contents in two
or more cells}
- 5/526 {Containers with means for displaying items
at different heights}
- 5/5266 {in tiered or stepped relationship
([B65D 5/5206](#) takes precedence)}

- 5/5273 {Containers provided with an inclined surface on which the contents are located ([B65D 5/5213](#), [B65D 5/5266](#) take precedence)}
- 5/528 {Contents attached to or resting on the external surface of the container}
- 5/5286 {the container being provided with an opening or weakened area in which an item is inserted}
- 5/5293 {the container being provided with U- or V-shaped racks on which the items rest}
- 5/54 . . Lines of weakness to facilitate opening of container or dividing it into separate parts by cutting or tearing ({[B65D 5/06](#), [B65D 5/5233](#), [B65D 5/5253](#) take precedence } ; break-in flaps, or members adapted to be torn-off, to provide pouring openings [B65D 5/70](#))
- 5/5405 . . . {for opening containers formed by erecting a blank in tubular form}
- 5/541 {the lines of weakness being provided in one or more closure flaps}
- 5/5415 {the lines of weakness being provided in one or more closure flaps and in the container body so as to form after rupture a lid hinged to a side edge of the container body}
- 5/542 {the lines of weakness being provided in the container body}
- 5/5425 {and defining after rupture a lid hinged to the upper edge of the container body}
- 5/543 {the container being provided with an internal frame or the like for maintaining the lid in the closed position by friction}
- 5/5435 {and defining after rupture a lid hinged to the side edge of the container body}
- 5/544 {and defining after rupture a lid hinged about a line located in the top surface of the container}
- 5/5445 . . . {for dividing a tubular body into separate parts}
- 5/545 . . . {for opening containers formed by erecting a "cross-like" blank}
- 5/5455 {the lines of weakness being provided in a closure hinged to an edge of the container body}
- 5/546 {the lines of weakness being provided in an extension panel or tab of a hinged closure}
- 5/5465 {the container being provided with an internal frame or the like for maintaining the lid in the closed position by friction}
- 5/547 {and defining after rupture a lid hinged about a line located in the top surface of the container}
- 5/5475 . . . {for dividing a "cross-like" container body into separate parts}
- 5/548 . . . {for opening containers formed by erecting a blank to U-shape}
- 5/5485 {the container being provided with an internal frame or the like for maintaining the lid in the closed position by friction}
- 5/549 {and defining after rupture a lid hinged about a line located in the top surface of the container}
- 5/5495 . . . {for separating interconnected containers}
- 5/56 . . Linings or internal coatings {, e.g. pre-formed trays provided with a blow- or thermoformed layer (to protect the articles from mechanical damage [B65D 81/127](#))}
- 5/563 . . . {Laminated linings; Coatings}
- 5/566 . . . {Linings made of relatively rigid sheet material, e.g. carton ([B65D 5/0281](#) and [B65D 5/58](#) takes precedence; combined with a flexible lining [B65D 5/56](#), [B65D 5/60](#); for thermal insulating purposes [B65D 81/3858](#); for shock absorbing purposes [B65D 81/1275](#))}
- 5/58 . . . Linings spaced appreciably from container wall {(for thermal insulating purposes [B65D 81/3853](#))}
- 5/60 . . . Loose, [or loosely attached], linings {(made only of relatively rigid sheet material [B65D 5/566](#))}
- 5/603 {Flexible linings loosely glued to the wall of the container ([B65D 5/0272](#) takes precedence)}
- 5/606 {Bags or bag-like tubes loosely glued to the wall of a "tubular" container}
- 5/62 . . External coverings or coatings ({[B65D 5/4245](#), [B65D 5/4262](#) take precedence)}
- 5/64 . . Lids
- 5/643 . . . {held in closed position by application of separate elements, e.g. clips, straps ([B65D 5/6611](#), [B65D 5/6673](#) take precedence)}
- 5/646 . . . {comprising a slidable panel or wall ([B65D 5/723](#) takes precedence)}
- 5/66 . . . Hinged lids ({[B65D 5/325](#) takes precedence)}
- 5/6602 {formed by folding one or more extensions hinged to the upper edge of a tubular container body}
- 5/6605 {the lid being formed by two mating halves joined to opposite edges of the container body}
- 5/6608 {the lid being held in closed position by self-locking integral flaps}
- 5/6611 {the lid being held in closed position by application of separate elements, e.g. clips, hooks, elastics}
- 5/6614 {with means for retaining the lid in open position}
- 5/6617 {the container body sliding in an outer sleeve ([B65D 85/1054](#) takes precedence)}
- 5/662 {the container being provided with an internal frame or the like for maintaining the lid in the closed position by friction}
- 5/6623 {the lid being hinged about a line located in the top surface of the container}
- 5/6626 {formed by folding extensions of a side panel of a container body formed by erecting a "cross-like" blank}
- 5/6629 {the lid being formed by two mating halves joined to opposite edges of the container body}
- 5/6632 {the lid-halves being held in closed position by flaps or tabs provided at their side edges only ([B65D 5/6644](#), [B65D 5/6647](#) take precedence)}

- 5/6635 {the lid-halves being held in closed position by flaps or tabs provided at their edge opposite to their hinge ([B65D 5/6644](#), [B65D 5/6647](#) take precedence)}
- 5/6638 {combined with flaps or tabs provided at the side edges of the lid-halves}
- 5/6641 {and connected to one another in order to form an uninterrupted flange}
- 5/6644 {the lid-halves being held in closed position by local tabs or projections at the upper edge of opposite walls of the container body, e.g. by entering within slots provided in the lid-halves}
- 5/6647 {the lid-halves being held in closed position by application of separate elements, e.g. clips, hooks, cords}
- 5/665 {the lid being held in closed position by self-locking integral flaps or tabs}
- 5/6652 {Flaps or tabs provided at the side edges of the lid only}
- 5/6655 {Local flaps or tabs provided at the lid edge opposite to the hinge}
- 5/6658 {combined with flaps or tabs provided at the side edges of the lid}
- 5/6661 {Flaps provided over the total length of the lid edge opposite to the hinge}
- 5/6664 {combined with flaps or tabs provided at the side edges of the lid}
- 5/6667 {and connected to one another in order to form an uninterrupted telescoping flange ([B65D 5/667](#) takes precedence)}
- 5/667 {Lids in the form of an inverted tray}
- 5/6673 {the lid being held in closed position by application of separate elements, e.g. clips, hooks, cords ([B65D 5/6647](#) takes precedence)}
- 5/6676 {with means for retaining the lid in open position}
- 5/6679 {the container being provided with an internal frame or the like for maintaining the lid in the closed position by friction}
- 5/6682 {the lid being hinged about a line located in the top surface of the container}
- 5/6685 {formed by extensions hinged to the upper edge of a container body formed by erecting a blank to U-shape}
- 5/6688 {the container body sliding in an outer sleeve ([B65D 85/1054](#) takes precedence)}
- 5/6691 {the container being provided with an internal frame or the like for maintaining the lid in the closed position by friction}
- 5/6694 {the lid being hinged about a line located in the top surface of the container}
- 5/6697 {Separate lids attached to the container body by a hinge element}
- 5/68 Telescope flanged lids
- 5/685 {having an inwardly or upwardly extending tab on the lid side wall cooperating with a tab on, or an opening in, the container side wall}
- 5/70 Break-in flaps, or members adapted to be torn-off, to provide pouring openings ([B65D 5/74](#) takes precedence)
- 5/701 {Tearable flaps defined by score-lines or incisions provided in the closure flaps of a tubular container made of a single blank}
- 5/703 {the score-lines or incisions extending in the body of the tubular container}
- 5/705 {Tearable flaps defined by score-lines or incisions provided in the body of a tubular container made of a single blank}
- 5/706 {Tearable flaps defined by score-lines or incisions provided in a separate end closure of a tubular container}
- 5/708 {Separate tearable flexible elements covering a discharge opening of a container, e.g. adhesive tape}
- 5/72 Contents-dispensing means
- 5/721 {consisting of mobile elements forming part of the containers or attached to the containers}
- 5/722 {having an alternating movement co-operating with incised or scored openings near the bottom-edges of the bodies of tubular containers}
- 5/723 {Sliding elements for covering and uncovering discharge openings of containers, e.g. slide-closures}
- 5/724 {Internal fittings facilitating the discharge of contents, e.g. guiding panels, movable bottoms or lifting strips}
- 5/725 {Incised or pre-scored openings or windows provided in the side wall of containers}
- 5/726 {Means for discharging contents through the bottom of containers}
- 5/727 {Dispensing openings provided in the upper end-walls of tubular containers, the openings being closed by means of separate stopper or other closure elements}
- 5/728 {for drawer-and-shell-type containers}
- 5/74 Spouts
- 5/741 {for containers having a tubular body ([B65D 5/746](#) takes precedence)}
- 5/742 {Spouts formed by deforming or tearing the closure flaps or severed or incised parts of the closure flaps ([B65D 5/06](#) takes precedence)}
- 5/743 {Spouts formed by deforming or tearing scored or incised parts of the side-wall of containers}
- 5/744 {combined with swivelling devices having a bottom-wall and two side-walls}
- 5/745 {Spouts formed by deforming or tearing parts of the upper wall, combined with a deformation of a part of the body of the container}
- 5/746 {Spouts formed separately from the container}
- 5/747 {with means for piercing or cutting the container wall or a membrane connected to said wall}
- 5/748 {a major part of the container wall or membrane being left inside the container after the opening}
- 5/749 {a major part of the container wall or membrane being removed from the container after the opening}

5/76	. . . for discharging metered quantities	9/02	. {Containers of curved cross-section, e.g. cylindrical boxes (thermally insulated B65D 81/3813 , B65D 81/3837)}
7/00	{Containers having bodies formed by interconnecting or uniting two or more rigid, or substantially rigid, components made wholly or mainly of metal (specially constructed to be opened by cutting, piercing, or tearing of wall portions B65D 17/00; pallets B65D 19/00; tanks for domestic water storage heaters F24H 1/181)}	9/04	. . {made up of staves, e.g. barrels for liquids (thermally insulated barrels, B65D 81/3802)}
7/02	. {characterised by shape}	9/06	. {Boxes or crates of polygonal cross-section}
7/04	. . {of curved cross-section, e.g. cans of circular or elliptical cross-section (thermally insulated B65D 81/3813 , B65D 81/3837)}	9/08	. . {of drawer-and-shell type}
7/045	. . . {Casks, barrels, or drums in their entirety, e.g. beer barrels, i.e. presenting most of the following features like rolling beads, double walls, reinforcing and supporting beads for end walls (thermally insulated barrels, B65D 81/3802)}	9/10	. {Baskets or like containers made in interwoven or intermeshing flexible wooden material or by attaching thin wooden strips to a supporting framework}
7/06	. . {of polygonal cross-section, e.g. tins, boxes}	9/12	. {collapsible, e.g. with all parts detachable}
7/065	. . . {with partitions or compartments}	9/14	. . {with all parts hinged together}
7/08	. . . {Trays or like containers without lids}	9/16	. . . {wire-bound boxes}
7/10	. . . {of drawer-and-shell type}	9/18	. . {with some parts detachable and other parts hinged together}
7/12	. {characterised by wall construction or by connections between walls}	9/20	. . . {wire-bound boxes}
7/14	. . {of skeleton or like apertured construction, e.g. baskets or carriers formed of wire mesh, of interconnected bands, bars, or rods, or of perforated sheet metal}	9/22	. . {Fastening devices for holding collapsible containers in erected state, e.g. integral with container walls}
7/16	. . . {made of apertured or perforated sheet metal components}	9/24	. . . {separate from container walls}
7/18	. . . {made up of interconnected spaced bands}	9/26	. {with double end walls, e.g. double bottoms (for thermal insulating purposes B65D 81/3806 , B65D 81/3818 , B65D 81/383)}
7/20	. . . {made of wire}	9/28	. . {with bottoms movable under influence of contents}
7/22	. . {with double walls, e.g. double end walls (for thermal insulating purposes B65D 81/3806 , B65D 81/3818 , B65D 81/383)}	9/30	. {Applications of laminates as wall material, e.g. plywood}
7/24	. . {collapsible, e.g. with all parts detachable}	9/32	. {Details of wooden walls; Connections between walls (other container details B65D 23/00 , B65D 25/00 ; connections between walls and non-removable lids or covers B65D 43/14)}
7/26	. . . {with all parts hinged together}	9/34	. . {Joints; Local reinforcements}
7/28	. . . {with some parts detachable and other parts hinged together}	9/36	. . . {Battens}
7/30	. . . {Fastening devices for holding collapsible containers in erected state, e.g. integral with container walls}	9/38	. . . {Metal bands or strips}
7/32 {separate from container walls}	11/00	{Containers having bodies formed by interconnecting or uniting two or more rigid, or substantially rigid, components made wholly or mainly of plastics material (specially constructed to be opened by cutting, piercing, or tearing of wall portions B65D 17/00; pallets B65D 19/00)}
7/34	. . {with permanent connections between walls (permanent connections between walls for closing containers after filling B65D 17/06)}	11/02	. {of curved cross-section (thermally insulated B65D 81/3813)}
7/36	. . . {formed by rolling, or by rolling and pressing}	11/04	. . {Bottles or similar containers with necks or like restricted apertures designed for pouring contents (thermally insulated B65D 81/3837)}
7/38	. . . {formed by soldering, welding, or otherwise uniting opposed surfaces}	11/06	. . {Drums or barrels (thermally insulated B65D 81/3802)}
7/40	. . {with walls formed with filling or emptying apertures}	11/08	. . . {Arrangements of filling or discharging apertures}
7/42	. {Details of metal walls (casks, barrels or drums in their entirety B65D 7/045 ; other container details B65D 23/00 , B65D 25/00)}	11/10	. {of polygonal cross-section and all parts being permanently connected to each other (B65D 11/18 takes precedence)}
7/44	. . {Reinforcing or strengthening parts or members}	11/105	. . {the container being formed by two mating U-shaped halves connected to each other after a rotation of 90 degrees}
7/46	. . . {Corrugations}	11/12	. . {of drawer-and-shell type}
7/48	. . {Local reinforcements, e.g. adjacent closures}	11/14	. {of skeleton or apertured construction, e.g. baskets or carriers made up of interconnected spaced bands, rods, or strips}
9/00	{Containers having bodies formed by interconnecting or uniting two or more rigid, or substantially rigid, components made wholly or mainly of wood or substitutes therefor}	11/16	. {with double walls}
		11/18	. {collapsible, i.e. with walls hinged together or detachably connected}

11/1806	. . {comprising two side walls hinged to a base panel and two other side walls being extensions hinged to said side walls}	15/10	. . {with curved, or partially curved, walls made of metal}
11/1813	. . . {and one or more side walls being foldable along a median line}	15/12	. . . {with end walls made of paper}
11/182	. . {comprising two side walls hinged along the sides of a base panel and to an upper frame and two other side walls being hinged only to the upper frame}	15/14	. . . {with end walls made of plastics material}
11/1826	. . . {and one or more side walls being foldable along a median line}	15/16	. . {with curved, or partially curved, walls made of plastics material}
11/1833	. . {whereby all side walls are hingedly connected to the base panel (B65D 11/186 takes precedence)}	15/18	. . . {with end walls made of metal}
11/184	. . . {and one or more side walls being foldable along a median line}	15/20	. . . {with end walls made of paper}
11/1846	. . {whereby all side walls are hingedly connected to each other (B65D 11/186 takes precedence)}	15/22	. {of polygonal cross-section}
11/1853	. . . {and one or more side walls being foldable along a median line}	15/24	. {Connections between walls}
11/186	. . {whereby all side walls are hingedly connected to the base panel and to each other to allow automatic collapsing and reerecting, e.g. by means of folds provided in the side walls and or in the base panel}	17/00	Rigid or semi-rigid containers specially constructed to be opened by cutting or piercing, or by tearing of frangible members or portions (containers made of paper B65D 3/00, B65D 5/00; frangible inner closure members associated with caps, lids or covers B65D 51/20)
11/1866	. . {with detachable components (B65D 11/1893 takes precedence)}	17/02	. {of curved cross-section, e.g. cans of circular or elliptical cross-section}
11/1873	. . . {all walls are detached from each other to collapse the container}	17/04	. {of polygonal cross-section}
11/188	. . . {the container being formed by two mating halves}	17/06	. {Integral, or permanently secured, end or side closures}
11/1886 {the two mating halves being U-shaped and connected to each other after a rotation of 90 degrees}	17/08	. . {Closures secured by folding or rolling and pressing}
11/1893	. . {with semidetachable components, i.e. with some side walls hinged to each other or to a base panel and the other side walls being detachable to allow collapsing of the container}	17/10	. . . {with interposed packing rings}
11/20	. {Details of walls made of plastics material}	17/12	. . {Closures secured by soldering, welding, or otherwise uniting opposed surfaces}
11/22	. . {Reinforcing for strengthening parts of members}	17/14	. . . {by cold or hot pressing of plastic sealing material}
11/24	. . . {Corrugations}	17/28	. at lines or points of weakness
11/26	. . . {Local reinforcements, e.g. adjacent to closures}	17/30	. . using cutting devices
11/28	. . . {Metal reinforcements, e.g. metal frames}	17/32	. . having non-detachable members or portions
13/00	Containers having bodies formed by interconnecting two or more rigid, or substantially rigid, components made wholly or mainly of the same material, other than metal, plastics, wood, or substitutes therefor (pallets B65D 19/00)	17/34	. . Arrangement or construction of pull or lift tabs (B65D 17/32 takes precedence)
13/02	. of glass, pottery, or other ceramic material	17/347	. . . characterised by the connection between the tab and a detachable member or portion of the container
13/04	. {of paper (by winding, bending, or folding paper B65D 3/00, B65D 5/00)}	17/353 the connecting means being integral with the tab or with the detachable member or portion
15/00	{Containers having bodies formed by interconnecting or uniting two or more rigid, or substantially rigid, sections made of different materials (specially constructed to be opened by cutting, piercing, or tearing, of wall portions B65D 17/00; pallets B65D 19/00)}	17/36	. . . adapted for engagement with opening tools, e.g. slotted keys (attachment of opening tools, e.g. slotted keys, to containers B65D 17/52)
15/02	. {of curved, or partially curved, cross-section, e.g. cans, drums}	17/38 with strip or tool guides
15/04	. . {with curved, or partially curved, walls made by winding or bending paper}	17/40	. . characterised by having the line of weakness extending circumferentially of the container mouth
15/06	. . . {with end walls made of metal}	17/401	. . {characterised by having the line of weakness provided in an end wall}
15/08	. . . {with end walls made of plastics material}	17/4011	. . . {for opening completely by means of a tearing tab}
		17/4012	. . . {for opening partially by means of a tearing tab}
		17/4014 {and provided with attached means for reclosing or resealing}
		17/402	. . {characterised by having the line of weakness provided in the side wall (B65D 17/46 takes precedence)}
		17/404	. . {Details of the lines of weakness}
		17/42	. with cutting, punching, or cutter accommodating means (for opening at lines or points of weakness B65D 17/28)
		17/44	. . in which the puncturing tool serves as closure
		17/46	. . Wires, strings or the like, e.g. rip cords
		17/462	. . . {Tearing-strips or -wires}

17/464 {with tongues or tags for engagement by slotted keys}	19/0038 {and each contact surface having a stringer-like shape}
17/48	. . . located in the seam-adjointing parts of the container	19/004 {and each contact surface having a discrete foot-like shape}
17/50	. Non-integral frangible members applied to, or inserted in, preformed openings, e.g. tearable strips or plastic plugs (B65D 53/08 takes precedence)	19/0042 {the base surface being made of more than one element}
17/501	. . {Flexible tape or foil-like material}	19/0044 {forming a continuous plane contact surface}
17/502	. . . {applied to the external part of the container wall only}	19/0046 {forming discontinuous or non-planar contact surfaces}
17/503	. . . {applied to the internal part of the container wall only}	19/0048 {and each contact surface having a stringer-like shape}
17/505	. . . {applied to the external and internal part of the container wall}	19/0051 {and each contact surface having a discrete foot-like shape}
17/506	. . {Rigid or semi-rigid members, e.g. plugs}	19/0053	. . {the load supporting surface being made of more than one element}
17/507	. . . {moulded <u>in situ</u> , e.g. during production of container}	19/0055	. . . {forming a continuous plane contact surface}
17/508 {and combined with a rigid or semi-rigid, e.g. metallic sheet and a moulded plastic body}	19/0057 {the base surface being made of a single element}
17/52	. Attachment of opening tools, e.g. slotted keys, to containers	19/0059 {forming a continuous plane contact surface}
17/521	. . {Attached can-cutting devices}	19/0061 {forming discontinuous or non-planar contact surfaces}
17/523	. . {Attachments of slotted keys to preserving cans or tins}	19/0063 {and each contact surface having a stringer-like shape}
19/00	Pallets or like platforms, with or without side walls, for supporting loads to be lifted or lowered (in devices for lifting or lowering bulky or heavy goods for loading or unloading purposes B66F 9/12)	19/0065 {and each contact surface having a discrete foot-like shape}
19/0002	. {Platforms, i.e. load supporting devices without provision for handling by a forklift}	19/0067 {the base surface being made of more than one element}
19/0004	. {Rigid pallets without side walls}	19/0069 {forming a continuous plane contact surface}
19/0006	. . {the load supporting surface being made of a single element}	19/0071 {forming discontinuous or non-planar contact surfaces}
19/0008	. . . {forming a continuous plane contact surface}	19/0073 {and each contact surface having a stringer-like shape}
19/001 {the base surface being made of a single element}	19/0075 {and each contact surface having a discrete foot-like shape}
19/0012 {forming a continuous plane contact surface}	19/0077	. . . {forming discontinuous or non-planar contact surfaces}
19/0014 {forming discontinuous or non-planar contact surfaces}	19/0079 {the base surface being made of a single element}
19/0016 {and each contact surface having a stringer-like shape}	19/0081 {forming a continuous plane contact surface}
19/0018 {and each contact surface having a discrete foot-like shape}	19/0083 {forming discontinuous or non-planar contact surfaces}
19/002 {the base surface being made of more than one element}	19/0085 {each contact surface having a stringer-like shape}
19/0022 {forming a continuous plane contact surface}	19/0087 {each contact surface having a discrete foot-like shape}
19/0024 {forming discontinuous or non-planar contact surfaces}	19/0089 {the base surface being made of more than one element}
19/0026 {and each contact surface having a stringer-like shape}	19/0091 {forming a continuous plane contact surface}
19/0028 {and each contact surface having a discrete foot-like shape}	19/0093 {forming discontinuous or non-planar contact surfaces}
19/003	. . . {forming discontinuous or non-planar contact surfaces}	19/0095 {and each contact surface having a stringer-like shape}
19/0032 {the base surface being made of a single element}	19/0097 {and each contact surface having a discrete foot-like shape}
19/0034 {forming a continuous plane contact surface}	19/02	. Rigid pallets with side walls, e.g. box pallets
19/0036 {forming discontinuous or non-planar contact surfaces}	19/04	. . with bodies moulded or otherwise fabricated in one piece
		19/06	. . with bodies formed by uniting or interconnecting two or more components

- 19/08 . . . made wholly or mainly of metal
- 19/10 of skeleton construction, e.g. made of wire
- 19/12 Collapsible pallets
- 19/14 . . . made wholly or mainly of wood
- 19/16 Collapsible pallets
- 19/18 . . . made wholly or mainly of plastics material
- 19/20 . . . made wholly or mainly of paper
- 19/36 . Pallets comprising a flexible load carrier extending between guide elements, e.g. guide tubes
- 19/38 . Details or accessories
- 19/385 . . {Frames, corner posts or pallet converters, e.g. for facilitating stacking of charged pallets}
- 19/40 . . Elements for spacing platforms from supporting surface
- 19/42 . . . Arrangements or applications of rollers or wheels
- 19/44 . . Elements or devices for locating articles on platforms
- 21/00 Nestable, stackable or joinable containers;
Containers of variable capacity**
- 21/02 . Containers specially shaped, or provided with fittings or attachments, to facilitate nesting, stacking, or joining together {(stackable containers of polygonal cross-section formed by folding or erecting blanks made of paper [B65D 5/001](#))}
- 21/0201 . . {stackable or joined together side-by-side}
- 21/0202 . . . {and loosely interengaged by integral complementary shapes}
- 21/0204 . . . {and joined together by interconnecting formations forming part of the container, e.g. dove-tail, snap connections, hook elements}
- 21/0205 . . . {joined together by bonding, adhesive or the like ([B65D 21/0208](#) takes precedence)}
- 21/0206 . . . {Separate rigid or semi-rigid trays or cups joined together, e.g. separate trays connected by single foil closure or crimped together (plurality of trays formed in one piece [B65D 1/30](#))}
- 21/0208 {by bonding, adhesive, hook and loop-type fastener or the like}
- 21/0209 . . {stackable or joined together one-upon-the-other in the upright or upside-down position ([B65D 21/0234](#), [B65D 21/0235](#) take precedence)}
- 21/0211 . . . {Wire-mesh containers}
- 21/0212 . . . {Containers presenting local stacking elements protruding from the upper or lower edge of a side wall, e.g. handles, lugs, ribs, grooves ([B65D 21/0211](#), [B65D 21/0215](#), [B65D 21/023](#) take precedence)}
- 21/0213 . . . {Containers presenting a continuous stacking profile along the upper or lower edge of at least two opposite side walls}
- 21/0215 . . . {Containers with stacking feet or corner elements ([B65D 21/0211](#), [B65D 21/023](#) take precedence)}
- 21/0216 . . . {Containers with stacking ribs in the side walls}
- 21/0217 . . . {Containers with a closure presenting stacking elements ([B65D 21/064](#) takes precedence)}
- 21/0219 {the closure presenting projecting peripheral elements receiving or surrounding the bottom or peripheral elements projecting from the bottom of a superimposed container ([B65D 21/0222](#) and [B65D 21/0223](#) take precedence)}
- 21/022 {the bottom presenting projecting peripheral elements receiving or surrounding the closure or peripheral elements projecting therefrom ([B65D 21/0222](#) and [B65D 21/0223](#) take precedence)}
- 21/0222 {the closure and the bottom presenting co-operating peripheral ribs and grooves}
- 21/0223 {the closure and the bottom presenting local co-operating elements, e.g. projections and recesses ([B65D 21/0222](#) takes precedence)}
- 21/0224 . . . {Auxiliary removable stacking elements other than covers}
- 21/0226 . . . {Containers with movable parts adapted to be placed in alternative positions for stacking the containers at different levels, i.e. without nesting of the containers (with means for nesting [B65D 21/06](#))}
- 21/0227 . . . {Containers joined together by bonding, adhesive or the like}
- 21/0228 . . . {Containers joined together by screw-, bayonet-, snap-fit or the like, ([B65D 21/0211](#), [B65D 21/0231](#) take precedence)}
- 21/023 . . . {Closed containers provided with local cooperating elements in the top and bottom surfaces, e.g. projection and recess ([B65D 21/0223](#) takes precedence)}
- 21/0231 {Bottles, canisters or jars whereby the neck or handle project into a cooperating cavity in the bottom ([B65D 81/361](#) takes precedence)}
- 21/0233 . . {Nestable containers}
- 21/0234 . . {Nestable or stackable container parts forming a receptacle when one part is inverted upon the other}
- 21/0235 . . {Containers stackable in a staggered configuration}
- 21/0237 . . {Rigid or semi-rigid containers provided with a recess on their external surface for accommodating a smaller container}
- 21/0238 . . {Rigid or semi-rigid containers provided with a recess in order to be seated on the neck or similar protrusion of a larger container}
- 21/04 . . Open-ended containers shaped to be nested when empty and to be superposed when full
- 21/041 . . . {Identical multi-level containers, i.e. having at least three levels}
- 21/043 . . . {Identical stackable containers specially adapted for nesting after rotation around a vertical axis ([B65D 21/041](#) takes precedence)}
- 21/045 {about 180° only}
- 21/046 {about 90° (staggered configuration [B65D 21/0235](#))}
- 21/048 . . . {Identical stackable containers specially adapted for retaining the same orientation when nested, e.g. the upper container being fixed or slightly rotatable during the nesting operation ([B65D 21/041](#) takes precedence)}

- 21/06 . . with movable parts adapted to be placed in alternative positions for nesting the containers when empty and for stacking them when full {[\(without means for nesting B65D 21/0226\)](#)}
- 21/062 . . . {the movable parts being attached or integral and displaceable into a position overlying the top of the container, e.g. bails, corner plates [\(covers B65D 21/064\)](#)}
- 21/064 . . . {the movable parts being an attached or integral cover made of one or two pieces}
- 21/066 . . . {the movable parts being supports or feet, e.g. retractable feet, pivotable supports}
- 21/068 . . . {the movable parts consisting of walls or parts thereof, i.e. deformable containers}
- 21/08 . Containers of variable capacity [\(containers of polygonal cross-section adapted to be of variable capacity formed by folding or erecting blanks made of paper {B65D 5/0005}\)](#)
- 21/083 . . {by means of additional elements, e.g. modular}
- 21/086 . . {Collapsible or telescopic containers [\(B65D 1/0292 and B65D 21/068 take precedence\)](#)}

Details of rigid or semi-rigid containers not otherwise provided for (for pallets [B65D 19/38](#); of large containers [B65D 90/00](#))

- 23/00 Details of bottles or jars not otherwise provided for** [\(closure-securing elements B65D 45/00\)](#)
- 23/001 . {Supporting means fixed to the container}
- 23/003 . {Suspension means}
- 23/005 . . {in the form of a label hanger}
- 23/006 . {Means for indicating refilling of the container}
- 23/008 . . {by means of a label, e.g. tearable, light sensitive}
- 23/02 . Linings or internal coatings
- 23/04 . Means for mixing or for promoting flow of contents [\(hydro-dynamic means for influencing the flow of liquids F15D\)](#)
- 23/06 . Integral drip catchers or drip-preventing means
- 23/065 . . {Loose or loosely-attached drip catchers or drip preventing means}
- 23/08 . Coverings or external coatings [\(wrappers B65D 65/00\)](#)
- 23/0807 . . {Coatings}
- 23/0814 . . . {characterised by the composition of the material}
- 23/0821 {consisting mainly of polymeric materials [\(B65D 23/0828 takes precedence\)](#)}
- 23/0828 {consisting mainly of paints or lacquers}
- 23/0835 {consisting mainly of metallic compounds}
- 23/0842 . . {Sheets or tubes applied around the bottle with or without subsequent folding operations}
- 23/085 . . . {and glued or otherwise sealed to the bottle [\(B65D 23/0857, B65D 23/0864, B65D 23/0871 take precedence\)](#)}
- 23/0857 . . . {and locked to the bottle by mechanical means, e.g. tabs snapping into recesses of the bottle [\(B65D 23/0871, B65D 23/0878 take precedence\)](#)}
- 23/0864 . . . {Applied in mould}
- 23/0871 . . . {Stretched over the bottle [\(B65D 23/0892 takes precedence\)](#)}
- 23/0878 . . . {Shrunk on the bottle}

- 23/0885 . . {Rigid shells for receiving the bottle or part of it [\(B65D 23/0842, B65D 81/3876, B65D 85/302 take precedence\)](#)}
- 23/0892 . . {Net-like covers}
- 23/10 . Handles
- 23/102 . . {Gripping means formed in the walls, e.g. roughening, cavities, projections}
- 23/104 . . {Handles formed separately}
- 23/106 . . . {the gripping region of the handle extending between the neck and the base of the bottle or jar and being located in a radial plane comprising the axis of the bottle or jar}
- 23/108 . . . {Bail handles, i.e. pivoted handles of generally semi-circular or loop shape}
- 23/12 . Means for the attachment of smaller articles
- 23/14 . . of tags {, labels, cards, coupons, decorations or the like [\(B65D 23/008 takes precedence\)](#)}
- 23/16 . . of thermometers [\(feeding bottles with thermometers A61J 9/02\)](#)
- 25/00 Details of other kinds or types of rigid or semi-rigid containers**
- 25/005 . {Side walls formed with an aperture or a movable portion arranged to allow removal or insertion of contents [\(B65D 5/16, B65D 7/40 take precedence\)](#)}
- 25/02 . Internal fittings [\(of containers made by folding or erecting blanks made of paper B65D 5/44\)](#)
- 25/04 . . Partitions
- 25/06 . . . adapted to be fitted in two or more alternative positions
- 25/08 . . . with provisions for removing or destroying, e.g. to facilitate mixing of contents
- 25/082 {the partition being in the form of a plug or the like which is removed by increasing or decreasing the pressure within the container [\(B65D 81/3211 takes precedence\)](#)}
- 25/085 {the partition being in the form of a plug or the like which is dislodged by means of a plunger rod or the like pushing the plug down [\(B65D 81/3211 takes precedence\)](#)}
- 25/087 {the partition being in the form of a plug or the like which can be raised off its seat by means of a pull cord or the like, e.g. the plug being connected to the cap [\(B65D 81/3211 takes precedence\)](#)}
- 25/10 . . Devices to locate articles in containers [{\(for protecting articles from mechanical damage B65D 81/02\)}](#)
- 25/101 . . . {Springs, elastic lips, or other resilient elements to locate the articles by pressure [\(B65D 25/102, B65D 25/103 take precedence\)](#)}
- 25/102 . . . {Straps, bands, strings or other elongate elements}
- 25/103 . . . {V-shaped elements, e.g. racks, protuberances projecting from a supporting surface, supporting the articles locally at its sides [\(B65D 25/107 takes precedence\)](#)}
- 25/105 {and retaining it by snap-action, e.g. clips}
- 25/106 . . . {Elements projecting into a recess or through a hole in the articles}
- 25/107 . . . {Grooves, ribs, or the like, situated on opposed walls and between which the articles are located}
- 25/108 . . . {Devices, e.g. plates, presenting apertures through which the articles project}

- 25/14 . . Linings or internal coatings (of containers made by folding or erecting blanks made of paper [B65D 5/56](#) {; linings for domestic water storage heaters [F24H 1/183](#)})
 - 25/16 . . Loose, or loosely-attached, linings
 - 25/18 . . spaced appreciably from container wall
 - 25/20 . External fittings (of containers made by folding or erecting blanks made of paper [B65D 5/44](#))
 - 25/205 . . {Means for the attachment of labels, cards, coupons or the like; (cards or coupons for the other types of rigid or semi-rigid containers [B65D 25/36](#) takes precedence)}
 - 25/22 . . for facilitating lifting or suspending of containers
 - 25/24 . . for spacing bases of containers from supporting surfaces, e.g. legs (for pallets [B65D 19/40](#))
 - 25/28 . Handles (of containers made by folding or erecting blanks made of paper [B65D 5/46](#); of bottles or jars [B65D 23/10](#) {; holders for glasses, bottles, cartons, plastic bags, cans [A47G 23/02](#)})
 - 25/2802 . . {fixed, i.e. non-swingable, handles ([B65D 25/2867](#), [B65D 25/2882](#) take precedence)}
 - 25/2805 . . . {provided on a local area of the side walls}
 - 25/2808 {Horizontal, e.g. U-shaped}
 - 25/2811 {Vertical, e.g. U-shaped}
 - 25/2814 {as a part or combined with a label or wrapping sheet or tube}
 - 25/2817 {fixed by means of one or more collars}
 - 25/282 . . . {provided on a local area near to or at the upper edge or rim}
 - 25/2823 . . . {centrally located in open container}
 - 25/2826 . . . {provided on a local area of the upper (top) wall, e.g. U-shaped}
 - 25/2829 . . . {provided vertically and fixed to the upper and the lower rims or edges}
 - 25/2832 . . . {provided vertically and fixed to the upper or lower rim and to the side wall}
 - 25/2835 . . {Swingable handles ([B65D 25/2867](#) and [B65D 25/2882](#) take precedence; bails [B65D 25/32](#))}
 - 25/2838 . . . {provided on a local area of the side wall(s)}
 - 25/2841 {Horizontal, e.g. U-shaped}
 - 25/2844 {Vertical, e.g. U-shaped}
 - 25/2847 {as a part or combined with a label or wrapping sheet or tube}
 - 25/285 {fixed by means of one or more collars}
 - 25/2852 . . . {provided on a local area near to or at the upper edge or rim}
 - 25/2855 . . . {centrally located in open container}
 - 25/2858 . . . {provided on a local area of the upper (top) wall, e.g. U-shaped}
 - 25/2861 . . . {provided vertically and fixed to the upper and the lower rims or edges}
 - 25/2864 . . . {provided vertically and fixed to the upper or lower rim and to the side wall}
 - 25/2867 . . {with respective ends fixed to local areas of two opposite sides or wall-part ([bails B65D 25/32](#))}
 - 25/287 . . . {Rope or string}
 - 25/2873 . . . {Straps or slings}
 - 25/2876 {fixed by means of a collar}
 - 25/2879 . . . {wire-like}
 - 25/2882 . . {Integral handles ([B65D 25/2867](#) takes precedence)}
 - 25/2885 . . . {provided on the side wall}
 - 25/2888 {provided near to or at the upper edge or rim}
 - 25/2891 {centrally located in open container}
 - 25/2894 {provided on the top or upper wall}
 - 25/2897 {formed in the wall(s), e.g. roughenings, cavities or projections}
 - 25/30 . . Hand holes
 - 25/32 . . Bail handles, i.e. pivoted {rigid} handles of generally semi-circular shape {with pivot points on two opposed sides or wall parts of the container}
 - 25/325 {integrally formed with the container}
 - 25/34 . Coverings or external coatings (of containers made by folding or erecting blanks made of paper [B65D 5/62](#); for bottles or jars [B65D 23/08](#); wrappers [B65D 65/00](#))
 - 25/36 . . formed by applying sheet material
 - 25/38 . Devices for discharging contents ({containers formed by folding or erecting paper blanks [B65D 5/72](#) {; incorporated in removable or non-permanently secured closure members [B65D 47/00](#); for discharging thin flat articles [B65D 83/08](#))}
 - 25/385 . . {with means for preventing inflammation or explosion during discharging of inflammable or explosive substances from containers, e.g. from petroleum cans}
 - 25/40 . . Nozzles or spouts (in general [B05B](#))
 - 25/42 . . . Integral or attached nozzles or spouts
 - 25/44 Telescopic or retractable nozzles or spouts
 - 25/46 Hinged, {foldable} or pivoted nozzles or spouts
 - 25/465 {the spout being either flexible or having a flexible wall portion, whereby the spout is foldable between a dispensing and a non-dispensing position}
 - 25/48 . . . Separable nozzles or spouts
 - 25/50 arranged to be plugged in two alternate positions
 - 25/52 . . Devices for discharging successive articles or portions of contents
 - 25/525 . . . {Swivelling devices, comprising a bottom wall and two side walls}
 - 25/54 . Inspection openings or windows
 - 25/56 . . with means for indicating level of contents
- General kinds of flexible containers** (large containers [B65D 88/00](#))
- 27/00 **Envelopes or like essentially-rectangular containers for postal or other purposes having no structural provision for thickness of contents (with shock-absorbing properties [B65D 81/03](#); letter-cards [B42D 15/00](#))**
 - 27/005 . {Linings}
 - 27/02 . with stiffening inserts
 - 27/04 . with apertures or windows for viewing contents
 - 27/06 . with provisions for repeated re-use
 - 27/08 . with two or more compartments
 - 27/10 . Chains of interconnected envelopes
 - 27/12 . Closures ([separate fasteners B42F 1/00](#))
 - 27/14 . . using adhesive applied to integral parts, e.g. flaps
 - 27/16 . . . using pressure-sensitive adhesive
 - 27/18 . . . using heat-activatable adhesive
 - 27/20 . . using self-locking integral or attached elements
 - 27/22 . . . Tongue-and-slot or like closures; Tuck-in flaps
 - 27/24 . . . String closures

- 27/26 . . . Deformable metallic elements
- 27/28 . . Applications of separate closing elements
- 27/30 . . with special means for indicating unauthorised opening
- 27/32 . Opening devices incorporated during envelope manufacture ([incorporated during closing of envelope B43M 5/00](#); separate devices for opening envelopes [B43M 7/00](#))
- 27/34 . . Lines of weakness
- 27/36 . . Finger openings, slots, or gripping tabs
- 27/38 . . Tearing-strings or -strips
- 29/00 {Sacks or like containers made of fabrics; Flexible containers of open-work, e.g. net-like construction}**
- 29/02 . {Sacks with laminated or multiple walls}
- 29/04 . {Net-like containers made of plastics material}
- 31/00 {Bags or like containers made of paper and having structural provision for thickness of contents (with shock-absorbing properties [B65D 81/03](#))}**
- 31/005 . {by folding a single blank to U-shape to form the base of the bag and opposite sides of the body-portion, the remaining sides being formed by extensions of one or more of these opposite sides ([cartons B65D 5/18](#))}
- 31/02 . {with laminated walls}
- 31/04 . {with multiple walls ([B65D 81/3881](#) takes precedence; for shock absorbing purposes [B65D 81/03](#))}
- 31/06 . {with rigid end walls}
- 31/08 . {with block bottoms}
- 31/10 . {with gusseted sides}
- 31/12 . {with two or more compartments}
- 31/14 . {Valve bags, i.e. with valves for filling}
- 31/142 . . {the filling port being formed by folding a flap connected to a side, e.g. block bottoms}
- 31/145 . . {the filling port being provided in a flat upper sealing-edge}
- 31/147 . . {the filling port being provided in a side wall}
- 31/16 . {of special shape}
- 31/18 . . {Triangular or conical bags}
- 33/00 Details of, or accessories for, sacks or bags**
- 33/001 . {Blocks, stacks or like assemblies of bags}
- 33/002 . {Rolls, strips or like assemblies of bags}
- 33/004 . {Information or decoration elements, e.g. level indicators, detachable tabs or coupons}
- 33/005 . {Anti-slip or anti-skid bags, e.g. bags provided with anti-slip coating, ribs, strips}
- 33/007 . {for facilitating the separation of the two walls, e.g. walls of unequal height, tabs; for maintaining the mouth of the sack or bag open}
- 33/008 . {Individual filled bags or pouches connected together ([B65D 33/001](#), [B65D 33/002](#) take precedence)}
- 33/01 . Ventilation or drainage of bags
- 33/02 . Local reinforcements or stiffening inserts, e.g. wires, strings, strips or frames ([B65D 33/007](#) takes precedence)}
- 33/04 . Windows or other apertures, e.g. for viewing contents ({[ventilation apertures B65D 33/01](#); [windows for level indication B65D 33/004](#))}
- 33/06 . Handles ({[forming part of the closing arrangement B65D 33/16](#))}
- 33/065 . . {Integral handles ([B65D 33/08](#) takes precedence)}
- 33/08 . . Hand holes
- 33/10 . . formed of similar material to that used for the bag
- 33/105 . . . {U-shaped}
- 33/12 . . String handles
- 33/14 . Suspension means ([handles B65D 33/06](#))
- 33/16 . End- or aperture-closing arrangements or devices (valves of valve bags ([B65D 31/14](#)) ; removable stoppers or caps [B65D 39/00](#), [B65D 41/00](#); closures of filled bags [B65D 77/10](#); closing filled bags in association with packaging [B65B 7/00](#), [B65B 51/00](#))
- 33/1608 . . {Integral flaps for tying above the bag}
- 33/1616 . . {Elements constricting the neck of the bag ([hinged clips B65D 33/1675](#))}
- 33/1625 . . . {Small plates or the like made of one piece and presenting slits or a central aperture to jam the neck of the bag}
- 33/1633 . . . {Closed rings maintaining the constricted neck around an element, e.g. used as a handle or suspension means, with the element integral or non-integral with the ring}
- 33/1641 . . . {Staples, clips or clamps made of metal}
- 33/165 . . . {Flexible elongated elements integral with or attached to bags or sacks ([draw closures B65D 33/28](#)); Fastening thereof to the bag before closing}
- 33/1658 . . {Elements for flattening or folding the mouth portion ([B65D 33/30](#) takes precedence)}
- 33/1666 . . . {Slitted tubes with or without a core; U-shaped clips made of one piece}
- 33/1675 . . . {Hinged clips}
- 33/1683 . . {A pair of interconnecting rigid strips made of plastic material, e.g. one or both being provided with a handle or suspension means}
- 33/1691 . . {using adhesive applied to attached closure elements}
- 33/18 . . using adhesive applied to integral parts, e.g. to flaps
- 33/20 . . . using pressure-sensitive adhesive
- 33/22 . . . using heat-activatable adhesive
- 33/24 . . using self-locking integral or attached closure elements, e.g. flaps ([B65D 33/25](#) takes precedence)
- 33/243 . . . {Combination of flaps, slits, tongues or apertures, e.g. apertures serving as hand or finger holes}
- 33/246 . . . {Turn-over flaps co-operating with a separate handle or suspension means}
- 33/25 . . Riveting; Dovetailing; Screwing; using press buttons or slide fasteners
- 33/2508 . . . {using slide fasteners with interlocking members having a substantially uniform section throughout the length of the fastener; Sliders therefor}
- 33/2516 {comprising tamper-indicating means, e.g. located within the fastener ([provided in the slider B65D 33/2585](#))}
- 33/2525 {located between the fastener and the product compartment}
- 33/2533 {the slide fastener being located between the product compartment and the tamper indicating means}

- 33/2541 {characterised by the slide fastener, e.g. adapted to interlock with a sheet between the interlocking members having sections of particular shape}
- 33/255 {being provided with special visual, audible or tactile indicating means, e.g. indicating proper engagement [\(B65D 33/2516 takes precedence\)](#)}
- 33/2558 {the slide fastener having a non-constant section throughout the length of the fastener, e.g. slightly undulated interlocking members or castellated stringers}
- 33/2566 {using two or more independently operable slide fasteners}
- 33/2575 {the slide fastener providing access to the bag through a bag wall, e.g. intended to be cut open by the consumer}
- 33/2583 {the slide fastener being attached to one wall only}
- 33/2584 {characterized by the slider}
- 33/2585 {being provided with tamper-indicating means}
- 33/2586 {being provided with a separating plow}
- 33/25865 {reaching between the interlocking fastener profiles}
- 33/2587 {the slider being made out of a plurality of pieces}
- 33/2588 {being provided with flexing or moving parts}
- 33/2589 {Bag or slide fastener details cooperating with the slider, e.g. details for removing or installing the slider}
- 33/259 {End stops}
- 33/26 . . using staples or stitches {[\(B65D 33/1641 takes precedence\)](#)}
- 33/28 . . Strings or strip-like closures {, i.e. draw closures}
- 33/30 . . Deformable or resilient metal or like strips or bands {[\(B65D 33/1616 takes precedence\)](#)}
- 33/32 . . Metallic chain closures
- 33/34 . . with special means for indicating unauthorised opening {[\(B65D 33/2516, B65D 33/2585 take precedence\)](#)}
- 35/00 Pliable tubular containers adapted to be permanently {or temporarily} deformed to expel contents, e.g. collapsible tubes for toothpaste or other plastic or semi-liquid material; Holders therefor**
- 35/02 . Body construction
- 35/04 . . made in one piece
- 35/06 . . . from metallic material
- 35/08 . . . from plastics material
- 35/10 . . made by uniting or interconnecting two or more components
- 35/12 . . Connections between body and closure-receiving bush
- 35/14 . with linings or inserts
- 35/16 . . for minimising or preventing corrosion of body
- 35/18 . . for keeping body in rolled state after partial expulsion of contents
- 35/20 . . for retracting contents
- 35/22 . with two or more compartments
- 35/24 . with auxiliary devices [\(linings or inserts B65D 35/14\)](#)
- 35/242 . . {for mixing or discharging of two or more components}
- 35/245 . . {Suspension means integral with, or attached to the container [\(B65D 51/242 takes precedence\)](#)}
- 35/247 . . {the tubular container being provided on its internal surfaces with press buttons or the like for maintaining the container in compressed state}
- 35/26 . . for filling
- 35/28 . . for expelling contents
- 35/285 . . . {Co-operating squeezing supporting rollers}
- 35/30 . . . Pistons
- 35/32 . . Winding keys
- 35/34 . . . connected to, or associated with, tube holders
- 35/36 . . for applying contents to surfaces [\(brushes combined or associated with tubular containers A46B 11/00\)](#)
- 35/38 . . . Nozzles
- 35/40 . . for metering discharge
- 35/42 . . for preventing loss of removable closure members
- 35/44 . Closures [\(closure members of interest apart from this application B65D 39/00 - B65D 55/00; forming bottom closures after filling B65B 7/14\)](#)
- 35/46 . . with valves [\(bureau accessories for applying liquids, e.g. adhesive, B43M 11/00\)](#)
- 35/56 . Holders for collapsible tubes {[\(B65D 51/249 takes precedence\)](#)}
- 35/565 . . {the holder being attached to a wall or suspended from a panel [\(B65D 35/285 takes precedence\)](#)}
- 37/00 Portable flexible containers not otherwise provided for**
- Closure members for rigid or semi-rigid containers or for flexible containers presenting similar closing problems** [\(closure flaps or lids attached to, or incorporated in, containers, or foldable or erectable container blanks, made of paper B65D 3/00, B65D 5/00; closure walls of containers specially constructed to be opened by cutting, piercing, or tearing of wall portions B65D 17/00; applying closure members to bottles, jars, or similar containers B67B; covers or similar closure members, for pressure vessels in general F16J 13/00\); **Parts of containers co-operating with closure members or characterised by the form of closure member** \[\\(for large containers B65D 90/00\\)\]\(#\)](#)
- 39/00 Closures arranged within necks or pouring openings or in discharge apertures, e.g. stoppers (lids or covers B65D 43/00; with additional securing elements B65D 45/00)**
- NOTE**
- In this group, the indexing codes of [B65D 2539/00](#) are used
- 39/0005 . {made in one piece [\(B65D 39/02, B65D 39/04, B65D 39/06, B65D 39/08 take precedence\)](#)}
- 39/0011 . . {from natural or synthetic cork, e.g. for wine bottles or the like}
- 39/0017 . . {Injection-molded plastic closures for "Champagne"- or "Sekt"-type bottles}
- 39/0023 . . {Plastic cap-shaped hollow plugs}
- 39/0029 . . {Plastic closures other than those covered by groups [B65D 39/0011 - B65D 39/0023](#)}
- 39/0035 . . {Swing or hinged stoppers, e.g. for "Grolsch"-type bottles [\(toggle mechanisms B65D 45/06 or B65D 45/16\)](#)}

- | | | | |
|--------------|--|---------|--|
| 39/0041 | . . {Bungs, e.g. wooden or rubber, for barrels or the like (B65D 39/08 takes precedence)} | 41/0421 | {and combined with integral sealing means contacting other surfaces of a container neck} |
| 39/0047 | . . {Glass, ceramic or metal stoppers for perfume bottles or the like (B65D 39/0035 takes precedence)} | 41/0428 | {formed by a collar, flange, rib or the like contacting the top rim or the top edges or the external surface of a container neck (B65D 41/0421 takes precedence)} |
| 39/0052 | . {made in more than one piece (B65D 39/02 , B65D 39/04 , B65D 39/06 , B65D 39/08 take precedence)} | 41/0435 | . . . {with separate sealing elements} |
| 39/0058 | . . {from natural or synthetic cork, e.g. for wine bottles or the like} | 41/0442 | {Collars or rings (B65D 41/0457 takes precedence)} |
| 39/0064 | . . {Injection-molded plastic closures for "Champagne"-or "Sekt"-type bottles} | 41/045 | {Discs (B65D 41/0457 takes precedence)} |
| 39/007 | . . {Plastic cap-shaped hollow plugs} | 41/0457 | {the sealing element covering or co-operating with the screw-thread or the like of a container neck} |
| 39/0076 | . . {Plastic closures other than those covered by groups B65D 39/0058 - B65D 39/007 } | 41/0464 | {the screw-thread or the like being formed by conforming the cap-skirt to the thread or the like formation on a container neck} |
| 39/0082 | . . {Swing or hinged stoppers, e.g. for "Grolsch"-type bottles (toggle mechanisms B65D 45/06 or B65D 45/16)} | 41/0471 | . . . {with means for positioning the cap on the container, or for limiting the movement of the cap, or for preventing accidental loosening of the cap} |
| 39/0088 | . . {Bungs, e.g. wooden or rubber, for barrels or the like (B65D 39/08 takes precedence)} | 41/0478 | {the cap being formed by several elements connected together} |
| 39/0094 | . . {Glass, ceramic or metal stoppers for perfume bottles or the like (B65D 39/0082 takes precedence)} | 41/0485 | . . . {with means specially adapted for facilitating the operation of opening or closing} |
| 39/02 | . Disc closures (discs with flanges B65D 39/04) | 41/0492 | . . . {formed by several elements connected together (B65D 41/0478 takes precedence)} |
| 39/025 | . . {the closure being maintained in place by an additional element} | 41/06 | . . . with bayonet cams {, i.e. removed by first pushing axially to disengage the cams and then rotating} |
| 39/04 | . Cup-shaped plugs or like hollow flanged members | 41/065 | {with integral internal sealing means} |
| 39/06 | . Balls | 41/08 | . . . engaging a threaded ring clamped on the external periphery of the neck or wall |
| 39/08 | . Threaded or like closure members secured by rotation; Bushes therefor | 41/083 | {engaging a bung-ring clamped on the neck or in the wall} |
| 39/082 | . . {Bung-rings and bungs for bung-holes} | 41/086 | {with integral internal sealing means} |
| 39/084 | . . . {Separated bung-rings made by one element} | 41/10 | . . Caps or cap-like covers adapted to be secured in position by permanent deformation of the wall-engaging parts |
| 39/086 | . . . {Separated bung-rings made by several elements} | 41/105 | . . . {with integral internal sealing means} |
| 39/088 | . . . {Bungs with special means facilitating handling thereof} | 41/12 | . . . made of relatively stiff metallic materials, e.g. crown caps |
| 39/10 | . . with bayonet cams | 41/125 | {with integral internal sealing means} |
| 39/12 | . expansible, e.g. inflatable | 41/14 | . . . made of metallic foil or like thin flexible material |
| 39/14 | . extending through lateral openings in necks | 41/145 | {with integral internal sealing means} |
| 39/16 | . with handles or other special means facilitating manual actuation | 41/16 | . . Snap-on caps or cap-like covers |
| 41/00 | Caps, e.g. crown caps or crown seals, i.e. members having parts arranged for engagement with the external periphery of a neck or wall defining a pouring opening or discharge aperture; Protective cap-like covers for closure members, e.g. decorative covers of metal foil or paper (B65D 45/00 takes precedence) | 41/165 | . . . {with integral internal sealing means (B65D 41/17 takes precedence)} |
| 41/005 | . {with integral sealing means (B65D 41/02 takes precedence)} | 41/17 | . . . push-on and twist-off |
| 41/02 | . Caps or cap-like covers without lines of weakness, tearing strips, tags, or like opening or removal devices | 41/18 | . . . non-metallic, e.g. made of paper or plastics (B65D 41/17 takes precedence)} |
| 41/023 | . . {with integral internal sealing means} | 41/185 | {with integral internal sealing means} |
| 41/026 | . . {Caps or cap-like covers attached to the bottle neck by sliding them perpendicularly to the neck axis} | 41/20 | . . Caps or cap-like covers with membranes, e.g. arranged to be pierced |
| 41/04 | . . Threaded or like caps or cap-like covers secured by rotation | 41/205 | . . . {with integral internal sealing means} |
| 41/0407 | . . . {with integral sealing means (B65D 41/065 takes precedence)} | 41/22 | . . Caps or cap-like covers with elastic parts adapted to be stretched over the container |
| 41/0414 | {formed by a plug, collar, flange, rib or the like contacting the internal surface of a container neck} | 41/225 | . . . {with integral internal sealing means} |
| | | 41/24 | . . Caps or cap-like covers made of shrinkable material or formed <i>in situ</i> by dipping, e.g. using gelatine or celluloid |
| | | 41/245 | . . . {with integral internal sealing means} |

- 41/26 . . Caps or cap-like covers serving as, or incorporating, drinking or measuring vessels
- 41/265 . . . {with integral internal sealing means}
- 41/28 . . Caps combined with stoppers
- 41/30 . . . Deformable caps combined with resilient stoppers to permit re-use as temporary closures
- 41/32 . Caps or cap-like covers with lines of weakness, tearing-strips, tags, or like opening or removal devices, e.g. to facilitate formation of pouring openings
- 41/325 . . {with integral internal sealing means}
- 41/34 . . Threaded or like caps or cap-like covers {provided with tamper elements formed in, or attached to, the closure skirt}
- 41/3404 . . . {with ratchet-and-pawl mechanism between the container and the closure skirt or the tamper element}
- 41/3409 {the tamper element being integrally connected to the closure by means of bridges}
- 41/3414 {with drive means between closure and tamper element}
- 41/3419 {the tamper element being formed separately but connected to the closure}
- 41/3423 . . . {with flexible tabs, or elements rotated from a non-engaging to an engaging position, formed on the tamper element or in the closure skirt [\(B65D 41/3404 takes precedence\)](#)}
- 41/3428 {the tamper element being integrally connected to the closure by means of bridges}
- 41/3433 {with drive means between closure and tamper element}
- 41/3438 {the tamper element being formed separately but connected to the closure}
- 41/3442 . . . {with rigid bead or projections formed on the tamper element and coating with bead or projections on the container [\(B65D 41/3404 takes precedence\)](#)}
- 41/3447 {the tamper element being integrally connected to the closure by means of bridges}
- 41/3452 {with drive means between closure and tamper element}
- 41/3457 {the tamper element being formed separately but connected to the closure}
- 41/3461 . . . {the tamper element being retracted by heat or by heat and pressure}
- 41/3466 {and being integrally connected to the closure by means of bridges}
- 41/3471 {with drive means between closure and tamper element}
- 41/3476 {and being formed separately but connected to the closure}
- 41/348 . . . {the tamper element being rolled or pressed to conform to the shape of the container, e.g. metallic closures [\(B65D 41/3404, B65D 41/3423 take precedence\)](#)}
- 41/3485 {having tear-off strips}
- 41/349 {the tamper element being formed separately but connected to the closure}
- 41/3495 . . . {the tamper element being bonded or adhered to the container wall [\(B65D 41/3461 takes precedence\)](#)}
- 41/36 . . . with bayonet cams {, i.e. removed by first pushing axially to disengage the cams and then rotating}
- 41/365 {with integral internal sealing means}
- 41/38 . . . engaging a threaded ring clamped on the external periphery of the neck or wall
- 41/385 {with integral internal sealing means}
- 41/40 . . Caps or cap-like covers adapted to be secured in position by permanent deformation of the wall-engaging parts
- 41/405 . . . {with integral internal sealing means}
- 41/42 . . . made of relatively-stiff metallic material, e.g. crown caps
- 41/425 {with integral internal sealing means}
- 41/44 . . . made of metallic foil or like thin flexible material
- 41/445 {with integral internal sealing means}
- 41/46 . . Snap-on caps or cap-like covers
- 41/465 . . . {with integral internal sealing means [\(B65D 41/47 takes precedence\)](#)}
- 41/47 . . . push-on and twist-off
- 41/48 . . . non-metallic, e.g. made of paper or plastics [{\(B65D 41/47 takes precedence\)}](#)}
- 41/485 {with integral internal sealing means}
- 41/50 . . Caps or cap-like covers with membranes, e.g. arranged to be pierced
- 41/505 . . . {with integral internal sealing means}
- 41/52 . . Caps or cap-like covers with elastic parts adapted to be stretched over the container
- 41/525 . . . {with integral internal sealing means}
- 41/54 . . Caps or cap-like covers made of shrinkable material or formed in situ by dipping, e.g. using gelatine or celluloid
- 41/545 . . . {with integral internal sealing means}
- 41/56 . . Caps or cap-like covers serving as, or incorporating, drinking or measuring vessels
- 41/565 . . . {with integral internal sealing means}
- 41/58 . . Caps or cap-like covers combined with stoppers
- 41/60 . . . Deformable caps combined with resilient stoppers to permit re-use as temporary closures
- 41/62 . Secondary protective cap-like outer covers for closure members
- 43/00 Lids or covers for rigid or semi-rigid containers [\(for cooking vessels A47J 36/06; covers for pressure vessels in general F16J 13/00\)](#)**
- 43/02 . Removable lids or covers [\(with means for piercing, cutting, or tearing a frangible inner closure B65D 51/22\)](#)
- 43/0202 . . {without integral tamper element}
- 43/0204 . . . {secured by snapping over beads or projections}
- 43/0206 {inside a peripheral U-shaped channel in the mouth of the container}
- 43/0208 {on both the inside and the outside of the mouth of the container [\(B65D 43/0206 takes precedence\)](#)}
- 43/021 {only on the inside, or a part turned to the inside, of the mouth [\(B65D 43/0206 takes precedence\)](#)}
- 43/0212 {only on the outside, or a part turned to the outside, of the mouth [\(B65D 43/0206 takes precedence\)](#)}

- | | |
|---|---|
| 43/0214 . . . {secured only by friction or gravity
(B65D 43/0204 takes precedence)} | 43/027 {leaving only an inside friction after
removal of the tamper element} |
| 43/0216 {inside a peripheral U-shaped channel in the
mouth of the container} | 43/0272 {only on the inside, or a part turned to
the inside, of the mouth of the container
(B65D 43/0266 takes precedence)} |
| 43/0218 {on both the inside and the outside of the
mouth of the container (B65D 43/0216 takes
precedence)} | 43/0274 {only on the outside, or a part turned to
the outside, of the mouth of the container
(B65D 43/0266 takes precedence)} |
| 43/022 {only on the inside, or a part turned to
the inside, of the mouth of the container
(B65D 43/0216 takes precedence)} | 43/0277 . . . {secured by rotation before removal of the
tamper element} |
| 43/0222 {only on the outside, or a part turned to
the outside, of the mouth of the container
(B65D 43/0216 takes precedence)} | 43/0279 {inside a peripheral U-shaped channel in the
mouth of the container} |
| 43/0225 . . . {secured by rotation} | 43/0281 {only on the inside, or a part turned to
the inside, of the mouth of the container
(B65D 43/0279 takes precedence)} |
| 43/0227 {inside a peripheral U-shaped channel in the
mouth of the container} | 43/0283 {only on the outside, or a part turned to
the outside, of the mouth of the container
(B65D 43/0279 takes precedence)} |
| 43/0229 {only on the inside, or a part turned to
the inside, of the mouth of the container
(B65D 43/0227 takes precedence)} | 43/0285 . . . {secured by rolling or other plastic deformation
before removal of the tamper element} |
| 43/0231 {only on the outside, or a part turned to
the outside, of the mouth of the container
(B65D 43/0227 takes precedence)} | 43/0287 {only on the outside, or a part turned to the
outside, of the mouth of the container} |
| 43/0233 . . . {secured by rolling or other plastic
deformation} | 43/0289 {leaving only an inside snap after removal
of the tamper element} |
| 43/0235 . . {with integral tamper element} | 43/0291 {leaving only an outside snap after
removal of the tamper element} |
| 43/0237 . . . {secured by snapping over beads or projections
before removal of the tamper element} | 43/0293 {leaving friction on both the inside and
the outside after removal of the tamper
element} |
| 43/0239 {inside a peripheral U-shaped channel in the
mouth of the container} | 43/0295 {leaving only an inside friction after
removal of the tamper element} |
| 43/0241 {leaving only an inside snap after removal
of the tamper element} | 43/0297 {leaving only an outside friction after
removal of the tamper element} |
| 43/0243 {leaving friction on both the inside and
the outside after removal of the tamper
element} | 43/06 . . having a peripheral channel embracing the rim of
the container |
| 43/0245 {leaving only an inside friction after
removal of the tamper element} | 43/065 . . . {the peripheral channel having an inverted U-
shape} |
| 43/0247 {leaving only an outside friction after
removal of the tamper element} | 43/08 . . having a peripheral flange fitting over the
rim of the container ({ not in use, covered
by B65D 43/0222 and B65D 43/0274 +
B65D 2543/00 codes }) |
| 43/0249 {on both the inside and the outside of the
mouth of the container (B65D 43/0239 takes
precedence)} | 43/12 . . guided for removal by sliding |
| 43/0252 {leaving only an inside snap after removal
of the tamper element} | 43/14 . Non-removable lids or covers |
| 43/0254 {only on the inside, or a part turned to
the inside, of the mouth of the container
(B65D 43/0239 takes precedence)} | 43/16 . . hinged for upward or downward movement
(cigar or cigarette receptacles A24F 15/00;
suitcases, étuis A45C; casings for cosmetic
substances with hinged covers A45D 40/22;
toolboxes B25H 3/02; } hinges of door or similar
type E05D {; boxes for switchboards with hinged
covers H02B 1/066) |
| 43/0256 {only on the outside, or a part turned to
the outside, of the mouth of the container
(B65D 43/0239 takes precedence)} | 43/161 . . . {comprising two or more cover sections hinged
one to another} |
| 43/0258 {leaving friction on both the inside and
the outside after removal of the tamper
element} | 43/162 . . . {the container, the lid and the hinge being
made of one piece (B65D 43/161 takes
precedence)} |
| 43/026 {leaving only an inside friction after
removal of the tamper element} | 43/163 . . . {the container and the lid being made
separately (B65D 43/161 takes precedence)} |
| 43/0262 {leaving only an outside friction after
removal of the tamper element} | 43/164 {and connected by interfitting hinge
elements integrally with the container and
the lid formed respectively} |
| 43/0264 . . . {secured only by friction or gravity before
removal of the tamper element (B65D 43/0237
takes precedence)} | 43/165 {these elements being assembled by a
separate pin-like member} |
| 43/0266 {inside a peripheral U-shaped channel in the
mouth of the container} | 43/166 {and connected by separate interfitting hinge
elements fixed to the container and the lid
respectively} |
| 43/0268 {on both the inside and the outside of the
mouth of the container (B65D 43/0266 takes
precedence)} | |

- 43/167 {these elements being assembled by a separate pin-like member}
- 43/168 {and connected by one or more hinges formed by a separate, single container and a flexible, band-like element fixed to the container and the lid}
- 43/169 {the lid, the hinge and the element connecting them to the container being made of one piece}
- 43/18 . . pivoted for movement in plane of container mouth
- 43/20 . . linearly slidable
- 43/22 . . Devices for holding in closed position, e.g. clips
- 43/24 . . Devices for retaining in open position {holding lids in open position in general E05C 17/00; hinges with means for holding open E05D 11/10}
- 43/26 . . Mechanisms for opening or closing, e.g. pedal-operated {(for refuse receptacles B65F 1/1623)}
- 43/262 . . {pedal-operated}
- 43/265 . . {consisting of levers pivoting perpendicularly to container axis, e.g. butterfly levers}
- 43/267 . . {consisting of levers pivoting radially to container axis}
- 45/00 Clamping or other pressure-applying devices for securing or retaining closure members (screw-threaded or bayonet connections between stoppers or caps and containers B65D 39/08, B65D 41/04, B65D 41/34; expansible stoppers B65D 39/12; for pressure vessels in general F16J 13/00)**
- 45/02 . . for applying axial pressure to engage closure with sealing surface
- 45/025 . . {Closure members opened by lever action and maintained closed by spring action (B65D 45/04 takes precedence)}
- 45/04 . . comprising U-shaped or bifurcated members coacting with containers {these members remaining connected with the closure and with the container when the container is open}, e.g. pivoted bails
- 45/06 . . . associated with toggle levers, e.g. swing stopper arrangements
- 45/08 . . . incorporating springs
- 45/10 . . . incorporating tightening screws
- 45/12 . . . associated with locking levers engaging rack teeth for varying the applied pressure
- 45/14 . . . coacting with inclined grooves in container wall for varying the applied pressure
- 45/16 . . Clips, hooks, or clamps {which are removable, or which remain connected either with the closure or with the container when the container is open}, e.g. C-shaped (U-shaped or bifurcated members B65D 45/04)
- 45/18 . . . of snap-over type
- 45/20 . . . pivoted
- 45/22 resilient
- 45/24 incorporating pressure-applying means, e.g. screws or toggles
- 45/26 incorporating tensioning chains
- 45/28 . . Elongated members, e.g. leaf springs, located substantially at right angles to closure axis and acting between the face of the closure and abutments on container
- 45/30 . . Annular members, e.g. with snap-over action or screw-threaded {(B65D 45/32 takes precedence)}
- 45/305 . . . {Screw-threaded or bayonet-type annular members cooperating with an intermediate ring (B65D 41/08, B65D 51/14 takes precedence)}
- 45/32 . . for applying radial {or radial and axial} pressure, e.g. contractible bands encircling closure member
- 45/322 . . {the clamping device being an annular member moved axially to clamp the closure by using radial pressure (B65D 55/0863, B65D 55/0872 take precedence)}
- 45/325 . . . {the annular member being screw-threaded or bayonet-type (B65D 51/14 takes precedence)}
- 45/327 . . . {the annular member applying radial pressure against the inner surface of the container wall (B65D 55/0863, B65D 55/0872 take precedence)}
- 45/34 . . lever-operated
- 45/345 . . . {Lever-operated contractible or expansible band, the lever moving in the plane of the band}
- 47/00 Closures with filling and discharging, or with discharging, devices (dispensers for liquid soap A47K 5/12; desk equipment for applying liquid by contact with surfaces B43M 11/00; fluid delivery valves in general F16K 21/00)**
- 47/02 . . for initially filling and for preventing subsequent refilling
- 47/04 . . Closures with discharging devices other than pumps
- 47/043 . . {with pouring baffles, e.g. for controlling the flow}
- 47/046 . . {Closures with swivelling dispensing devices (containers with swivelling devices comprising a bottom wall and two side walls B65D 25/525)}
- 47/06 . . with pouring spouts or tubes; with discharge nozzles or passages (with slidable spouts B65D 47/26)
- 47/061 . . . {with telescopic, retractable or reversible spouts, tubes or nozzles}
- 47/063 {with flexible parts}
- 47/065 . . . {with hinged, foldable or pivotable spouts}
- 47/066 {the spout being either flexible or having a flexible wall portion, whereby the spout is foldable between a dispensing and a non-dispensing position (B65D 47/2043 takes precedence)}
- 47/068 . . . {with removable spouts which can be plugged in a discharging and in a closing position}
- 47/08 . . . having articulated or hinged closures {(B65D 55/16 takes precedence)}
- 47/0804 {integrally formed with the base element provided with the spout or discharge passage}
- 47/0809 {and elastically biased towards both the open and the closed positions}
- 47/0814 {by at least three hinge sections, at least one having a length different from the others}
- 47/0819 {by cam action, e.g. interacting protrusions}
- 47/0823 {and elastically biased towards the closed position only}
- 47/0828 {and elastically biased towards the open position only}

47/0833 {Hinges without elastic bias}	47/2012	. . . {formed by a rigid spout outlet and an overcap, the spout outlet being either pushed into alignment with, or pushed through an opening in the overcap, upon rotation of the latter}
47/0838 {located at an edge of the base element}		
47/0842 {consisting of a strap of flexible material}	47/2018	. . . {comprising a valve or like element which is opened or closed by deformation of the container or closure}
47/0847 {located within a flat surface of the base element}	47/2025 {Flexible bung-type elements}
47/0852 {consisting of a strap of flexible material}	47/2031 {the element being formed by a slit, narrow opening or constrictable spout, the size of the outlet passage being able to be varied by increasing or decreasing the pressure (B65D 47/2025 takes precedence)}
47/0857 {made separately from the base element provided with the spout or discharge passage}	47/2037 {the element being opened or closed by actuating a separate element which causes the deformation, e.g. screw cap closing container slit}
47/0861 {and elastically biased towards both the open and the closed positions}	47/2043 {the separate element being formed by an overcap which constricts a spout, the spout being either pushed into alignment with, or pushed through, an opening in the overcap upon rotation of the latter}
47/0866 {and elastically biased towards the closed position only}	47/205 {the valve being formed by a tubular flexible sleeve surrounding a rod-like element provided with at least one radial passageway which is normally closed by the sleeve}
47/0871 {and elastically biased towards the open position only}	47/2056 {lift valve type (lift valves not opened by deformation B65D 47/24)}
47/0876 {Hinges without elastic bias}	47/2062 {in which the deformation raises or lowers the valve stem}
47/088 {located at an edge of the base element}	47/2068 {in which the stem is lowered by the pressure of the contents and thereby opening the valve}
47/0885 {one part of the hinge being integral with the hinged closure and the other part with the base element, without any other additional hinge element}	47/2075 {in which the stem is raised by the pressure of the contents and thereby opening the valve}
47/089 {located within a flat surface of the base element}	47/2081 {in which the deformation raises or lowers the valve port}
47/0895 {one part of the hinge being integral with the hinged closure and the other part with the base element, without any other additional hinge element}	47/2087 {the port being formed by a slidable rigid cap-like element which is moved linearly by the pressure of the contents}
47/10	. . . having frangible closures	47/2093 {slide valve type (slide valves not opened by deformation B65D 47/26)}
47/103 {Membranes with a tearing element}	47/24	. . . with poppet valves {or lift valves, i.e. valves opening or closing a passageway by a relative motion substantially perpendicular to the plane of the seat}
47/106 {with devices for removing frangible parts of the pouring element or of its closure}	47/241 {the valve being opened or closed by actuating a cap-like element}
47/12	. . . having removable closures	47/242 {moving helically}
47/121 {Stoppers}	47/243 {moving linearly, i.e. without rotational motion}
47/122 {Threaded caps}	47/244 {being rotated without axial translation, whilst transmitting axial motion to an internal valve stem or valve seat}
47/123 {with internal parts}	47/245 {the valve being opened or closed by actuating a stopper-type element}
47/125 {Caps with bayonet cams}	47/246 {moving helically, e.g. screw tap}
47/126 {with internal parts}	47/247 {moving linearly, i.e. without rotational motion}
47/127 {Snap-on caps}	47/248 {the valve being opened or closed by imparting a motion to the valve stem (B65D 47/244, B65D 47/245 take precedence)}
47/128 {with internal parts}	47/249 {by means of a lever mechanism}
47/14 and closure-retaining means		
47/141 {for stoppers}		
47/142 {for threaded caps}		
47/143 {with internal parts}		
47/145 {for caps with bayonet cams}		
47/146 {with internal parts}		
47/147 {for snap-on caps}		
47/148 {with internal parts}		
47/16	. . . with closures operating automatically when spout is immersed in discharged liquid		
47/18	. . . for discharging drops; Droppers (droppers in general B01L 3/00; {pipettes connected to container closures B01L 3/0282})		
47/185 {with sprinkling devices}		
47/20	. . comprising hand-operated members for controlling discharge {(closures with liquid-dispensing taps or cocks B67D 3/04)}		
47/2006	. . . {formed by a rigid spout outlet opened by tilting of the spout outlet}		

- | | |
|---|--|
| <p>47/26 . . . with slide valves {, i.e. valves that open and close a passageway by sliding over a port}, e.g. formed with slidable spouts</p> <p>47/261 {having a rotational or helicoidal movement (B65D 47/30 takes precedence)}</p> <p>47/263 {between tubular parts}</p> <p>47/265 {between planar parts (B65D 47/24 takes precedence)}</p> <p>47/266 {the rotational movement being transmitted by displacement of an additional external element, e.g. overcap (B65D 47/265 takes precedence)}</p> <p>47/268 {the valve member pivoting about an axis perpendicular to the container mouth axis (B65D 47/266 takes precedence)}</p> <p>47/28 having linear movement</p> <p>47/283 {between tubular parts}</p> <p>47/286 {between planar parts}</p> <p>47/30 . . . with plug valves {, i.e. valves that open and close a passageway by turning a cylindrical or conical plug without axial passageways}</p> <p>47/305 {provided with a spout, e.g. "escargot"-type valve}</p> <p>47/32 . . with means for venting</p> <p>47/36 . Closures with frangible parts adapted to be pierced, torn, or removed, to provide discharge openings (B65D 51/18 takes precedence; caps with piercable membranes B65D 41/20, B65D 41/50)</p> <p>47/38 . . with piercing means arranged to act subsequently as a valve to control the opening</p> <p>47/40 . with drip catchers or drip-preventing means</p> <p>47/42 . with pads or like contents-applying means ({contents-applying means associated to aerosol container nozzles B65D 83/285; } brushes combined or associated with containers A46B 11/00; swabs for applying media to the human body from an integral supply A61F13/40)</p> <p>47/44 . . combined with slits opening when container is deformed or when pad is pressed against surface to which contents are to be applied (pliable tubular containers with valves opening when closure is pressed against surfaces {B65D 47/2018})</p> <p>49/00 Arrangements or devices for preventing refilling of containers (integral, or permanently secured, closures for containers specially adapted to be opened by cutting, piercing, or tearing of wall portions B65D 17/00; for initial filling and for preventing subsequent refilling B65D 47/02)</p> <p>49/02 . One-way valves</p> <p>49/04 . . Weighted valves</p> <p>49/06 . . . with additional loading weights</p> <p>49/08 . . Spring-loaded valves</p> <p>49/10 . . Arrangements of several valves</p> <p>49/12 . by destroying, in the act of opening the container, an integral portion thereof</p> <p>50/00 Closures with means for discouraging unauthorised opening or removal thereof, with or without indicating means, e.g. child-proof closures (tamper-indicating closures without means for discouraging, see the relevant groups, e.g. B65D 41/32, B65D 51/20)</p> | <p>50/02 . openable or removable by the combination of plural actions</p> <p>50/04 . . requiring the combination of simultaneous actions, e.g. depressing and turning, lifting and turning, maintaining a part and turning another one ({B65D 55/02} takes precedence; caps or covers secured by rotation with bayonet cams B65D 41/06, B65D 41/36)</p> <p>50/041 . . . {the closure comprising nested inner and outer caps or an inner cap and an outer coaxial annular member, which can be brought into engagement to enable removal by rotation}</p> <p>50/043 . . . {the closure comprising a screw cap whose threads are shaped to accommodate blocking elements and the closure is removed after first applying axial force to unblock it and allow it to be unscrewed}</p> <p>50/045 . . . {where one action elastically deforms or deflects at least part of the closure, the container or an intermediate element, e.g. a ring (B65D 50/041, B65D 50/043 take precedence)}</p> <p>50/046 {and such deformation causes the disengagement of locking means, e.g. the release of a pawl-like element from a tooth or abutment, to allow removal of the closure by simultaneous rotation}</p> <p>50/048 {and such deformation causes the engagement of means, e.g. threads, to allow removal of the closure by simultaneous rotation}</p> <p>50/06 . . requiring the combination of different actions in succession</p> <p>50/061 . . . {being disengageable from container only after rotational alignment of closure, or other means inhibiting removal of closure, with container, e.g. tortuous path type (B65D 55/145 takes precedence)}</p> <p>50/062 {the closure removal inhibiting means being a displaceable ring}</p> <p>50/063 . . . {the closure or container being provided with two spaced sets of screw threads or the like}</p> <p>50/064 {at least one of the sets of threads being formed in a separate ring}</p> <p>50/065 . . . {with separate ring having to be axially displaced to permit user to access closure (B65D 50/062, B65D 50/064 take precedence; radial pressure applying means B65D 45/32)}</p> <p>50/066 . . . {whereby parts of the container or closure having to be deformed, i.e. bi-stable movement (B65D 50/045 takes precedence)}</p> <p>50/067 . . . {using integral or non-integral accessories, e.g. tool, key (B65D 50/062, B65D 50/064, B65D 50/065 take precedence)}</p> <p>50/068 {the closure comprising an inner closure and a freely rotating outer cap or sleeve whereby a tool, key or the like is inserted between the two closure elements to enable removal of the closure}</p> <p>50/069 {the closure being provided with a retractable element whereby the closure is removed by extending or raising the retractable element and exerting a lifting force on this element}</p> |
|---|--|

- 51/00** Closures not otherwise provided for (covers or similar closures as engineering elements for pressure vessels in general [F16J 13/00](#))
- 51/002 . {Closures to be pierced by an extracting-device for the contents and fixed on the container by separate retaining means}
- 51/005 . {Closures provided with linings or internal coatings so as to avoid contact of the closure with the contents}
- 51/007 . {Separate closure devices for reclosing opened cans or tins, e.g. beer cans}
- 51/02 . Loosely-engaging lids or covers for jars, cans, or like containers for liquids without means for effecting sealing of container (for cooking-vessels [A47J 36/06](#))
- 51/04 . . hinged ([B65D 51/10](#) takes precedence)
- 51/06 . . collapsible
- 51/08 . . with axial projections fitting within, or around, the walls defining the openings, e.g. for milk churns
- 51/10 . . opening automatically when container is tilted for pouring
- 51/12 . . Flexible non-elastic covers
- 51/14 . Rigid discs or spherical members adapted to be held in sealing engagement with mouth of container, e.g. closure plates for preserving jars
- 51/145 . . {by means of an additional element connected directly to the container}
- 51/16 . with means for venting air or gas
- 51/1605 . . {whereby the interior of the container is maintained in permanent gaseous communication with the exterior}
- 51/1611 . . . {by means of an orifice, capillary or labyrinth passage ([B65D 51/1616](#), [B65D 51/1622](#) take precedence)}
- 51/1616 . . . {by means of a filter}
- 51/1622 . . . {by means of a passage for the escape of gas between the closure and the lip of the container mouth}
- 51/1627 {the closure being for a box-like container}
- 51/1633 . . {whereby venting occurs by automatic opening of the closure, container or other element}
- 51/1638 . . . {by means of an element bursting upon a predetermined pressure in the container being exceeded}
- 51/1644 . . . {the element being a valve ([B65D 51/1661](#) takes precedence)}
- 51/165 {formed by a slit or narrow opening}
- 51/1655 {formed by an elastic band closing an opening in a tubular part of the closure encircled by said band}
- 51/1661 . . . {by means of a passage for the escape of gas between the closure and the lip of the container mouth}
- 51/1666 {the closure being for a box-like container}
- 51/1672 . . {whereby venting occurs by manual actuation of the closure or other element}
- 51/1677 . . . {by rupturing a portion of the closure}
- 51/1683 . . . {by actuating a separate element in the container or closure}
- 51/1688 . . . {Venting occurring during initial closing or opening of the container, by means of a passage for the escape of gas between the closure and the lip of the container mouth, e.g. interrupted threads}
- 51/1694 {the closure being for a box-like container}
- 51/18 . Arrangements of closures with protective outer cap-like covers or of two or more co-operating closures ([B65D 51/247](#) takes precedence)}
- 51/185 . . {the outer closure being a foil membrane}
- 51/20 . . Caps, lids, or covers co-operating with an inner closure arranged to be opened by piercing, cutting, or tearing ([B65D 51/185](#) takes precedence; co-operating with an auxiliary container for additional articles or materials [B65D 51/28](#))}
- 51/22 . . . having means for piercing, cutting, or tearing the inner closure
- 51/221 {a major part of the inner closure being left inside the container after the opening}
- 51/222 {the piercing or cutting means being integral with, or fixedly attached to, the outer closure}
- 51/223 {the outer closure having to be removed or inverted for piercing or cutting}
- 51/224 {the outer closure comprising flexible parts ([B65D 51/223](#) takes precedence)}
- 51/225 {and further comprising a device first inhibiting displacement of the outer closure ([B65D 51/223](#) takes precedence)}
- 51/226 {the piercing or cutting means being non integral with, or not fixedly attached to, the outer closure}
- 51/227 {and further comprising a device first inhibiting displacement of the piercing or cutting means}
- 51/228 {a major part of the inner closure being removed from the container after the opening}
- 51/24 . combined {or co-operating} with auxiliary devices for non-closing purposes
- 51/241 . . {provided with freeze-drying means}
- 51/242 . . {provided with means for facilitating lifting or suspending of the container}
- 51/243 . . {combined with an opening device ([B65D 51/22](#) takes precedence)}
- 51/244 . . {provided with oxygen absorbers}
- 51/245 . . {provided with decoration, information or contents indicating devices, labels ([B65D 81/366](#) takes precedence)}
- 51/246 . . {provided with eating utensils or spatulas (applicator rods or brushes [B65D 51/32](#))}
- 51/247 . . . {located between an inner and an outer closure}
- 51/248 . . {the closure being provided with transient audible or visual signaling means, e.g. for indicating dispensing, or other illuminating or acoustic devices, e.g. whistles ([B65D 55/026](#), [B65D 55/028](#) take precedence; for indicating incorrect storage [B65D 79/02](#))}
- 51/249 . . {the closure being specifically formed for supporting the container}
- 51/26 . . with means for keeping contents in position, e.g. resilient means

- 51/28 . . with auxiliary containers for additional articles or materials { [\(B65D 51/247 takes precedence\)](#) }
- 51/2807 . . . { the closure presenting means for placing the additional articles or materials in contact with the main contents by acting on a part of the closure without removing the closure, e.g. by pushing down, pulling up, rotating or turning a part of the closure, or upon initial opening of the container }
- 51/2814 { the additional article or materials being released by piercing, cutting or tearing an element enclosing it }
- 51/2821 { said element being a blister, a capsule or like sealed container }
- 51/2828 { said element being a film or a foil [\(B65D 51/2821, B65D 51/2842 take precedence\)](#) }
- 51/2835 { ruptured by a sharp element, e.g. a cutter or a piercer }
- 51/2842 { said element being provided with a preformed weakened line [\(B65D 51/2821 takes precedence\)](#) }
- 51/285 { ruptured by a sharp element, e.g. a cutter or a piercer }
- 51/2857 { the additional article or materials being released by displacing or removing an element enclosing it [\(B65D 51/2814 takes precedence\)](#) }
- 51/2864 { the element being a plug or like element closing a passage between the auxiliary container and the main container }
- 51/2871 { the plug falling into the main container }
- 51/2878 { the element being a lid or cover seated on a passage between the auxiliary container and the main container }
- 51/2885 { the element being the auxiliary container falling into the main container; the additional article or materials in solid block form falling into the main container }
- 51/2892 { the element, e.g. a valve, opening an aperture of the auxiliary container [\(B65D 51/2864, B65D 51/2878 take precedence\)](#) }
- 51/30 . . . for desiccators
- 51/32 . . with brushes or rods for applying or stirring contents [\(droppers B65D 47/18; {eating utensils or spatulas B65D 51/246}\)](#)

53/00 Sealing or packing elements [\(sealings in general F16J 15/00\)](#); **Sealings formed by liquid or plastics material**

NOTE

Sealings or packing means combined with particular closures are classified with the closures, e.g. in subgroups of [B65D 39/00](#) together with indexing codes out of **B65D339/00**, or in the groups [B65D 41/005](#), [B65D 41/0435](#)

- 53/02 . Collars or rings
- 53/04 . Discs
- 53/06 . Sealings formed by liquid or plastic material
- 53/08 . Flexible adhesive strips adapted to seal filling or discharging apertures

- 53/10 . characterised by special adaptation to acid-proof vessels
- 55/00 Accessories for container closures not otherwise provided for**
- 55/02 . Locking devices; Means for discouraging or indicating unauthorised opening or removal of closure ([{B65D 41/32 takes precedence;}](#) protective covers for bottles [B65D 23/08](#); protective cap-like outer covers for bottle or jar closures [B65D 41/62](#); pressure-applying means [B65D 45/00](#); closures with means for discouraging unauthorised opening or removal of closures [B65D 50/00](#))
- 55/022 . . { with ratchet effect between relatively rotating parts [\(B65D 41/3404, B65D 50/04 take precedence\)](#) }
- 55/024 . . { Closures in which a part has to be ruptured to gain access to the contents [\(B65D 41/32, B65D 43/0235, B65D 55/022, B65D 55/06 take precedence\)](#) }
- 55/026 . . { initial opening or unauthorised access being indicated by a visual change using indicators other than tearable means, e.g. change of colour, pattern or opacity [\(B65D 55/066 takes precedence\)](#) }
- 55/028 . . { initial opening or unauthorised access being indicated by the presence or absence of an audible or electrical signal }
- 55/04 . . Spring clips, e.g. of wire or of sheet metal
- 55/06 . . Deformable or tearable wires, strings, or strips [\(containers specially constructed to be opened by tear-strips, strings or the like B65D 17/00; caps or cap-like closures with tear-strips B65D 41/32\)](#); Use of seals {, e.g. destructible locking pins [\(B65D 55/022 takes precedence\)](#) }
- 55/063 . . . { Muzzlets }
- 55/066 . . . { Foil covers combined with outer closures and comprising interacting or interposed tamper indicating means visible through the outer closure, e.g. releasable coloured dyes, changeable patterns, pierceable membranes, visible through a transparent closure or through a window }
- 55/08 . . . Annular elements encircling container necks
- 55/0809 { Destructible filamentary elements [\(non-destructible elements B65D 45/322\)](#) }
- 55/0818 { Destructible or permanently removable bands, e.g. adhesive }
- 55/0827 { Separate tamper bands inserted between container and closure [\(B65D 41/32 takes precedence\)](#) }
- 55/0836 { Metallic strips, e.g. soldered on container and lid [\(containers with integral tearing strips with tongues or tags for engagement by slotted keys B65D 17/464\)](#) }
- 55/0845 { Metallic strips or cap-like collars having their edges crimped over part of the container and closure or other element, e.g. with C-shaped cross-section }
- 55/0854 { Shrink-film bands [\(B65D 41/54, B65D 41/62 take precedence\)](#) }
- 55/0863 { Plastic snap-on cap-like collars having frangible parts [\(collar for maintaining rigid discs in sealing engagement with mouth of containers B65D 51/145\)](#) }

- 55/0872 {Destructible rigid elements snapping into annular grooves in closure for maintaining closure on container (non-destructible elements [B65D 45/322](#))}
- 55/0881 {Closure not directly connected to container, but connected by means of a destructible intermediate ring ([B65D 55/0863](#) takes precedence)}
- 55/089 {Annular tamper band connected to the closure, but not coacting with the container for preventing initial downward motion, e.g. on two-parts child-proof closures ([B65D 41/32](#) takes precedence)}
- 55/10 . . Locking pins {(destructible locking pins [B65D 55/06](#))}
- 55/12 . . Devices or means with relatively-moving parts co-operating with abutments on bottle or jar {([B65D 55/022](#) takes precedence)}
- 55/14 . . Applications of locks, e.g. of permutation or key-controlled locks
- 55/145 . . . {of permutation locks}
- 55/16 . Devices preventing loss of removable closure members
- 55/165 . . {by an element constrained within the container neck, i.e. the element passing through the container opening}

Kinds or types of packaging elements

- 57/00** Internal frames or supports for flexible articles, e.g. stiffeners; Separators for articles packaged in stacks or groups, e.g. for preventing adhesion of sticky articles {([B65D 71/70](#) takes precedence)}
- 57/002 . {Separators for articles packaged in stacks or groups, e.g. stacked or nested}
- 57/003 . . {for horizontally placed articles, i.e. for stacked or nested articles}
- 57/004 . . . {the articles being substantially flat panels, e.g. wooden planks}
- 57/005 . . {Separators for vertically placed articles}
- 57/006 . . . {the articles being substantially flat panels, e.g. wooden planks or photovoltaic panels}
- 59/00** Plugs, sleeves, caps, or like rigid or semi-rigid elements for protecting parts of articles or for bundling articles, e.g. protectors for screw-threads, end caps for tubes or for bundling rod-shaped articles {(stopping flow from or in pipes or hoses by means of plugs [F16L 55/11](#), by means of caps [F16L 55/115](#); protection of pipes or objects of similar shape against external or internal damage or wear [F16L 57/00](#))}
- 59/02 . Plugs
- 59/04 . Sleeves, e.g. postal tubes
- 59/06 . Caps
- 59/08 . . of polygonal cross-section
- 61/00** External frames or supports adapted to be assembled around, or applied to, articles (collapsible containers [B65D 5/00](#), [B65D 7/24](#), [B65D 9/12](#), [B65D 11/18](#))
- 61/02 . Tubular frames with resilient joints
- 63/00** Flexible elongated elements, e.g. straps, for bundling or supporting articles {(attached to or integral with bags or sacks [B65D 33/165](#); for securing load [B60P 7/0823](#))}

- 63/02 . Metallic straps, tapes, or bands; Joints between ends thereof
- 63/04 . . Joints produced by deformation of ends of elements
- 63/06 . . Joints produced by application of separate securing members, e.g. by deformation thereof
- 63/08 . . . Joints using buckles, wedges, or like locking members attached to the ends of the elements
- 63/10 . Non-metallic straps, tapes, or bands; Filamentary elements, e.g. strings, threads or wires; Joints between ends thereof
- 63/1009 . . {Adhesive tapes}
- 63/1018 . . {Joints produced by application of integral securing members, e.g. buckles, wedges, tongue and slot, locking head and teeth or the like}
- 63/1027 . . . {the integral securing member being formed as a female and male locking member, e.g. locking head and locking teeth, or the like}
- 63/1036 {the female locking member being provided with at least one metal barb}
- 63/1045 {the barb having a plurality of serrations}
- 63/1054 {with barbs situated on opposite sides of, or concentrically in, the female locking member}
- 63/1063 {the female locking member being provided with at least one plastic barb}
- 63/1072 {the barb having a plurality of serrations}
- 63/1081 {with barbs situated on opposite sides of, or concentrically in, the female locking member}
- 63/109 . . {Application of elastics or like elements}
- 63/12 . . Joints produced by deformation or tying of ends of elements
- 63/14 . . Joints produced by application of separate securing members
- 63/16 . . . Joints using buckles, wedges, or like locking members attached to the end of the element
- 63/18 . Elements provided with handles or other suspension means
- 65/00** Wrappers or flexible covers; Packaging materials of special type or form (wrappers or envelopes with shock-absorbing properties [B65D 81/03](#); layered products [per se](#) [B32B](#); materials [per se](#), [see the relevant classes](#))
- NOTE**
Attention is drawn to the definition of "packaging element" in Note (5) following the title of this subclass
- 65/02 . Wrappers or flexible covers
- 65/04 . . non-rectangular
- 65/06 . . . formed with foldable flaps, e.g. interlocking flaps
- 65/08 . . . with fastening elements, e.g. slide fasteners
- 65/10 . . rectangular
- 65/12 . . . formed with crease lines to facilitate folding
- 65/14 . . with areas coated with adhesive
- 65/16 . . with provision for excluding or admitting light
- 65/18 . . . with some areas transparent and others opaque
- 65/20 . . . with provision for excluding light of a particular wavelength
- 65/22 . . Details
- 65/24 . . . Tabs or other projections for locating contents

- 65/38 . Packaging materials of special type or form
- 65/40 . . Applications of laminates for particular packaging purposes { ([B65D 1/0215](#), [B65D 1/28](#), [B65D 3/22](#), [B65D 5/0281](#), [B65D 5/563](#), [B65D 9/30](#), [B65D 29/02](#), [B65D 31/02](#), [B65D 75/26](#), [B65D 77/2024](#), [B65D 81/1275](#), [B65D 81/3811](#), [B65D 81/3823](#), [B65D 81/3834](#), [B65D 81/3846](#), [B65D 81/3858](#), [B65D 81/3874](#), [B65D 81/3886](#), [B65D 81/3897](#) take precedence; laminates per se or laminated packages characterised by the composition or)}

NOTE

{A packaging purpose covered by another group of [B65D](#) should be classified in that group of [B65D](#) and in [B32B](#)}

- 65/403 . . . {with at least one corrugated layer}
- 65/406 . . . {with at least one layer provided with a relief other than corrugations}
- 65/42 . . Applications of coated or impregnated materials
- 65/44 . . {Applications of resilient shock-absorbing materials, e.g. foamed plastics material, honeycomb material}
- 65/46 . . Applications of disintegrable, dissolvable or edible materials
- 65/463 . . . {Edible packaging materials}
- 65/466 . . . {Bio- or photodegradable packaging materials}
- 67/00 Kinds or types of packaging elements not otherwise provided for {([B65D 5/425](#) takes precedence)}**
- 67/02 . Clips or clamps for holding articles together for convenience of storage or transport

Kinds or types of packages

- 69/00 Articles joined together for convenience of storage or transport without the use of packaging elements {([packages joined together B65D 5/427](#), [B65D 21/02](#)) ; joining articles for convenience of packaging [B65B 17/02](#)}**
- 71/00 Bundles of articles held together by packaging elements for convenience of storage or transport, e.g. portable segregating carrier for plural receptacles such as beer cans or pop bottles; Bales of material**
- 71/0003 . {Tray-like elements provided with handles, for storage or transport of several articles, e.g. bottles, tins, jars}
- 71/0007 . . {without partitions}
- 71/0011 . . . {with separately-attached handles}
- 71/0014 . . {with one longitudinal partition}
- 71/0018 . . . {with separately-attached handles}
- 71/0022 . . {formed by folding or erecting one blank, and provided with vertical partitions}
- 71/0025 . . . {with separately-attached handles}
- 71/0029 . . {formed by folding one blank so as to form a tubular element in which the upper wall is provided with openings through which the articles extend partially}
- 71/0033 . . . {with parts of the walls bent against one another so as to form a longitudinal partition for two rows of articles}
- 71/0037 {with additional locating elements for the articles}

- 71/004 {with individual openings for holding the articles}
- 71/0044 {with separately-attached handles}
- 71/0048 . . . {with walls wrapping around a great part of the articles}
- 71/0051 {with additional locating elements for the articles}
- 71/0055 {with individual openings for holding the articles}
- 71/0059 {with separately-attached handles}
- 71/0062 . . . {for holding one row of articles}
- 71/0066 {with additional locating elements for the articles}
- 71/007 {with individual openings for holding the articles}
- 71/0074 {with separately-attached handles}
- 71/0077 . . {formed by folding and interconnecting of two or more blanks}
- 71/0081 . . . {with separately attached handles}
- 71/0085 . {Packaging elements adhered to the articles, e.g. a carton sheet ([adhesive tapes B65D 63/1009](#))}
- 71/0088 . {Palletisable loads, i.e. loads intended to be transported by means of a fork-lift truck}
- 71/0092 . . {provided with one or more rigid supports, at least one dimension of the supports corresponding to a dimension of the load, e.g. skids}
- 71/0096 . . . {the dimensions of the supports corresponding to the periphery of the load, e.g. pallets}
- 71/02 . Arrangements of flexible binders
- 71/04 . . with protecting or supporting elements arranged between binder and articles or materials, e.g. for preventing chafing of binder
- 71/06 . Packaging elements holding or encircling completely or almost completely the bundle of articles, e.g. wrappers
- 71/063 . . {Wrappers formed by one or more films or the like, e.g. nets ([B65D 71/08](#) takes precedence; wrappers formed by folding a single blank [B65D 71/12](#); wrappers formed by folding two or more blanks [B65D 71/38](#))}
- 71/066 . . . {and provided with inserts ([B65D 7/10](#) takes precedence)}
- 71/08 . . Wrappers shrunk by heat {or under tension, e.g. stretch films or films tensioned by compressed articles}
- 71/10 . . . and provided with inserts
- 71/12 . . the packaging elements {, e.g. wrappers} being formed by folding a single blank
- 71/125 . . . {not having a tubular shape}
- 71/14 . . . having a tubular shape {, e.g. tubular wrappers} without end walls ([sleeves B65D 59/04](#))
- 71/16 with article-locating elements
- 71/18 Tabs inwardly folded tabs from the upper or lower wall
- 71/20 Slits or openings along the fold line of the tubular body
- 71/22 Openings or windows formed in the side walls
- 71/24 with partitions
- 71/243 {extending from the side walls}
- 71/246 {Inserted partitions}
- 71/26 extending from the upper or lower wall
- 71/28 characterised by the handles
- 71/285 {Separately-attached handles}

- 71/30 unitary {, i.e. integral} with the tubular packaging elements
- 71/32 formed by finger-holes
- 71/34 characterised by {weakened lines or other opening devices}
- 71/36 . . . {having a tubular shape, e.g. tubular wrappers, with} end walls
- 71/38 . . the packaging elements {, e.g. wrappers} being formed by folding and interconnecting two or more blanks
- 71/40 . . comprising a plurality of articles held together only partially by packaging elements formed by folding a blank {or several blanks}
- 71/403 . . {formed by folding several blanks}
- 71/406 . . . {characterised by the handle}
- 71/42 . . formed by folding a single blank into a single layer element
- 71/44 . . . characterised by the handle
- 71/46 . . formed by folding a single blank into a tubular element
- 71/48 . . . characterised by the handle
- 71/50 . . comprising a plurality of articles held together only partially by packaging elements formed otherwise than by folding a blank
- 71/502 . . {Coaxial connections}
- 71/504 . . {the element being formed from a flexible sheet provided with slits or apertures intended to be stretched over the articles and adapt to the shape of the article}
- 71/506 . . . {and provided with an additional element encircling the periphery of the group of articles}
- 71/508 . . {the elements being formed by one or more films or similar, e.g. nets}
- 71/70 . . Trays provided with projections or recesses in order to assemble multiple articles, e.g. intermediate elements for stacking
- 71/72 . . formed by folding one or more blanks, the articles being inserted in openings in a wall
- 73/00 Packages comprising articles attached to cards, sheets or webs {(B65D 85/18 takes precedence)}**
- 73/0007 . . {the articles being attached to the plane surface of a single card (B65D 75/30 takes precedence)}
- 73/0014 . . {by means of separate fixing elements, e.g. clips, clamps, bands}
- 73/0021 . . {by means of cut-out or marginal tabs, tongues or flaps}
- 73/0028 . . {by means of adhesive, heat-seal or the like}
- 73/0035 . . {the articles being retained within a recess or a series of recesses provided in a single card (B65D 75/32 takes precedence)}
- 73/0042 . . {the articles being retained within a window, hole or other cut-out portion of a single card}
- 73/005 . . {by means of separate fixing elements, e.g. clips, clamps, bands}
- 73/0057 . . . {by means of a preformed enclosure, e.g. a bulb}
- 73/0064 . . {the articles being supported by or suspended from a tag-like element}
- 73/0071 . . {the tag-like element being doubled-over to engage the upper part of the article}
- 73/0078 . . {the articles being retained or enclosed in a folded-over or doubled card (B65D 75/20 takes precedence)}
- 73/0085 . . {within a window, hole or cut-out portion}
- 73/0092 . . . {combined with a preformed enclosure, e.g. a bulb}
- 73/02 . . Articles, e.g. small electrical components, attached to webs
- 75/00 Packages comprising articles or materials partially or wholly enclosed in strips, sheets, blanks, tubes, or webs of flexible sheet material, e.g. in folded wrappers (B65D 71/00 takes precedence; wrapping B65B 11/00)**
- 75/002 . . {in shrink films (B65D 71/08 takes precedence)}
- 75/004 . . {with auxiliary packaging elements, e.g. protective pads or frames, trays}
- 75/006 . . {in stretch films}
- 75/008 . . {Standing pouches, i.e. "Standbeutel"}
- 75/02 . . Articles partially enclosed in folded or wound strips or sheets, e.g. wrapped newspapers
- 75/04 . . Articles or materials wholly enclosed in single sheets or wrapper blanks
- 75/06 . . . in sheets or blanks initially folded to form tubes
- 75/08 . . . with the ends of the tube closed by folding
- 75/10 . . . with the ends of the tube closed by twisting
- 75/12 . . . with the ends of the tube closed by flattening and heat-sealing
- 75/14 . . in sheets or blanks folded-up around all sides of the contents from a portion on which the contents are placed
- 75/16 . . . the upstanding portion of the wrapper being closed by twisting
- 75/18 . . . the upstanding portion of the wrapper being closed by regular or irregular folds or pleats, e.g. bunch-wrapped packages
- 75/20 . . in sheets or blanks doubled around contents and having their opposed free margins united, e.g. by pressure-sensitive adhesive, crimping, heat-sealing, or welding
- 75/22 . . . the sheet or blank being recessed to accommodate contents {(containers simulating a book B65D 77/006)}
- 75/225 {the sheet or blank comprising more than one fold line (B65D 75/245 takes precedence)}
- 75/24 and formed with several recesses to accommodate a series of articles or quantities of material
- 75/245 {the sheet or blank comprising more than one fold line}
- 75/26 . . Articles or materials wholly enclosed in laminated sheets or wrapper blanks
- 75/28 . . Articles or materials wholly enclosed in composite wrappers, i.e. wrappers formed by associating or interconnecting two or more sheets or blanks
- 75/30 . . Articles or materials enclosed between two opposed sheets or blanks having their margins united, e.g. by pressure-sensitive adhesive, crimping, heat-sealing, or welding
- 75/305 . . . {Skin packages}
- 75/32 . . . one or both sheets or blanks being recessed to accommodate contents
- 75/321 {Both sheets being recessed}
- 75/322 {and forming one compartment}
- 75/323 {and forming several compartments}

75/324 {the compartments being interconnected, e.g. by small channels}	75/56	. . . Handles or other suspension means
75/325 {one sheet being recessed, and the other being a flat not- rigid sheet, e.g. puncturable or peelable foil}	75/563 {Integral handles or suspension means (B65D 75/566 takes precedence) }
75/326 {and forming one compartment}	75/566 {Hand holes or suspension apertures}
75/327 {and forming several compartments}	75/58	. . Opening or contents-removing devices added or incorporated during package manufacture {(B65D 75/36, B65D 85/1027 take precedence)}
75/328 {the compartments being interconnected, e.g. by small channels}	75/5805	. . . {for tearing a side strip parallel and next to the edge, e.g. by means of a line of weakness}
75/34 and having several recesses to accommodate a series of articles or quantities of material {(not used)}	75/5811 {and defining, after tearing, a small dispensing spout, a small orifice or the like}
WARNING		75/5816	. . . {for tearing a corner or other small portion next to the edge, e.g. a U-shaped portion}
Group B65D 75/34 is no longer used for the classification of new documents. Documents of this group are in the process of being reclassified to groups B65D 75/323 , B65D 75/327 , and subgroups		75/5822 {and defining, after tearing, a small dispensing spout, a small orifice or the like}
75/36 one sheet or blank being recessed and the other formed of relatively stiff flat sheet material, e.g. blister packages {, the recess or recesses being preformed (B65D 73/0057, B65D 73/0092 take precedence) }	75/5827	. . . {Tear-lines provided in a wall portion (B65D 75/5805, B65D 75/5816 take precedence) }
2075/361 {the two sheets or blanks being mutually slidable or comprising slidable elements}	75/5833 {for tearing out a portion of the wall}
2075/362 {the two sheets or blanks being partially releasable and reclosable, e.g. peelable sheets reclosable by slot-and-tongue connections}	75/5838 {combined with separate fixed tearing means, e.g. tabs}
2075/363 {the recess presenting a lateral or a frontal opening}	75/5844 {the portion of the wall being a narrow strip, e.g. between lines of weakness (B65D 75/5838 takes precedence) }
2075/365 {and being provided with a cover}	75/585 {the tear-lines being broken by deformation or bending}
75/366 {and forming one compartment}	75/5855	. . . {Peelable seals}
75/367 {and forming several compartments}	75/5861	. . . {Spouts (B65D 75/5811, B65D 75/5822 take precedence) }
75/368 {the compartments being interconnected, e.g. by small channels}	75/5866 {Integral spouts}
75/38	. Articles or materials enclosed in two or more wrappers disposed one inside the other {(for shock absorbing purposes B65D 81/03; for thermal insulating purposes B65D 81/3893)}	75/5872 {Non-integral spouts}
75/40	. Packages formed by enclosing successive articles, or increments of material, in webs, e.g. folded or tubular webs, or by subdividing tubes filled with liquid, semi-liquid, or plastic materials	75/5877 {connected to a planar surface of the package wall}
75/42	. . Chains of interconnected packages	75/5883 {connected to the package at the sealed junction of two package walls}
75/44	. . Individual packages cut from webs or tubes	75/5888	. . . {Tear-lines for removing successive sections of a package (for separating package into individual packages B65D 75/527) }
75/46	. . . containing articles	75/5894	. . . {Preformed openings provided in a wall portion and covered by a separate removable flexible element}
75/48	. . . containing liquids, semiliquids, or pastes, e.g. cushion-shaped packages	75/66	. . . Inserted or applied tearing-strings or like flexible elements
75/50 Tetrahedral packages	75/68 extending through wrapper closure or between wrapper layers
75/52	. Details	75/70	. . . Rigid cutting or tearing devices
75/522	. . {Inspection openings or windows}	77/00	Packages formed by enclosing articles or materials in preformed containers, e.g. boxes, cartons, sacks or bags
75/525	. . {External rigid or semi-rigid supports}	77/003	. {Articles enclosed in rigid or semi-rigid containers, the whole being wrapped}
75/527	. . {Tear-lines for separating a package into individual packages (B65D 1/30, B65D 21/0206, B65D 75/34 take precedence) }	77/006	. {Containers simulating a book (pencil cases A45C 11/34; books, book covers B42D; albums, filing appliances, e.g. boxes, B42F; for videos G11B) }
75/54	. . Cards, coupons, or other inserts or accessories (opening devices B65D 75/70)	77/02	. Wrapped articles enclosed in rigid or semi-rigid containers
75/545	. . . {the inserts or accessories being located within a pouch or envelope attached to the exterior of the packages, e.g. shipping mailers (envelope construction B65D 27/00) }	77/04	. Articles or materials enclosed in two or more containers disposed one within another
		77/0406	. . {Rigid containers in preformed flexible containers}

- 77/0413 . . {the inner and outer containers being rigid or semi-rigid and the outer container being of polygonal cross-section formed by folding or erecting one or more blanks, e.g. carton}
- 77/042 . . . {the inner container being of polygonal cross-section formed by folding or erecting one or more blanks, e.g. carton}
- 77/0426 . . . {the inner container being a bottle, canister or like hollow container}
- 77/0433 . . . {the inner container being a tray or like shallow container, not formed by folding or erecting one or more blanks ([B65D 81/3862 takes precedence](#))}
- 77/044 . . . {the inner container being a filled deformable tube}
- 77/0446 . . {the inner and outer containers being rigid or semi-rigid and the outer container being of polygonal cross-section not formed by folding or erecting one or more blanks ([B65D 81/3825 takes precedence](#))}
- 77/0453 . . . {the inner container having a polygonal cross-section}
- 77/046 {and being a tray or like shallow container}
- 77/0466 {the containers being mounted on a pallet}
- 77/0473 . . . {the inner container being a filled deformable tube}
- 77/048 . . {the inner and outer containers being rigid and the outer container being of curved cross-section, e.g. cylindrical ([B65D 81/3825 takes precedence](#))}
- 77/0486 . . . {the inner container being coaxially disposed within the outer container ([B65D 81/3876 takes precedence](#))}
- 77/0493 {and retained at a distance of the inner side-wall of the outer container, e.g. within a bottle neck}
- 77/06 . . Liquids or semi-liquids {or other materials or articles} enclosed in flexible containers disposed within rigid containers
- 77/061 . . . {the containers being mounted on a pallet}
- 77/062 . . . {Flexible containers disposed within polygonal containers formed by folding a carton blank}
- 77/064 {comprising discharging means formed by cutting a part, e.g. a corner, of the flexible container}
- 77/065 {Spouts, pouring necks or discharging tubes fixed to or integral with the flexible container}
- 77/067 {combined with a valve, a tap or a piercer}
- 77/068 {Spouts formed separately from the container}
- 77/08 . . Materials, e.g. different materials, enclosed in separate compartments formed during filling of a single container
- 77/10 . . Container closures formed after filling
- 77/12 . . by collapsing and flattening the mouth portion of the container and securing without folding, e.g. by pressure-sensitive adhesive, heat-sealing, welding or applying separate securing members
- 77/14 . . by flattening and subsequently folding or rolling the mouth portion
- 77/16 . . by collapsing and twisting mouth portion
- 77/18 . . . and securing by a deformable clip or binder
- 77/185 {with means for discouraging or for indicating unauthorised opening or removal}
- 77/20 . . by applying separate lids or covers {, i.e. flexible membrane or foil-like covers}
- 77/2004 . . . {the cover being maintained on the container by mechanical means, e.g. crimping, clamping, riveting ([B65D 77/2024 takes precedence](#))}
- 77/2008 {the container flange being crimped over the cover}
- 77/2012 {the cover being crimped or folded over the container flange}
- 77/2016 {the cover being maintained by projections or recesses on the container}
- 77/202 {the cover being connected to the container by separate circumferential ring elements}
- 77/2024 . . . {the cover being welded or adhered to the container}
- 77/2028 {Means for opening the cover other than, or in addition to, a pull tab}
- 77/2032 {by peeling or tearing the cover from the container}
- 77/2036 {the seal having a stress concentrating portion}
- 77/204 {the cover having an unsealed portion for initiating removal ([B65D 77/2036 takes precedence](#))}
- 77/2044 {whereby a layer of the container or cover fails, e.g. cohesive failure ([B65D 77/2036 takes precedence](#))}
- 77/2048 {whereby part of the container or cover has been weakened, e.g. perforated or precut ([B65D 77/2036 takes precedence](#))}
- 77/2052 {the container being weakened}
- 77/2056 {the cover being weakened}
- 77/206 {so as to uncover one or more preformed openings made through some layers of the cover}
- 77/2064 {the seal being locally weakened, e.g. by using a sealing inhibitor}
- 77/2068 {Means for reclosing the cover after its first opening}
- 77/2072 {Mechanical means}
- 77/2076 {provided by the cover itself}
- 77/208 {the cover having a cap-like or plug-like shape}
- 77/2084 {the cover being maintained reclosed by a part folded over the container rim}
- 77/2088 {attached to the cover}
- 77/2092 {the means being a part initially broken from the container}
- 77/2096 {Adhesive means}
- 77/22 . . Details
- 77/225 . . {Pressure relief-valves incorporated in a container wall, e.g. valves comprising at least one elastic element}
- 77/24 . . Inserts or accessories added or incorporated during filling of containers ([opening devices B65D 77/30](#))
- 77/245 . . . {Utensils for removing the contents from the package, e.g. spoons, forks, spatulas ([B65D 77/28 takes precedence](#))}
- 77/26 . . . Elements or devices for locating or protecting articles

- 77/28 . . . Cards, coupons, or drinking straws
{(B65D 5/4212, B65D 23/14, B65D 25/205, B65D 33/004, B65D 51/245, B65D 75/54 take precedence)}
- 77/283 {located initially inside the container, whereby the straw is revealed only upon opening the container, e.g. pop-up straws}
- 77/286 {formed integrally with the container (containers having integrally formed tubes with contents expelled by deforming the container B65D 1/326)}
- 77/30 . . Opening or contents-removing devices added or incorporated during filling or closing of containers {(B65D 77/20 takes precedence)}
- 77/32 . . . Tearing-strings or like flexible elements
- 77/34 enclosed in a mouth seal
- 77/36 disposed beneath a wrapper, label, or other element of sheet material securing a lid, cover, or container mouth
- 77/38 . . . Weakened closure seams
- 77/40 . . . Rigid cutting or tearing devices

79/00 Kinds or details of packages, not otherwise provided for

- 79/005 . {Packages having deformable parts for indicating or neutralizing internal pressure-variations by other means than venting}
- 79/008 . . {the deformable part being located in a rigid or semi-rigid container, e.g. in bottles or jars}
- 79/0081 . . . {in the bottom part thereof}
- 79/0084 . . . {in the sidewall or shoulder part thereof}
- 79/0087 . . {the deformable part being located in a closure, e.g. in caps or lids}
- 79/02 . Arrangements or devices for indicating incorrect storage or transport {(B65D 79/005 takes precedence) ; measuring devices G01}

Containers, packaging elements, or packages, of special types or forms or specially adapted for organisms, articles, or materials presenting particular transport, storage, or dispensing problems

81/00 Containers, packaging elements, or packages, for contents presenting particular transport or storage problems, or adapted to be used for non-packaging purposes after removal of contents

- 81/02 . specially adapted to protect contents from mechanical damage {(containers of polygonal cross-section provided with internal protecting elements for contents B65D 5/50; devices to locate articles in containers B65D 25/10)}
- 81/022 . . {Containers made of shock-absorbing material (B65D 81/03 takes precedence; for thermal insulating purposes B65D 81/3813)}
- 81/025 . . {Containers made of sheet-like material and having a shape to accommodate contents}
- 81/027 . . . {double-walled (for thermal insulating purposes B65D 81/3818, B65D 81/383)}
- 81/03 . . Wrappers or envelopes with shock-absorbing properties, e.g. bubble films {(for thermal insulating purposes B65D 81/3888)}
- 81/05 . . maintaining contents at spaced relation from package walls, or from other contents {(B65D 81/022, B65D 81/025, } B65D 81/03 take precedence)
- 81/051 . . . {using pillow-like elements filled with cushioning material, e.g. elastic foam, fabric}

- 81/052 {filled with fluid, e.g. inflatable elements}
- 81/053 . . . {Corner, edge or end protectors}
- 81/054 {Protectors contacting two generally perpendicular surfaces of the packaged article, e.g. edge protectors (B65D 81/055 takes precedence)}
- 81/055 {Protectors contacting three surfaces of the packaged article, e.g. three-sided edge protectors (B65D 81/058 takes precedence)}
- 81/056 {the surfaces being generally perpendicular to each other, e.g. three-sided corner protectors}
- 81/057 {Protectors contacting four surfaces of the packaged article, e.g. four-sided corner protectors}
- 81/058 {Protectors contacting five surfaces of the packaged article, e.g. five-sided end protectors}
- 81/07 . . . using resilient suspension means {(B65D 81/051 takes precedence)}
- 81/075 {the contents being located between two membranes stretched between opposed sides of the package}
- 81/09 . . . using flowable discrete elements of shock-absorbing material, e.g. pellets or popcorn
- 81/107 . . . using blocks of shock-absorbing material
- 81/1075 {deformable to accommodate contents}
- 81/113 of a shape specially adapted to accommodate contents {(B65D 81/053 takes precedence)}
- 81/127 . . . using rigid or semi-rigid sheets of shock-absorbing material {(B65D 81/025 takes precedence)}
- 81/1275 {laminated or bonded to the inner wall of a container (for thermal insulating purposes B65D 81/3858)}
- 81/133 of a shape specially adapted to accommodate contents, e.g. trays {(B65D 81/053 takes precedence; thermally insulated trays B65D 81/3816, B65D 81/3827)}
- 81/18 . providing specific environment for contents, e.g. temperature above or below ambient (with thermal insulation B65D 81/38; ice-boxes with cooling means F25D)
- 81/20 . . under vacuum or superatmospheric pressure, or in a special atmosphere, e.g. of inert gas {(B65D 81/28 takes precedence; containers with pressurising means for maintaining ball pressure A63B 39/025)}
- 81/2007 . . . {under vacuum}
- 81/2015 {in an at least partially rigid container (B65D 81/2038 takes precedence)}
- 81/2023 {in a flexible container (B65D 81/2038 takes precedence)}
- 81/203 {with one or several rigid inserts}
- 81/2038 {with means for establishing or improving vacuum}
- 81/2046 . . . {under superatmospheric pressure (B65D 81/2069 takes precedence)}
- 81/2053 {in an at least partially rigid container}
- 81/2061 {in a flexible container}
- 81/2069 . . . {in a special atmosphere}
- 81/2076 {in an at least partially rigid container}
- 81/2084 {in a flexible container}
- 81/2092 {with one or several rigid inserts}

- 81/22 . . in moist conditions or immersed in liquids
- 81/24 . Adaptations for preventing deterioration or decay of contents; Applications to the container or packaging material of food preservatives, fungicides, pesticides or animal repellants ([with thermal insulation B65D 81/38](#))
- 81/245 . . {Internal membrane, floating cover or the like isolating the contents from the ambient atmosphere ([loosely-attached linings B65D 25/16](#); [dispensing pistons B65D 83/0005](#); [flexible bags for expelling the contents B65D 83/0055](#))}
- 81/26 . . with provision for draining away, or absorbing, {or removing by ventilation,} fluids, e.g. exuded by contents ([B65D 33/01 takes precedence](#)); Applications of corrosion inhibitors or desiccators
- 81/261 . . . {for draining or collecting liquids without absorbing them}
- 81/262 {Rigid containers having false bottoms provided with passages for draining and receiving liquids}
- 81/263 . . . {for ventilating the contents ([B65D 5/4295](#), [B65D 51/1605 take precedence](#))}
- 81/264 . . . {for absorbing liquids}
- 81/265 {the absorbent being placed beneath a false bottom}
- 81/266 . . . {for absorbing gases, e.g. oxygen absorbers or desiccants ([B65D 51/244](#), [B65D 51/30 take precedence](#))}
- 81/267 {the absorber being in sheet form}
- 81/268 {the absorber being enclosed in a small pack, e.g. bag, included in the package}
- 81/28 . . Applications of food preservatives, fungicides, pesticides or animal repellants
- 81/30 . . by excluding light or other outside radiation ([wrappers B65D 65/16](#))
- 81/32 . for packaging two or more different materials which must be maintained separate prior to use in admixture ([containers with removable or destructible partitions B65D 25/08](#) ; [closures combined with auxiliary containers B65D 51/28](#); [in aerosol containers B65D 83/682](#); [amalgam capsules A61C 5/66](#); [containers for pharmaceutical purposes A61J 1/20](#), [A61M 5/19](#); [medical syringes A61M 3/005](#), [resin cartridges for grouting anchoring-bolts in mines E21D 20/026](#))
- 81/3205 . . {Separate rigid or semi-rigid containers joined to each other at their external surfaces ([B65D 81/3288 takes precedence](#))}
- 81/3211 . . . {coaxially and provided with means facilitating admixture}
- 81/3216 . . {Rigid containers disposed one within the other}
- 81/3222 . . . {with additional means facilitating admixture}
- 81/3227 . . . {arranged parallel or concentrically and permitting simultaneous dispensing of the two materials without prior mixing ([B65D 81/325 takes precedence](#))}
- 81/3233 . . {Flexible containers disposed within rigid containers}
- 81/3238 . . . {with additional means facilitating admixture}
- 81/3244 . . . {arranged parallel or concentrically and permitting simultaneous dispensing of the two materials without prior mixing ([B65D 35/22](#), [B65D 81/325 take precedence](#))}
- 81/325 . . {Containers having parallel or coaxial compartments, provided with a piston or a movable bottom for discharging contents}
- 81/3255 . . {Containers provided with a piston or a movable bottom, and permitting admixture within the container}
- 81/3261 . . {Flexible containers having several compartments}
- 81/3266 . . . {separated by a common rupturable seal, a clip or other removable fastening device}
- 81/3272 . . . {formed by arranging one flexible container within another}
- 81/3277 . . {Ampoules}
- 81/3283 . . {Cylindrical or polygonal containers, e.g. bottles, with two or more substantially axially offset, side-by-side compartments for simultaneous dispensing ([B65D 35/22](#), [B65D 35/242](#), [B65D 81/3227](#), [B65D 81/325 take precedence](#))}
- 81/3288 . . . {composed of two or more separate containers joined to each other}
- 81/3294 . . {Thermoformed trays or the like with a plurality of recesses for different materials located in different recesses}
- 81/34 . for packaging foodstuffs {or other articles} intended to be cooked or heated within the package
- 81/3407 . . {specially adapted to be heated over a heat source, e.g. a hob, campfire}
- 81/3415 . . {specially adapted to be heated in hot water, e.g. boil pouches ([dissolvable packages B65D 65/46](#); [packaging articles or materials intended to be mixed or infused with a liquid B65D 85/808](#))}
- 81/3423 . . . {Packages shrinking in hot water, e.g. for boiling hams}
- 81/343 . . {specially adapted to be heated in a conventional oven, e.g. a gas or electric resistance oven}
- 81/3438 . . {specially adapted to be heated by steaming}
- 81/3446 . . {specially adapted to be heated by microwaves}
- 81/3453 . . . {Rigid containers, e.g. trays, bottles, boxes, cups}
- 81/3461 . . . {Flexible containers, e.g. bags, pouches, envelopes}
- 81/3469 {Pop-corn bags}
- 81/3476 . . {Packages provided with an electrical circuit, e.g. resistances, for heating the contents ([microwave susceptors B65D 2581/3463](#))}
- 81/3484 . . {Packages having self-contained heating means, e.g. heating generated by the reaction of two chemicals ([warming devices A47J 36/24](#))}
- 81/3492 . . {specially adapted to be heated in a toaster}
- 81/36 . adapted to be used for non-packaging purposes after removal of contents
- 81/361 . . {Modular elements with complementary shapes, interengageable parts or the like ([toy building blocks A63H 33/04](#); [building elements for walls E04B 2/02](#))}
- 81/363 . . {Containers forming or being transformable into items of wearing apparel, e.g. shirt, apron, hat}
- 81/365 . . {Containers, or parts thereof, simulating or being incorporated into other items, e.g. puppet, animal, vehicle, building, dumb bells ([B65D 81/363](#), [B65D 81/368 take precedence](#))}
- 81/366 . . . {the container closure only being provided with a three dimensional figure, e.g. chess piece, animal}

- 81/368 . . {Foldable carton-boxes simulating, or transformable into, a special configuration, e.g. a car, a house, an animal ([cartons with spaced apart images to give a 3-D effect B65D 5/4258](#); toy models made by folding paper [A63H 33/16](#))}
- 81/38 . with thermal insulation (vacuum bottles or the like [A47J 41/00](#) ; thermal insulation of domestic water storage heaters [F24H 1/182](#))
- 81/3802 . . {rigid container in the form of a barrel or vat}
- 81/3804 . . . {formed of foam material}
- 81/3806 . . . {formed with double walls, i.e. hollow}
- 81/3809 . . . {provided with liquid material between double walls}
- 81/3811 . . . {formed of different materials, e.g. laminated or foam filling between walls}
- 81/3813 . . {rigid container being in the form of a box, tray or like container}
- 81/3816 . . . {formed of foam material}
- 81/3818 . . . {formed with double walls, i.e. hollow}
- 81/382 . . . {provided with liquid material between double walls}
- 81/3823 . . . {formed of different materials, e.g. laminated or foam filling between walls}
- 81/3825 . . {rigid container being in the form of a box, tray or like container with one or more containers located inside the external container}
- 81/3827 . . . {the external tray being formed of foam material}
- 81/383 . . . {the external tray being formed with double walls, i.e. hollow}
- 81/3832 . . . {the external tray being provided with liquid material between double walls}
- 81/3834 . . . {the external tray being formed of different materials, e.g. laminated or foam filling between walls}
- 81/3837 . . {rigid container in the form of a bottle, jar or like container}
- 81/3839 . . . {formed of foam material}
- 81/3841 . . . {formed with double walls, i.e. hollow}
- 81/3844 . . . {provided with liquid material between double walls}
- 81/3846 . . . {formed of different materials, e.g. laminated or foam filling between walls}
- 81/3848 . . {semi-rigid container folded up from one or more blanks}
- 81/3851 . . . {formed of foam material}
- 81/3853 . . . {formed with double walls, i.e. hollow}
- 81/3855 . . . {provided with liquid material between double walls}
- 81/3858 . . . {formed of different materials, e.g. laminated or foam filling between walls; ([for shock absorbing purposes B65D 81/1275](#))}
- 81/386 . . . {formed of corrugated material}
- 81/3862 . . . {with a foam formed container located inside a folded box}
- 81/3865 . . {drinking cups or like containers}
- 81/3867 . . . {formed of foam material}
- 81/3869 . . . {formed with double walls, i.e. hollow}
- 81/3872 . . . {provided with liquid material between double walls}
- 81/3874 . . . {formed of different materials, e.g. laminated or foam filling between walls}
- 81/3876 . . {insulating sleeves or jackets for cans, bottles, barrels, etc.}
- 81/3879 . . . {formed of foam material}
- 81/3881 . . . {formed with double walls, i.e. hollow}
- 81/3883 . . . {provided with liquid material between double walls}
- 81/3886 . . . {formed of different materials, e.g. laminated or foam filling between walls}
- 81/3888 . . {wrappers or flexible containers, e.g. pouches, bags ([for shock absorbing purposes B65D 81/03](#))}
- 81/389 . . . {formed of foam material}
- 81/3893 . . . {formed with double walls, i.e. hollow}
- 81/3895 . . . {provided with liquid material between double walls}
- 81/3897 . . . {formed of different materials, e.g. laminated or foam filling between walls}
- 83/00 Containers or packages with special means for dispensing contents** ([dispensing means incorporated in removable or non-permanently secured container closures B65D 47/00](#); for shops, stores, offices, bars, or the like [A47F 1/04](#); showcases or show cabinets with dispensing arrangements [A47F 3/02](#); magazines for screws or nuts in combination with spanners, wrenches or screwdrivers [B25B 23/06](#); for use in connection with the handling of sheets, webs, or filamentary material [B65H](#))
- 83/0005 . {Containers or packages provided with a piston or with a movable bottom or partition having approximately the same section as the container ([B65D 83/0072 takes precedence](#))}
- 83/0011 . . {moved by a screw-shaft}
- 83/0016 . . . {the contents being forced out through the screw-shaft}
- 83/0022 . . {moved by a reciprocable plunger}
- 83/0027 . . {piston co-operating with a screw-thread in the side wall of the container}
- 83/0033 . . {the piston being a follower-piston and the dispensing means comprising a hand-operated pressure-device at the opposite part of the container}
- 83/0038 . . {moved by a spring-like mechanism ([B65D 83/005](#), [B65D 83/0817](#), [B65D 83/0858 take precedence](#))}
- 83/0044 . . {the piston having a dispensing opening formed in the piston ([B65D 83/0016 takes precedence](#))}
- 83/005 . . {the piston or movable bottom being pulled upwards to dispense the contents}
- 83/0055 . {Containers or packages provided with a flexible bag or a deformable membrane or diaphragm for expelling the contents}
- 83/0061 . . {the contents of a flexible bag being expelled by the contracting forces inherent in the bag or a sleeve fitting snugly around the bag}
- 83/0066 . . {the contents of a flexible bag being expelled by twisting the bag}
- 83/0072 . . {the contents of a flexible bag being expelled by a piston or a movable bottom or partition provided in the container or the package}
- 83/0077 . . {moves by a spring-like mechanism}
- 83/0083 . {Containers comprising an internal rotating wing for expelling the contents}
- 83/0088 . {Packages containing several articles intended to be suspended from a display rod, e.g. blisters, i.e. the package being used to facilitate suspending the articles from the rod}

- 83/0094 . . {Containers having an external wall formed as, or with, a diaphragm or the like which is deformed to expel the contents ([B65D 1/32](#) takes precedence)}
- 83/02 . . for dispensing rod-shaped articles, e.g. needles {packages for cigarettes provided with dispensing means [B65D 85/1009](#); dispensers for drinking straws [A47G 21/184](#)}
- 83/04 . . for dispensing annular, disc-shaped, or spherical or like small articles, e.g. tablets or pills
- 83/0409 . . {the dispensing means being adapted for delivering one article, or a single dose, upon each actuation ([B65D 83/0445](#) takes precedence)}
- 83/0418 . . . {the articles being substantially flat and stacked one upon the other and the dispensing-closing device sliding the article to be dispensed along the flat side of the next article}
- 83/0427 . . . {the articles being dispensed by inverting the container each time, by which action movable parts may be displaced by their own weight}
- 83/0436 . . . {the articles being dispensed by pinching action on a flexible tube}
- 83/0445 . . {all the articles being stored in individual compartments}
- 83/0454 . . . {the whole forming a circular container with rotating parts ([B65D 83/0463](#) takes precedence)}
- 83/0463 . . . {formed in a band or a blisterweb, inserted in a dispensing device or container}
- 83/0472 {the band being wound in flat spiral, folded in accordion or the like}
- 83/0481 . . {the articles passing through a small opening or passage, without additional dispensing devices and without retaining means for the following article}
- 83/049 . . {the dispensing means forming a part of a removable closure, e.g. gripping teeth, cavity}
- 83/06 . . for dispensing powdered or granular material {([B65D 83/04](#) takes precedence)}
- 83/08 . . for dispensing thin flat articles in succession ({towel dispensers intended for re-use [A47K 10/24](#); } dispensers for surgical scalpel blades [A61B 17/3215](#))}
- NOTE**
[B65D 83/10](#) and [B65D 83/12](#) take precedence over [B65D 83/0805](#) - [B65D 83/0894](#)
- 83/0805 . . {through an aperture in a wall}
- 83/0811 . . . {with means for assisting dispensing}
- 83/0817 {the articles being automatically urged towards the dispensing aperture, e.g. spring-loaded ([B65D 83/0823](#) takes precedence)}
- 83/0823 {the articles being pushed and slid through the aperture}
- 83/0829 {by means of an actuator}
- 83/0835 {the articles being pulled out of the container}
- 83/0841 {and for cutting interconnected articles (cutting devices for dispensers intended for re-use [B65H 35/008](#))}
- 83/0847 . . {through an aperture at the junction of two walls}
- 83/0852 . . . {with means for assisting dispensing}
- 83/0858 {the articles being automatically urged towards the dispensing aperture, e.g. spring-loaded ([B65D 83/0864](#) takes precedence)}
- 83/0864 {the articles being pushed and slid through the aperture}
- 83/087 {by means of an actuator}
- 83/0876 {the articles being pulled out of the container}
- 83/0882 {and for cutting interconnected articles (cutting devices for dispensers intended for re-use [B65H 35/008](#))}
- 83/0888 . . {with provision for used articles}
- 83/0894 . . {the articles being positioned relative to one another or to the container in a special way, e.g. for facilitating dispensing, without additional support}
- 83/10 . . for dispensing razor-blades
- 83/12 . . for dispensing tickets or tokens
- 83/14 . . for delivery of liquid or semi-liquid contents by internal gaseous pressure, i.e. aerosol containers comprising propellant {for a product delivered by a propellant}
- 83/16 . . characterised by the actuating means
- 83/20 . . . {operated by manual action, e.g. button-type actuator or} actuator caps {(actuators formed as a rigid elongate spout [B65D 83/306](#))}
- 83/201 {Lever-operated actuators ([B65D 83/206](#) takes precedence)}
- 83/202 {combined with a hand grip (hand-held or body-worn self-defense devices using aerosol containers [F41H 9/10](#))}
- 83/203 {comprising an extension rod located between the aerosol container and the hand grip (setting-out line markings on playing courts [A63C 19/065](#); marking-out on finished paving by spraying from aerosol containers [E01C 23/227](#))}
- 83/205 {Actuator caps, or peripheral actuator skirts, attachable to the aerosol container}
- 83/206 {comprising a cantilevered actuator element, e.g. a lever pivoting about a living hinge}
- 83/207 {Actuators comprising a manually operated valve and being attachable to the aerosol container, e.g. downstream a valve fitted to the container; Actuators associated to container valves with valve seats located outside the aerosol container (portable spraying apparatus comprising pressurised supply containers [B05B 7/2402](#), [B05B 9/0805](#); manually actuated controlling means for spraying apparatus [B05B 12/002](#); actuators connected to the aerosol container by a flexible tube [B65D 83/756](#))}
- 83/208 {Pull cord operated actuators}
- 83/22 . . . with {a mechanical} means to disable actuation ([B65D 50/00](#) takes precedence)
- 83/222 {Actuator locking means being automatically repeatedly displaced after each actuation}
- 83/224 {Tamper indicating means obstructing initial actuation, e.g. removable (container closure having to be perforated [B65D 83/382](#); tamper indicating means located in front of outlets [B65D 83/7538](#))}
- 83/226 {preventing initial depression of the actuator}

- 83/228 {consisting of a rupturable connection between actuator element and actuator cap or skirt, e.g. tear strips or bridges}
- 83/24 . . . with means to hold the valve open, {e.g. for continuous delivery}
- 83/26 . . . operating automatically, e.g. periodically
- 83/262 {by clockwork, motor, electric or magnetic means operating without repeated human input}
- 83/265 {by fall or rise in pressure or temperature}
- 83/267 {by a separate device actuated by repeated, e.g. human, input, e.g. by a moving wing of a door or window, a ringing doorbell, a flushing toilet}
- 83/28 . . Nozzles, nozzle fittings or accessories specially adapted therefor
- 83/285 . . . {for applying the contents, e.g. brushes, rollers, pads, spoons, razors, scrapers (closures with pads or like contents-applying means [B65D 47/42](#); brushes with integral pre-pressurized reservoirs [A46B 11/0017](#); domestic cleaning implements with liquid-feeding devices [A47L 13/00](#))}
- 83/30 . . . for guiding the flow of spray {, e.g. funnels, hoods}
- 83/303 {using extension tubes located in or at the outlet duct of the nozzle assembly}
- 83/306 {Actuators formed as a rigid elongate spout}
- 83/32 . . Dip-tubes
- 83/34 . . Cleaning or preventing clogging of the discharge passage
- 83/345 . . . {Anti-clogging means for outlets}
- 83/36 . . allowing operation in any orientation {, e.g. discharge in inverted position}
- 83/38 . . Details of the container body (pressure relief devices [B65D 83/70](#))
- 83/382 . . . {with closures that must be perforated}
- 83/384 . . . {comprising an aerosol container disposed in an outer shell or in an external container}
- 83/386 {actuation occurring by moving the aerosol container relative to the outer shell or external container}
- 83/388 . . . {with means for suspending the aerosol container}
- 83/40 . . Closure caps (actuator caps {[B65D 83/205](#)})
- 83/42 . . Filling or charging means
- 83/425 . . . {Delivery valves permitting filling or charging}
- 83/44 . . Valves specially adapted therefor; Regulating devices (filling or discharging means [B65D 83/42](#); {pressure regulators releasing propellant inside the container [B65D 83/663](#);} pressure relief devices [B65D 83/70](#))
- 83/46 . . . Tilt valves ([B65D 83/50](#) takes precedence)
- 83/48 . . . Lift valves, e.g. operated by push action ([B65D 83/50](#) takes precedence)
- 83/50 . . . Non-reclosable valves {, e.g. for complete delivery in a single dose}
- 83/52 . . . for metering
- 83/525 {with means for adjusting the metered quantity}
- 83/54 Metering valves {; Metering valve assemblies}
- 83/543 {adapted for metering and for continuous delivery}
- 83/546 {the metering occurring at least partially in the actuating means}
- 83/56 . . {with means for preventing delivery, e.g.} shut-off when inverted {(actuating means with means to disable actuation [B65D 83/22](#))}
- 83/565 . . . {the delivery-preventing means being responsive to the orientation of the container}
- 83/60 . . Contents and propellant separated
- 83/62 . . . by membrane, bag, or the like {(containers in which the content is delivered by the contracting forces inherent in the bag [B65D 83/0061](#))}
- 83/625 {the propellant being generated by a chemical or electrochemical reaction (for pressure gas in portable fire extinguishers [A62C 13/02](#))}
- 83/64 . . . by piston
- 83/643 {the propellant being generated by a chemical or electrochemical reaction (for pressure gas in portable fire extinguishers [A62C 13/02](#))}
- 83/646 {the piston being provided with a dispensing opening through which the contents are dispensed (containers with such a dispensing piston, adapted for hand-held, manually operated spray apparatus [B05B 11/029](#), in general [B65D 83/0044](#))}
- 83/66 . . . first separated, but finally mixed {, e.g. in a dispensing head}
- 83/663 {at least a portion of the propellant being separated from the product and incrementally released by means of a pressure regulator}
- 83/666 {product and propellant being totally mixed on, or prior to, first use, e.g. by braking an ampoule containing one of those components ([B65D 83/687](#) takes precedence; portable spraying apparatus comprising a container pressurized by a gas cartridge [B05B 9/0833](#))}
- 83/68 . . Dispensing two or more contents {, e.g. sequential dispensing or simultaneous dispensing of two or more products without mixing them}
- 83/682 . . . {the products being first separated, but finally mixed, e.g. in a dispensing head (mixing in general [B01F](#))}
- 83/685 {with one product being located in a chamber within, or forming part of, the dispensing head, e.g. for admixture during dispensing}
- 83/687 {the products being totally mixed on, or prior to, first use, e.g. by breaking an ampoule containing one of the products}
- 83/70 . . Pressure relief devices
- 83/72 . . with heating or cooling devices {, e.g. heat-exchangers}
- 83/74 . . . heating by exothermic reaction
- 83/75 . . {Aerosol containers not provided for in groups [B65D 83/16](#) - [B65D 83/74](#)}
- 83/752 . . . {characterised by the use of specific products or propellants}
- 83/753 . . . {characterised by details or accessories associated with outlets}
- 83/7532 {comprising alternative flow directions or replaceable or interchangeable outlets}

- 83/7535 {Outlet valves opened by the product to be delivered (adapted for hand-held, manually operated spray apparatus [B05B 11/0062](#))}
- 83/7538 {Tamper indicating means located in front of outlets (tamper indicating means obstructing initial actuation [B65D 83/224](#))}
- 83/754 . . . {comprising filters in the fluid flow path (filters specially adapted for spraying plants or apparatus [B05B 15/40](#))}
- 83/756 . . . {comprising connectors, e.g. for tyre valves, or actuators connected to the aerosol container by a flexible tube (auto-repairing or self-sealing arrangement for repairing plastic articles [B29C 73/16](#))}
- 83/757 . . . {Tamper-indicating means (actuators with tamper-indicating means [B65D 83/224](#); tamper indicating means located in front of outlets [B65D 83/7538](#))}
- 83/7575 {Separate tamper-elements}
- 83/759 . . . {Aerosol containers connected to or located in toilet-bowls or cisterns}
- 85/00 Containers, packaging elements or packages, specially adapted for particular articles or materials** ([B65D 71/00](#), [B65D 83/00](#) take precedence; hand implements or travelling equipment [A45C](#); cosmetic or toiletry equipment [A45D](#); packages for surgical knives, scalpels or blades therefor [A61B 17/3215](#); containers specially adapted for medical or pharmaceutical purposes [A61J 1/00](#); paint cans [B44D 3/12](#); oil cans [F16N 3/04](#); containers for carrying small arms [F41C 33/06](#); packaging of ammunition or explosive charges [F42B 39/00](#); containers for record carriers, specially adapted for cooperation with the recording or reproducing apparatus [G11B 23/00](#))
- NOTE**
- Attention is drawn to Note (5) following the title of this subclass.
- 85/02 . for annular articles (for web or tape-like material wound in flat spiral form [B65D 85/671](#))
- 85/04 . . for coils of wire, rope or hose
- 85/06 . . for tyres
- 85/07 . for compressible or flexible articles (for wearing apparel [B65D 85/18](#))
- 85/08 . . rod-shaped or tubular
- 85/10 . . . for cigarettes
- 85/1009 {provided with proffering means ([B65D 85/1054](#) takes precedence)}
- 85/1018 {Container formed by a flexible material, i.e. soft-packages}
- 85/1027 {Opening devices}
- 85/1036 {Containers formed by erecting a rigid or semi-rigid blank}
- 85/1045 {having a cap-like lid hinged to an edge}
- 85/1048 {characterized by the shape of the container}
- 85/10484 {having rounded corners}
- 85/1054 {combined with an outer sleeve connected to the lid}
- 85/1056 {characterized by the lid}
- 85/10564 {having means for holding the lid in a closed position}
- 85/10566 {having means for holding the lid in an open position}
- 85/10568 {opening of the lid opens simultaneously an inner package within the container}
- 85/1063 {so as to form two cigarette-compartments interconnected by a hinge-portion}
- 85/1072 {Bundle of cigarette packs}
- 85/1081 {Inserts or accessories added or joined to the container, e.g. coins, pens, cards, spacers ([B65D 85/1009](#) takes precedence)}
- 85/109 {Lighting means, e.g. matches or lighters}
- 85/12 . . . for cigars
- 85/14 . . . for collapsible {empty} tubes
- 85/18 . for wearing apparel, headwear or footwear
- 85/182 . . {Shirt packaging and display supports}
- 85/185 . . {Containers for shipping garments on hangers (travelling or trunk wardrobes [A47B 61/06](#))}
- 85/187 . . {for footwear}
- 85/20 . for incompressible or rigid rod-shaped or tubular articles
- 85/22 . . for macaroni, spaghetti or like flour products
- 85/24 . . for needles, nails or like elongate small articles
- 85/26 . . for welding electrodes
- 85/28 . . for pencils or pens (pencil boxes [A45C 11/34](#))
- 85/30 . for articles particularly sensitive to damage by shock or pressure
- 85/302 . . {for carboys}
- 85/305 . . {Bottle-crates (formed in one piece [B65D 1/243](#))}
- 85/307 . . {Local shock-absorbing elements, e.g. elastic rings}
- 85/32 . . for eggs
- 85/321 . . . {Trays made of pressed carton and provided with recesses}
- 85/322 . . . {Trays made of pressed material, e.g. paper pulp}
- 85/324 . . . {Containers with compartments made of pressed material}
- 85/325 . . . {Containers with compartments formed by erecting one blank}
- 85/327 . . . {Containers with compartments formed by folding and inter-connecting of two or more blanks}
- 85/328 {Partitions}
- 85/34 . . for fruit, e.g. apples, oranges or tomatoes
- 85/345 . . . {having a meshed or apertured closure to allow contents to breathe}
- 85/36 . . for bakery products, e.g. biscuits
- 85/38 . . for delicate optical, measuring, calculating or control apparatus
- 85/40 . . . for watches or clocks; for components thereof
- 85/42 . . for ampoules; for lamp bulbs; for electronic valves or tubes
- 85/44 . . for crockery
- 85/46 . . for bricks, tiles or building blocks
- 85/48 . . for glass sheets
- 85/50 . for living organisms, articles or materials sensitive to changes of environment or atmospheric conditions, e.g. land animals, birds, fish, water plants, non-aquatic plants, flower bulbs, cut flowers or foliage (devices for transporting live fish [A01K 63/02](#))
- 85/505 . . {for cut flowers}

- 85/52 . . for living plants; for growing bulbs
- 85/54 . {for articles of special shape not otherwise provided for}
- 85/542 . . {for tetrahedral packages}
- 85/544 . . {for gramophone records}
- 85/546 . . . {formed by folding a single blank}
- 85/548 . . . {formed by folding or interconnecting of two or more blanks}
- 85/58 . for ball bearings, washers, buttons or like spherical or disc-shaped articles ([cards for buttons, collar-studs or sleeve-links A44B 7/00](#))
- 85/60 . for sweets or like confectionery products
- 85/62 . for stacks of articles; for special arrangements of groups of articles
- 85/64 . for bulky articles
- 85/66 . for jumbo rolls; for rolls of floor covering
- 85/67 . for web or tape-like material ([for jumbo rolls or rolls of floor covering B65D 85/66](#); [for recording-tape cassettes G11B 23/00](#))
- 85/671 . . wound in flat spiral form
- 85/672 . . . on cores
- 85/675 . . wound in helical form
- 85/676 . . . on cores
- 85/677 on flat cards
- 85/68 . for machines, engines or vehicles in assembled or dismantled form
- 85/70 . {for materials not otherwise provided for}
- 85/72 . . for edible or potable liquids, semiliquids, or plastic or pasty materials
- 85/73 . . . with means specially adapted for effervescing the liquids, e.g. for forming bubbles or beer head
- 85/74 . . . for butter, margarine, or lard
- 85/76 . . . for cheese
- 85/78 . . . for ice-cream
- 85/80 . . . for milk
- 85/804 . . Disposable containers or packages with contents which are {mixed,} infused or dissolved [in situ](#) {, i.e. without having been previously removed from the package [\(B65D 65/46 takes precedence](#); [tea infusers A47G 19/16](#); [spoons or stirrers comprising beverage additives A47G 21/04](#))}
- 85/8043 . . . {Packages adapted to allow liquid to pass through the contents [\(B65D 85/808 takes precedence](#); [filters or reusable cartridges for coffee or tea makers, not used as packages A47J 31/06](#))}
- 85/8046 {Pods, i.e. closed containers made only of filter paper or similar material}
- 85/8049 {Details of the inlet}
- 85/8052 {Details of the outlet}
- 85/8055 {Means for influencing the liquid flow inside the package}
- 85/8058 {Coding means for the contents}
- 85/8061 {Filters}
- 85/8064 {Sealing means for the interface with the processing machine}
- 85/8067 {Packages for several ingredients}
- 85/808 . . . for immersion in the liquid {to release part or all of their contents}, e.g. tea bags
- 85/8085 {characterised by an outer package, e.g. wrappers or boxes for enclosing tea-bags}

- 85/812 with features facilitating their {manipulation or} suspension {[\(B65D 85/8085 takes precedence\)](#)}
- 85/816 . . . into which liquid is added {and the resulting preparation is retained}, e.g. cups preloaded with powder or dehydrated food
- 85/82 . . for poisons
- 85/84 . . for corrosive chemicals

Large containers

- 88/00** **Large containers** (component parts, details or accessories [B65D 90/00](#); construction or assembling of bulk storage containers employing civil engineering techniques [in situ](#) or off the site [E04H 7/00](#); gas holders of variable capacity [F17B](#); vessels for containing or storing compressed, liquefied or solidified gases [F17C](#))
- 88/005 . {of variable capacity, e.g. with movable or adjustable walls or wall parts, modular}
- 88/02 . rigid ([B65D 88/34 - B65D 88/78 take precedence](#); [hoppers B65D 88/26](#); {special vessels for collecting or storing rain-water for use in the household [E03B 3/03](#); [cesspools E03F 11/00](#)})
- 88/022 . . {in multiple arrangement, e.g. stackable, nestable, connected or joined together side-by-side}
- 88/025 . . . {Nestable containers or nestable container parts forming a receptacle when one part is inverted upon the other}
- 88/027 . . . {single containers connected to each other by additional means so as to form a cluster of containers, e.g. a battery of containers [\(B65D 88/005 takes precedence\)](#)}
- 88/04 . . spherical ([B65D 88/12 takes precedence](#))
- 88/06 . . cylindrical ([B65D 88/12 takes precedence](#))
- 88/08 . . . with a vertical axis
- 88/10 . . parallelepipedic ([B65D 88/12 takes precedence](#))
- 88/12 . . specially adapted for transport ([associated with vehicles, see the relevant subclasses of B60 - B64](#))
- 88/121 . . . {ISO containers}
- 88/122 . . . {with access from above}
- 88/123 {open top}
- 88/124 {closable top}
- 88/125 {by flexible element, e.g. canvas}
- 88/126 {by rigid element, e.g. lid}
- 88/127 . . . {open-sided container, i.e. having substantially the whole side free to provide access, with or without closures [\(B65D 88/129, B65D 90/008 take precedence\)](#)}
- 88/128 . . . {tank containers, i.e. containers provided with supporting devices for handling}
- 88/129 . . . {Transporter frames for containers}
- 88/14 . . . by air
- 88/16 . flexible ([B65D 88/34 - B65D 88/78 take precedence](#); [hoppers B65D 88/26](#))
- 88/1606 . . {double-walled or with linings [\(B65D 88/1612 takes precedence](#); [linings for container walls in general B65D 90/04](#))}
- 88/1612 . . {Flexible intermediate bulk containers [FIBC]}
- 88/1618 . . . {double-walled or with linings}
- 88/1625 {with stiffening rigid means between the walls}
- 88/1631 . . . {with shape keeping flexible elements}

- 88/1637 {cables or straps from top to bottom}
- 88/1643 . . . {with multiple compartments}
- 88/165 . . . {with electrically conductive properties}
- 88/1656 . . . {for liquids}
- 88/1662 . . . {surrounded by a net}
- 88/1668 . . . {closures for top or bottom openings}
- 88/1675 . . . {Lifting fittings}
- 88/1681 {Flexible, e.g. loops, or reinforcements therefor}
- 88/1687 {specially adapted for the forks of a forklift}
- 88/1693 {Rigid (B65D 90/205 takes precedence)}
- 88/18 . . bellows-shaped (B65D 88/22 takes precedence; connection of valves to inflatable elastic bodies B60C 29/00)
- 88/20 . . with rigid end-walls (B65D 88/18, B65D 88/22 take precedence)
- 88/22 . . specially adapted for transport (associated with vehicles, see the relevant subclasses of B60 - B64)
- 88/24 . . . by air
- 88/26 . Hoppers, i.e. containers having funnel-shaped discharge sections (B65D 88/34 - B65D 88/78 take precedence)
- 88/28 . . Construction or shape of discharge section
- 88/30 . . specially adapted to facilitate transportation from one utilisation site to another (collapsible hoppers B65D 88/52)
- 88/32 . . in multiple arrangement
- 88/34 . having floating covers, e.g. floating roofs or blankets (venting means B65D 90/34)
- 88/36 . . with relatively movable sections
- 88/38 . . with surface water receiver, e.g. drain
- 88/40 . . with support for aground cover
- 88/42 . . with sealing means between cover rim and receptacle
- 88/44 . . . with magnetic means acting on the seal
- 88/46 . . . with mechanical means acting on the seal
- 88/48 . . . with fluid means acting on the seal
- 88/50 . . . with resilient foam or stuffed seal
- 88/52 . collapsible, i.e. with walls hinged together or detachably connected
- 88/522 . . {all side walls hingedly connected to each other or to another component of the container}
- 88/524 . . . {and one or more side walls being foldable along an additional median line}
- 88/526 . . {with detachable side walls}
- 88/528 . . . {all side walls detached from each other to collapse the container}
- 88/54 . characterised by means facilitating filling or emptying ({filling or emptying features for flexible large containers B65B 69/0075; } construction or shape of discharge section of hoppers B65D 88/28; gates or closures B65D 90/54; filling or emptying bunkers, hoppers, or like containers B65G 65/30)
- 88/542 . . {Ramps forming part of the container (ramps per se B65G 69/28; for ambulances A61G 3/061; for vehicles in general B60P 1/43)}
- 88/544 . . {for filling from below}
- 88/546 . . {Devices for loading or unloading and forming part of the container, e.g. rollers, conveyors (loading or unloading vehicles B65G 67/20)}
- 88/548 . . {by pneumatic means (B65D 88/72 takes precedence)}
- 88/56 . . by tilting
- 88/58 . . by displacement of walls
- 88/60 . . . of internal walls
- 88/62 the walls being deformable
- 88/64 . . preventing bridge formation
- 88/66 . . . using vibrating or knocking devices
- 88/665 {using a resonator, e.g. supersonic generator}
- 88/68 . . . using rotating devices
- 88/70 . . . using fluid jets (B65D 88/72 takes precedence)
- 88/703 {Air blowing devices, i.e. devices for the sudden introduction of compressed air into the container}
- 88/706 {Aerating means, e.g. one-way check valves}
- 88/72 . . Fluidising devices
- 88/74 . having means for heating, cooling, aerating or other conditioning of contents
- 88/741 . . {aerating by ambient air through openings in the wall}
- 88/742 . . {using ventilating sheaths}
- 88/744 . . {heating or cooling through the walls or internal parts of the container, e.g. circulation of fluid inside the walls}
- 88/745 . . {blowing or injecting heating, cooling or other conditioning fluid inside the container}
- 88/747 . . {dehumidifying, dewatering or draining}
- 88/748 . . {for tank containers}
- 88/76 . for use underground (manholes, inspection openings, covers therefor B65D 90/105; {special vessels for collecting or storing rain-water for use in the household E03B 3/03; cesspools E03F 11/00})
- 88/78 . for use in or under water (manholes, inspection openings, covers therefor B65D 90/10)
- 90/00 Component parts, details or accessories for large containers (B65D 88/34 - B65D 88/78 take precedence)**
- 90/0006 . {Coupling devices between containers, e.g. ISO-containers (coupling devices between containers and vehicles B60P 7/13)}
- 90/0013 . . {Twist lock}
- 90/002 . . . {Apparatus for manual or automatic installation/removal of twist-lock}
- 90/0026 . {Corner fittings characterised by shape, configuration or number of openings}
- 90/0033 . {Lifting means forming part of the container (B65D 90/0006, B65D 90/0026 take precedence; loading or unloading container on or from a truck B60P 1/6418; lifting the container using a crane B66C 1/663)}
- 90/004 . {Contents retaining means}
- 90/0046 . . {fixed on the top of the container (B65D 90/0066, B65D 90/0073 take precedence)}
- 90/0053 . . {fixed on the side wall of the container (B65D 90/0066, B65D 90/0073 take precedence)}
- 90/006 . . {fixed on the floor of the container (B65D 90/0066, B65D 90/0073 take precedence)}
- 90/0066 . . {Partition walls}
- 90/0073 . . {Storage racks}
- 90/008 . {Doors for containers, e.g. ISO-containers (locking E05B 83/12)}
- 90/0086 . . {rotating or wound around a horizontal axis}

- 90/0093 . {Devices for cleaning the internal surfaces of the container and forming part of the container (cleaning of containers in general [B08B 9/08](#))}
- 90/02 . Wall construction (arrangements of leakage-indicating devices comprising hollow spaces within walls [B65D 90/501](#); arrangements of leakage-indicating devices comprising porous spaces or porous layers in walls [B65D 90/505](#); arrangements of leakage-indicating devices comprising electrically conductive layers in walls [B65D 90/513](#))
- 90/021 . . {Flexible side walls or doors ([B65D 88/125](#) takes precedence)}
- 90/022 . . {Laminated structures ([B65D 90/029](#) takes precedence)}
- 90/023 . . {Modular panels}
- 90/024 . . . {with features of cylindrical curvature}
- 90/025 . . . {with features of spheroidal curvature}
- 90/026 . . . {Parallel slats}
- 90/027 . . {Corrugated or zig-zag structures; Folded plate}
- 90/028 . . {hollow-walled, e.g. double-walled with spacers (linings [B65D 90/04](#))}
- 90/029 . . {Wound structures}
- 90/04 . . Linings {(for flexible containers [B65D 88/1606](#))}
- 90/041 . . . {Rigid liners fixed to the container}
- 90/042 {fixed pointwise or linewise}
- 90/043 {the liners being in the form of tiles or panels}
- 90/044 {fixed or supported over substantially the whole interface}
- 90/045 {the liners being in the form of tiles or panels}
- 90/046 . . . {Flexible liners, e.g. loosely positioned in the container}
- 90/047 {comprising rigid bracing, e.g. bulkheads}
- 90/048 {comprising bracing straps}
- 90/06 . . Coverings, e.g. for insulating purposes
- 90/08 . . Interconnections of wall parts; Sealing means therefor
- 90/10 . Manholes; Inspection openings; Covers therefor (safety features [B65D 90/22](#); covers or similar closure members, for pressure vessels in general [F16J 13/00](#))
- 90/105 . . {for underground containers}
- 90/12 . Supports
- 90/125 . . {Docking stations, i.e. for the temporary support of the container}
- 90/14 . . Legs, e.g. detachable
- 90/143 . . . {Detachable individual legs}
- 90/146 . . . {Detachable combined legs}
- 90/16 . . Skids
- 90/18 . . Castors, rolls, or the like; e.g. detachable ([castors in general B60B](#))
- 90/20 . . Frames or nets, e.g. for flexible containers
- 90/205 . . . {for flexible containers, i.e. the flexible container being permanently connected to the frame ([B65D 77/061](#), [B65D 88/1612](#), [B65D 90/046](#) take precedence; unpacking of Flexible Intermediate Bulk Container [FIBC] [B65B 69/0075](#); crane hooks for frames for FIBC [B66C 1/226](#))}
- 90/22 . Safety features (floating covers [B65D 88/34](#); arrangements of indicating or measuring devices [B65D 90/48](#); fire-fighting [A62C](#))
- 90/24 . . Spillage-retaining means, e.g. recovery ponds
- 90/26 . . Overfill prevention ([spillage retaining means B65D 90/24](#); arrangements of indicating or measuring devices [B65D 90/48](#))
- 90/28 . . Means for preventing or minimising the escape of vapours
- 90/30 . . Recovery of escaped vapours
- 90/32 . . Arrangements for preventing, or minimising the effect of, excessive or insufficient pressure ([valves per se F16K](#))
- 90/325 . . . {due to explosion, e.g. inside the container (safely destroying explosive ammunition or similar [F42B 39/14](#); in buildings [E04B 1/98](#))}
- 90/34 . . . Venting means ([vehicle fuel tanks characterised by venting means B60K 15/035](#))
- 90/36 . . . Weakened parts
- 90/38 . . Means for reducing the vapour space or for reducing the formation of vapour within containers
- 90/40 . . . by use of fillings of porous materials
- 90/42 . . . by use of particular materials for covering surface of liquids
- 90/44 . . . by use of inert gas for filling space above liquid or between contents
- 90/46 . . Arrangements for carrying off, or preventing the formation of electrostatic charges ([carrying-off, or preventing the formation of electrostatic charges in general H05F](#))
- 90/48 . Arrangements of indicating or measuring devices
- 90/50 . . of leakage-indicating devices
- 90/501 . . . comprising hollow spaces within walls
- 90/503 under pressure or vacuum
- 90/505 . . . comprising porous spaces or porous layers in walls
- 90/507 under pressure or vacuum
- 90/51 . . . characterised by sensors
- 90/511 Float-type indicators
- 90/513 . . . comprising electrically conductive layers in walls
- 90/52 . Anti-slosh devices ([vehicle fuel tanks with means modifying or controlling distribution or motion of fuel, e.g. to prevent noise, surge, splash or fuel starvation B60K 15/077](#))
- 90/54 . Gates or closures ([for manholes B65D 90/10](#); covers or similar closure members, for pressure vessels in general [F16J 13/00](#); valves [per se F16K](#); {doors for containers [B65D 90/008](#)})
- 90/545 . . {Discharge end caps}
- 90/56 . . operating by deformation of flexible walls ({[B65D 90/58](#) takes precedence})
- 90/58 . . having closure members sliding in the plane of the opening
- 90/582 . . . {having a rotational motion}
- 90/585 {around an axis perpendicular to the valve port}
- 90/587 . . . {having a linear motion}
- 90/60 . . . and having one or more openings
- 90/62 . . having closure members movable out of the plane of the opening
- 90/623 . . . {having a rotational motion}
- 90/626 . . . {having a linear motion}
- 90/64 . . having multipart closure members, the parts being brought into closing position one by one according to need

90/66	. . Operating devices therefor	2231/008	. . . integral with the container wall
		2231/02	. Precut holes or weakened zones
		2231/022	. . for permitting the insertion of a tubular contents-removing device, e.g. a drinking straw
		2231/025	. . for draining or discharging the liquid contents, e.g. soup, milk
		2231/027	. . for discharging a solidified or gelatinous products, e.g. pudding, ice-cream, from the package
2201/00	Means or constructions for testing or controlling the contents	2251/00	Details relating to container closures (lids or covers for box-like containers B65D 43/00; see also B65D 43/00)
2203/00	Decoration means, markings, information elements, contents indicators (see also B65D 5/4212, B65D 33/004)	2251/0003	. Two or more closures
2203/02	. Labels	2251/0006	. . Upper closure
2203/04	. Level indicators (see also B65D 25/56, B65D 33/004)	2251/0009	. . . of the 17-type
2203/045	. . using the pivoting movement of the container, when the weight of the contents drops	2251/0012	. . . of the 39-type
2203/06	. Arrangements on packages concerning bar-codes	2251/0015	. . . of the 41-type
2203/08	. . Wrapped groups of articles, the wrapping presenting openings to facilitate the marking or the reading of each article, e.g. individually priced	2251/0018	. . . of the 43-type
2203/10	. Transponders	2251/0021 of the B65D 43/16 -type
2203/12	. Audible, olfactory or visual signalling means (B65D 51/248, B65D 55/028, B65D 79/02 and B65D 81/24 take precedence)	2251/0025	. . . of the 47-type
		2251/0028	. . . of the 51-type
2205/00	Venting means	2251/0031	. . . Membrane
2205/02	. Venting holes	2251/0034 integral with the container
2205/025	. . having a removable label, sticker or adhesive foil covering the hole	2251/0037	. . Intermediate closure(s)
2205/04	. for venting during the initial insertion of a piston	2251/004	. . . of the 17-type
2207/00	Standing packages	2251/0043	. . . of the 39-type
2209/00	Provisions for used articles	2251/0046	. . . of the 41-type
2211/00	Anti-theft means	2251/005	. . . of the 43-type
2213/00	Safety means	2251/0053 of the B65D 43/16 type
2213/02	. Means for preventing build-up of electrostatic charges	2251/0056	. . . of the 47-type
		2251/0059	. . . of the 51-type
2215/00	Child-proof means	2251/0062	. . . Membrane
2215/02	. requiring the combination of simultaneous actions	2251/0065 integral with the container
2215/04	. requiring the combination of different actions in succession	2251/0068	. . Lower closure
2215/06	. based on the difference in size between children's and adults' hands	2251/0071	. . . of the 17-type
2215/08	. for fooling children, e.g. fake closures	2251/0075	. . . of the 39-type
		2251/0078	. . . of the 41-type
2217/00	Details of mixing containers or closures	2251/0081	. . . of the 43-type
2217/02	. Whereby the mixture can be used several times, e.g. containers which can be resealed after mixing	2251/0084 of the B65D 43/16 -type
2217/04	. Whereby the separation between the different product compartments can be restored, e.g. for reuse	2251/0087	. . . of the 47-type
		2251/009	. . . of the 51-type
2221/00	Small packaging specially adapted for product samples, single-use packages or échantillons	2251/0093	. . . Membrane
2231/00	Means for facilitating the complete expelling of the contents	2251/0096 integral with the container
2231/001	. the container being a bag	2251/01	. making a sound upon actuation
2231/002	. . comprising strips forming channels or liquid passageways	2251/02	. Grip means
2231/004	. . comprising rods or tubes provided with radial openings, ribs or the like, e.g. dip-tubes, spiral rods	2251/023	. . Ribs or recesses
2231/005	. the container being rigid	2251/026	. . made of material having a high friction coefficient and preventing slippage during removal by hand, e.g. band, coating
2231/007	. . Funnel or the like	2251/04	. Orienting or positioning means
		2251/06	. Special configurations; Closures simulating or provided with another item, e.g. puppet, animal, vehicle, building (B65D 81/366 takes precedence)
		2251/065	. . the external skirt having a non-circular cross-section, e.g. square, elliptical
		2251/07	. Closures specially adapted for closing bottle-necks of non-circular cross-section
		2251/08	. Closures specially adapted for closing container mouths of differing size or configuration, e.g. screw/snap combination
		2251/09	. Reversible caps or lids, e.g. with threads on one side and a plug on the other

- 2251/10 . Details of hinged closures
- 2251/1008 . . Means for locking the closure in open position
- 2251/1016 . . Means for locking the closure in closed position
- 2251/1025 . . . Integral locking elements penetrating in an opening, e.g. a flap through a slit, a hook in an opening
- 2251/1033 . . . Protuberances and cavities provided on a horizontal flange respectively of the container or base and the closure, and penetrating one into the other, e.g. of the press-button type
- 2251/1041 . . . The closure having a part penetrating in the dispensing aperture and retained by snapping over integral beads or projections
- 2251/105 . . . The closure having a part fitting over the rim of the container or spout and retained by snapping over integral beads or projections
- 2251/1058 . . . Latching mechanisms
- 2251/1066 . . Actuating means
- 2251/1075 . . . Levers
- 2251/1083 . . Closures formed of several sections hinged to the container or base
- 2251/1091 . . Closures made integrally with the base element at a point remote from the hinge
- 2251/20 . Sealing means
- 2251/205 . . Inserted
- 2255/00 Locking devices** (for actuation of aerosol containers [B65D 83/226](#); for lids [B65D 2251/1008](#), [B65D 2251/1016](#))
 - 2255/06 . Use of seals
 - 2255/20 . with coacting elements, e.g. ratchet and pawl, formed integrally in the container and closure or dispensing device, e.g. spout, for permanently preventing removal of the latter
- 2275/00 Details of sheets, wrappers or bags**
 - 2275/02 . Sheets wrappers or bags provided with protective or puncture resistant patches, specially adapted for meat on the bone, e.g. patch bags
- 2301/00 Details of blanks**
 - 2301/10 . Blanks mutually positioned to minimise waste material upon cutting out the individual blank from a continuous or large sheet
 - 2301/20 . made of plastic material
- 2303/00 Orienting or positioning means for containers**
- 2313/00 Connecting or fastening means**
 - 2313/02 . of hook-and-loop type
 - 2313/04 . of magnetic type
 - 2313/06 . using vacuum suction cups
 - 2313/08 . Double sided adhesive tape, e.g. for suspension of the container ([B65D 2313/10 takes precedence](#))
 - 2313/10 . Adhesive or cohesive means for holding the contents attached to the container
- 2401/00 Tamper-indicating means** (relating to aerosol containers [B65D 83/224](#))
 - 2401/05 . Tearable non-integral strips
 - 2401/10 . Tearable part of the container ([B65D 2401/60 takes precedence](#))
 - 2401/15 . Tearable part of the closure ([B65D 2401/60 takes precedence](#))
 - 2401/20 . . Frangible elements completely enclosed in closure skirt ([tear-off strips B65D 2401/25](#))
 - 2401/25 . . Non-metallic tear-off strips
 - 2401/30 . . Tamper-ring remaining connected to closure after initial removal
 - 2401/35 . . Vertical or axial lines of weakness
 - 2401/40 . . Bridges having different cross-sections
 - 2401/45 . Windows in external skirts for viewing tamper-element
 - 2401/50 . Tamper-band co-operating with intermediate ring connected to the container
 - 2401/55 . based on a change or a contrast in colour
 - 2401/60 . Tearable part both of the container and of the closure
- 2501/00 Containers having bodies formed in one piece**
 - 2501/0009 . Bottles or similar containers with necks or like restricted apertures designed for pouring contents
 - 2501/0018 . . Ribs
 - 2501/0027 . . . Hollow longitudinal ribs
 - 2501/0036 . . . Hollow circumferential ribs
 - 2501/0045 . . . Solid ribs
 - 2501/0054 . . . Lines of weakness
 - 2501/0063 . . . Additional discharging means ([B65D 1/06 takes precedence](#))
 - 2501/0072 . . Means for facilitating filling of the bottle
 - 2501/0081 . . Bottles of non-circular cross-section
 - 2501/009 . . Necks of non-circular cross-section
 - 2501/24 . Boxes or like containers with moulded compartments or partitions
 - 2501/24006 . . Details relating to bottle crates
 - 2501/24012 . . . Materials
 - 2501/24019 Mainly plastics
 - 2501/24025 Mainly metal
 - 2501/24031 Mainly wood
 - 2501/24038 Mainly a single material other than plastics, metal or wood
 - 2501/24044 Two or more different materials
 - 2501/2405 . . . Construction
 - 2501/24057 Basket-type
 - 2501/24063 of the walls
 - 2501/2407 Apertured
 - 2501/24076 Grid or mesh
 - 2501/24082 Plain
 - 2501/24089 Height of the side walls
 - 2501/24095 corresponding to the full height of the bottles
 - 2501/24101 higher than the bottles
 - 2501/24108 corresponding to part of the height of the bottles
 - 2501/24114 Walls of varying height
 - 2501/24121 of the bottom
 - 2501/24127 Apertured
 - 2501/24133 Grid, mesh
 - 2501/2414 Plain
 - 2501/24146 Connection between walls or of walls with bottom
 - 2501/24152 Integral ([B65D 2501/24184 takes precedence](#))
 - 2501/24159 Non-integral
 - 2501/24165 Welded or glued
 - 2501/24171 Interlocked ([B65D 2501/24184 takes precedence](#))
 - 2501/24178 Nailed, screwed, riveted ([B65D 2501/24184 takes precedence](#))

2501/24184	Collapsible	2501/24496	Straps or slings
2501/24191	Divisible into subparts	2501/24503	Wire-like
2501/24197	Arrangements for locating the bottles	2501/24509	Integral handles
2501/24203	Construction of locating arrangements	2501/24515	provided on the side wall
2501/2421	Partitions	2501/24522	provided near to or at the upper edge or rim
2501/24216	forming square or rectangular cells	2501/24528	centrally located in open container
2501/24222	forming cells having a curved shape	2501/24535	formed in the walls, e.g. roughenings, cavities or projections
2501/24229	forming other polygonal shaped cells, e.g. honeycomb shaped	2501/24541	Hand holes
2501/24235	Pillars	2501/24547	Telescopic
2501/24242	or circular cross-section	2501/24554	Stacking means (B65D 2501/24694 takes precedence)
2501/24248	of square or rectangular cross-section	2501/2456	for stacking or joining side-by-side (e.g. also containers stacked by being laid on one side)
2501/24254	of star-like cross-section	2501/24566	and loosely interengaged by integral complementary shapes
2501/24261	Ribs on the side walls	2501/24573	and joined together by interconnecting formations forming part of the container
2501/24267	Cells in the bottom wall	2501/24579	and joined together by bonding, adhesive or the like
2501/24273	Cells or apertures in a top wall	2501/24585	for stacking or joining the crates together one upon the other, in the upright or upside-down position
2501/2428	Others	2501/24592	Crates presenting local stacking elements protruding from the upper or lower edge of a side wall
2501/24286	Adjustable or removable constructions	2501/24598	Crates presenting a continuous stacking profile along the upper edge of at least two opposite side walls
2501/24292	Means for locking the bottles in place	2501/24605	Crates with stacking feet or corner elements
2501/24299	Rigid	2501/24611	Crates with stacking ribs on the side walls
2501/24305	Resilient	2501/24617	Crates with a closure presenting stacking elements
2501/24312	Means for preventing bottle breakage (B65D 2501/24292 takes precedence)	2501/24624	the closure presenting projecting peripheral elements receiving or surrounding the bottom or peripheral elements projecting from the bottom of a superimposed crate
2501/24318	Means for maintaining the bottles in an oblique position	2501/2463	the bottom presenting projecting peripheral elements receiving or surrounding the closure or peripheral elements projecting therefrom
2501/24324	Means for accommodating grouped bottles, e.g. in a wrapper	2501/24636	the closure and the bottom presenting cooperating peripheral ribs and grooves
2501/24331	Adapted for holding the bottle in an upside-down position	2501/24643	the closure and the bottom presenting local cooperating elements
2501/24337	Means for accommodating bottles of different sizes	2501/24649	Auxiliary removable stacking elements other than covers
2501/24343	Position pattern	2501/24656	these elements being (part of) the contents
2501/2435	Columns and rows	2501/24662	with movable parts adapted to be placed in alternative positions for stacking the crates at different levels
2501/24356	Staggered	2501/24668	Crates joined together by bonding, adhesive or the like
2501/24363	Handles	2501/24675	Crates joined together by screw-, bayonet, snap-fit or the like
2501/24369	Fixed, i.e. non swingable	2501/24681	for stacking or joining the crates together in a staggered configuration
2501/24375	provided on a local area of the side walls	2501/24687	Nesting means (B65D 2501/24694 takes precedence)
2501/24382	horizontal, e.g. U-shaped	2501/24694	Crates shaped to be nested when empty and superposed when full
2501/24388	vertical, e.g. U-shaped			
2501/24394	fixed by means of one or more collars			
2501/24401	provided on a local area near to or at the upper edge or rim			
2501/24407	centrally located in open container			
2501/24414	provided vertically and fixed to the upper and lower rims or edges			
2501/2442	provided vertically and fixed to the upper and lower rim and to the side wall			
2501/24426	Swingable handles			
2501/24433	provided on a local area of the side wall(s)			
2501/24439	horizontal, e.g. U-shaped			
2501/24445	vertical, e.g. U-shaped			
2501/24452	fixed by means of one or more collars			
2501/24458	provided on a local area near to or at the upper edge or rim			
2501/24464	centrally located in open container			
2501/24471	provided vertically and fixed to the upper and the lower edges or rims			
2501/24477	provided vertically and fixed to the upper and the lower rim and to the side wall			
2501/24484	with respective ends fixed to local areas of two opposite sides or wall-parts			
2501/2449	Rope or string			

2501/247	Identical stackable crates adapted for nesting after rotation around a vertical axis	2501/2498	Movable bottom
2501/24707	about 180 degrees only	2501/24987	Wheels
2501/24713	about 90 degrees	2501/24993	Means for indicating full or empty bottles
2501/24719	Identical stackable crates specially adapted for retaining the same orientation when nested	2517/00		Containers specially constructed to be opened by cutting, piercing or tearing of wall portions, e.g. preserving cans or tins
2501/24726	with movable parts adapted to be placed in alternative positions for nesting the containers when empty and for stacking them when full	2517/0001	Details
2501/24732	the movable parts being attached or integral and displaceable into a position overlying the top of the crate	2517/0002	Location of opening
2501/24738	the movable parts being an attached or integral cover	2517/0004	in can base, i.e. the part on which the container stands
2501/24745	the movable parts being supports or feet	2517/0005	and also in top wall
2501/24751	the movable parts consisting of walls or parts thereof, i.e. deformable containers	2517/0007	in a separate cover
2501/24757	the movable parts being (part of) the contents	2517/0008	in side wall
2501/24764	Reinforcements	2517/001	Action for opening container
2501/2477	Parts reinforced	2517/0011	push-down tear panel
2501/24777	Side walls	2517/0013	pull-out tear panel, e.g. by means of a tear-tab
2501/24783	Bottom	2517/0014	pivot tab and push-down tear panel
2501/24789	Means used for reinforcing	2517/0016	pivot tab, push-down and pull-out tear panel
2501/24796	Plain integral ribs	2517/0017	linearly sliding tear panel
2501/24802	Hollow integral ribs	2517/0019	Tear panel rolled about the tab
2501/24808	The wall being reinforced by making it thicker or double-walled	2517/002	Unusual opening actions
2501/24815	The wall being reinforced by making it corrugated	2517/0022	Means for preventing insects from entering container
2501/24821	Reinforcing elements made from a material different to the one of the part being reinforced	2517/0023	formed as part of the tab and moved into position
2501/24828	Location of the reinforcing means	2517/0025	connected to the rivet and rotated into position, but formed separately from the tab
2501/24834	Inside the crate	2517/0026	Means for preventing loss of removable element
2501/2484	Outside the crate	2517/0028	the element being part of the tab
2501/24847	Oriented mainly vertically	2517/0029	the element being part of the pull-out panel
2501/24853	Oriented mainly horizontally	2517/0031	Reclosable openings
2501/24859	Covers	2517/0032	the tab reclosing the opening
2501/24866	Other details	2517/0034	by means of the hand grip alone, e.g. rotating hand grip into opening
2501/24872	Information, identification or detection means	2517/0035	the tab and torn out panel together closing the opening, e.g. by sliding
2501/24878	Labels	2517/0037	the tape being resealable
2501/24885	with special means for removing the labels	2517/0038	the plug being reinsertable into the opening
2501/24891	Mechanical means, e.g. cams	2517/004	by means of an additional element
2501/24898	Matter printed directly on the crate	2517/0041	in the form of a cover
2501/24904	Engraved or moulded indicia	2517/0043	in the form of a plug
2501/2491	Transponders	2517/0044	attached to the tear tab
2501/24917	Integral or attached bottle openers	2517/0046	Unusual reclosable openings
2501/24923	Bottle closures collecting means	2517/0047	Provided with additional elements other than for closing the opening
2501/24929	Drainage means (B65D 2501/24127 and B65D 2501/24133 take precedence)	2517/0049	Straws, spouts, funnels, or other devices facilitating pouring or emptying
2501/24936	Means for handling (handles B65D 2501/24363)	2517/005	formed as part of the tab
2501/24942	Means for suspending or lifting (B65D 2501/24949 takes precedence)	2517/0052	Prizes, tokens, badges or other information carrying devices
2501/24949	Roughened bottom or side surfaces	2517/0053	forming part of, or connected to, the tab
2501/24955	Means for inserting or extracting the bottles	2517/0055	provided with a buoyancy chamber, e.g. for floating in water
2501/24961	Through a side wall	2517/0056	Unusual elements
2501/24968	Through the bottom	2517/0058	Other details of container end panel
2501/24974	Bottle extracting means	2517/0059	General cross-sectional shape of container end panel
			2517/0061	U-shaped
			2517/0062	and provided with an additional U-shaped peripheral channel
			2517/0064	inverted U-shaped
			2517/0065	convex shaped end panel

2517/0067	concave shaped end panel	2517/5054	rolled or folded back, e.g. to avoid sharp edges
2517/0068	Ribs or projections in container end panel			
2517/007	located within tear-out/push-in panel	2517/5056	the edge of the preformed opening having a covering element or coating, e.g. to prevent cutting or for sealing purposes
2517/0071	located externally of tear-out/push-in panel or preformed opening			
2517/0073	located under tab hand grip to facilitate initial lifting of the tab	2517/5059	provided with a plurality of openings
2517/0074	Local recess in container end panel	2517/5062	the edge of the preformed opening being provided with incisions or notches for facilitating removal
2517/0076	located beneath tab contact point			
2517/0077	located externally of tear-out/push-in panel or preformed opening	2517/5064	the punched-out part of the preformed opening is re-inserted in the preformed opening and forming part of the tear panel
2517/0079	located beneath tab hand grip to facilitate initial lifting	2517/5067	provided with a "tongue"
2517/008	Materials of container end panel	2517/507	Unusual details
2517/0082	Coated or laminated metal	2517/5072	Details of hand grip, tear- or lift-tab
2517/0083	Rigid plastic	2517/5075	Hand grip with finger opening
2517/0085	Foil-like, e.g. paper or cardboard	2517/5078	finger opening edge rolled or folded over
2517/0086	laminated	2517/5081	the hand grip formed as an annular or U-shaped element
2517/0088	with plastic overmoulded onto foil	2517/5083	with means facilitating initial lifting of tape, e.g. lift or pull-tabs
2517/0089	Unusual details	2517/5086	Tape having a U-shaped peripheral section which forms the pull-tab
2517/0091	Means for venting upon initial opening	2517/5089	Lift- or tear-tab formed as a separate piece from flexible tape of foil-like material
2517/0092	formed as a partial score line located close to the tab connection	2517/5091	Unusual details
2517/0094	formed as a separate opening	2517/5094	Details of frangible member hinge
2517/0095	formed as a protuberance, contiguous with the opening	2517/5097	Hinge line off-set from longitudinal axis of opening, i.e. 0 deg.<angle<90 deg.
2517/0097	Permeable membrane located proximate to opening region			
2517/0098	Means for preventing dust contacting pouring opening, e.g. a cover over the tear panel	2519/00		Pallets or like platforms, with or without side walls, for supporting loads to be lifted or lowered
2517/50	Non-integral frangible members applied to, or inserted in, a preformed opening	2519/00004	Details relating to pallets
2517/5002	Details of flexible tape or foil-like material	2519/00009	Materials
2517/5005	with a part of the tape melted through the opening	2519/00014	for the load supporting surface
2517/5008	with a sealing coat	2519/00019	Paper
2517/501	with the tape, or one layer thereof, being folded to cover both the top and bottom of container end panel	2519/00024	Metal
2517/5013	the tape covering almost the whole of the container end panel	2519/00029	Wood
2517/5016	with means for maintaining the tape fixed to the upper surface after initial opening	2519/00034	Plastic
2517/5018	the other side of the tape being attached to the container to keep the tear panel in the open position	2519/00039	Agglomerates, i.e. different materials mixed together
2517/5021	Spiral shaped tear-out tape	2519/00044	Combination, e.g. different elements made of different materials, laminates
2517/5024	Material	2519/00049	for the base surface
2517/5027	Single layer	2519/00054	Paper
2517/5029	and connected to container by local areas of adhesive	2519/00059	Metal
2517/5032	Laminated	2519/00064	Wood
2517/5035	and connected to container by local areas of adhesive	2519/00069	Plastic
2517/5037	Unusual details	2519/00074	Agglomerates, i.e. different materials mixed together
2517/504	Details of preformed openings	2519/00079	Combination, e.g. different elements made of different materials, laminates
2517/5043	provided with a flange	2519/00084	for the non-integral separating spacer
2517/5045	Down-turned flange, i.e. extending into container	2519/00089	Paper
2517/5048	rolled or folded back, e.g. to avoid sharp edges	2519/00094	Metal
2517/5051	Up-turned flange, i.e. extending away from container	2519/00099	Wood
			2519/00104	Plastic
			2519/00109	Agglomerates, i.e. different materials mixed together
			2519/00114	Combination, e.g. different elements made of different materials, laminates
			2519/00119	for the construction of the reinforcements (not used for the integral reinforcements)

2519/00124	Paper	2519/00373	whereby at least one spacer is made of one piece
2519/00129	Metal	2519/00378	whereby at least one spacer is made of two or more pieces
2519/00134	Wood	2519/00383	skeleton type
2519/00139	Plastic	2519/00388	Cell type, e.g. honeycomb
2519/00144	Agglomerates, i.e. different materials mixed together	2519/00393	grid type, e.g. perforated plate
2519/00149	Combination, e.g. different elements made of different materials, laminates	2519/00398	reinforcements
2519/00154	for the side walls	2519/00402	Integral, e.g. ribs
2519/00159	Paper	2519/00407	on the load supporting surface
2519/00164	Metal	2519/00412	on the base surface
2519/00169	Wood	2519/00417	on the non-integral separating spacer
2519/00174	Plastic	2519/00422	on the walls
2519/00179	Agglomerates, i.e. different materials mixed together	2519/00427	on the lid or cover
2519/00184	Combination, e.g. different elements made of different materials, laminates	2519/00432	Non-integral, e.g. inserts (B65D 2519/00462 takes precedence)
2519/00189	for the lid or cover	2519/00437	on the load supporting surface
2519/00194	Paper	2519/00442	on the base surface
2519/00199	Metal	2519/00447	on the non-integral separating spacer
2519/00203	Wood	2519/00452	on the walls
2519/00208	Plastic	2519/00457	on the lid or cover
2519/00213	Agglomerates, i.e. different materials mixed together	2519/00462	Applied in mold, e.g. bi-injection molded reinforcement
2519/00218	Combination, e.g. different elements made of different materials, laminates	2519/00467	on or in the load supporting surface
2519/00223	for the corner elements or corner frames	2519/00472	on or in the base surface
2519/00228	Paper	2519/00477	on or in the non-integral separating spacer
2519/00233	Metal	2519/00482	on or in the walls
2519/00238	Wood	2519/00487	on or in the lid or cover
2519/00243	Plastic	2519/00492	of the side walls
2519/00248	Agglomerates, i.e. different materials mixed together	2519/00497	whereby at least one side wall is made of one piece
2519/00253	Combination, e.g. different elements made of different materials, laminates	2519/00502	whereby at least one side wall is made of two or more pieces
2519/00258	Overall construction	2519/00507	shape of the wall, i.e. other than rectangular
2519/00263	of the pallet	2519/00512	skeleton type
2519/00268	made of one piece	2519/00517	cell type, e.g. honeycomb
2519/00273	made of more than one piece	2519/00522	grid type, e.g. perforated plate
2519/00278	the load supporting surface and the base surface being identical	2519/00527	Hollow walls
2519/00283	of the load supporting surface	2519/00532	Frame structures
2519/00288	made of one piece	2519/00537	of the lid or cover
2519/00293	made of more than one piece	2519/00542	of the corner posts
2519/00298	skeleton type	2519/00547	Connections
2519/00303	Cell type, e.g. honeycomb	2519/00552	Structures connecting the constitutive elements of the pallet to each other, i.e. load supporting surface, base surface and/or separate spacer
2519/00308	grid type, e.g. perforated plate	2519/00557	without separate auxiliary elements
2519/00313	of the base surface	2519/00562	chemical connection, e.g. glued, welded, sealed
2519/00318	made of one piece	2519/00567	mechanical connection, e.g. snap-fitted
2519/00323	made of more than one piece	2519/00572	with separate auxiliary element, e.g. screws, nails, bayonets
2519/00328	shape of the contact surface of the base	2519/00577	structures connecting side walls, including corner posts, to each other
2519/00333	contact surface having a stringer-like shape	2519/00582	structures intended to be disassembled, i.e. collapsible or dismountable
2519/00338	contact surface having a discrete foot-like shape	2519/00587	side walls directly connected to each other
2519/00343	contact surface being substantially in the form of a panel	2519/00592	by means of hinges
2519/00348	contact surface of other form	2519/00597	integrally formed
2519/00353	skeleton type	2519/00601	separately formed
2519/00358	Cell type, e.g. honeycomb	2519/00606	side walls connected via corner posts
2519/00363	grid type, e.g. perforated plate			
2519/00368	of the non-integral separating spacer			

2519/00611	side walls maintained connected to each other by means of auxiliary locking elements, e.g. spring loaded locking pins
2519/00616	structures not intended to be disassembled
2519/00621	sidewalls directly connected to each other
2519/00626	sidewalls connected via corner posts
2519/00631	sidewalls not connected to each other, e.g. spaced apart frames
2519/00636	structures connecting side walls to the pallet
2519/00641	Structures intended to be disassembled
2519/00646	by means of hinges
2519/00651	integrally formed
2519/00656	separately formed
2519/00661	side walls maintained connected to pallet by means of auxiliary locking elements, e.g. spring loaded locking pins
2519/00666	Structures not intended to be disassembled
2519/00671	structures connecting corner posts to the pallet
2519/00676	Structures intended to be disassembled
2519/00681	Hinges
2519/00686	integrally formed
2519/00691	separately formed
2519/00696	corner posts maintained connected to pallet by means of auxiliary locking elements, e.g. spring loaded locking pins
2519/00701	Structures not intended to be disassembled
2519/00706	structures connecting the lid or cover to the side walls or corner posts
2519/00711	removable lid or covers
2519/00716	non-removable lid or covers
2519/00721	hinged lids
2519/00726	integrally formed
2519/00731	separately formed
2519/00736	Details
2519/00741	Dimensional aspects of the pallet
2519/00746	divisible into sub-pallets of smaller dimensions
2519/00751	joined together by integral breakable elements
2519/00756	joined together by removable elements, e.g. bands encircling the feed
2519/00761	the surface being variable, e.g. extendable pallets (B65D 2519/00746 takes precedence)
2519/00766	with one set of interchangeable elements to adapt the surface to different dimensions
2519/00771	smaller than "standard"
2519/00776	Accessories for manipulating the pallet
2519/00781	for moving on a surface, e.g. wheels, pads (B65D 2519/00825 takes precedence)
2519/00786	for lifting, e.g. hooks, loops
2519/00791	handles, handgrip holes
2519/00796	Guiding means for fork-lift
2519/008	Drainage means
2519/00805	Means for facilitating the removal of the load
2519/0081	Elements or devices for locating articles
2519/00815	on the pallet
2519/0082	in the side wall
2519/00825	Finishing of the external surfaces
2519/0083	Anti-slip means
2519/00835	Integral
2519/0084	Separated elements, e.g. including in-moulded elements
2519/00845	Slip means
2519/0085	Integral
2519/00855	Separated elements, e.g. including in-moulded elements
2519/0086	Protection against environmental hazards, e.g. humidity, bacteria, fire
2519/00865	Collapsible, i.e. at least two constitutive elements remaining hingedly connected
2519/0087	collapsible pallet
2519/00875	collapsible side walls
2519/0088	comprising two side walls hinged to a base panel and two other side walls being extensions hinged to said side walls
2519/00885	and one or more side walls being foldable along a median line
2519/0089	comprising two side walls hinged along the sides of a base panel and to an upper frame and two other side walls being hinged only to the upper frame
2519/00895	and one or more side walls being foldable along a median line
2519/009	whereby all side walls are hingedly connected to the base panel
2519/00905	and one or more side walls being foldable along a median line
2519/0091	whereby all side walls are hingedly connected to each other
2519/00915	and one or more side walls being foldable along a median line
2519/0092	whereby all side walls are hingedly connected to the base panel and to each other to allow automatic collapsing and re-erecting, e.g. by means of folds provided in the side walls and or in the base panel
2519/00925	with semi-detachable components, i.e. with some side walls hinged to each other or to a base panel and the other side walls being detachable to allow collapsing of the container
2519/0093	structures for maintaining the pallet in a collapsed state
2519/00935	with special means for nesting or stacking
2519/0094	nestable
2519/00945	when upside down
2519/0095	when loaded
2519/00955	stackable
2519/0096	when empty
2519/00965	when loaded
2519/0097	through corner posts
2519/00975	through the side walls
2519/0098	Dismountable elements
2519/00985	the pallet being not usable as a pallet after dismounting
2519/0099	single dismountable pallet element, e.g. for replacement
2519/00995	detachable elements of the side wall, i.e. not the whole wall
2525/00		Details of other kinds or types of rigid or semi-rigid containers
2525/28	Handles
2525/281	Details relating to handles
2525/282	combined with content-dispensing means, e.g. spouts

2525/283	. . . combined with container closing means, e.g. stopper	2543/00296 Plastic
2525/284	. . . combined with closure retaining means	2543/00305 Other
2525/285	. . . removable or detachable	2543/00314 Combination, e.g. laminates, several different materials
2525/286	. . . movable between two or more stable positions, e.g. a retracted and an extended position	2543/00324	. . . Lids integrally moulded with the container, or with a connecting piece, and separated therefrom by rupturing the connection before the first use
2525/287 by sliding action	2543/00333	. . . Not reusable, e.g. destroyed on opening
2525/288 by pivoting action	2543/00342	. . Central part of the lid
2525/289	. . . Handgrip-element made separately from the handle	2543/00351	. . . Dome-like
2539/00	Details relating to closures arranged within necks or pouring openings or in discharge apertures, e.g. stoppers	2543/00361 placed on a tray like container
2539/001	. Details of closures arranged within necks or pouring opening or in discharge apertures, e.g. stoppers	2543/0037	. . . Flexible or deformable
2539/003	. . provided with sealing flanges or ribs	2543/00379 hinged or articulated, i.e. made of two or more parts hinged one to another
2539/005	. . provided with slits or gaps for increasing the elasticity	2543/00388	. . . Bent or angled, i.e. central part presents two main planes
2539/006	. . provided with separate sealing rings	2543/00398	. . . Reinforcing ribs in the central part of the closure
2539/008	. . with coatings or coverings	2543/00407 radial
2543/00	Lids or covers essentially for box-like containers (for container closures in general B65D 2251/00)	2543/00416 circular
2543/00009	. Details of lids or covers for rigid or semi-rigid containers	2543/00425	. . Lids or covers welded or adhered to the container
2543/00018	. . Overall construction of the lid	2543/00435	. . Lids secured to an intermediate ring or like annular member fixed to the container mouth
2543/00027	. . . Stackable lids or covers	2543/00444	. . Contact between the container and the lid
2543/00037	. . . Disc closures	2543/00453	. . . in a peripheral U-shaped channel of the container
2543/00046	. . . Drinking-through lids	2543/00462 peripheral U-shaped channel of the lid
2543/00055	. . . Lids serving as, or incorporating, drinking or measuring vessels	2543/00472 Skirt
2543/00064	. . . Shape of the outer periphery	2543/00481	. . . on the inside or the outside of the container
2543/00074 curved (combined with straight sides B65D 2543/0012)	2543/0049 on the inside, or a part turned to the inside of the mouth of the container
2543/00083 oval	2543/005 both cup and skirt
2543/00092 circular	2543/00509 Cup
2543/00101 square-like or rectangular-like	2543/00518 Skirt
2543/00111 triangular-like, i.e. three curved sides	2543/00527 NO contact
2543/0012 having straight sides, e.g. with curved corners	2543/00537 on the outside, or a part turned to the outside of the mouth of the container
2543/00129 two straight sides and at least one curved side	2543/00546 NO contact
2543/00138 with one curved side	2543/00555 on both the inside and the outside
2543/00148 with two curved sides	2543/00564	. . . indirect by means of a gasket or similar intermediate ring
2543/00157 three straight sides	2543/00574	. . . secured locally, i.e. a lot less than half the periphery
2543/00166 and at least one curved side	2543/00583	. . . Means for limiting the axial insertion of the lid on the container
2543/00175 four straight sides, e.g. trapezium or diamond	2543/00592	. . . Snapping means
2543/00185 and at least one curved side	2543/00601 on the container
2543/00194 square or rectangular (with curved sides B65D 2543/00101)	2543/00611 Profiles
2543/00203 specifically square	2543/0062 Groove or hollow bead
2543/00212 more than four sides	2543/00629 Massive bead
2543/00222	. . . Hollow and made of one piece	2543/00638 Rolled edge
2543/00231	. . . made of several pieces	2543/00648 Flange or lip
2543/0024 two pieces, one forming at least the whole skirt, the other forming at least the whole upper part	2543/00657 U-shaped or inverted U
2543/0025	. . . Multi-position closures	2543/00666 Hole
2543/00259	. . . Materials used	2543/00675 Periphery concerned
2543/00268 Paper	2543/00685 Totality
2543/00277 Metal	2543/00694 Segments
2543/00287 Wood	2543/00703 Dots
		2543/00712 on the lid
		2543/00722 Profiles
		2543/00731 Groove or hollow bead

- 2543/0074 Massive bead
- 2543/0075 Rolled edge
- 2543/00759 Flange or lip
- 2543/00768 U-shaped or inverted U
- 2543/00777 Hole
- 2543/00787 Periphery concerned
- 2543/00796 Totality
- 2543/00805 Segments
- 2543/00814 Dots
- 2543/00824 . . Means for facilitating removing of the closure
- 2543/00833 . . . Integral tabs, tongues, handles or similar
- 2543/00842 outside of the lid
- 2543/00851 on the central part of the lid
- 2543/00861 . . . Non-integral tabs, tongues, handles or similar
- 2543/0087 outside of the lid
- 2543/00879 on the central part of the lid
- 2543/00888 . . . by applying lever forces
- 2543/00898 by means of a coin or other tool in recesses or similar on container or lid
- 2543/00907 directly on two elements of container and lid respectively, i.e. using the fingers
- 2543/00916 downward vertical pressure in order to tilt the opposite side of the lid
- 2543/00925 . . . by applying inwardly directed pressure at two horizontally opposed points
- 2543/00935 . . . by depressing the central part at least locally
- 2543/00944 . . . Located only on the container, e.g. recesses
- 2543/00953 . . Sealing means
- 2543/00962 . . . inserted
- 2543/00972 Collars or rings
- 2543/00981 Discs
- 2543/0099 . . . Integral supplemental sealing lips
- 2547/00 Closures with filling and discharging, or with discharging, devices**
- 2547/04 . Closures with discharging devices other than pumps
- 2547/06 . . with pouring spouts or tubes; with discharge nozzles or passages
- 2547/063 . . . Details of spouts
- 2547/066 inserted in or attached to the base element
- 2555/00 Accessories for container closures not otherwise provided for**
- 2555/02 . Locking devices; Means for discouraging or indicating unauthorised opening or removal of closure
- 2555/025 . . Applied tearing or cutting means, e.g. tear-strings
- 2563/00 Flexible elongated elements, e.g. straps for bundling or supporting articles**
- 2563/10 . Non-metallic straps, tapes or bands; Filamentary elements, e.g. strings, threads, wires; Joints between ends thereof
- 2563/101 . . Details of non-metallic straps, tapes or bands
- 2563/102 . . . having an integral securing member with only one locking position, i.e. the strap cannot be tightened
- 2563/103 . . . details of the male locking member, e.g. locking teeth on the strap
- 2563/105 formed as spheres, cones, pyramids or the like
- 2563/106 formed as a ladder-like structure
- 2563/107 . . . having a release mechanism, e.g. reusable bundling straps
- 2563/108 . . . Appendages formed with/on the strap for purposes other than joining, releasing or bundling, e.g. for fixing the strap to a wall, label plates
- 2565/00 Wrappers or flexible covers; Packaging materials of special type or form**
- 2565/38 . Packaging materials of special type or form
- 2565/381 . . Details of packaging materials of special type or form
- 2565/382 . . . made of special paper
- 2565/383 made of recycled paper
- 2565/384 . . . made of recycled material ([B65D 2565/383 takes precedence](#))
- 2565/385 . . . especially suited for or with means facilitating recycling
- 2565/386 packaging containers consisting of two or more parts made of the same material
- 2565/387 . . . Materials used as gas barriers
- 2565/388 . . . Materials used for their gas-permeability
- 2571/00 Bundles of articles held together by packaging elements for convenience of storage or transport, e.g. portable segregating carrier for plural receptacles such as beer cans, pop bottles; Bales of material**
- 2571/00006 . Palletisable loads, i.e. loads intended to be transported by means of a fork-lift truck
- 2571/00012 . . Bundles surrounded by a film
- 2571/00018 . . . under tension
- 2571/00024 Mechanical characteristics of the shrink film
- 2571/0003 Mechanical characteristics of the stretch film
- 2571/00037 . . Bundles surrounded by carton blanks
- 2571/00043 . . Intermediate plates or the like
- 2571/00049 . . . placed vertically
- 2571/00055 . . Clapping elements, also placed on the side
- 2571/00061 . . Special configuration of the stack
- 2571/00067 . . Local maintaining elements, e.g. partial packaging, shrink packaging, shrink small bands
- 2571/00074 . . . Stabilising or reinforcing columns
- 2571/0008 . . Load supporting elements
- 2571/00086 . . . Feet or isolated supports, not formed by the articles
- 2571/00092 . . . formed by specially placed articles or parts thereof
- 2571/00098 . . Devices for transporting the load also from above
- 2571/00104 . . Forms or jigs for use in making the load
- 2571/00111 . . Arrangements of flexible binders
- 2571/00117 . . . with protecting or supporting elements arranged between binder and articles or materials, e.g. for preventing chafing of binder
- 2571/00123 . Bundling wrappers or trays
- 2571/00129 . . Wrapper locking means ([end walls locking means B65D 2571/00722](#))
- 2571/00135 . . . integral with the wrapper
- 2571/00141 glued
- 2571/00148 heat sealed or welded
- 2571/00154 interlocked
- 2571/0016 by tabs protruding from one end and co-operating with openings at the other end
- 2571/00166 and serving as contents separators or locators

2571/00172	by tabs cut within one end and facing towards the other end when blank is unfolded, and co-operting with openings at the other end	2571/00456	. . .	integral with the wrapper
2571/00179	and serving as contents separators or locators	2571/00462	Straps made by two slits in a wall
2571/00185	by tabs cut within one end and facing away from the other end when blank is unfolded, and co-operting with openings at the other end	2571/00469	Straps made between two handholes
2571/00191	and serving as contents separators or locators	2571/00475	and extending ion a substantially vertical plane
2571/00197	by tabs cut within one end and facing laterally or diagonally and co-operting with openings at the other end	2571/00481	and formed by portions of the top wall being cut out and folded upwardly
2571/00203	and serving as contents separators or locators	2571/00487	and formed integrally with a partition
2571/00209	locked at least a part of the contents	2571/00493	. . .	attached to the wrapper
2571/00216	. . .	non integral with the wrapper	2571/005	the handle being a part of one of the articles
2571/00222	Adhesive members, e.g. tape	2571/00506	the handle being formed integrally with an attached partition
2571/00228	Interlocking members	2571/00512	. . .	movable or foldable between an extended and a retracted position
2571/00234	Staples	2571/00518	. . .	with reinforcements
2571/0024	Strings, cords bands	2571/00524	integral
2571/00246	. .	Locating elements for the contents	2571/0053	attached
2571/00253	. . .	integral with the wrapper	2571/00537	. . .	with stress relieving means
2571/00259	inwardly folded tabs, i.e. elements substantially narrower than the corresponding package dimension	2571/00543	consisting of cut-outs, slits, or the like
2571/00265	extending from the upper or lower wall	2571/00549	consisting of fold lines
2571/00271	extending from at least a side wall	2571/00555	. .	Wrapper opening devices
2571/00277	Slits or openings formed along a fold line	2571/00561	. . .	Lines of weakness (B65D 2571/00864 takes precedence)
2571/00283	Openings in at least a side wall	2571/00567	defining a narrow removable strip
2571/0029	Openings in top or bottom walls	2571/00574	whereby contents can still be carried after the line has been torn
2571/00296	consisting of at least a part of a wall conforming to the contents shape	2571/0058	The tear line defining a dispensing aperture provided with means for preventing the articles from freely exiting the wrapper, e.g. by rolling out
2571/00302	consisting of an inward deformation of at least a wall, e.g. embossed, keels	2571/00586	the means being elastically deformed for removing an object
2571/00308	consisting of inwardly bent panels or flaps	2571/00592	with means for reclosing
2571/00314	with locating holes or cuts	2571/00598	The tearable part having a specific use
2571/0032	. . .	inserted the wrapper	2571/00604	for supporting the wrapper in a dispensing position, e.g. inclined
2571/00327	. . .	the articles being glued to the wrapper	2571/00611	for holding an article, e.g. insulating
2571/00333	. .	Partitions, i.e. elements contacting a major part of each aarticle or extending across the whole length of the wrapper	2571/00617	combined with means for assisting dispensing not made by the tearable dispensing part
2571/00339	. . .	extending from the upper or lower wall	2571/00623	for preventing the contents from exiting freely
2571/00345	Squarings or the like	2571/00629	for supporting the wrapper in a dispensing position
2571/00351	Two rows of two cells	2571/00635	. . .	Means for unlocking, e.g. for grasping and tearing the glued overlapping edge
2571/00358	Two rows of more than two cells	2571/00641	. . .	Inserted cutting bands or strings
2571/00364	Four rows of more than two cells	2571/00648	. .	Elements used to form the wrapper
2571/0037	. . .	extending from at least a side wall	2571/00654	. . .	Blanks
2571/00376	Squarings or the like	2571/0066	formed from one single sheet
2571/00382	Two rows of two cells	2571/00666	formed from two or more sheets
2571/00388	Two rows of more than two cells	2571/00672	. . .	Films
2571/00395	Four rows of more than two cells	2571/00679	Shrink films
2571/00401	. . .	inserted the wrapper	2571/00685	Stretch films
2571/00407	Squarings or the like	2571/00691	. . .	Nets
2571/00413	Two rows of two cells	2571/00697	. . .	Other elements
2571/00419	Two rows of more than two cells	2571/00703	. . .	Two or more different elements
2571/00425	Four rows of more than two cells	2571/00709	. .	Shape of the formed wrapper, i.e. shape of each formed element if the wrapper is made from more than one element
2571/00432	. .	Handles or suspending means	2571/00716	. . .	tubular without end walls
2571/00438	. . .	Holes	2571/00722	. . .	tubular with end walls, e.g. walls not extending on the whole end surface
2571/00444	for fingers			
2571/0045	for hands			

- 2571/00728 the end walls being closed by gluing
- 2571/00734 the end walls being closed by heat sealing
- 2571/0074 the end walls being closed by applying tape
- 2571/00746 the end walls being closed by staples
- 2571/00753 the end walls being closed by interlocking
- 2571/00759 the end walls having a part tucked between side, top or bottom wall and contents or between two articles
- 2571/00765 the end walls being retained in closed position by their own rigidity
- 2571/00771 the end walls being locked to at least a part of the contents
- 2571/00777 with inserted end walls
- 2571/00783 the end walls forming the bottom or upper wall
- 2571/0079 . . . U-shaped
- 2571/00796 . . . cross-like
- 2571/00802 . . . Other shapes
- 2571/00808 . . Inserts
- 2571/00814 . . . for reinforcing
- 2571/0082 . . . Supplementary bounding elements, e.g. straps
- 2571/00827 . . . Cards, coupons
- 2571/00833 . . Other details of wrappers
- 2571/00839 . . . Integral reinforcements
- 2571/00845 . . . Windows
- 2571/00851 . . . Detachable cards, coupons
- 2571/00858 . . . Devices for locating the wrapped bundle in a container, e.g. in a bottle crate
- 2571/00864 . . . Lines of weakness for separating into subgroups
- 2571/0087 . . . Special features for machine processing, e.g. gripper apertures
- 2571/00876 Frangible bridges left into cut lines for facilitating folding operations
- 2571/00882 . . . Supporting members
- 2571/00888 . . . Stacking elements
- 2571/00895 for stacking one upon the other
- 2571/00901 for stacking side by side
- 2571/00907 . . . for accommodating articles in different positions or arrangements
- 2571/00913 . . . for accommodating articles of varying size
- 2571/00919 . . . Informative or decorative surfaces
- 2571/00925 . . . for packaging together a set of dissimilar articles
- 2571/00932 . . . Flattenable or foldable packages
- 2571/00938 Means for maintaining collapsible packages in erected state ([B65D 2571/00129 takes precedence](#))
- 2571/00944 Hooks
- 2571/0095 engaging a side wall
- 2571/00956 engaging the bottom wall
- 2571/00962 by unfolding a wall beyond a dead point
- 2571/00969 Glue tabs
- 2571/00975 Locking tabs
- 2571/00981 . . External accessories
- 2571/00987 . . . Straps, strings, or similar elements
- 2571/00993 . . . Outer wrappers
- 2575/00 Packages comprising articles or materials partially or wholly enclosed in strips, sheets, blanks, tubes or webs of flexible sheet material, e.g. in folded wrappers**
- 2575/28 . Articles or materials wholly enclosed in composite wrappers, i.e. wrappers formed by association or interconnecting two or more sheets or blanks
- 2575/30 . . Articles or materials enclosed between two opposed sheets or blanks having their margins united, e.g. by pressure-sensitive adhesive, crimping, heat-sealing, or welding
- 2575/32 . . . one or both sheets or blanks being recessed to accommodate contents
- 2575/3209 Details
- 2575/3218 with special means for gaining access to the contents
- 2575/3227 Cuts or weakening lines
- 2575/3236 for initiating or facilitating subsequent peeling off of the non-rigid sheet
- 2575/3245 by peeling off the non-rigid sheet
- 2575/3254 Integral means for assisting piercing or tearing
- 2575/3263 Means or construction allowing stacking, bundling or interfitting of packages
- 2575/3272 Special suspension means for the package
- 2575/3281 Tear lines dividing the package into a plurality of packages
- 2575/329 Fixing or supporting means for the contents
- 2575/36 . . . One sheet or blank being recessed and the other formed or relatively stiff flat sheet material, e.g. blister packages
- 2575/361 Details
- 2575/362 with special means for gaining access to the contents
- 2575/363 by sliding one sheet relative to the other
- 2575/365 partially or totally releasing one sheet from the other
- 2575/366 through a preformed opening in the recessed sheet, e.g. the opening being defined by weakened lines
- 2575/367 through a preformed opening in the flat sheet, e.g. the opening being defined by weakened lines
- 2575/368 with reclosing means
- 2575/52 . Details
- 2575/54 . . Cards, coupons, or other inserts or accessories
- 2575/56 . . . Handles or other suspension means
- 2575/565 means explicitly used for suspending
- 2575/58 . . Opening or contents-removing devices added or incorporated during package manufacture
- 2575/583 . . . the non-integral spout having an elongate cross-sectional shape, e.g. canoe or boat shaped
- 2575/586 . . . with means for reclosing
- 2577/00 Packages formed by enclosing articles or materials in preformed containers, e.g. boxes, cartons, sacks, bags**
- 2577/04 . Articles or materials enclosed in two or more containers disposed one within another
- 2577/041 . . Details of two or more containers disposed one within another
- 2577/042 . . . Comprising several inner containers
- 2577/043 arranged side by side
- 2577/045 stacked
- 2577/046 with intermediate trays, plates
- 2577/047 stacked and arranged side by side
- 2577/048 with intermediate trays, plates

- 2577/10 . Container closures formed after filling
- 2577/20 . . by applying separate lids or covers
- 2577/2008 . . . Rigid cutting or tearing devices
- 2577/2016 . . . Reinforcing ribs in the central part of the closure
- 2577/2025 . . . Multi-layered container, e.g. laminated, coated
- 2577/2033 with one or more layers of container being torn off upon initial opening
- 2577/2041 . . . Pull tabs
- 2577/205 integral with the closure
- 2577/2058 attached to the closure
- 2577/2066 . . . Means on, or attached to, container flange facilitating opening, e.g. non-bonding region, cut-out
- 2577/2075 . . . Lines of weakness or apertures
- 2577/2083 in container flange
- 2577/2091 in cover
- 2581/00 Containers, packaging elements, or packages, for contents presenting particular transport or storage problems, or adapted to be used for non-packaging purposes after removal of contents**
- 2581/02 . specially adapted to protect contents from mechanical damage
- 2581/05 . . maintaining contents at spaced relation from package walls, or from other contents
- 2581/051 . . . Details of packaging elements for maintaining contents at spaced relation from package walls, or from other contents
- 2581/052 Materials
- 2581/053 Paper in general, e.g. paperboard, carton, molded paper
- 2581/055 Plastic in general, e.g. foamed plastic, molded plastic, extruded plastic
- 2581/056 Other materials, e.g. metals, straw, coconut fibre
- 2581/057 Edge protectors adapted to protect the circular edge of rolls of material, e.g. coils of sheet metal
- 2581/058 Edge or corner protectors connected to each other by separate elements
- 2581/34 . for packaging foodstuffs or other articles intended to be cooked or heated within
- 2581/3401 . . Cooking or heating method specially adapted to the contents of the package
- 2581/3402 . . . characterised by the type of product to be heated or cooked
- 2581/3404 Cooking pasta dishes, e.g. noodles
- 2581/3405 Cooking bakery products
- 2581/3406 Pizza or bread
- 2581/3408 Cakes and the like, e.g. muffins, cupcakes
- 2581/3409 Brewing coffee or tea
- 2581/341 Cooking eggs
- 2581/3412 Cooking fried food ([B65D 2581/3416](#) and [B65D 2581/3417](#) take precedence)
- 2581/3413 Fish sticks or french fries
- 2581/3414 Heating an adhesive or a glue
- 2581/3416 Cooking meat products, e.g. hot-dogs, hamburgers
- 2581/3417 Bacon
- 2581/3418 Poultry
- 2581/342 Ham
- 2581/3421 Cooking pop-corn
- 2581/3422 Cooking rice dishes
- 2581/3424 Cooking fish or shellfish ([B65D 2581/3413](#) takes precedence)
- 2581/3425 Cooking a complete meal, e.g. TV-dinners ([trays with moulded compartments B65D 1/36](#))
- 2581/3427 Cooking vegetables
- 2581/3428 Cooking unusual food, i.e. none of the above foods
- 2581/3429 . . . Packages containing a secondary product to be cooked and discharged over the primary product
- 2581/3431 the secondary product, e.g. fudge, being heated over ice-cream
- 2581/3432 the secondary product, e.g. flavouring sauce, being enclosed in a second package
- 2581/3433 to add moisture to the product, e.g. steaming ([B65D 81/3438](#) takes precedence)
- 2581/3435 . . . Package specially adapted for defrosting the contents by microwave heating
- 2581/3436 . . . Doneness indicators, e.g. to indicate whether the food is cooked
- 2581/3437 . . specially adapted to be heated by microwaves
- 2581/3439 . . . Means for affecting the heating or cooking properties
- 2581/344 Geometry or shape factors influencing the microwave heating properties
- 2581/3441 3-D geometry or shape factors, e.g. depth-wise
- 2581/3443 Shape or size of microwave reactive particles in a coating or ink
- 2581/3444 Packages having devices which convert microwave energy into movement
- 2581/3445 Microwave reactive adhesives, e.g. also used in valves or lids
- 2581/3447 Heat attenuators, blocking agents or heat insulators for temperature control
- 2581/3448 Binders for microwave reactive materials, e.g. for inks or coatings
- 2581/345 Chemical browning agents or aroma adding agents, e.g. smoked flavour
- 2581/3451 Microwave reactive fibres, i.e. microwave reactive material in the form of fibres
- 2581/3452 Packages having a plurality of microwave reactive layers, i.e. multiple or overlapping microwave reactive layers
- 2581/3454 Microwave reactive layer having a specified optical density
- 2581/3455 Packages having means for improving the internal circulation of air
- 2581/3456 Means for holding the contents at a distance from the base of the package, e.g. raised islands or protrusions ([B65D 2581/3459](#) takes precedence)
- 2581/3458 Convective heating chambers, e.g. hot air channels
- 2581/3459 Means for holding the package at a distance from the microwave oven floor, e.g. stands
- 2581/346 integral to the package, e.g. the package is transformed into a stand
- 2581/3462 separate from the package, e.g. separate stands
- 2581/3463 . . . Means for applying microwave reactive material to the package

2581/3464	Microwave reactive material applied by ink printing	2583/0463	of special configuration, e.g. simulating an animal
2581/3466	Microwave reactive material applied by vacuum, sputter or vapor deposition	2583/0468	of drawer-and-shell type
2581/3467	Microwave reactive layer shaped by delamination, demetallizing or embossing	2583/0472	characterised by the dispensing action
2581/3468	Microwave reactive material directly applied on paper substrate	2583/0477	the container is maintained in the same position during the dispensing of several successive articles or doses
2581/347	Microwave reactive material moulded with the container, e.g. as a filler in thermoplastics	2583/0481	One reciprocating action, e.g. to or from
2581/3471	Microwave reactive substances present in the packaging material	2583/0486	Linear action transformed in a rotational movement of the dispensing element
2581/3472	Aluminium or compounds thereof	2583/049	One rotational action of a cylindrical, disc-like or sphere-like element around its own axis, e.g. step-by-step, reciprocating
2581/3474	Titanium or compounds thereof	2583/0495	the element being alveolate
2581/3475	Titanium nitride	2583/08	for dispensing thin flat articles in succession
2581/3477	Iron or compounds thereof	2583/082	Details relating to containers for dispensing thin flat articles in succession
2581/3478	Stainless steel	2583/085	Details relating to the cutting means
2581/3479	Other metallic compounds, e.g. silver, gold, copper, nickel	2583/087	with cutting edges being impregnated or coated
2581/3481	Silicon or oxides thereof			
2581/3482	Ceramic compositions, e.g. vermiculite, bentonite	2585/00		Containers, packaging elements or packages specially adapted for particular articles or materials
2581/3483	Carbon, carbon black, or graphite	2585/08	for compressible or flexible rod-shaped or tubular article
2581/3485	Other unusual non-metallic substances, e.g. ivory, wood	2585/085	Shirred sausage casings
2581/3486	Dielectric characteristics of microwave reactive packaging	2585/30	for articles particularly sensitive to damage by shock or pressure
2581/3487	Reflection, Absorption and Transmission [RAT] properties of the microwave reactive package	2585/36	for biscuits or other bakery products
2581/3489	Microwave reflector, i.e. microwave shield (B65D 2581/3487 takes precedence)	2585/363	specific products
2581/349	attached to the lid	2585/366	Pizza
2581/3491	attached to the side walls	2585/54	for articles of special shape not otherwise provided for
2581/3493	attached to the base surface	2585/545	Contact lenses
2581/3494	Microwave susceptor (B65D 2581/3487 takes precedence)	2585/56	for medicinal tablets or pills
2581/3495	attached to the lid	2585/64	for bulky articles
2581/3497	attached to the side walls	2585/641	specific articles
2581/3498	attached to the base surface	2585/642	bathroom and toilet devices
			2585/643	toilet cisterns, seats, etc
			2585/644	bathtubs
2583/00		Containers or packages with special means for dispensing contents	2585/645	kitchen sinks
2583/005	Dispensers provided with a replaceable cartridge, recharge or pouch located within the dispenser	2585/646	pianos or organs
2583/04	For dispensing annular, disc-shaped or spherical or like small articles or tablets	2585/647	furniture
2583/0404	Indications, e.g. directions for use	2585/648	chairs and armchairs
2583/0409	of dates or follow-numbers	2585/649	other bulky articles
2583/0413	Tactile indication, e.g. Braille	2585/68	for machines, engines, or vehicles in assembled or dismantled form
2583/0418	of different sizes, or kinds, in different compartments	2585/6802	specific machines, engines or vehicles (not used)
2583/0422	of variable doses of the same articles	2585/6805	air treatment devices
2583/0427	Illuminating means	2585/6807	fans
2583/0431	Disc-like articles arranged in a pile on their flat side	2585/681	heaters
2583/0436	Receiving device other than a removable closure	2585/6812	coolers or air conditioners
2583/044	Receiving post	2585/6815	kitchen devices, including unspecified devices, e.g. Haushaltgeräte
2583/0445	characterised by the shape of the container	2585/6817	refrigerators
2583/045	Pen-like with pocket-clip	2585/682	cookers or dryers
2583/0454	Flat container with slide cover, i.e. the thickness of the container is slightly more than the thickness of one article	2585/6822	juichers
			2585/6825	gas tables
2583/0459	Flat circular container with rotating parts	2585/6827	toasters
			2585/683	rice cookers
			2585/6832	rice cake machines
			2585/6835	audio-visual devices

2585/6837 tv or computers	2590/0066	. . Containers inside the container
2585/684 stereo hi-fi sets or speakers	2590/0075	. Repairing or refitting kit
2585/6842 radios, walkmans	2590/0083	. Computer or electronic system, e.g. GPS systems
2585/6845	. . . other household devices (B65D 2585/6815 and B65D 2585/6835 take precedence)	2590/0091	. Ladders
2585/6847 vacuum cleaners	2590/02	. Wall construction
2585/685 irons	2590/023	. . Special coating or treatment of the internal surface
2585/6852 sewing machines	2590/026	. . Special coating or treatment of the external surface
2585/6855 washing machine	2590/04	. . Linings
2585/6857 domestic water storage heaters	2590/043	. . . Flexible liners
2585/686 vehicles	2590/046 Bladders
2585/6862 bicycles	2590/22	. Safety features
2585/6865 motor cycles	2590/24	. . Spillage-retaining means
2585/6867 automobiles	2590/245	. . . using self-sealing means
2585/687 aircrafts	2590/54	. Gates or closures
2585/6872 tractors	2590/542	. . special sealing means or means for improving sealing
2585/6875	. . . engines, motors, machines and vehicle parts	2590/545	. . flexible gates
2585/6877 engines or motors	2590/547	. . in multiple arrangement
2585/688 agricultural or horticultural machines	2590/66	. . Operating devices therefor
2585/6882 vehicle parts	2590/662	. . . allowing a particular motion, e.g. combination of rotational and linear
2585/6885 wiper blades	2590/664	. . . actuating mechanism other than manual, e.g. pneumatic, electropneumatic, hydraulic, electromagnetic
2585/6887 body parts, e.g. doors, body panels	2590/666	. . . Locking devices, e.g. for maintaining an open or position
2585/689	. . . office or shop equipment	2590/668	. . . Controlling devices
2585/6892 photocopiers		
2585/6895 typewriters		
2585/6897	. . . others		
2585/86	. . for electrical components (small electrical components attached to cards, sheets or webs B65D 73/02 ; for articles particularly sensitive to damage by shock or pressure B65D 2585/30 ; for ampoules, lamp bulbs, electronic valves or tubes B65D 85/42)		
2585/88	. . . Batteries		
2588/00	Large container		
2588/02	. rigid		
2588/12	. . specially adapted for transport		
2588/125	. . . Intermediate bulk container [IBC]		
2588/16	. flexible		
2588/162	. . Flexible intermediate bulk containers [FIBC]		
2588/165	. . . FIBC on a pallet base		
2588/167	. . . FIBC in multiple arrangement		
2588/54	. characterised by means facilitating filling or emptying		
2588/545	. . Dip tubes		
2588/64	. . preventing bridge formation		
2588/645	. . . through walls being deformable		
2588/74	. having means for heating, cooling, aerating or other conditioning of contents		
2588/743	. . blowing or injecting heating, cooling or other conditioning fluid inside the container		
2588/746	. . . with additional treatment function		
2590/00	Component parts, details or accessories for large containers		
2590/0008	. Coupling device between containers		
2590/0016	. . Lashings means		
2590/0025	. . Twist lock		
2590/0033	. . . Semi or fully automatic twist lock, i.e. semi or fully automatic locking/unlocking		
2590/0041	. Contents retaining means		
2590/005	. . adaptable to the size of the transport goods		
2590/0058	. . for cylindrical transport goods		