

ECLA**EUROPEAN CLASSIFICATION****D06F**

LAUNDERING, DRYING, IRONING, PRESSING OR FOLDING TEXTILE ARTICLES (apparatus for blocking, pressing, steaming, or stretching hats A42C; treating textile materials by liquids, gases or vapours D06B; chemical matters, see D06L, D06M)

Notes

1. This subclass covers:

- domestic or laundry dry-cleaning apparatus using volatile solvents;
- domestic, laundry, or tailors' ironing or other hot-pressing of clothes, linen, or other textile articles.

2. This subclass does not cover:

- apparatus for wringing, washing, dry-cleaning, ironing, or other hot-pressing of textiles in manufacturing operations, which is covered by subclass D06B, D06C.

Guide heading:

Washing; Rinsing; Dry-cleaning

D06F1/00

Washing receptacles (of washing machines [D06F37/00](#), [D06F39/00](#))

D06F1/02

. Wash-tubs; Supports therefor

D06F1/04

. . the tub walls or bottom having corrugations ([rubbing boards D06F3/02](#))

D06F1/06

. Wash-boiler receptacles

D06F1/08

. . with special means for water circulation by heat, e.g. fountain-washers

D06F1/10

. Covers; Handles

D06F1/12

. Racks or other rigid open containers of skeleton or like apertured construction supporting clothes in washing receptacles

D06F3/00

Hand rubbing apparatus ([corrugated tub-walls D06F1/04](#))

D06F3/02

. Rubbing boards

D06F3/04

. Hand rubbers, e.g. gloves with corrugated surfaces

D06F5/00

Hand implements for washing purposes, e.g. sticks ([hand rubbing appliances D06F3/00](#); [brushes A46B](#))

D06F5/00B

. [N: Receptacles for washing articles, e.g. hosiery, by shaking or squeezing]

- D06F5/02 . Plungers, dollies, pounders, squeezers, or the like
- D06F5/04 . . adapted for removable mounting on receptacles such as wash-tubs
- D06F5/06 . Grippers
- D06F7/00 Washing devices adapted to be used independently of any particular receptacle, e.g. for removable mounting on wash-tubs, bath-tubs, or the like**
- D06F7/02 . of the rotary-impeller type
- D06F7/04 . of the vibrator type
- D06F7/06 . agitating the washing liquid by air
- D06F9/00 Brushing-type washing machines**
- D06F11/00 Washing machines using rollers, e.g. of the mangle type**
- D06F13/00 Washing machines having receptacles, stationary for washing purposes, with agitators therein contacting the articles being washed (plungers or the like adapted for removable mounting on receptacles [D06F5/04](#); washing devices adapted to be used independently of any particular receptacle [D06F7/00](#))**
- D06F13/02 . wherein the agitator has an oscillatory rotary motion only
- D06F13/04 . wherein the agitator has an axial motion only
- D06F13/06 . wherein the agitator has both rotary, e.g. oscillating rotary, motion and axial motion
- D06F13/08 . wherein the agitator has a gyratory or orbital motion
- D06F15/00 Washing machines having beating, rubbing or squeezing means in receptacles stationary for washing purposes (plungers or the like adapted for removable mounting on receptacles [D06F5/04](#); mangle-type washing machines [D06F11/00](#))**
- D06F15/02 . wherein the articles being washed are squeezed by a flexible diaphragm or bag
- D06F17/00 Washing machines having receptacles, stationary for washing purposes, wherein the washing action is effected solely by circulation or agitation of the washing liquid (washing devices adapted to be used independently of any particular receptacle [D06F7/00](#); using vibrations for washing purposes [D06F19/00](#))**
- D06F17/02 . by pumps (17/04 takes precedence)
- D06F17/04 . solely by water jets
- D06F17/06 . by rotary impellers

- D06F17/08 . . Driving arrangements for the impeller
- D06F17/10 . . Impellers
- D06F17/12 . solely by gases, e.g. air or steam, introduced into the washing liquid
- D06F18/00 Washing machines having receptacles, stationary for washing purposes, and having further drying means** ([details concerning drying only D06F58/00](#))
- D06F19/00 Washing machines using vibrations for washing purposes** ([devices of the vibrator type adapted to be used independently of any particular receptacle D06F7/04](#))
- D06F21/00 Washing machines with receptacles, e.g. perforated, having a rotary movement, e.g. oscillatory movement** ([with receptacles serving both for washing and centrifugally draining D06F23/00, D06F25/00; with receptacles moving bodily about an axis D06F27/00; programme-control aspects D06F33/00](#))
- D06F21/02 . about a horizontal axis
- D06F21/04 . . within an enclosing receptacle
- D06F21/06 . about a vertical axis
- D06F21/08 . . within an enclosing receptacle
- D06F21/10 . about an inclined axis
- D06F21/12 . the receptacle having a wobbling motion
- D06F21/14 . with rubbing or beating means not secured to, or forming part of, the receptacle
- D06F23/00 Washing machines with receptacles, e.g. perforated, having a rotary movement, e.g. oscillatory movement, the receptacle serving both for washing and centrifugally draining** ([with further drying means D06F25/00; programme-control aspects D06F33/00](#))
- D06F23/02 . and rotating or oscillating about a horizontal axis
- D06F23/02B . . [N: with a rotatable imperforate tub]
- D06F23/04 . and rotating or oscillating about a vertical axis
- D06F23/06 . and rotating or oscillating about an inclined axis
- D06F23/06B . . [N: with a rotatable imperforate tub]
- D06F25/00 Washing machines with receptacles, e.g. perforated, having a rotary movement, e.g. oscillatory movement, the receptacle serving both for washing and centrifugally draining and having further drying means, e.g. using hot air** ([programme-control aspects D06F33/00; details concerning drying only D06F58/00](#))
- D06F27/00 Washing machines with receptacles moving bodily, e.g. reciprocating, swinging**

- D06F29/00** **Combinations of a washing machine with other separate apparatus in a common frame or the like, e.g. with rinsing apparatus**
- D06F29/00B . [N: the other separate apparatus being a drying appliance] [N1104]
- D06F29/02 . with liquid-extracting apparatus (with roller wringer [D06F45/12](#))
- D06F31/00** **Washing installations comprising an assembly of several washing machines or washing units, e.g. continuous flow assemblies**
- D06F31/00A . [N: consisting of one or more rotating drums through which the laundry passes in a continuous flow]
- D06F33/00** **Controlling a series of operations in washing machines, e.g. programme-control arrangements for washing and drying cycles ([D06F31/00](#) takes precedence; programme-control systems in general [G05B19/00](#), [G05G21/00](#))**
- D06F33/02 . electrically
- D06F33/04 . non-electrically
- D06F33/06 . . substantially mechanically
- D06F33/08 . . substantially hydraulically
- D06F33/10 . . substantially pneumatically
- D06F35/00** **Washing machines, apparatus, or methods not otherwise provided for**
- D06F35/00A . [N: using ozone] [N1104]
- D06F35/00B . [N: using bubbles] [C1107]
- D06F35/00C . [N: using electrochemical cells] [N1107]
- D06F35/00D . [N: using chlorine generators] [N1107]
- D06F35/00E . [N: Methods for washing, rinsing or spin-drying] [N1107]
- D06F35/00E2 . . [N: for washing or rinsing only] [N1107]
- D06F35/00E4 . . [N: for spin-drying only] [N1107]
- D06F35/00E6 . . [N: for disinfecting the tub or the drum] [N1107]
- D06F37/00** **Details of washing machines of kinds covered by groups [D06F21/00](#) to [D06F25/00](#), restricted to machines of these kinds (details of more general application [D06F39/00](#); details concerning drying only [D06F58/00](#))**
- D06F37/02 . Rotary receptacles, e.g. drums [C1104]
- D06F37/04 . . adapted for rotation or oscillation about a horizontal or inclined axis
- D06F37/06 . . . Ribs, lifters, or rubbing means forming part of the receptacle

- D06F37/06B [N: ribs or lifters having means for circulating the washing liquid] [N1104]
- D06F37/08 Partitions
- D06F37/10 Doors; Securing means therefor
- D06F37/12 adapted for rotation or oscillation about a vertical axis
- D06F37/14 Ribs or rubbing means forming part of the receptacle
- D06F37/14B [N: ribs or lifters having means for circulating the washing liquid] [N1104]
- D06F37/16 Partitions
- D06F37/18 Doors or covers; Securing means therefor

- D06F37/20 Mountings, e.g. resilient mountings, for the rotary receptacle, motor, tub, or casing; Preventing or damping vibrations ([N: counterweights mounted to the tub or mountings therefor [D06F37/26C](#)]; damping vibrations in general F16F) [C1002]
- D06F37/20B [N: Arrangements for detecting or measuring unbalance; Preventing vibrations by regulating the speed of rotation of the drum (sensing vibrations to control introduction of counterbalancing liquid [D06F37/22B](#), [D06F37/24B](#))]
- D06F37/20C [N: Mounting of motor]
- D06F37/22 in machines with a receptacle rotating or oscillating about a horizontal axis
- D06F37/22B [N: Damping vibrations by displacing, supplying or ejecting a material, e.g. liquid, into or from counterbalancing pockets]
- D06F37/24 in machines with a receptacle rotating or oscillating about a vertical axis
- D06F37/24B [N: Damping vibrations by displacing, supplying or ejecting a material, e.g. liquid, into or from counterbalancing pockets]

- D06F37/26 Casings; Tubs
- D06F37/26A [N: Tubs made by a specially selected manufacturing process or characterised by their assembly from elements] [N1002]
- D06F37/26A2 [N: made of plastic material, e.g. by injection moulding] [N1002]
- D06F37/26A4 [N: assembled from at least two elements connected to each other; Connecting or sealing means therefor] [N1002]
- D06F37/26B [N: Tubs provided with reinforcing structures, e.g. ribs, inserts, braces] [N1002]
- D06F37/26C [N: Counterweights mounted to the tub; Mountings therefor] [N1002]
- D06F37/26G [N: Gaskets mounted between tub and casing around the loading opening] [N1002]
- D06F37/26S [N: Tubs specially adapted for mounting thereto components or devices not provided for in preceding subgroups ([D06F37/20C](#) takes precedence)] [N1002]
- D06F37/26S2 [N: for suspension devices] [N1002]
- D06F37/26S4 [N: for the bearing of the rotary receptacle] [N1002]
- D06F37/28 Doors; Security means therefor

- D06F37/30 Driving arrangements
- D06F37/30B [N: Automatic drum positioning]
- D06F37/30C [N: Electric speed control; Arrangements or adaptations of electric motors ([D06F37/20B](#) takes precedence)]
- D06F37/30C2 [N: Control of the reversing movement]
- D06F37/30D [N: Hydraulic or pneumatic speed control; Arrangements or adaptations of hydraulic or pneumatic motors]
- D06F37/32 for rotating the receptacle at one speed only [N: ([D06F37/30C](#), [D06F37/30D](#) take precedence)]

- D06F37/34 . . . in opposite directions, e.g. oscillating
- D06F37/36 . . for rotating the receptacle at more than one speed [N: ([D06F37/30C](#), [D06F37/30D](#) take precedence)]
- D06F37/38 . . . in opposite directions
- D06F37/40 . . for driving the receptacle and an agitator or impeller, e.g. alternatively [N: ([D06F37/30C](#), [D06F37/30D](#) take precedence)]
- D06F37/42 . Safety arrangements, e.g. for stopping rotation of the receptacle upon opening of the casing door
- D06F39/00** **Details of washing machines in so far as such details are not special to washing machines of groups [D06F21/00](#) to [D06F25/00](#) or to any particular type of washing machine defined in groups [D06F9/00](#) to [D06F19/00](#) or [D06F27/00](#)**
- D06F39/00B . [N: Arrangements for transporting, moving, or setting washing machines; Protective arrangements for use during transport (transport in general [B65](#))]
- D06F39/00C . [N: Arrangements for detecting or measuring the condition of the laundry or the washing water, e.g. nature or weight of the laundry, turbidity of the washing water]
- D06F39/00C2 . . [N: Arrangements for measuring or detecting the condition of the laundry, e.g. nature or weight] [N0208]
- D06F39/00C4 . . [N: Arrangements for measuring or detecting the condition of the washing water, e.g. turbidity] [N0208]
- D06F39/00P . [N: Arrangements for programme selection; Indication of the selected programme, programme progress or other variables, e.g. temperature (time-programme switches [H01H43/00](#))]
- D06F39/00R . [N: Recovery arrangements, e.g. for the recovery of energy or water] [N0208]
- D06F39/00S . [N: Arrangements of water softeners (water softeners in general [C02F](#))]
- D06F39/00V . [N: Steam generating arrangements] [N0806]
- D06F39/02 . Devices for adding soap or other washing agents
- D06F39/02B . . [N: in a liquid state ([D06F39/02C](#) takes precedence)]
- D06F39/02C . . [N: mounted on the agitator or the rotating drum; Free body dispensers]
- D06F39/02D . . [N: the powder or tablets being added directly, e.g. without the need of a flushing liquid]
- D06F39/02S . . [N: Arrangements for selectively supplying water to detergent compartments]
- D06F39/04 . Heating arrangements
- D06F39/04T . . [N: Temperature measuring or regulating devices]
- D06F39/06 . Arrangements for preventing or destroying scum
- D06F39/08 . Liquid supply or discharge arrangements (supplying liquid detergent [D06F39/02](#))
- D06F39/08B . . [N: Safety arrangements for preventing water damage]
- D06F39/08B2 . . . [N: detecting faulty draining operations, e.g. filter blockage, faulty pump]
- D06F39/08D . . [N: Liquid discharge or recirculation arrangements]

D06F39/08D2	. . . [N: Arrangements or adaptations of pumps (pumps in general F04)]
D06F39/08D4	. . . [N: Arrangements for avoiding detergent wastage in the discharge conduit]
D06F39/08N	. . [N: Water level measuring or regulating devices]
D06F39/08S	. . [N: Liquid supply arrangements]
D06F39/10	. Filtering arrangements
D06F39/12	. Casings; Tubs
D06F39/12B	. . [N: Supporting arrangements for the casing, e.g. rollers or legs]
D06F39/14	. . Doors or covers; Securing means therefor
D06F41/00	Rinsing apparatus
D06F43/00	Dry-cleaning apparatus [N: or methods] using volatile solvents (D06F9/00 to D06F41/00 take precedence)
D06F43/00B	. [N: Spotting apparatus]
D06F43/00C	. [N: Solvent condition control devices, e.g. humidity content]
D06F43/00D	. [N: Dry cleaning methods]
D06F43/02	. having one rotary cleaning receptacle only
D06F43/04	. having more than one rotary cleaning receptacle
D06F43/06	. wherein the articles to be cleaned are passed through a cleaning chamber or bath
D06F43/08	. Associated apparatus for handling and recovering the solvents (separate apparatus for purifying dry-cleaning solvents B01D)
D06F43/08B	. . [N: Reclaiming or recovering the solvent from a mixture of solvent and contaminants, e.g. by distilling]
D06F43/08B2	. . . [N: Condensing arrangements]
D06F43/08B4	. . . [N: Filtering arrangements; Filter cleaning; Filter-aid powder dispensers]
D06F43/08D	. . [N: Recovering the solvent from the drying air current]
D06F43/08D2	. . . [N: Condensing arrangements]
Guide heading:	<u>Expelling water from the linen; Smoothing by cold rolling</u>
D06F45/00	Wringing machines with two or more co-operating rollers; Similar cold-smoothing apparatus
D06F45/02	. wherein the pressure is transmitted by spring means
D06F45/04	. . with hand-operated quick-release means
D06F45/06	. . with automatically-operated quick-release means
D06F45/08	. wherein the pressure is applied by fluid means

- D06F45/10 . with three or more co-operating rollers
- D06F45/12 . combined with washing machines
- D06F45/14 . with means for removable attachment to washing machines, tables or other supports
(combined with tables [A47B](#))
- D06F45/16 . Details
- D06F45/18 . . Driving or control arrangements for rotation of the rollers
- D06F45/20 . . Toggle or other lever means for transmitting pressure to the rollers
- D06F45/22 . . Rollers
- D06F45/24 . . Frames guiding or housing the roller shafts; Stands for supporting the roller framework
- D06F45/26 . . Draining boards; Feed or discharge boards; Stripping means
- D06F45/28 . . Belt arrangements for guiding the linen between the rollers

D06F47/00 Apparatus of the press type for expelling water from the linen

- D06F47/02 . by a mechanically-actuated ram
- D06F47/04 . by a fluid-actuated ram
- D06F47/06 . by a flexible diaphragm
- D06F47/08 . Covers; Securing means therefor

**D06F49/00 Domestic spin-dryers or similar spin-dryers not suitable for industrial use
(centrifuges in general B04B)**

- D06F49/00B . [N: Doors or covers; Safety arrangements]
- D06F49/00C . [N: Rinsing arrangements]
- D06F49/02 . Bowl construction
- D06F49/04 . Bowl drive
- D06F49/06 . Mountings, e.g. resilient mountings, for the bowl or casings; Preventing or damping vibrations (damping vibrations in general [F16F](#))
- D06F49/08 . Liquid discharge arrangements

D06F51/00 Apparatus for expelling or draining water from the linen, not provided for in the preceding groups

- D06F51/02 . by twisting

Guide heading: **Drying; Airing**

- D06F53/00** **Clothes-lines; Supports therefor** (drying frames incorporating clothes-lines [D06F57/00](#); supports or holders specially adapted or mounted for storing and repeatedly paying-out and restoring lengths of lines [B65H75/34](#); ropes, cables [D07B](#))
- D06F53/00B . [N: Accessories, e.g. line cleaning devices, line protectors, clothes-pin holders]
- D06F53/02 . Clothes-lines
- D06F53/04 . Supports, e.g. poles, props for clothes-lines (poles in general [E04H](#))
- D06F53/04B . . [N: comprising means for storing the clothes-line]
- D06F55/00** **Clothes-pegs**
- D06F55/02 . with pivoted [N: independent] clamping members
- D06F57/00** **Supporting means, other than simple clothes-lines, for linen or garments to be dried or aired** (in combination with means for heating or positive air circulation [D06F58/00](#), [F26B](#); adapted to retain the shape of particular articles being dried [D06F59/00](#); clothing hangers, e.g. suit hangers [A47G25/14](#))
- D06F57/02 . mounted on pillars, e.g. rotatably [N: (sockets or holders for poles or posts [E04H12/22](#))]
- D06F57/04 . . and having radial arms, e.g. collapsible
- D06F57/06 . comprising vertical members connected by horizontal bars
- D06F57/08 . Folding stands ([D06F57/06](#) takes precedence)
- D06F57/10 . . of the lazy-tongs type
- D06F57/12 . specially adapted for attachment to walls, ceilings, stoves, or other structures or objects
- D06F57/12B . . [N: for attachment by clamping between two retaining-planes]
- D06F57/12C . . [N: for attachment to, or close to, the ceiling]
- D06F57/12R . . [N: for attachment or suspension to central heating radiators]
- D06F58/00** **Domestic laundry driers (drying in general [F26B](#))**
- D06F58/02 . having drier drums rotating about a horizontal axis
- D06F58/04 . . Details (controlling or regulating arrangements [D06F58/28](#))
- D06F58/06 . . . Mountings for the rotating drums
- D06F58/08 . . . Driving arrangements
- D06F58/10 . Drying cabinets or drying chambers having heating or ventilating means
- D06F58/12 . . having conveying means for moving clothes, e.g. along an endless track
- D06F58/14 . . Collapsible drying cabinets; Wall mounted collapsible hoods
- D06F58/16 . having heatable surfaces for contacting the laundry ([D06F59/00](#) takes precedence)

- D06F58/18 . Detachable or door-mounted drying arrangements for washing machines
- D06F58/20 . General details of domestic laundry driers ([D06F59/00](#) takes precedence)
- D06F58/20B . . [N: Laundry conditioning arrangements]
- D06F58/20H . . [N: Heat pump arrangements] [N0806]
- D06F58/22 . . Lint collecting arrangements
- D06F58/24 . . Condensing arrangements
- D06F58/26 . . Heating arrangements, e.g. gas heating equipment ([D06F58/18](#) takes precedence)
- D06F58/26B . . . [N: Gas heating equipment]
- D06F58/26M . . . [N: Microwave heating equipment] [N0806]
- D06F58/28 . . Controlling or regulating ([controlling or regulating in general G05](#))

- D06F59/00** **Supports adapted to retain the shape of particular articles being dried, e.g. incorporating heating means** [N: (devices for retaining the shape of hats [A42B1/00B](#); apparatus for changing the form and size of hats [A42C3/00](#))] [C9509]

- D06F59/02 . for garments
- D06F59/04 . . for gloves
- D06F59/06 . . for stockings

- D06F59/08 . for curtains, table cloths, or other articles of sheet form

- D06F60/00** **Drying not provided for in groups [D06F53/00](#) to [D06F59/00](#)** [N0901]

- Guide heading:** **Ironing; Pressing** ([smoothing by cold rolling D06F45/00](#))

- D06F61/00** **Ironing machines using two or more co-operating pressing rollers**

- D06F61/02 . with two rollers
- D06F61/04 . with three or more rollers one above the other
- D06F61/06 . with successive pairs of rollers
- D06F61/08 . with one central roller co-operating with a plurality of circumferential rollers
- D06F61/10 . with two or more central rollers co-operating with a plurality of circumferential rollers

- D06F63/00** **Ironing machines having a roller or rollers co-acting with a fixed or moving flat bed or table** ([coverings or pads D06F83/00](#))

- D06F63/02 . with two or more rollers co-acting with a fixed or moving flat bed or table

- D06F65/00** **Ironing machines with rollers rotating against curved surfaces**

- D06F65/02 . with one roller only
- D06F65/04 . . the bed being urged against the roller by hand or foot
- D06F65/06 . . the bed being urged against the roller by power
- D06F65/08 . . the roller being urged against the bed
- D06F65/10 . with two or more rollers co-operating with two or more curved surfaces
- D06F67/00** **Details of ironing machines provided for in groups [D06F61/00](#), [D06F63/00](#), or [D06F65/00](#)**
- D06F67/00B . [N: Stands or cabinets]
- D06F67/02 . Rollers; Heating arrangements therefor ([coverings or pads \[D06F83/00\]\(#\)](#))
- D06F67/04 . Arrangements for feeding or spreading the linen
- D06F67/06 . Means for stripping the linen from the rollers
- D06F67/08 . Beds; Heating arrangements therefor ([coverings or pads \[D06F83/00\]\(#\)](#))
- D06F67/10 . Driving arrangements
- D06F69/00** **Ironing machines not otherwise provided for**
- D06F69/02 . using endless or other ironing or pressing belts or aprons
- D06F69/04 . with relatively-sliding flat surfaces
- D06F71/00** **Apparatus for hot-pressing clothes, linen, or other textile articles, i.e. wherein there is substantially no relative movement between pressing element and article while pressure is being applied to the article; Similar machines for cold-pressing clothes, linen, or other textile articles ([devices for household use, for cold-pressing garments \[A47G\]\(#\)](#))**
- D06F71/02 . actuated wholly by hand or foot ([D06F71/08 takes precedence](#))
- D06F71/02B . . [N: with an upper movable pressing member and a lower fixed pressing member]
- D06F71/02B2 . . . [N: the upper movable member rotating about a fixed axis]
- D06F71/04 . power-actuated ([D06F71/08 takes precedence](#))
- D06F71/04B . . [N: with an upper movable pressing member and a lower fixed pressing member ([D06F71/06 takes precedence](#))]
- D06F71/04B2 . . . [N: the upper movable member rotating about a fixed axis]
- D06F71/06 . . fluid-actuated
- D06F71/06B . . . [N: with an upper movable pressing member and a lower fixed pressing member]
- D06F71/06B2 [N: the upper movable member rotating about a fixed axis]
- D06F71/06B2B [N: Fluid-control mechanisms for controlling the ironing pressure or the

movement of the pressure member]

- D06F71/08 . wherein one or more of the pressing elements is moved laterally between successive pressing operations ([laundry systems or arrangements of apparatus or machines D06F95/00](#))
- D06F71/10 . . by movement about a vertical axis
- D06F71/12 . . by movement about a horizontal axis
- D06F71/14 . . by a rectilinear movement
- D06F71/16 . having a pressing element or buck adapted to provide interior support for a garment to be pressed ([D06F71/18 takes precedence](#))
- D06F71/18 . specially adapted for pressing particular garments or parts thereof ([for pressing seams D06F71/30](#))
- D06F71/20 . . for pressing shirts
- D06F71/22 . . for pressing collars
- D06F71/24 . . for pressing cuffs
- D06F71/26 . . for pressing shoulders or necks
- D06F71/28 . . for pressing sleeves, trousers, or other tubular garments or tubular parts of garments
- D06F71/28B . . . [\[N: for pressing sleeves\]](#)
- D06F71/29 . . . Trousers
- D06F71/29B [\[N: the top portion of trousers\]](#)
- D06F71/30 . specially adapted for pressing seams
- D06F71/32 . Details
- D06F71/32B . . [\[N: Protective devices, e.g. burn guards\]](#)
- D06F71/32C . . [\[N: Arrangements for producing a sliding or ironing movement between the pressing elements in closed position\]](#)
- D06F71/34 . . Heating arrangements; Arrangements for supplying or removing steam or other gases
- D06F71/36 . . Pressing elements ([for use in pressing particular garments or parts thereof D06F71/18; coverings or pads therefor D06F83/00](#))
- D06F71/38 . . Feeding arrangements ([feeding by lateral movement of pressing elements D06F71/08](#))
- D06F71/40 . . Holders or stretchers for the article to be pressed
- D06F73/00** **Apparatus for smoothing or removing creases from garments or other textile articles by formers, cores, stretchers, or internal frames, with the application of heat or steam** ([stretchers for drying purposes D06F59/00; combined with external pressure means D06F71/00; stretchers for use with presses D06F71/40; dress-forms for the tailoring trade A41H; garment stretchers without the application of heat A47G25/00](#))
- D06F73/02 . having one or more treatment chambers
- D06F75/00** **Hand irons**
- D06F75/02 . Externally-heated hand irons; Hand irons internally heated by means other than

- electricity, e.g. by solid fuel, by steam
- D06F75/04 . . by pre-heated block
- D06F75/06 . . with means for supplying steam or liquid to the article being ironed ([D06F75/32 takes precedence](#))
- D06F75/08 . Hand irons internally heated by electricity
- D06F75/10 . . with means for supplying steam to the article being ironed ([D06F75/32 takes precedence](#))
- D06F75/12 . . . the steam being produced from water supplied to the iron from an external source
- D06F75/14 . . . the steam being produced from water in a reservoir carried by the iron
- D06F75/16 the reservoir being heated to produce the steam
- D06F75/18 the water being fed slowly, e.g. drop by drop, from the reservoir to a steam generator
- D06F75/20 . . . Arrangements for discharging the steam to the article being ironed
- D06F75/22 . . with means for supplying liquid to the article being ironed ([D06F75/10 takes precedence](#))
- D06F75/24 . . Arrangements of the heating means within the iron; Arrangements for distributing, conducting, or storing the heat ([electric heating in general H05B](#))
- D06F75/24B . . . [N: using other than ohmic-resistance heating means, e.g. electrolytic or induction heating]
- D06F75/24L . . . [N: using infra-red lamps]
- D06F75/26 . . Temperature control or indicating arrangements ([thermally-actuated switches H01H](#))
- D06F75/26B . . . [N: Temperature indicating arrangements; Control knobs]
- D06F75/28 . . Arrangements for attaching, protecting or supporting the electric supply cable
- D06F75/30 . Hand irons of special external shape or form
- D06F75/32 . Attachments for converting hand irons to steam irons
- D06F75/34 . Handles; Handle mountings
- D06F75/36 . Casings
- D06F75/38 . Sole plates ([D06F75/20 takes precedence](#))
- D06F75/40 . Stands or supports attached to the iron
- D06F77/00 Arrangements for exerting pressure on, lifting, or guiding hand irons**
- D06F77/00B . [N: using an electro-magnet or a permanent magnet in the iron or the ironing board]
- D06F79/00 Accessories for hand irons**
- D06F79/02 . Stands or supports neither attached to, nor forming part of, the iron or ironing board
- D06F79/02B . . [N: with means for supplying current to the iron]

- D06F79/02B2 . . . [N: for cordless irons]
- D06F79/04 . Stoves or other heating means specially adapted for heating irons externally [N: ,e.g. by induction heating] (stoves in general [F24](#))
- D06F79/06 . Means, not forming part of the iron, for cooling the iron
- D06F81/00** **Ironing boards** (coverings or pads therefor [D06F83/00](#); combined with tables, mounted in kitchen cabinets [A47B](#); tables in general [A47B](#); combined with ladders [E06C](#); [N: supports for keeping the electric supply cable clear of the iron or of the clothing [H02G11/00B](#)])
- D06F81/00B . [N: with flat iron support]
- D06F81/00C . [N: with fabric support or garment rack]
- D06F81/02 . with collapsible underframe
- D06F81/04 . . with means for adjusting height
- D06F81/06 . attachable to independent supports, e.g. walls
- D06F81/08 . incorporating heating, steaming, or forced ventilation means
- D06F81/10 . Top board elements
- D06F81/12 . Sleeve boards; Attaching means therefor
- D06F81/14 . Means for attaching covers
- D06F83/00** **Coverings or pads for ironing or pressing members**
- D06F85/00** **Independent elements for interposition between the article and the ironing or pressing surface**
- Guide heading:** **Miscellaneous laundry apparatus or systems**
- D06F87/00** **Apparatus for moistening or otherwise conditioning the article to be ironed or pressed** (apparatus for smoothing or removing creases from garments or other textile articles by formers, cores, stretchers or internal frames, with the application of heat or steam [D06F73/00](#); [N: devices used in combination with a laundry drier [D06F58/20B](#)])
- D06F89/00** **Apparatus for folding textile articles with or without stapling**
- D06F89/00M . [N: Manual folding devices, e.g. for folding bed sheets ([D06F89/02](#) takes precedence)]
- D06F89/02 . of textile articles to be worn, e.g. shirts
- D06F89/02C . . [N: of shirts]
- D06F89/02C2 . . . [N: Details, e.g. collar holders]

D06F91/00	Starching apparatus
D06F93/00	Counting, sorting, or marking arrangements specially adapted for laundry purposes
D06F93/00M	. [N: Marking arrangements]
D06F95/00	Laundry systems or arrangements of apparatus or machines; Mobile laundries (D06F31/00 takes precedence; laundries as buildings E04H)
D06F95/00B	. [N: Baskets or bags specially adapted for holding or transporting laundry; Supports therefor]
D06F95/00B2	. . [N: Bags; Supports therefor] [C9812]
D06F95/00B2B	. . . [N: Bags for holding the laundry during washing (D06F5/00B takes precedence)] [N9812]
D06F95/00C	. [N: Devices for keeping articles together during laundering, e.g. for keeping socks in pairs (D06F95/00B2 takes precedence); Devices for protecting or shielding certain parts of the articles during laundering, e.g. button protectors]