

ECLA EUROPEAN CLASSIFICATION

D06H MARKING, INSPECTING, SEAMING OR SEVERING TEXTILE MATERIALS (seaming by sewing D05B; in connection with manufacturing, see the relevant subclasses)

D06H1/00 Marking textile materials; Marking in combination with metering or inspecting

- D06H1/00B . [N: by passing a needle through the layers, e.g. with a marking fluid flowing through the needle]
- D06H1/00C . [N: Marking frames for large sized textiles, e.g. for drapery pleat or length marking] [N9906]
- D06H1/02 . Marking by printing or analogous processes
- D06H1/04 . by attaching threads, tags, or the like
- D06H1/04A . . [N: by attaching threads] [N1107]
- D06H1/04B . . [N: by attaching tags] [N1107]

D06H3/00 Inspecting textile materials (testing physical properties of textile materials [G01N](#); [N: unwinding or rewinding apparatus incorporating inspecting devices [B65H16/02D](#), [B65H18/02C](#)])

- D06H3/02 . visually ([D06H3/12](#), [D06H3/14](#), [D06H3/16](#) take precedence)
- D06H3/04 . . wherein the material is supported on a table
- D06H3/06 . . wherein the material is supported on a drum
- D06H3/08 . by photo-electric or television means ([D06H3/12](#), [D06H3/14](#), [D06H3/16](#) take precedence)
- D06H3/10 . by non-optical apparatus ([D06H3/12](#), [D06H3/14](#), [D06H3/16](#) take precedence)
- D06H3/12 . Detecting or automatically correcting errors in the position of weft threads in woven fabrics
- D06H3/12B . . [N: Detecting errors in the position of weft threads]
- D06H3/14 . Detecting and removing metal particles, e.g. broken needles, or card clothing, from fabrics
- D06H3/16 . Inspecting hosiery or other tubular fabric; Inspecting in combination with turning inside-out, classifying, or other handling ([turning inside-out per se D06G3/00](#))
- D06H3/16B . . [N: Devices for supplying, removing or stacking the work] [N0406]

D06H5/00 Seaming textile materials [N: (splicing webs [B65H21/00](#); seaming felts in paper-making machines [D21F7/10](#))]

- D06H5/00B . [N: Devices or apparatus for connecting back and forward ends of fabrics, e.g. for

- continuous processing] [N0311]
- D06H5/00B2 . . [N: for tubular fabrics] [N0311]
- D06H5/00C . [N: Devices or apparatus for joining the longitudinal edges of fabrics] [N0311]
- D06H5/00C2 . . [N: for making a tubular fabric] [N0311]
- D06H5/00C2B . . . [N: by folding the fabric longitudinally] [N0311]
- D06H5/00C2C . . . [N: by helically winding the fabric] [N0311]
- D06H5/00D . [N: Making sacks from tubular fabrics] [N0311]
- D06H7/00** **Apparatus or processes for cutting, or otherwise severing, specially adapted for the cutting, or otherwise severing, of textile materials** (severing for making buttonholes A41H; hand cutting tools in general B26B; cutting machines in general B26D; severing otherwise than by cutting in general B26F; [N: web delivery apparatus incorporating cutting devices [B65H35/00B](#)]; trimming seamed edges, shearing surfaces of fabrics, shearing lace or embroidery, e.g. cutting loose threads D06C) [C0904]
- D06H7/00B . [N: characterized by means or processes to avoid or reduce fraying of the cut edge] [N1107]
- D06H7/02 . transversely ([D06H7/14](#) takes precedence)
- D06H7/02B . . [N: in line with an embossed or a raised pattern on the fabric; Cutting pile fabric along a loopless or napless zone, e.g. the plain woven portion of towel cloth] [N9605]
- D06H7/04 . longitudinally ([D06H7/14](#) takes precedence)
- D06H7/04B . . [N: in line with an embossed or a raised pattern on the fabric; Cutting pile fabric along a loopless or napless zone ([D06H7/06](#), [D06H7/16](#) take precedence)] [N9605]
- D06H7/06 . . Removing selvedge edges
- D06H7/08 . . for cutting tubular fabric longitudinally
- D06H7/10 . obliquely
- D06H7/12 . . cutting a tubular fabric helically
- D06H7/14 . Cutting fabrics by cutting the weft or warp threads while making special provision to avoid cutting warp or weft threads, respectively, adjacent to the cut
- D06H7/16 . specially adapted for cutting lace or embroidery (shearing, e.g. cutting loose threads, [D06C](#))
- D06H7/18 . Cutting rolls of material without unwinding
- D06H7/20 . Tearing
- D06H7/22 . Severing by heat or by chemical agents [N: (by laser beam B23K26/40B12C)] [C0607]
- D06H7/22A . . [N: by heat] [N1107]
- D06H7/22A1 . . . [N: using ultrasonic vibration] [N1107]
- D06H7/22A2 . . . [N: using meltable yarns or interwoven metal wires heated by an electric current] [N1107]

- D06H7/22C
 - . . [N: by chemical agents] [N1107]
- D06H7/22C1
 - . . . [N: using dissolvable separator yarns] [N1107]
- D06H7/24
 - . Devices specially adapted for cutting-out samples