

CPC**COOPERATIVE PATENT CLASSIFICATION****B67D**

DISPENSING, DELIVERING OR TRANSFERRING LIQUIDS, NOT OTHERWISE PROVIDED FOR (cleaning pipes or tubes or systems of pipes or tubes [B08B 9/02](#); emptying or filling of bottles, jars, cans, casks, barrels, or similar containers, not otherwise provided for [B67C](#) ; water supply [E03](#) ; pipe systems [F17D](#) ; domestic hot-water supply systems [F24D](#) ; measuring volume, volume flow, mass flow or liquid level, metering by volume [G01F](#) ; coin-freed or like apparatus [G07F](#))

Guidance heading:**B67D 1/00**

Apparatus or devices for dispensing beverages on draught ([B67D 3/00](#) takes precedence; apparatus for making beverages [A47J 31/00](#))

- B67D 1/0001 . { by squeezing collapsible or flexible storage containers ([B67D 1/0462](#) takes precedence) }
- B67D 1/0002 . {specially adapted to be used in microgravity conditions, e.g. in outer space }
- B67D 1/0003 . {the beverage being a single liquid ([B67D 1/02](#), [B67D 1/04](#) take precedence; drinking fountains [E03B 9/20](#)) }
- B67D 1/0004 . . {the beverage being stored in a container, e.g. bottle, cartridge, bag-in-box, bowl }
- B67D 1/0005 . . . {the apparatus comprising means for automatically controlling the amount to be dispensed }
- B67D 1/0006 {based on the timed opening of a valve }
- B67D 1/0007 {based on volumetric dosing }
- B67D 1/0008 {based on weighing }
- B67D 1/0009 . . {the beverage being stored in an intermediate container connected to a supply }
- B67D 1/001 . . . {the apparatus comprising means for automatically controlling the amount to be dispensed }
- B67D 1/0011 {based on the timed opening of a valve }
- B67D 1/0012 {based on volumetric dosing }
- B67D 1/0013 {based on weighing }
- B67D 1/0014 . . {the beverage being supplied from water mains }
- B67D 1/0015 . { the beverage being prepared by mixing at least two liquid components }
- B67D 1/0016 . . {the beverage being stored in an intermediate container before dispensing, i.e. pre-mix dispensers }
- B67D 1/0017 . . . {the apparatus comprising means for automatically controlling the amount to be dispensed }
- B67D 1/0018 {based on the timed opening of a valve }
- B67D 1/0019 {based on volumetric dosing }
- B67D 1/002 {based on weighing }
- B67D 1/0021 . . {the components being mixed at the time of dispensing, i.e. post-mix dispensers }
- B67D 1/0022 . . . {the apparatus comprising means for automatically controlling the amount to be

		dispensed }
B67D 1/0023	{control of the amount of the mixture, i.e. after mixing }
B67D 1/0024	{based on the timed opening of a valve }
B67D 1/0025	{based on volumetric dosing }
B67D 1/0026	{based on weighing }
B67D 1/0027	{control of the amount of one component, the amount of the other components(s) being dependent on that control }
B67D 1/0028	{based on the timed opening of a valve }
B67D 1/0029	{based on volumetric dosing }
B67D 1/003	{by means of a dosing chamber }
B67D 1/0031	{in the form of a metering pump }
B67D 1/0032	{using flow-rate sensors }
B67D 1/0033	{based on weighing }
B67D 1/0034	{for controlling the amount of each component }
B67D 1/0035	{the controls being based on the same metering technics }
B67D 1/0036	{based on the timed opening of valves }
B67D 1/0037	{based on volumetric dosing }
B67D 1/0038	{based on weighing }
B67D 1/0039	{the controls involving at least two different metering technics }
B67D 1/004	..	{ the diluent being supplied from water mains }
B67D 1/0041	.	{Fully automated cocktail bars, i.e. apparatuses combining the use of packaged beverages, pre-mix and post-mix dispensers }
B67D 1/0042	.	{Details of specific parts of the dispensers }
B67D 1/0043	..	{ Mixing devices for liquids }
B67D 1/0044	...	{for mixing inside the dispensing nozzle }
B67D 1/0045	{ Venturi arrangements; Aspirators; Eductors }
B67D 1/0046	{ Mixing chambers }
B67D 1/0047	{ with movable parts, e.g. for stirring }
B67D 1/0048	{ with baffles }
B67D 1/0049	{ with means for diverging streams }
B67D 1/005	{ with means for converging streams }
B67D 1/0051	...	{for mixing outside the nozzle }
B67D 1/0052	{ by means for directing respective streams together }
B67D 1/0053	{ by stirring in the cup }
B67D 1/0054	...	{ Recirculation means }
B67D 1/0055	{ with fountain effect }
B67D 1/0056	{ with illumination }
B67D 1/0057	..	{Carbonators }
B67D 1/0058	...	{In-line carbonators }
B67D 1/0059	{in combination with a mixer tap (constructional features of the tap E03C 1/04) }
B67D 1/006	...	{ Conventional carbonators }

B67D 1/0061	...	{ with cooling means }
B67D 1/0062	{ inside the carbonator }
B67D 1/0063	{ Cooling coil }
B67D 1/0064	{ Cold plate }
B67D 1/0065	{ Ice bank }
B67D 1/0066	{ outside the carbonator }
B67D 1/0067	{ Cooling coil }
B67D 1/0068	{ Cooling bath }
B67D 1/0069	...	{ Details }
B67D 1/007	{ Structure of the carbonating chamber }
B67D 1/0071	{ Carbonating by injecting CO ₂ in the liquid }
B67D 1/0072	{ through a diffuser, a bubbler }
B67D 1/0073	{ Carbonating by spraying the liquid }
B67D 1/0074	{ Automatic carbonation control }
B67D 1/0075	{ by sensing gas pressure }
B67D 1/0076	{ by sensing temperature }
B67D 1/0077	{ Carbonator being specially adapted for adding a second gas to the CO ₂ }
B67D 1/0078	..	{Ingredient cartridges }
B67D 1/0079	...	{having their own dispensing means }
B67D 1/008	...	{Gas cartridges or bottles }
B67D 1/0081	..	{Dispensing valves }
B67D 1/0082	...	{entirely mechanical }
B67D 1/0083	{with means for separately dispensing a single or a mixture of drinks }
B67D 1/0084	{Hand-held gun type valves }
B67D 1/0085	...	{electro-mechanical }
B67D 1/0086	{Hand-held gun type valves }
B67D 2001/0087	...	being mounted on the dispenser housing
B67D 2001/0088	operated by push buttons
B67D 2001/0089	operated by lever means
B67D 2001/009	operated by cup detection
B67D 2001/0091	.	Component storage means
B67D 2001/0092	..	Containers for gas, for e.g. CO ₂ , N ₂
B67D 2001/0093	.	Valves
B67D 2001/0094	..	Valve mountings in dispensers
B67D 2001/0095	.	Constructional details
B67D 2001/0096	..	Means for pressurizing liquid
B67D 2001/0097	...	using a pump
B67D 2001/0098	...	using a gas
B67D 1/02	.	Beer engines or like manually-operable pumping apparatus
B67D 1/025	..	{with means for carbonating the beverage, or for maintaining its carbonation }

- B67D 1/04 . Apparatus utilising compressed air or other gas acting directly or indirectly on beverages in storage containers
- B67D 1/0406 . . {with means for carbonating the beverage, or for maintaining its carbonation ([B67D 1/0418](#) takes precedence) }
- B67D 1/0412 . . { the whole dispensing unit being fixed to the container }
- B67D 1/0418 . . . {comprising a CO2 cartridge for dispensing and carbonating the beverage }
- B67D 1/0425 . . . {comprising an air pump system }
- B67D 1/0431 {power-operated }
- B67D 1/0437 . . . { comprising a gas pressure space within the container for the liquid }
- B67D 1/0443 . . . { comprising a gas generator ([apparatus for generating gases in general B01J 7/00](#)) }
- B67D 1/045 . . { using elastic bags and pistons actuated by air or other gas }
- B67D 1/0456 . . {Siphons, i.e. beverage containers under gas pressure without supply of further pressurised gas during dispensing }
- B67D 1/0462 . . {Squeezing collapsible or flexible beverage containers, e.g. bag-in-box containers }
- B67D 1/0468 . . {comprising means for the recovery of the gas acting on beverages }
- B67D 2001/0475 . . Type of gas or gas mixture used, other than pure CO2
- B67D 2001/0481 . . . Single inert gas, e.g. N2
- B67D 2001/0487 . . . Mixture of gases, e.g. N2 + CO2
- B67D 2001/0493 Air
- B67D 1/06 . Mountings or arrangements of dispensing apparatus in or on shop or bar counters ([shop or bar counters per se A47F 9/00](#))
- B67D 1/07 . Cleaning beverage-dispensing apparatus { ([B67D 1/0834](#), [B67D 1/0837](#) take precedence) }
- B67D 2001/075 . . { Sanitising or sterilising the apparatus }
- B67D 1/08 . Details
- B67D 1/0801 . . {of beverage containers, e.g. casks, kegs }
- B67D 1/0802 . . . {Dip tubes ([for pressurized containers L67D 1/00L20C10](#), [L67D 1/00L20C20](#)) }
- B67D 1/0804 . . . { Shape or materials }
- B67D 1/0805 . . . { Openings for filling }
- B67D 1/0807 . . . { Openings for emptying, e.g. taped openings }
- B67D 1/0808 . . . { Closing means, e.g. bungholes, barrel bungs }
- B67D 1/0809 . . . { Opening means, e.g. means for assisting the opening }
- B67D 2001/0811 . . . provided with coded information
- B67D 2001/0812 . . . Bottles, cartridges or similar containers
- B67D 2001/0814 for upside down use
- B67D 2001/0815 with integral venting tube
- B67D 2001/0817 with a venting orifice
- B67D 2001/0818 arranged in series
- B67D 2001/082 arranged in parallel
- B67D 2001/0821 having different compartments for different components

B67D 2001/0822	...	Pressurised rigid containers, e.g. kegs, figals
B67D 2001/0824	with dip tubes
B67D 2001/0825	details of dip tube
B67D 2001/0827	...	Bags in box
B67D 2001/0828	in pressurised housing
B67D 1/0829	..	{Keg connection means }
B67D 1/0831	...	{combined with valves }
B67D 1/0832	{with two valves disposed concentrically }
B67D 1/0834	{and having means for admitting a cleaning fluid }
B67D 1/0835	{with one valve }
B67D 1/0837	{and having means for admitting a cleaning fluid }
B67D 1/0838	{comprising means for preventing blow-out on disassembly of the spear valve }
B67D 1/0839	...	{Automatically operating handles for locking or unlocking a connector to or from a keg }
B67D 1/0841	...	{ Details }
B67D 1/0842	{ Multiple connectors, e.g. for simultaneously connecting several containers }
B67D 1/0844	{ for containers in crates }
B67D 1/0845	{ Security means }
B67D 1/0847	{ Tamper-evident devices }
B67D 1/0848	{ Locking means }
B67D 1/0849	{ provided with means to open the keg valve when gas pressure is applied to it }
B67D 1/0851	{ composed of a piston and ram assembly, e.g. tappet }
B67D 1/0852	{ composed of a membrane and ram assembly }
B67D 1/0854	{ provided with means to open the keg valve when water pressure is applied to it }
B67D 1/0855	..	{concerning the used flowmeter (flowmeter per se G01F 1/00 , G01F 3/00) }
B67D 1/0857	..	{Cooling arrangements (cooling systems per se F25B) }
B67D 1/0858	...	{using compression systems }
B67D 1/0859	{the evaporator being in direct heat contact with the beverage, e.g. placed inside a beverage container }
B67D 1/0861	{the evaporator acting through an intermediate heat transfer means }
B67D 1/0862	{in the form of a cold plate or a cooling block }
B67D 1/0864	{in the form of a cooling bath }
B67D 1/0865	{by circulating a cooling fluid along beverage supply lines, e.g. pythons }
B67D 1/0867	{the cooling fluid being a liquid }
B67D 1/0868	{the cooling fluid being a gas }
B67D 1/0869	...	{using solid state elements, e.g. Peltier cells }
B67D 1/0871	..	{Level gauges for beverage storage containers (level indicators in general G01F) }
B67D 1/0872	..	{ Aesthetics, advertising }
B67D 1/0874	...	{ Means for illuminating the handle of taps or faucets }
B67D 1/0875	...	{ Means for illuminating the beverage to be dispensed }
B67D 1/0877	...	{ Advertising means (advertising in general G09F) }

B67D 1/0878	..	{Safety, warning or controlling devices (B67D 1/12 takes precedence) }
B67D 1/0879	...	{Doors for protecting the vessel to be filled }
B67D 1/0881	...	{Means for counting the doses of dispensed liquid }
B67D 1/0882	...	{Devices for controlling the dispensing conditions }
B67D 1/0884	{Means for controlling the parameters of the state of the liquid to be dispensed, e.g. temperature, pressure }
B67D 1/0885	{Means for dispensing under specific atmospheric conditions, e.g. under inert gas }
B67D 1/0887	...	{ Sanitary protection means for dispensing nozzles or taps, e.g. outlet closures }
B67D 1/0888	..	{Means comprising electronic circuitry (e.g. control panels, switching or controlling means) }
B67D 1/0889	..	{Supports }
B67D 1/0891	...	{for the beverage container }
B67D 1/0892	{ the beverage container being stored in a rack or shelf }
B67D 1/0894	...	{for the vessel to be filled }
B67D 1/0895	..	{Heating arrangements }
B67D 1/0897	...	{located in nozzles }
B67D 1/0898	...	{Beer warmers (B67D 1/0897 takes precedence) }
B67D 1/10	..	Pump mechanism (in general F04)
B67D 1/101	...	{of the piston-cylinder type }
B67D 1/102	{for one liquid component only }
B67D 1/103	{the piston being driven by a liquid or a gas }
B67D 1/104	{by the liquid to be dispensed }
B67D 1/105	{for two or more components }
B67D 1/106	{the piston being driven by a liquid or a gas }
B67D 1/107	{by one of the components to be dispensed }
B67D 1/108	...	{of the peristaltic type }
B67D 1/12	..	Flow or pressure control devices or systems {e.g. valves, gas pressure control, level control in storage containers }
B67D 1/1202	...	{ Flow control, e.g. for controlling total amount or mixture ratio of liquids to be dispensed }
B67D 1/1204	{ for ratio control purposes }
B67D 1/1206	{ Flow detectors }
B67D 1/1209	{ combined with a timer }
B67D 1/1211	{ Flow rate sensor }
B67D 1/1213	{ combined with a timer }
B67D 1/1215	{ combined with a counter }
B67D 1/1218	{ modulating the opening of a valve }
B67D 1/122	{ modulating a pumping rate }
B67D 1/1222	{ Pressure gauges }
B67D 1/1225	{ Weighing }
B67D 1/1227	{ the cup to be filled }
B67D 1/1229	{ the storage container }
B67D 1/1231	{ Metering pumps }

B67D 1/1234	{ to determine the total amount }
B67D 1/1236	{ comprising means for detecting the size of vessels to be filled }
B67D 1/1238	{ comprising means for detecting the liquid level in vessels to be filled e.g. using ultrasonic waves, optical reflexion, probes }
B67D 1/124	{ the flow being started or stopped by means actuated by the vessel to be filled, e.g. by switches, weighing }
B67D 1/1243	{ comprising flow or pressure sensors, e.g. for controlling pumps }
B67D 1/1245	...	{Change-over devices, i.e. connecting a flow line from an empty container to a full one }
B67D 1/1247	...	{Means for detecting the presence or absence of liquid }
B67D 1/125	...	{Safety means, e.g. over-pressure valves }
B67D 1/1252	...	{Gas pressure control means, e.g. for maintaining proper carbonation (for beer engines B67D 1/025) }
B67D 2001/1254	comprising means for making a mixture of gases
B67D 1/1256	...	{Anti-dripping devices (Drip trays B67D 1/16) }
B67D 2001/1259	...	Fluid level control devices
B67D 2001/1261	the level being detected mechanically
B67D 2001/1263	the level being detected electrically
B67D 2001/1265	Pressure switches
B67D 2001/1268	Capacitors
B67D 1/127	...	{Froth control (B67D 1/1411 takes precedence) }
B67D 1/1272	{preventing froth }
B67D 1/1275	{promoting froth }
B67D 1/1277	...	{ Flow control valves }
B67D 1/1279	{ regulating the flow }
B67D 1/1281	{ responsive to pressure }
B67D 1/1284	...	{ Ratio control }
B67D 1/1286	{ by mechanical construction }
B67D 1/1288	{ Multi-chamber piston pumps (construction of pumps: B67D 1/10) }
B67D 1/129	{ Means for changing the ratio by acting on structural parts }
B67D 1/1293	{ Means for changing the ratio by acting on commands }
B67D 1/1295	{ Ratio defined by setting flow controllers }
B67D 1/1297	{ Ratio defined by setting of timers }
B67D 1/14	...	Reducing valves or control taps
B67D 1/1405	{Control taps }
B67D 1/1411	{Means for controlling the build-up of foam in the container to be filled }
B67D 1/1416	{ comprising foam inducing means }
B67D 1/1422	{comprising foam avoiding means }
B67D 1/1427	{by rotating the container to be filled }
B67D 1/1433	{by delivering the beverage using a helical movement }
B67D 1/1438	{comprising a valve shutter movable in a direction parallel to the valve seat, e.g. sliding or rotating }
B67D 1/1444	{the valve shutter being rotated }
B67D 1/145	{comprising a valve shutter movable in a direction perpendicular to the

		valve seat }
B67D 1/1455	{the valve shutter being opened in the same direction as the liquid flow }
B67D 1/1461	{the valve shutter being integral with a compensator }
B67D 1/1466	{the valve shutter being opened in a direction opposite to the liquid flow }
B67D 1/1472	{the valve shutter being integral with a compensator }
B67D 1/1477	{Devices for assisting tap handling, e.g. levers }
B67D 2001/1483	electrically or electro-mechanically operated
B67D 2001/1488	pneumatically operated
B67D 2001/1494	Taps with means for adjusting the position of a compensator from outside
B67D 1/16	..	Devices for collecting spilled beverages
B67D 1/165	...	{and re-injecting them in the dispensing line }
B67D 3/00		Apparatus or devices for controlling flow of liquids under gravity from storage containers for dispensing purposes (separating and dispensing metered quantities of liquids G01F)
B67D 3/0003	.	{provided with automatic fluid control means }
B67D 3/0006	..	{responsive to coded information provided on the neck or spout of the storage container, e.g. bar-code, magnets or transponder }
B67D 3/0009	.	{provided with cooling arrangements (cooling per se F25) }
B67D 3/0012	.	{provided with mixing devices }
B67D 3/0016	..	{Mixing valves or taps }
B67D 3/0019	.	{using ingredient cartridges }
B67D 3/0022	.	{provided with heating arrangements }
B67D 3/0025	.	{provided with dispensing valves actuated by the receptacle to be filled (B67D 3/02 takes precedence) }
B67D 3/0029	.	{provided with holders for bottles or similar containers }
B67D 3/0032	..	{the bottle or container being held upside down and provided with a closure, e.g. a cap, adapted to cooperate with a feed tube }
B67D 3/0035	..	{ the bottle or container being held upside down and not provided with a closure, e.g. a bottle screwed onto a base of a dispenser }
B67D 3/0038	.	{the liquid being stored in an intermediate container prior to dispensing }
B67D 3/0041	.	{ with provisions for metering the liquid to be dispensed }
B67D 3/0045	..	{ by filling a predetermined volume before dispensing }
B67D 3/0048	.	{ using siphoning arrangements }
B67D 3/0051	.	{ dispensing by tilting }

- B67D 3/0054 . { Mounting or arrangements of dispensing apparatus in shops or bar counters }
- B67D 3/0058 . { Details }
- B67D 3/0061 .. { of liquid containers, e.g. filling, emptying, closing or opening means }
- B67D 3/0064 ... { Dip tubes }
- B67D 3/0067 ... { relating to shape or materials, e.g. bag-in-box packages (BIB), pouches }
- B67D 3/007 ... { containers with adjustable volume }
- B67D 3/0074 .. { Safety or warning devices }
- B67D 3/0077 .. { Electronic circuitry }
- B67D 3/008 .. { Supports }
- B67D 3/0083 ... { for the liquid container }
- B67D 3/0087 { the beverage container being stored in a rack or shelf }
- B67D 3/009 ... { for the vessel to be filled }
- B67D 3/0093 .. { Level indicators }
- B67D 3/0096 .. { Aesthetics, advertising }
- B67D 3/02 . Liquid-dispensing valves having operating members arranged to be pressed upwards, e.g. by the rims of receptacles held below the delivery orifice
- B67D 3/04 . Liquid-dispensing taps or cocks adapted to seal and open tapping holes of casks, e.g. for beer { (closures with filling and discharging devices for containers [B65D 47/00](#)) }
- B67D 3/041 .. { operated by pinching action on flexible tubes }
- B67D 3/042 .. { operated by deforming a membrane-like closing element }
- B67D 3/043 .. { with a closing element having a linear movement, in a direction perpendicular to the seat }
- B67D 3/044 ... { and venting means operated automatically with the tap }
- B67D 3/045 .. { with a closing element having a linear movement, in a direction parallel to the seat }
- B67D 3/046 ... { and venting means operated automatically with the tap }
- B67D 3/047 .. { with a closing element having a rotational movement }
- B67D 3/048 ... { and venting means operated automatically with the tap }
- B67D 7/00** **Apparatus or devices for transferring liquids from bulk storage containers or reservoirs into vehicles or into portable containers, e.g. for retail sale purposes**
(general disposition of plant in stations for supplying fuel to vehicles [B60S 5/02](#); for filling or emptying locomotive water tanks, e.g. water columns, [B61K 11/00](#); for refuelling aircraft during flight [B64D 39/00](#); liquid- handling ground installations specially adapted for fuelling stationary aircraft [B64F 1/28](#))
- B67D 7/002 . { using articulated pipes }
- B67D 7/005 . { Spouts }
- B67D 7/007 . { using siphoning arrangements }
- B67D 7/02 . for transferring liquids other than fuel or lubricants
- B67D 7/0205 .. { by manually operable pumping apparatus (Hand-held apparatus with pumps for

	dispensing or spraying liquids or fluent materials B05B 11/00 }
B67D 7/0211	... { with pump locking means }
B67D 7/0216	.. { by squeezing collapsible or flexible storage containers (B67D 7/0255 takes precedence; for dispensing beverages on draught B67D 1/0001) }
B67D 7/0222	... { the dispensed quantity of liquid being replaced by air sucked through the dispensing opening }
B67D 7/0227	.. { by an ejection plunger (B67D 7/0238 takes precedence) }
B67D 7/0233	... { the plunger being gas driven }
B67D 7/0238	.. { utilising compressed air or other gas acting directly or indirectly on liquids in storage containers (for dispensing beverages on draught B67D 1/04) }
B67D 7/0244	... { by using elastic expandable bags }
B67D 7/025 { specially adapted for transferring liquids of high purity }
B67D 7/0255	... { squeezing collapsible or flexible storage containers (for dispensing beverages on draught B67D 1/0462) }
B67D 7/0261 { specially adapted for transferring liquids of high purity }
B67D 7/0266	... { by gas acting directly on the liquid }
B67D 7/0272 { specially adapted for transferring liquids of high purity }
B67D 7/0277	.. { using negative pressure }
B67D 7/0283	... { specially adapted for transferring liquids of high purity }
B67D 7/0288	.. { Container connection means (for dispensing beverages on draught B67D 1/0829) }
B67D 7/0294	... { Combined with valves }
B67D 7/04	. for transferring fuels, lubricants or mixed fuels and lubricants
B67D 7/0401	.. { arrangements for automatically fuelling vehicles, i.e. without human intervention }
B67D 2007/0403	... Fuelling robots
B67D 2007/0405 Opening devices
B67D 2007/0407 for fuel tank flaps
B67D 2007/0409 using vacuum cups
B67D 2007/0411 using grippers
B67D 2007/0413 using air blast
B67D 2007/0415 for filler caps
B67D 2007/0417 Manipulator arms
B67D 2007/0419 Fuelling nozzles
B67D 2007/0421 with locking devices
B67D 2007/0423 Fuelling hoses
B67D 2007/0425 comprising a single hose for several fuels
B67D 2007/0426 comprising several hoses for several fuels
B67D 2007/0428 having devices to avoid a mix up of different fuels
B67D 2007/043 Moveable
B67D 2007/0432 according to a planar coordinate system
B67D 2007/0434 with the ability to compensate movements of the car during filling
B67D 2007/0436 according to a spatial coordinate system
B67D 2007/0438 with the ability to compensate movements of the car during filling

B67D 2007/044	...	Customer interfaces
B67D 2007/0442	interface for orders and payments
B67D 2007/0444	...	Sensors
B67D 2007/0446	measuring physical properties of the fluid to be dispensed
B67D 2007/0448	Density
B67D 2007/0449	Viscosity
B67D 2007/0451	Temperature
B67D 2007/0453	recognising the fuel to be dispensed
B67D 2007/0455	recognising the position
B67D 2007/0457	of the car
B67D 2007/0459	by interrogating a transponder
B67D 2007/0461	by calculating from a reference position, e.g. the car's silhouette, reference marks
B67D 2007/0463	optically
B67D 2007/0465	by GPS
B67D 2007/0467	of the fuel tank flap and/or fuel tank opening
B67D 2007/0469	by interrogating a transponder
B67D 2007/0471	by calculating from a reference position, e.g. the car's silhouette, reference marks
B67D 2007/0473	optically
B67D 2007/0474	of the filling nozzle relative to the fuel tank opening, e.g. engagement between nozzle and tank opening
B67D 7/0476	..	{ Vapour recovery systems }
B67D 7/0478	...	{ constructional features or components (vapour recovery nozzles B67D 7/54) }
B67D 7/048	{ Vapour flow control means, e.g. valves, pumps }
B67D 7/0482	{ using pumps driven at different flow rates }
B67D 7/0484	{ Liquid jet pumps, e.g. venturis }
B67D 7/0486	{ Pumps driven in response to electric signals indicative of pressure, temperature or liquid flow }
B67D 7/0488	{ Means for preventing the formation of condensation on, or for removing condensation from, vapour recovery lines }
B67D 7/049	{ Vapour recovery methods, e.g. condensing the vapour }
B67D 7/0492	{ Vapour storing means, e.g. dedicated ullage spaces, separate tanks }
B67D 2007/0494	Means for condensing the vapours and reintroducing them into the storage tanks
B67D 7/0496	...	{ Performance test devices therefor }
B67D 7/0498	..	{ Arrangements specially adapted for transferring biofuels, e.g. ethanol-gasoline mixture }
B67D 7/06	.	Details or accessories
B67D 7/061	..	{ Means for transferring liquids from a chosen level of a storage container }
B67D 7/062	...	{ from the free surface level of the liquid }
B67D 7/064	..	{ Drive-off preventing means, e.g. in case of non-payment }
B67D 7/065	...	{ acting on the vehicle }
B67D 7/067	...	{ using communication means }

B67D 7/068	...	{ using imaging means, e.g. cameras }
B67D 7/08	..	Arrangements of devices for controlling, indicating, metering or registering quantity or price of liquid transferred (arrangement of flow- or pressure-control valves B67D 7/36 ; computing, calculating, counting G06 ; coin-free apparatus for dispensing fluids G07F 13/00 ; prepayment devices for metering liquids G07F 15/00)
B67D 7/085	...	{ Testing or calibrating apparatus therefore (testing or calibrating apparatus for measuring volume flow in general G01F 25/00) }
B67D 7/10	...	operated by keys, push-buttons or cash registers
B67D 7/103	{ operated by keys }
B67D 7/106	{ operated by push-buttons }
B67D 7/12	...	operated by movement of delivery hose or nozzle or by devices associated therewith
B67D 7/14	...	responsive to input of recorded programmed information, e.g. on punched cards
B67D 7/145	{ by wireless communication means, e.g. RF, transponders or the like }
B67D 7/16	...	Arrangements of liquid meters
B67D 7/163	{ of fixed measuring chamber type }
B67D 7/166	{ comprising at least two chambers }
B67D 7/18	of piston type
B67D 7/20	of rotary type
B67D 7/22	...	Arrangements of indicators or registers (indicating or recording in fluid meters G01F 15/06)
B67D 7/221	{ using electrical or electro-mechanical means (B67D 7/224 takes precedence) }
B67D 7/222	{ involving digital counting }
B67D 7/224	{ involving price indicators }
B67D 7/225	{ combined with variators }
B67D 7/227	{ using electrical or electro-mechanical means }
B67D 7/228	{ using digital counting }
B67D 7/24	with means for producing or issuing a receipt or record of sale
B67D 7/243	{ using electrical or electro-mechanical means }
B67D 7/246	{ involving digital counting }
B67D 7/26	with resetting or zeroing means
B67D 7/263	{ using electrical or electro-mechanical means }
B67D 7/266	{ involving digital counting }
B67D 7/28	...	with automatic means for reducing or intermittently interrupting flow before completion of delivery, e.g. to produce dribble feed
B67D 7/30	...	with means for predetermining quantity of liquid to be transferred (B67D 7/10 , B67D 7/14 take precedence)
B67D 7/301	{ using mechanical means (B67D 7/306 takes precedence) }
B67D 7/302	{ using electrical or electro-mechanical means (B67D 7/307 takes precedence) }
B67D 7/303	{ involving digital counting }
B67D 7/305	{ in function of money to be spent therefor }
B67D 7/306	{ using mechanical means }

B67D 7/307	{ using electrical or electro-mechanical means }
B67D 7/308	{ involving digital counting }
B67D 7/32	..	Arrangements of safety or warning devices; Means for preventing unauthorised delivery of liquid
B67D 7/3209	...	{ relating to spillage or leakage, e.g. spill containments, leak detection (leak detectors for underground fuel dispensing systems G01M 3/2892) }
B67D 7/3218	...	{ relating to emergency shut-off means }
B67D 7/3227	...	{ relating to venting of a container during loading or unloading }
B67D 7/3236	...	{ relating to electrostatic charges }
B67D 7/3245	...	{ relating to the transfer method }
B67D 7/3254	{ using a pressurised liquid acting directly or indirectly on the bulk of the liquid to be transferred }
B67D 7/3263	{ using a pressurised gas acting directly or indirectly on the bulk of the liquid to be transferred (use of compressed air or gas for transferring liquids B67D 7/0238 , B67D 7/72) }
B67D 7/3272	{ using pumps }
B67D 7/3281	...	{ Details }
B67D 2007/329	Function indicator devices
B67D 7/34	...	Means for preventing unauthorised delivery of liquid
B67D 7/342	{ by discriminating the kind of liquid by analysis or by physical properties, e.g. vapour-pressure }
B67D 7/344	{ by checking a correct coupling or coded information }
B67D 7/346	{ by reading a code }
B67D 7/348	{ by interrogating an information transmitter, e.g. a transponder (B67D 7/145 takes precedence) }
B67D 7/36	..	Arrangements of flow- or pressure-control valves (associated with nozzles B67D 7/42)
B67D 7/362	...	{ combined with over-fill preventing means (indicating or measuring liquid level G01F 23/00 ; level control G05D 9/00) }
B67D 7/365	{ using floats }
B67D 7/367	{ the float acting pneumatically on a shut-off valve }
B67D 7/38	..	Arrangements of hoses, e.g. operative connection with pump motor (hoses in general F16L 11/00)
B67D 7/40	...	Suspending, reeling or storing devices (supports for storing lengths of hoses, in general B65H 75/34)
B67D 7/403	{ the hose carrier comprising a sliding unit }
B67D 7/406	{ the hose carrier comprising a pivoting unit }
B67D 7/42	..	Filling nozzles
B67D 7/421	...	{ comprising protective covers, e.g. anti-splash attachments }
B67D 7/423	...	{ specially adapted for blending several fluids (mixing devices B67D 7/74) }
B67D 7/425	...	{ including components powered by electricity or light }
B67D 7/426	...	{ including means for displaying information, e.g. for advertising (B67D 7/425 takes precedence) }
B67D 7/428	...	{ for delivering at least two different liquids into separate containers }
B67D 7/44	...	automatically closing
B67D 7/445	{ after a predetermined time }

B67D 7/46	when liquid in container to be filled reaches a predetermined level
B67D 7/465	{ Electrical probes sensing the level of the liquid }
B67D 7/48	by making use of air suction through an opening closed by the rising liquid
B67D 7/50	and provided with an additional hand lever
B67D 7/52	and provided with additional flow-controlling valve means
B67D 7/54	...	with means for preventing escape of liquid or vapour or for recovering escaped liquid or vapour (B67D 7/44 takes precedence)
B67D 2007/545	Additional means for preventing dispensing of liquid by incorrect sealing engagement with the tank opening of the vapour recovering means, e.g. bellows, shrouds
B67D 7/56	..	Arrangements of flow-indicators, e.g. transparent compartments, windows, rotary vanes (indicating or recording presence, absence or direction of movement G01P 13/00)
B67D 7/565	...	{ for indicating end of flow, e.g. by optical or audible signals }
B67D 7/58	..	Arrangements of pumps
B67D 7/60	...	manually operable
B67D 7/62	...	power operated
B67D 7/64	of piston type
B67D 7/645	{ Barrel pumps }
B67D 7/66	of rotary type
B67D 7/68	...	submerged in storage tank or reservoir
B67D 7/70	...	of two or more pumps in series or parallel
B67D 7/72	..	Devices for applying air or other gas pressure for forcing liquid to delivery point
B67D 7/725	...	{ using negative pressure }
B67D 7/74	..	Devices for mixing two or more different liquids to be transferred (coin-freed apparatus G07F 13/06)
B67D 7/741	...	{ mechanically operated }
B67D 7/742	{ involving mechanical counters, e.g. of clock-work type }
B67D 7/743	...	{ electrically or electro-mechanically operated }
B67D 7/744	{ involving digital counting }
B67D 2007/745	...	for obtaining fuel of a given octane level
B67D 2007/746	by mixing different fuel grades or fuel and oil
B67D 2007/747	involving means responsive to the octane level, e.g. octane sensor, knock engine
B67D 2007/748	by mixing fuel with additives, e.g. anti-knocking agents
B67D 2007/749	involving means responsive to the octane level, e.g. octane sensor, knock engine
B67D 7/76	..	Arrangements of devices for purifying liquids to be transferred, e.g. of filters, of air or water separators
B67D 7/763	...	{ of air separators }
B67D 7/766	...	{ of water separators }
B67D 7/78	..	Arrangements of storage tanks, reservoirs or pipe-lines
B67D 7/80	..	Arrangements of heating or cooling devices for liquids to be transferred
B67D 7/82	...	Heating only

- B67D 7/84 .. Casings, cabinets or frameworks; Trolleys or like movable supports
- B67D 7/845 ... { Trolleys or like movable supports }
- B67D 7/86 .. Illuminating arrangements

B67D 9/00 Apparatus or devices for transferring liquids when loading or unloading ships
(ship-based equipment [B63B 27/00](#))

- B67D 9/02 . using articulated pipes

B67D 99/00 Subject matter not provided for in other groups of this subclass

Guidance heading:

B67D 2210/00 Indexing scheme relating to aspects and details of apparatus or devices for
dispensing beverages on draught or for controlling flow of liquids under gravity
from storage containers for dispensing purposes

- B67D 2210/00002 . Purifying means
- B67D 2210/00005 .. Filters
- B67D 2210/00007 ... for gas
- B67D 2210/0001 ... for liquid
- B67D 2210/00013 .. Sterilising means
- B67D 2210/00015 ... UV radiation
- B67D 2210/00018 ... Membranes
- B67D 2210/0002 ... Distillators
- B67D 2210/00023 ... Oxygenators
- B67D 2210/00026 ... Heaters
- B67D 2210/00028 . Constructional details
- B67D 2210/00031 .. Housing
- B67D 2210/00034 ... Modules
- B67D 2210/00036 for use with or in refrigerators
- B67D 2210/00039 ... Panels
- B67D 2210/00041 ... Doors
- B67D 2210/00044 ... Insulation
- B67D 2210/00047 .. Piping
- B67D 2210/00049 ... Pipes
- B67D 2210/00052 with flow tranquilisers
- B67D 2210/00055 with turbulent flow generators, e.g. vortices
- B67D 2210/00057 adapted for being easily cleaned
- B67D 2210/0006 ... Manifolds
- B67D 2210/00062 ... Pipe joints
- B67D 2210/00065 .. related to the use of drinking cups or glasses

B67D 2210/00068	...	Means for filling simultaneously a plurality of cups
B67D 2210/0007	...	For use with partially pre-filled cups
B67D 2210/00073	...	Cup cleaning devices
B67D 2210/00076	...	Cup conveyors
B67D 2210/00078	...	Cup dispensers
B67D 2210/00081	..	related to bartenders
B67D 2210/00083	...	Access code recognition means
B67D 2210/00086	...	Selector circuits
B67D 2210/00089	...	Remote control means, e.g. by electromagnetic signals
B67D 2210/00091	...	Bar management means
B67D 2210/00094	..	Ergonomics
B67D 2210/00097	...	Handling of storage containers
B67D 2210/00099	..	Temperature control
B67D 2210/00102	...	Heating only
B67D 2210/00104	...	Cooling only
B67D 2210/00107	by spraying fluids on the inner or outer surfaces of the receptacles to be filled
B67D 2210/0011	The sprayed fluid being a liquid
B67D 2210/00112	The sprayed fluid being a gas
B67D 2210/00115	The sprayed fluid being a cryogen
B67D 2210/00118	...	Heating and cooling
B67D 2210/0012	..	related to concentrate handling
B67D 2210/00123	...	Preparing a mix of concentrates
B67D 2210/00125	...	Treating or conditioning the concentrate, e.g. by heating, freezing
B67D 2210/00128	..	relating to outdoor use; movable; portable
B67D 2210/00131	...	wearable by a person, e.g. as a backpack or helmet
B67D 2210/00133	...	wheeled
B67D 2210/00136	vehicle carried
B67D 2210/00139	Trolleys
B67D 2210/00141	..	Other parts
B67D 2210/00144	...	Magnets, e.g. used in valves or for stirring
B67D 2210/00146	.	Component storage means
B67D 2210/00149	..	Fixed containers to be filled in situ
B67D 2210/00152	...	Automatically
B67D 2210/00154	Level detected by a float
B67D 2210/00157	Level detected electrically by contact with sensors
B67D 2210/0016	.	Adapted for dispensing high viscosity products
B67D 2210/00163	..	Agitators
B67D 2210/00166	..	Heated tubes