

CPC**COOPERATIVE PATENT CLASSIFICATION****H01B**

CABLES; CONDUCTORS; INSULATORS; SELECTION OF MATERIALS FOR THEIR CONDUCTIVE, INSULATING OR DIELECTRIC PROPERTIES (selection for magnetic properties [H01F 1/00](#); waveguides [H01P](#) ; installations of cables or lines [H02G](#) ; { printed circuits [H05K](#) })

NOTE

Group [H01B 12/00](#) takes precedence over groups [H01B 5/00](#) to [H01B 11/00](#).

WARNING

The following IPC groups are not used in the CPC scheme. Subject matter covered by these groups is classified in the following CPC groups:

[H01B 7/17](#) to [H01B 7/295](#) covered by [H01B 7/18](#) to [H01B 7/28D](#),
[H01B 7/34](#) to [H01B 7/34B3](#)

H01B 1/00

Conductors or conductive bodies characterised by the conductive materials; Selection of materials as conductors (resistors [H01C](#) ; selection of materials for superconductivity [H01L 39/00](#))

NOTE

Groups [H01B 1/14](#) to [H01B 1/24](#) take precedence over groups [H01B 1/02](#) to [H01B 1/12](#)

[H01B 1/02](#)

. mainly consisting of metals or alloys

[H01B 1/023](#)

.. {Alloys based on aluminium }

[H01B 1/026](#)

.. {Alloys based on copper }

[H01B 1/04](#)

. mainly consisting of carbon-silicon compounds, carbon or silicon

[H01B 1/06](#)

. mainly consisting of other non-metallic substances

[H01B 1/08](#)

.. oxides

[H01B 1/10](#)

.. sulfides

[H01B 1/12](#)

.. Organic substances { (organic macromolecular compounds or compositions [C08](#)) }

[H01B 1/121](#)

... {Charge-transfer complexes }

[H01B 1/122](#)

... {Ionic conductors }

[H01B 1/124](#)

... {Intrinsically conductive polymers }

[H01B 1/125](#)

.... {comprising aliphatic main chains, e.g. polyacetylenes }

[H01B 1/127](#)

.... {comprising five-membered aromatic rings in the main chain, e.g. polypyrroles, polythiophenes }

[H01B 1/128](#)

.... {comprising six-membered aromatic rings in the main chain, e.g. polyanilines, polyphenylenes }

[H01B 1/14](#)

. Conductive material dispersed in non-conductive inorganic material

- H01B 1/16 .. the conductive material comprising metals or alloys
- H01B 1/18 .. the conductive material comprising carbon-silicon compounds, carbon or silicon
- H01B 1/20 . Conductive material dispersed in non-conductive organic material { (organic macromolecular compounds or compositions [C08](#)) }
- H01B 1/22 .. the conductive material comprising metals or alloys
- H01B 1/24 .. the conductive material comprising carbon-silicon compounds, carbon or silicon
- H01B 3/00** **Insulators or insulating bodies characterised by the insulating materials; Selection of materials for their insulating or dielectric properties** (selection of piezo-electric or electrostrictive materials [H01L 41/00](#))
- H01B 3/002 . {Inhomogeneous material in general }
- H01B 3/004 .. {with conductive additives or conductive layers }
- H01B 3/006 .. {Other inhomogeneous material }
- H01B 3/008 . {Other insulating material }
- H01B 3/02 . mainly consisting of inorganic substances
- H01B 3/025 .. {Other inorganic material }
- H01B 3/04 .. mica
- H01B 3/06 .. asbestos
- H01B 3/065 ... {Wires with asbestos }
- H01B 3/08 .. quartz; glass; glass wool; slag wool; vitreous enamels
- H01B 3/081 ... {Wires with vitreous enamels }
- H01B 3/082 ... {Wires with glass or glass wool }
- H01B 3/084 ... {Glass or glass wool in binder }
- H01B 3/085 ... {Particles bound with glass }
- H01B 3/087 ... {Chemical composition of glass }
- H01B 3/088 ... {Shaping of glass or deposition of glass }
- H01B 3/10 .. Metallic oxides (ceramics [H01B 3/12](#))
- H01B 3/105 ... {Wires with oxides }
- H01B 3/12 .. ceramics
- H01B 3/14 .. cements
- H01B 3/16 .. gases
- H01B 3/18 . mainly consisting of organic substances { (organic macromolecular compounds or compositions [C08](#)) }
- H01B 3/185 .. {Substances or derivatives of cellulose }
- H01B 3/20 .. Liquids, e.g. oils (silicone oils [H01B 3/46](#))
- H01B 3/22 ... hydrocarbons
- H01B 3/24 ... containing halogen in the molecules, e.g. halogenated oils
- H01B 3/26 .. asphalts; bitumens; pitches
- H01B 3/28 .. natural or synthetic rubber
- H01B 3/30 .. plastics; resins; waxes

NOTE

Group [H01B 3/47](#) takes precedence over groups [H01B 3/32](#) to [H01B 3/46](#)

H01B 3/301	...	{Macromolecular compounds obtained by reactions forming a linkage containing sulfur with or without nitrogen, oxygen or carbon in the main chain of the macromolecule, not provided for in group H01B 3/302 }
H01B 3/302	...	{Polyurethanes or polythiourethanes; Polyurea or polythiourea }
H01B 3/303	...	{Macromolecular compounds obtained by reactions forming a linkage containing nitrogen with or without oxygen or carbon in the main chain of the macromolecule, not provided for in groups H01B 3/38 or H01B 3/302 }
H01B 3/305	{Polyamides or polyesteramides }
H01B 3/306	{Polyimides or polyesterimides }
H01B 3/307	...	{Other macromolecular compounds }
H01B 3/308	...	{Wires with resins }
H01B 3/32	...	natural resins
H01B 3/34	...	Waxes (silicone waxes H01B 3/46)
H01B 3/36	...	condensation products of phenols with aldehydes or ketones
H01B 3/38	...	condensation products of aldehydes with amines or amides
H01B 3/40	...	epoxy resins
H01B 3/42	...	polyesters; polyethers; polyacetals
H01B 3/421	{Polyesters }
H01B 3/422	{Linear saturated polyesters derived from dicarboxylic acids and dihydroxy compounds }
H01B 3/423	{Linear aromatic polyesters }
H01B 3/425	{Non-saturated polyesters derived from polycarboxylic acids and polyhydroxy compounds, in which at least one of the two components contains aliphatic unsaturation }
H01B 3/426	{Polycarbonates }
H01B 3/427	{Polyethers }
H01B 3/428	{Polyacetals }
H01B 3/44	...	Vinyl resins; Acrylic resins (silicones H01B 3/46)
H01B 3/441	{from alkenes }
H01B 3/442	{from aromatic vinyl compounds }
H01B 3/443	{from vinylhalogenides or other halogenoethylenic compounds }
H01B 3/445	{from vinylfluorides or other fluoroethylenic compounds }
H01B 3/446	{from vinylacetals }
H01B 3/447	{from acrylic compounds }
H01B 3/448	{from other vinyl compounds }
H01B 3/46	...	silicones
H01B 3/465	{Silicone oils }
H01B 3/47	...	fibre-reinforced plastics, e.g. glass-reinforced plastics
H01B 3/48	..	fibrous materials (fibre-reinforced plastics H01B 3/47)
H01B 3/485	...	{Other fibrous materials fabric }

- H01B 3/50 . . . fabric
- H01B 3/52 . . . wood; paper; press board
- H01B 3/54 . . . hard paper; hard fabrics
- H01B 3/545 {Hard fabrics }
- H01B 3/56 . . gases

H01B 5/00 Non-insulated conductors or conductive bodies characterised by their form

- H01B 5/002 . {Auxiliary arrangements }
- H01B 5/004 . . {for protection against corona }
- H01B 5/006 . . {for protection against vibrations }
- H01B 5/008 . {Fence-wire not otherwise provided for (wire fencing [E04H 17/02](#)) }
- H01B 5/02 . Single bars, rods, wires, or strips
- H01B 5/04 . . wound or coiled
- H01B 5/06 . Single tubes
- H01B 5/08 . Several wires or the like stranded in the form of a rope
- H01B 5/10 . . stranded around a space, insulating material, or dissimilar conducting material
- H01B 5/101 . . . {stranded around a space }
- H01B 5/102 . . . {stranded around a high tensile strength core }
- H01B 5/104 {composed of metallic wires, e.g. steel wires }
- H01B 5/105 {composed of synthetic filaments, e.g. glass-fibres }
- H01B 5/107 . . . {stranded around a core supporting radial stresses, e.g. a tube, a wire helix }
- H01B 5/108 . . . {stranded around communication or control conductors }
- H01B 5/12 . Braided wires or the like
- H01B 5/14 . comprising conductive layers or films on insulating-supports (insulating-layers or insulating-films on metal bodies [H01B 17/62](#))
- H01B 5/16 . Comprising conductive material in insulating or poorly conductive material, e.g. conductive rubber ([H01B 1/14](#), [H01B 1/20](#) take precedence; insulating bodies with conductive admixtures [H01B 17/64](#); conductive paints [C09D 5/24](#))

H01B 7/00 Insulated conductors or cables characterised by their form

- H01B 7/0009 . {Details relating to the conductive cores }
- H01B 7/0018 . . {Strip or foil conductors ([H01B 7/08](#) takes precedence) }
- H01B 7/0027 . . {Liquid conductors }
- H01B 7/0036 . . {Alkali metal conductors }
- H01B 7/0045 . {Cable-harnesses }
- H01B 7/0054 . {Cables with incorporated electric resistances }

- H01B 7/0063 . {Ignition cables }
- H01B 7/0072 . {Electrical cables comprising fluid supply conductors }
- H01B 7/0081 . {Cables of rigid construction (rigid-tube cables [H01B 7/16](#)) }
- H01B 7/009 . {Cables with built-in connecting points or with predetermined areas for making deviations }
- H01B 7/02 . Disposition of insulation (materials [H01B 3/00](#); insulators [H01B 17/00](#))
- H01B 7/0208 . . {Cables with several layers of insulating material }
- H01B 7/0216 . . . {Two layers }
- H01B 7/0225 . . . {Three or more layers }
- H01B 7/0233 . . {Cables with a predominant gas dielectric }
- H01B 7/0241 . . {comprising one or more helical wrapped layers of insulation }
- H01B 7/025 . . . {comprising in addition one or more other layers of non-helical wrapped insulation }
- H01B 7/0258 . . {comprising one or more longitudinal lapped layers of insulation }
- H01B 7/0266 . . {comprising one or more braided layers of insulation }
- H01B 7/0275 . . {comprising one or more extruded layers of insulation }
- H01B 7/0283 . . . {comprising in addition one or more other layers of non-extruded insulation }
- H01B 7/0291 . . {comprising two or more layers of insulation having different electrical properties }
- H01B 7/04 . Flexible cables, conductors, or cords, e.g. trailing cables
- H01B 7/041 . . {attached to mobile objects, e.g. portable tools, elevators, mining equipment, hoisting cables }
- H01B 7/043 . . {attached to flying objects, e.g. aircraft towline, cables connecting an aerodyne to the ground }
- H01B 7/045 . . {attached to marine objects, e.g. buoys, diving equipment, aquatic probes, marine towline }
- H01B 7/046 . . {attached to objects sunk in bore holes, e.g. well drilling means, well pumps }
- H01B 7/048 . . {for implantation into a human or animal body, e.g. pacemaker leads }
- H01B 7/06 . Extensible conductors or cables, e.g. self-coiling cords ([arrangements for storing and repeatedly paying-out and re-storing lengths of conductors or cables \[B65H 75/34\]\(#\)](#))
- H01B 7/065 . . {having the shape of an helix }
- H01B 7/08 . Flat or ribbon cables
- H01B 7/0807 . . {Twin conductor or cable }
- H01B 7/0815 . . {covered with gluten for wall-fixing }
- H01B 7/0823 . . {Parallel wires, incorporated in a flat insulating profile }
- H01B 7/083 . . {Parallel wires, incorporated in a fabric }
- H01B 7/0838 . . {Parallel wires, sandwiched between two insulating layers }
- H01B 7/0846 . . {Parallel wires, fixed upon a support layer }
- H01B 7/0853 . . {Juxtaposed parallel wires, fixed to each other without a support layer }
- H01B 7/0861 . . {comprising one or more screens }

- H01B 7/0869 .. {comprising one or more armouring, tensile- or compression-resistant elements }
- H01B 7/0876 .. {comprising twisted pairs }
- H01B 7/0884 .. {comprising connection wire loops }
- H01B 7/0892 .. {incorporated in a cable of non-flat configuration }

- H01B 7/10 . Contact cables, i.e. having conductors which may be brought into contact by distortion of the cable
- H01B 7/102 .. {responsive to heat }
- H01B 7/104 .. {responsive to pressure }
- H01B 7/106 ... {comprising concentric conductors }
- H01B 7/108 ... {comprising parallel conductors }

- H01B 7/12 . Floating cables (installations of cables supported on or from floats [H02G 9/12](#))

- H01B 7/14 . Submarine cables
- H01B 7/145 .. {associated with hydrodynamic bodies }

- H01B 7/16 . Rigid-tube cables (heating elements of similar construction [H05B](#))

- H01B 7/17 . Protection against damage caused by external factors, e.g. sheaths or armouring (power cables with screens [H01B 9/02](#); communication cables with screens [H01B 11/06](#); {continuously-loaded cables [H01B 11/14](#); } installation of conduits [H02G](#))
- H01B 7/18 .. {Protection against damage caused } by wear, mechanical force or pressure; {Sheaths; Armouring }
- H01B 7/1805 ... {Protections not provided for in groups [H01B 7/182](#) to [H01B 7/26](#) }
- H01B 7/181 {composed of beads or rings }
- H01B 7/1815 {composed of longitudinal inserts }
- H01B 7/182 ... {comprising synthetic filaments }
- H01B 7/1825 {forming part of a high tensile strength core }
- H01B 7/183 {forming part of an outer sheath }
- H01B 7/1835 ... {Sheaths comprising abrasive charges }
- H01B 7/184 ... {Sheaths comprising grooves, ribs or other projections }
- H01B 7/1845 ... {Sheaths comprising perforations }
- H01B 7/185 ... {Sheaths comprising internal cavities or channels }
- H01B 7/1855 ... {Sheaths comprising helical wrapped non-metallic layers }
- H01B 7/186 ... {Sheaths comprising longitudinal lapped non-metallic layers }
- H01B 7/1865 ... {Sheaths comprising braided non-metallic layers }
- H01B 7/187 ... {Sheaths comprising extruded non-metallic layers }
- H01B 7/1875 ... {Multi-layer sheaths }
- H01B 7/188 {Inter-layer adherence promoting means }
- H01B 7/1885 {Inter-layer adherence preventing means }
- H01B 7/189 ... {Radial force absorbing layers providing a cushioning effect ([H01B 7/185](#) takes precedence) }
- H01B 7/1895 ... {Internal space filling-up means }
- H01B 7/20 ... Metal tubes, e.g. lead sheaths

H01B 7/201	{Extruded metal tubes }
H01B 7/202	{Longitudinal lapped metal tubes }
H01B 7/204	{composed of lead }
H01B 7/205	{composed of aluminium }
H01B 7/207	{composed of iron or steel }
H01B 7/208	{composed of composite laminated metals }
H01B 7/22	...	Metal wires or tapes, e.g. made of steel
H01B 7/221	{Longitudinally placed metal wires or tapes }
H01B 7/223	{forming part of a high tensile strength core }
H01B 7/225	{forming part of an outer sheath }
H01B 7/226	{Helicoidally wound metal wires or tapes }
H01B 7/228	{Metal braid }
H01B 7/24	...	Devices affording localised protection against mechanical force or pressure
H01B 7/26	...	Reduction of losses in sheaths or armouring
H01B 7/28	..	{Protection against damage caused } by moisture, corrosion, chemical attack or weather { (sheaths, amouring H01B 7/18) }
H01B 7/2806	...	{Protection against damage caused by corrosion }
H01B 7/2813	...	{Protection against damage caused by electrical, chemical or water tree deterioration }
H01B 7/282	...	Preventing penetration of fluid {, e.g. water or humidity, } into conductor or cable (insulators or insulating bodies with surfaces specially treated for preserving insulating properties, e.g. for protection against moisture, dirt, or the like, H01B 17/50)
H01B 7/2825	{using a water impermeable sheath }
H01B 7/285	by completely or partially filling interstices in the cable
H01B 7/2855	{using foamed plastic }
H01B 7/288	using hygroscopic material or material swelling in the presence of liquid
H01B 7/29	..	Protection against damage caused by extremes of temperature or by flame { (heat dissipation or conduction H01B 7/42) }
H01B 7/292	...	{using material resistant to heat }
H01B 7/295	...	using material resistant to flame
H01B 7/30	.	with arrangements for reducing conductor losses when carrying alternating current, e.g. due to skin effect
H01B 7/303	..	{Conductors comprising interwire insulation }
H01B 7/306	..	{Transposed conductors }
H01B 7/32	.	with arrangements for indicating defects, e.g. breaks, leaks, (locating defects by measuring G01)
H01B 7/322	..	{comprising humidity sensing means }
H01B 7/324	..	{comprising temperature sensing means }
H01B 7/326	..	{comprising pressure sensing means }
H01B 7/328	..	{comprising violation sensing means }
H01B 7/36	.	with distinguishing or length marks
H01B 7/361	..	{being the colour of the insulation or conductor }

- H01B 7/363 . . {being the form of the insulation or conductor }
- H01B 7/365 . . {being indicia imposed on the insulation or conductor }
- H01B 7/366 . . {being a tape, thread or wire extending the full length of the conductor or cable }
- H01B 7/368 . . {being a sleeve, ferrule, tag, clip, label or short length strip }

- H01B 7/38 . . with arrangements for facilitating removal of insulation
- H01B 7/385 . . {comprising a rip cord or wire }

- H01B 7/40 . . with arrangements for facilitating mounting or securing

- H01B 7/42 . . with arrangements for heat dissipation or conduction (insulators or insulating bodies having heating or cooling devices [H01B 17/54](#))
- H01B 7/421 . . {for heat dissipation }
- H01B 7/423 . . . {using a cooling fluid }
- H01B 7/425 {the construction being bendable }
- H01B 7/426 . . . {using cooling fins, ribs }
- H01B 7/428 . . {Heat conduction }

- H01B 9/00** **Power cables**

- H01B 9/001 . . {Power supply cables for the electrodes of electric-welding apparatus or electric-arc furnaces }

- H01B 9/003 . . {including electrical control or communication wires }

- H01B 9/005 . . {including optical transmission elements }

- H01B 9/006 . . {Constructional features relating to the conductors }

- H01B 9/008 . . {for overhead application }

- H01B 9/02 . . with screens or conductive layers, e.g. for avoiding large potential gradients
- H01B 9/021 . . {Features relating to screening tape per se }
- H01B 9/022 . . {composed of longitudinal lapped tape-conductors }
- H01B 9/023 . . {composed of helicoidally wound tape-conductors }
- H01B 9/024 . . {composed of braided metal wire }
- H01B 9/025 . . {composed of helicoidally wound wire-conductors }
- H01B 9/026 . . {composed of longitudinally posed wire-conductors }
- H01B 9/027 . . {composed of semi-conducting layers }
- H01B 9/028 . . {with screen grounding means, e.g. drain wires }
- H01B 9/029 . . {Screen interconnecting circuits }

- H01B 9/04 . . Concentric cables

- H01B 9/06 . . Gas-pressure cables; Oil-pressure cables; Cables for use in conduits under fluid pressure
- H01B 9/0605 . . {Gas-pressure cables with enclosed conduits }

- H01B 9/0611 .. {Oil-pressure cables }
- H01B 9/0616 .. {Oil-pressure cables with enclosed conduits }
- H01B 9/0622 .. {Cables for use in conduits under gas-pressure }
- H01B 9/0627 .. {Cables for use in conduits under oil-pressure }
- H01B 9/0633 .. {Expansion-absorbing apparatus, enclosed within the cable }
- H01B 9/0638 .. {Features relating to the conductors of gas-pressure cables }
- H01B 9/0644 .. {Features relating to the dielectric of gas-pressure cables }
- H01B 9/065 ... {Tubular insulation }
- H01B 9/0655 ... {Helically wrapped insulation }
- H01B 9/0661 ... {Longitudinally wrapped insulation }
- H01B 9/0666 ... {Discontinuous insulation }
- H01B 9/0672 {having the shape of a disc }
- H01B 9/0677 .. {Features relating to the enclosing sheath of gas-pressure cables }
- H01B 9/0683 .. {Features relating to the conductors of oil-pressure cables }
- H01B 9/0688 .. {Features relating to the dielectric of oil-pressure cables }
- H01B 9/0694 .. {Features relating to the enclosing sheath of oil-pressure cables }

H01B 11/00 **Communication cables or conductors** ([waveguides H01P](#))

- H01B 11/002 . {Pair constructions }
- H01B 11/005 . {Quad constructions }
- H01B 11/007 . {for overhead application }
- H01B 11/02 . Cables with twisted pairs or quads ([transposing, crossing or twisting at joints H04B](#) ; [balancing of earth capacitance H04B](#))
- H01B 11/04 .. with pairs or quads mutually positioned to reduce cross-talk ([balancing by making use of additional capacitors or coils H04B](#))
- H01B 11/06 .. with means for reducing effects of electromagnetic or electrostatic disturbances, e.g. screen ([screening in general H05K 9/00](#))
- H01B 11/08 ... Screens specially adapted for reducing cross-talk
- H01B 11/085 {composed of longitudinal tape conductors }
- H01B 11/10 ... Screens specially adapted for reducing interference from external sources
- H01B 11/1008 {Features relating to screening tape per se }
- H01B 11/1016 {composed of a longitudinal lapped tape-conductor }
- H01B 11/1025 {composed of a helicoidally wound tape-conductor }
- H01B 11/1033 {composed of a wire-braided conductor }
- H01B 11/1041 {composed of a helicoidally wound wire-conductor }
- H01B 11/105 {composed of a longitudinally posed wire-conductor }
- H01B 11/1058 {using a coating, e.g. a loaded polymer, ink or print }
- H01B 11/1066 {the coating containing conductive or semiconductive material }
- H01B 11/1075 {the coating being applied by printing }
- H01B 11/1083 {the coating containing magnetic material }

- H01B 11/1091 {with screen grounding means, e.g. drain wires }
- H01B 11/12 . . Arrangements for exhibiting specific transmission characteristics (loading coils per se [H01F 17/08](#); coil-loaded circuits [H04B](#))
- H01B 11/125 . . . {Specially adapted cable interconnections }
- H01B 11/14 . . . Continuously inductively loaded cables, e.g. Krarup cables
- H01B 11/143 {using helically wound magnetic tape }
- H01B 11/146 {using magnetically loaded coatings }
- H01B 11/16 . . . Cables, e.g. submarine cables, with coils or other devices incorporated during cable manufacture (junction boxes for cables [H02G 15/10](#))

- H01B 11/18 . Co-axial cables; Analogous cables having more than one inner conductor within a common outer conductor

NOTE

If suitable for handling frequencies considerably beyond the audio range and if typical HF-features of coaxial cables are disclosed, e.g. propagation of non-TEM modes, multimoding, oversized coaxial cables, particular cross-section adapted for HF-propagation, classification is made in [H01P 3/06](#)

- H01B 11/1804 . . {Construction of the space inside the hollow inner conductor }
- H01B 11/1808 . . {Construction of the conductors }
- H01B 11/1813 . . . {Co-axial cables with at least one braided conductor }
- H01B 11/1817 . . . {Co-axial cables with at least one metal deposit conductor }
- H01B 11/1821 . . . {Co-axial cables with at least one wire-wound conductor }
- H01B 11/1826 . . . {Co-axial cables with at least one longitudinal lapped tape-conductor }
- H01B 11/183 . . . {Co-axial cables with at least one helicoidally wound tape-conductor }
- H01B 11/1834 . . {Construction of the insulation between the conductors }
- H01B 11/1839 . . . {of cellular structure }
- H01B 11/1843 . . . {of tubular structure }
- H01B 11/1847 . . . {of helical wrapped structure }
- H01B 11/1852 . . . {of longitudinal lapped structure }
- H01B 11/1856 . . . {Discontinuous insulation }
- H01B 11/186 {having the shape of a disc }
- H01B 11/1865 {having the shape of a bead }
- H01B 11/1869 . . {Construction of the layers on the outer side of the outer conductor }
- H01B 11/1873 . . {Measures for the conductors, in order to fix the spacers }
- H01B 11/1878 . . {Special measures in order to improve the flexibility }
- H01B 11/1882 . . {Special measures in order to improve the refrigeration }
- H01B 11/1886 . . {Special measures in order to improve the centration of the inner conductor }
- H01B 11/1891 . . {comprising auxiliary conductors }
- H01B 11/1895 . . {Particular features or applications }
- H01B 11/20 . . Cables having a multiplicity of co-axial lines
- H01B 11/203 . . . {forming a flat arrangement }
- H01B 11/206 . . . {Tri-conductor coaxial cables }
- H01B 11/22 . Cables including at least one electrical conductor together with optical fibres

H01B 12/00 **Superconductive or hyperconductive conductors, cables, or transmission lines**
 (details or devices using superconductivity or hyperconductivity characterised by the material [H01L 39/12](#))

H01B 12/02 . characterised by their form

NOTE

Group [H01B 12/12](#) takes precedence over groups [H01B 12/04](#) to [H01B 12/10](#).

H01B 12/04 . . Single wire

H01B 12/06 . . Films or wires on bases or cores

H01B 12/08 . . Stranded or braided wires

H01B 12/10 . . Multi-filaments embedded in normal conductors

H01B 12/12 . . Hollow conductors

H01B 12/14 . characterised by the disposition of thermal insulation

H01B 12/16 . characterised by cooling

H01B 13/00 **Apparatus or processes specially adapted for manufacturing conductors or cables**

H01B 13/0003 . {for feeding conductors or cables }

H01B 13/0006 . {for reducing the size of conductors or cables }

H01B 13/0009 . {for forming corrugations on conductors or cables }

H01B 13/0013 . {for embedding wires in plastic layers }

H01B 13/0016 . {for heat treatment }

H01B 13/002 . . {for heat extraction }

H01B 13/0023 . {for welding together plastic insulated wires side-by-side }

H01B 13/0026 . {Apparatus for manufacturing conducting or semi-conducting layers, e.g. deposition of metal }

H01B 13/003 . {using irradiation }

H01B 13/0033 . {by electrostatic coating }

H01B 13/0036 . {Details }

H01B 13/004 . for manufacturing rigid-tube cables

H01B 13/008 . for manufacturing extensible conductors or cables

H01B 13/012 . for manufacturing wire harnesses

- H01B 13/01209 . . {Details }
- H01B 13/01218 . . {the wires being disposed by hand }
- H01B 13/01227 . . . {using a layout board }
- H01B 13/01236 . . {the wires being disposed by machine }
- H01B 13/01245 . . . {using a layout board }
- H01B 13/01254 . . {Flat-harness manufacturing }
- H01B 13/01263 . . {Tying, wrapping, binding, lacing, strapping or sheathing harnesses }
- H01B 13/01272 . . . {Harness tying apparatus }
- H01B 13/01281 . . . {Harness wrapping apparatus }
- H01B 13/0129 . . . {Sheathing harnesses with foil material }

- H01B 13/016 . for manufacturing co-axial cables ([applying discontinuous insulation H01B 13/20](#))
- H01B 13/0162 . . {of the central conductor }
- H01B 13/0165 . . {of the layers outside the outer conductor }
- H01B 13/0167 . . {After-treatment }

- H01B 13/02 . Stranding-up ([stranding-up ropes D07B](#))
- H01B 13/0207 . . {Details; Auxiliary devices }
- H01B 13/0214 . . {by a twisting pay-off device }
- H01B 13/0221 . . {by a twisting take-up device }
- H01B 13/0228 . . {by a twisting pay-off and take-up device }
- H01B 13/0235 . . {by a twisting device situated between a pay-off device and a take-up device }
- H01B 13/0242 . . . {being an accumulator }
- H01B 13/025 {of tubular construction }
- H01B 13/0257 . . . {being a perforated disc }
- H01B 13/0264 . . . {being rollers, pulleys, drums or belts ([H01B 13/0242 takes precedence](#)) }
- H01B 13/0271 . . {Alternate stranding processes }
- H01B 13/0278 . . {Stranding machines comprising a transposing mechanism }
- H01B 13/0285 . . {Pretreatment }
- H01B 13/0292 . . {After-treatment }
- H01B 13/04 . . Mutually positioning pairs or quads to reduce cross-talk

- H01B 13/06 . Insulating conductors or cables ([H01B 13/32 takes precedence](#))
- H01B 13/062 . . {by pulling on an insulating sleeve }
- H01B 13/065 . . {Insulating conductors with lacquers or enamels }
- H01B 13/067 . . {Insulating coaxial cables ([H01B 13/20 takes precedence](#)) }
- H01B 13/08 . . by winding
- H01B 13/0808 . . . {Hand-held devices }
- H01B 13/0816 . . . {Apparatus having a coaxial rotation of the supply reels about the conductor or cable }
- H01B 13/0825 . . . {Apparatus having a planetary rotation of the supply reels around the conductor or cable }
- H01B 13/0833 {the supply reel axis being arranged parallel to the conductor or cable axis }
- H01B 13/0841 {the supply reel axis being arranged perpendicular to the conductor or cable }

- axis }
- H01B 13/085 . . . {Apparatus having the supply reels in a fixed position, the conductor or cable rotating about its own axis }
- H01B 13/0858 . . . {Details of winding apparatus; Auxiliary devices }
- H01B 13/0866 {Brakes or tension regulating means }
- H01B 13/0875 {Detecting breakage or run-out of winding material }
- H01B 13/0883 . . . {Pretreatment }
- H01B 13/0891 . . . {After-treatment }
- H01B 13/10 . . by longitudinal lapping
- H01B 13/103 . . . {combined with pressing of plastic material around the conductors }
- H01B 13/106 . . . {the conductor having a rectangular cross-section }
- H01B 13/12 . . by applying loose fibres
- H01B 13/14 . . by extrusion { (extrusion in general [B29C 47/00](#)) }
- H01B 13/141 . . . {of two or more insulating layers }
- H01B 13/142 . . . {of cellular material }
- H01B 13/143 . . . {with a special opening of the extrusion head }
- H01B 13/144 {Heads for simultaneous extrusion on two or more conductors }
- H01B 13/145 . . . {Pretreatment or after-treatment }
- H01B 13/146 . . . {Controlling the extrusion apparatus dependent on the capacitance or the thickness of the insulating material (measuring thickness [G01B](#) ; testing during manufacturing [G01R 31/022](#)) }
- H01B 13/147 . . . {Feeding of the insulating material }
- H01B 13/148 . . . {Selection of the insulating material therefor }
- H01B 13/16 . . by passing through or dipping in a liquid bath; by spraying
- H01B 13/165 . . . {by spraying }
- H01B 13/18 . . Applying discontinuous insulation, e.g. discs, beads
- H01B 13/185 . . . {by periodically constricting an insulating sleeve }
- H01B 13/20 . . . for concentric or coaxial cables
- H01B 13/202 {by molding spacers }
- H01B 13/204 {by punching spacers }
- H01B 13/206 {by forming a helical web }
- H01B 13/208 {by mechanically removing parts of a continuous insulation }
- H01B 13/22 . . Sheathing; Armouring; Screening; Applying other protective layers ([H01B 13/32](#) takes precedence)
- H01B 13/221 . . {filling-up interstices }
- H01B 13/222 . . {by electro-plating }
- H01B 13/224 . . {by drawing a cable core into an oversized tube by means of a tow line }
- H01B 13/225 . . {Screening coaxial cables }
- H01B 13/227 . . {Pretreatment }
- H01B 13/228 . . {After-treatment }
- H01B 13/24 . . by extrusion { (extrusion of cables with plastic material in general [B29C 47/02](#)) }
- H01B 13/245 . . . {of metal layers }
- H01B 13/26 . . by winding, braiding, or longitudinal lapping ([winding in general B65H](#))

- H01B 13/2606 . . . {by braiding }
- H01B 13/2613 . . . {by longitudinal lapping }
- H01B 13/262 {of an outer metallic screen }
- H01B 13/2626 {of a coaxial cable outer conductor }
- H01B 13/2633 {Bending and welding of a metallic screen }
- H01B 13/264 {Details of the welding stage }
- H01B 13/2646 {Bending and soldering of a metallic screen }
- H01B 13/2653 {Details of the soldering stage }
- H01B 13/266 {Bending and adhesively bonding of a metallic screen }
- H01B 13/2666 {Details of the bonding stage }
- H01B 13/2673 {of a compartment separating metallic screen }
- H01B 13/268 {of a non-metallic sheet }
- H01B 13/2686 {Pretreatment }
- H01B 13/2693 {After-treatment }

- H01B 13/28 . . Applying continuous inductive loading, e.g. Krarup loading
- H01B 13/282 . . {by winding }
- H01B 13/285 . . {by extrusion }
- H01B 13/287 . . {by passing through a coating bath }

- H01B 13/30 . . Drying; (in general [F26B](#)) ; Impregnating ([H01B 13/32](#) takes precedence; {impregnating of fibres [D06B 3/00](#), [D06B 5/00](#); [H01G 4/00](#), [H01G 4/06](#); drying and impregnating of wood or the like [B27K](#) ; impregnation of stones, basic materials therefor [C04B 20/10](#) to [C04B 20/12](#), [C04B 41/45](#) to [C04B 41/52](#) })

- H01B 13/32 . . Filling or coating with impervious material (for cable installations [H02G 15/00](#))
- H01B 13/321 . . {the material being a powder }
- H01B 13/322 . . {the material being a liquid, jelly-like or viscous substance }
- H01B 13/323 . . . {using a filling or coating head }
- H01B 13/324 {in combination with a vacuum chamber }
- H01B 13/325 {in combination with vibration generating means }
- H01B 13/326 {Material preparing or feeding devices }
- H01B 13/327 . . . {using a filling or coating cone or die }
- H01B 13/328 . . . {using a filling or coating bath }
- H01B 13/329 . . {the material being a foam }

- H01B 13/34 . . for marking conductors or cables
- H01B 13/341 . . {using marking wheels, discs, rollers, drums, balls or belts }
- H01B 13/342 . . {by applying marked tape, thread or wire on the full length of the conductor or cable }
- H01B 13/344 . . {by applying sleeves, ferrules, tags, clips, labels or short length strips }
- H01B 13/345 . . {by spraying, ejecting or dispensing marking fluid }
- H01B 13/347 . . . {Electrostatic deflection of the fluid jets }
- H01B 13/348 . . {using radiant energy, e.g. a laser beam }

H01B 15/00 Apparatus or processes for salvaging material from cables (for removing insulation

from conductors [H02G 1/12](#))

- H01B 15/001 . {by cooling down }
- H01B 15/003 . {by heating up }
- H01B 15/005 . {by cutting }
- H01B 15/006 .. {Making a longitudinal cut }
- H01B 15/008 . {by crushing }

H01B 17/00 **Insulators or insulating bodies characterised by their form** (section insulators for electric traction [B60M 1/18](#); insulating rail-joints [E01B 11/54](#))

- H01B 17/005 . {Insulators structurally associated with built-in electrical equipment }
- H01B 17/02 . Suspension insulators; Strain insulators
- H01B 17/04 .. Chains; Multiple chains
- H01B 17/06 .. Fastening of insulator to support, to conductor, or to adjoining insulator
- H01B 17/08 ... by cap-and-bolt
- H01B 17/10 ... by intermediate link
- H01B 17/12 .. Special features of strain insulators (devices for relieving mechanical tension of electric lines or cables [H02G 7/04](#))
- H01B 17/14 . Supporting insulators (pin insulators [H01B 17/20](#); apertured insulators [H01B 17/24](#))
- H01B 17/145 .. {Insulators, poles, handles, or the like in electric fences }
- H01B 17/16 .. Fastening of insulators to support, to conductor, or to adjoining insulator
- H01B 17/18 .. for very heavy conductors, e.g. bus-bars, rails
- H01B 17/20 . Pin insulators
- H01B 17/22 .. Fastening of conductors to insulator
- H01B 17/24 . Insulators apertured for fixing by nail, screw, wire, or bar, e.g. diablo, bobbin
- H01B 17/26 . Lead-in insulators; Lead-through insulators
- H01B 17/265 .. {Fastening of insulators to support ([H01B 17/301](#) takes precedence) }
- H01B 17/28 .. Capacitor type (capacitors [H01G](#))
- H01B 17/30 .. Sealing (packings in general [F16J](#))
- H01B 17/301 ... {Sealing of insulators to support }
- H01B 17/303 ... {Sealing of leads to lead-through insulators }
- H01B 17/305 {by embedding in glass or ceramic material }
- H01B 17/306 {by embedding in material other than glass or ceramics }
- H01B 17/308 {by compressing packing material }
- H01B 17/32 . Single insulators consisting of two or more dissimilar insulating bodies

- H01B 17/325 . . {comprising a fibre-reinforced insulating core member }
- H01B 17/34 . Insulators containing liquid, e.g. oil
- H01B 17/36 . Insulators having evacuated or gas-filled spaces
- H01B 17/38 . Fittings, e.g. caps; Fastenings therefor
- H01B 17/40 . . Cementless fittings
- H01B 17/42 . Means for obtaining improved distribution of voltage (capacitor-type lead-through insulators [H01B 17/28](#)) ; Protection against arc discharges
- H01B 17/44 . . Structural association of insulators with corona rings (corona rings [H01T 19/02](#))
- H01B 17/46 . . Means for providing an external arc-discharge path (spark-gap arresters [H01T](#))
- H01B 17/48 . . over chains or other serially-arranged insulators
- H01B 17/50 . with surfaces specially treated for preserving insulating properties, e.g. for protection against moisture, dirt, or the like
- H01B 17/52 . having cleaning devices ([H01B 17/54](#) takes precedence)
- H01B 17/525 . . {Self-cleaning, e.g. by shape or disposition of screens }
- H01B 17/54 . having heating or cooling devices
- H01B 17/56 . Insulating bodies (insulators [H01B 17/02](#) to [H01B 17/54](#))
- H01B 17/58 . . Tubes, sleeves, beads, or bobbins through which the conductor passes (protective tubings for the installation of lines or cables in buildings [H02G 3/04](#))
- H01B 17/583 . . . {Grommets; Bushings }
- H01B 17/586 . . . {with strain relief arrangements }
- H01B 17/60 . . Composite insulating bodies (cables or conductors [H01B 7/00](#), [H01B 9/00](#); resistors [H01C](#) ; capacitors [H01G](#))
- H01B 17/62 . . Insulating-layers or insulating films on metal bodies (conductive layers or films on insulating-bodies [H01B 5/14](#))
- H01B 17/64 . . with conductive admixtures, inserts, or layers (conductive bodies comprising conductive material dispersed in insulating material [H01B 5/16](#))
- H01B 17/66 . . Joining insulating bodies together, e.g. by bonding
- H01B 19/00** **Apparatus or processes specially adapted for manufacturing insulators or insulating bodies { (manufacture of porcelain for electric insulation [C04B 33/26](#)) }**
- H01B 19/02 . Drying (in general [F26B](#)) ; Impregnating
- H01B 19/04 . Treating the surfaces, e.g. applying coatings