

CPC**COOPERATIVE PATENT CLASSIFICATION****H02N****ELECTRIC MACHINES NOT OTHERWISE PROVIDED FOR****NOTE**

This subclass covers:

- electrostatic generators, motors, clutches, or holding devices;
- other non-dynamo-electric generators or motors;
- holding or levitation devices using magnetic attraction or repulsion;
- arrangements for starting, regulating, braking, or otherwise controlling such machines unless in conjoint operation with a second machine.

Specific provision for generators, motors, or other means for converting between electric and other forms of energy also exists in other subclasses, e.g. in subclasses [H01L](#) , [H01M](#) , [H02K](#) , [H04R](#) .

Guidance heading:**H02N 1/00**

Electrostatic generators or motors using a solid moving electrostatic charge carrier

H02N 1/002

- . {Electrostatic motors }

H02N 1/004

- .. {in which a body is moved along a path due to interaction with an electric field travelling along the path }

H02N 1/006

- .. {of the gap-closing type ([H02N 1/004](#) takes precedence) }

H02N 1/008

- ... {Laterally driven motors, e.g. of the comb-drive type }

H02N 1/04

- . Friction generators

H02N 1/06

- . Influence generators

H02N 1/08

- .. with conductive charge carrier, i.e. capacitor machines

H02N 1/10

- .. with non-conductive charge carrier

H02N 1/12

- ... in the form of a conveyer belt, e.g. van de Graaff machine

H02N 2/00

Electric machines in general using piezo-electric effect, electrostriction or magnetostriction (generating mechanical vibrations in general [B06B](#) ; piezo-electric, electrostrictive or magnetostrictive devices in general [H01L 41/00](#))

WARNING

This group is not complete pending reorganisation; see provisionally also [H01L 41/00](#)

H02N 2/0005

- . { producing non-specific motion; Details common to machines covered by [H02N 2/02](#) to [H02N 2/16](#) }

H02N 2/001	..	{ Driving devices, e.g. vibrators }
H02N 2/0015	...	{ using only bending modes }
H02N 2/002	...	{ using only longitudinal or radial modes }
H02N 2/0025	{ using combined longitudinal modes }
H02N 2/003	...	{ using longitudinal or radial modes combined with bending modes }
H02N 2/0035	{ Cylindrical vibrators }
H02N 2/004	{ Rectangular vibrators }
H02N 2/0045	...	{ using longitudinal or radial modes combined with torsion or shear modes }
H02N 2/005	..	{ Mechanical details, e.g. housings (casings for dynamo-electric machines H02K 5/00) }
H02N 2/0055	...	{ Supports for driving or driven bodies; Means for pressing driving body against driven body }
H02N 2/006	{ Elastic elements, e.g. springs (in general F16F 1/00) }
H02N 2/0065	...	{ Friction interface (friction linings F16D 69/00) }
H02N 2/007	{ Materials }
H02N 2/0075	..	{ Electrical details, e.g. drive or control circuits or methods }
H02N 2/008	...	{ Means for controlling vibration frequency or phase, e.g. for resonance tracking }
H02N 2/0085	...	{ Leads; Wiring arrangements }
H02N 2/009	..	{ Thermal details, e.g. cooling means }
H02N 2/0095	.	{ producing combined linear and rotary motion, e.g. multi-direction positioners }
H02N 2/02	.	producing linear motion, e.g. actuators; Linear positioners; { Linear motors }
H02N 2/021	..	{ using intermittent driving, e.g. step motors, piezoeleg motors }
H02N 2/023	...	{ Inchworm motors }
H02N 2/025	...	{ Inertial sliding motors }
H02N 2/026	..	{ by pressing one or more vibrators against the driven body }
H02N 2/028	..	{ along multiple or arbitrary translation directions, e.g. XYZ stages }
H02N 2/04	..	Constructional details
H02N 2/043	...	{ Mechanical transmission means, e.g. for stroke amplification }
H02N 2/046	{ for conversion into rotary motion }
H02N 2/06	..	Drive circuits; Control arrangements { or methods }
H02N 2/062	...	{ Small signal circuits; Means for controlling position or derived quantities, e.g. for removing hysteresis }
H02N 2/065	...	{ Large signal circuits, e.g. final stages }
H02N 2/067	{ generating drive pulses }
H02N 2/08	..	using travelling waves { i.e. Rayleigh surface waves }
H02N 2/10	.	producing rotary motion, e.g. rotary motors
H02N 2/101	..	{ using intermittent driving, e.g. step motors }
H02N 2/103	..	{ by pressing one or more vibrators against the rotor }
H02N 2/105	..	{ Cycloid or wobble motors; Harmonic traction motors }
H02N 2/106	..	{ Langevin motors }

H02N 2/108	.. { around multiple axes of rotation, e.g. spherical rotor motors }
H02N 2/12	.. Constructional details
H02N 2/123	... { Mechanical transmission means, e.g. for gearing }
H02N 2/126 { for conversion into linear motion }
H02N 2/14	.. Drive circuits; Control arrangements { or methods }
H02N 2/142	... { Small signal circuits; Means for controlling position or derived quantities, e.g. speed, torque, starting, stopping, reversing }
H02N 2/145	... { Large signal circuits, e.g. final stages }
H02N 2/147 { Multi-phase circuits }
H02N 2/16	.. using travelling waves { i.e. Rayleigh surface waves }
H02N 2/163	... { Motors with ring stator }
H02N 2/166	... { Motors with disc stator }
H02N 2/18	. producing electrical output from mechanical input, e.g. generators (for measurement devices G01)
H02N 2/181	.. { Circuits; Control arrangements or methods }
H02N 2/183	.. { using impacting bodies (high voltage generators in spark lighters F23Q) }
H02N 2/185	.. { using fluid streams }
H02N 2/186	.. { Vibration harvesters }
H02N 2/188	... { adapted for resonant operation }
H02N 2/22	. { Methods relating to manufacturing, e.g. assembling, calibration }
H02N 3/00	Generators in which thermal or kinetic energy is converted into electrical energy by ionisation of a fluid and removal of the charge therefrom (discharge tubes functioning as thermionic generators H01J 45/00)
H02N 6/00	Generators in which light radiation is directly converted into electrical energy (solar cells or assemblies thereof H01L 25/00, H01L 31/00)
H02N 10/00	Electric motors using thermal effects { (motors using expansion or contraction of bodies due to heating or cooling F03G 7/06) }
H02N 11/00	Generators or motors not provided for elsewhere; Alleged perpetua mobilia obtained by electric or magnetic means (by hydrostatic pressure F03B 17/04; { by mechanical means F03G 7/10; } by dynamo-electric means, { including arrangements of permanent magnets interacting with other permanent magnets, } H02K 53/00)
H02N 11/002	. {Generators }
H02N 11/004	.. {adapted for producing a desired non-sinusoidal waveform }
H02N 11/006	. {Motors }
H02N 11/008	. {Alleged electric or magnetic perpetua mobilia }
H02N 13/00	Clutches or holding devices using electrostatic attraction, e.g. using Johnson-Rahbek effect

H02N 15/00	Holding or levitation devices using magnetic attraction or repulsion, not otherwise provided for (electric or magnetic devices for holding work on machine tools B23Q 3/15 ; { monorail vehicle propulsion or suspension B60L 13/00 }; sliding or levitation devices for railway systems B61B 13/08 ; material handling devices associated with conveyers incorporating devices with electrostatic or magnetic grippers B65G 47/92 ; separating thin or filamentary articles from piles using magnetic force B65H 3/16 ; delivering thin or filamentary articles from magnetic holders by air blast or suction B65H 29/24 ; bearings using magnetic or electric supporting means F16C 32/04 ; relieving bearing loads using magnetic means F16C 39/06 ; magnets H01F 7/00 ; dynamo-electric clutches or brakes H02K 49/00 ; { electric furnaces with simultaneous levitation and heating H05B 6/32 })
H02N 15/02	. by Foucault currents
H02N 15/04	. Repulsion by the Meissner effect (superconductors or hyperconductors in general H01L 39/00)
H02N 99/00	Subject matter not provided for in other groups of this subclass