

**CPC****COOPERATIVE PATENT CLASSIFICATION****F23D****BURNERS** (generating combustion products of high pressure or high velocity [F23R](#) )**Guidance heading:****F23D 1/00****Burners for combustion of pulverulent fuel** (disposition of burners [F23C](#) )**F23D 1/005**

- . {burning a mixture of pulverulent fuel delivered as a slurry, i.e. comprising a carrying liquid (preparing slurries [F23K 1/02](#)) }

**F23D 1/02**

- . Vortex burners, e.g. for cyclone-type combustion apparatus

**F23D 1/04**

- . Burners producing cylindrical flames without centrifugal action

**F23D 1/06**

- . Burners producing sheet flames

**Guidance heading: Combustion of a liquid****F23D 3/00****Burner using capillary action****F23D 3/02**

- . Wick burners

**F23D 3/04**

- . . with flame spreaders ([F23D 3/12](#) takes precedence)

**F23D 3/06**

- . . Inverted wick burners, e.g. for illumination

**F23D 3/08**

- . . characterised by shape, construction, or material, of wick

**F23D 3/10**

- . . Blue-flame burners

**F23D 3/12**

- . . . with flame spreaders

**F23D 3/14**

- . . . with mixing of air and fuel vapour in a chamber before the flame

**F23D 3/16**

- . . using candles ([candles per se C11C](#) )

**F23D 3/18**

- . . Details of wick burners

**F23D 3/20**

- . . . Flame spreaders

**F23D 3/22**

- . . . Devices for mixing evaporated fuel with air

**F23D 3/24**

- . . . Carriers for wicks

**F23D 3/26**

- . . . . Safety devices thereon

**F23D 3/28**

- . . . Wick-adjusting devices

**F23D 3/30**

- . . . . directly engaging with the wick

**F23D 3/32**

- . . . . engaging with a tube carrying the wick

**F23D 3/34**

- . . . . Wick stop devices; Wick-fixing devices

**F23D 3/36**

- . . . Devices for trimming wicks

**F23D 3/38**

- . . . Devices for replacement of wicks

**F23D 3/40**

- . the capillary action taking place in one or more rigid porous bodies

**F23D 5/00****Burners in which liquid fuel evaporates in the combustion space, with or without**

**chemical conversion of evaporated fuel**

- F23D 5/02 . the liquid forming a pool, e.g. bowl-type evaporators, dish-type evaporators
- F23D 5/04 . . Pot-type evaporators, i.e. using a partially-enclosed combustion space
- F23D 5/045 . . . {with forced draft }
- F23D 5/06 . the liquid forming a film on one or more plane or convex surfaces
- F23D 5/08 . . on cascaded surfaces
- F23D 5/10 . . on grids
- F23D 5/12 . Details
- F23D 5/123 . . {Inserts promoting evaporation }
- F23D 5/126 . . {Catalytic elements }
- F23D 5/14 . . Maintaining predetermined amount of fuel in evaporator
- F23D 5/16 . . Safety devices
- F23D 5/18 . . Preheating devices

**F23D 7/00 Burners in which drops of liquid fuel impinge on a surface****F23D 9/00 Burners in which a stream of liquid fuel impinges intermittently on a hot surface****F23D 11/00 Burners using a direct spraying action of liquid droplets or vaporised liquid into the combustion space (spraying in general [B05B](#) , [B05D](#) )**

- F23D 11/001 . {spraying nozzle combined with forced draft fan in one unit (nozzles per se [F23D 11/38](#)) }
- F23D 11/002 . {spraying nozzle arranged within furnace openings (refractory bricks or blocks specially shaped for burner openings [F23M 5/025](#)) }
- F23D 11/004 . . {for producing radiant heat }
- F23D 11/005 . {with combinations of different spraying or vaporising means }
- F23D 11/007 . . {combination of means covered by sub-groups [F23D 11/10](#) and [F23D 11/24](#) }
- F23D 11/008 . . {combination of means covered by sub-groups [F23D 5/00](#) and [F23D 11/00](#) }
- F23D 11/02 . the combustion space being a chamber substantially at atmospheric pressure
- F23D 11/04 . the spraying action being obtained by centrifugal action
- F23D 11/06 . . using a horizontal shaft
- F23D 11/08 . . using a vertical shaft
- F23D 11/10 . the spraying being induced by a gaseous medium, e.g. water vapour
- F23D 11/101 . . {medium and fuel meeting before the burner outlet }
- F23D 11/102 . . . {in an internal mixing chamber }

- F23D 11/103 . . . . {with means creating a swirl inside the mixing chamber }
- F23D 11/104 . . . {intersecting at a sharp angle, e.g. Y-jet atomiser }
- F23D 11/105 . . . {at least one of the fluids being submitted to a swirling motion }
- F23D 11/106 . . {medium and fuel meeting at the burner outlet }
- F23D 11/107 . . . {at least one of both being subjected to a swirling motion }
- F23D 11/108 . . {medium and fuel intersecting downstream of the burner outlet }
- F23D 11/12 . . characterised by the shape or arrangement of the outlets from the nozzle
- F23D 11/14 . . . with a single outlet, e.g. slit
- F23D 11/16 . . in which an emulsion of water and fuel is sprayed
- F23D 11/18 . . the gaseous medium being water vapour generated at the nozzle
- F23D 11/20 . . . the water vapour being superheated
- F23D 11/22 . . the gaseous medium being vaporised fuel, e.g. for a soldering lamp, {or other gaseous fuel }
  
- F23D 11/24 . by pressurisation of the fuel before a nozzle through which it is sprayed by a substantial pressure reduction into a space
- F23D 11/26 . . with provision for varying the rate at which the fuel is sprayed
- F23D 11/28 . . . with flow-back of fuel at the burner, e.g. using by-pass
- F23D 11/30 . . . with return feed of uncombusted sprayed fuel to reservoir
  
- F23D 11/32 . by electrostatic means
  
- F23D 11/34 . by ultrasonic means {or other kinds of vibrations }
- F23D 11/345 . . {with vibrating atomiser surfaces }
  
- F23D 11/36 . Details {e.g. burner cooling means, noise reduction means }
- F23D 11/38 . . Nozzles (nozzles in general [B05B](#) ) ; Cleaning devices therefor
- F23D 11/383 . . . {with swirl means }
- F23D 11/386 . . . {Nozzle cleaning }
- F23D 11/40 . . Mixing tubes [or chambers]; Burner heads
- F23D 11/402 . . . {Mixing chambers downstream of the nozzle }
- F23D 11/404 . . . {Flame tubes (not forming part of the burner [F23M 9/06](#)) }
- F23D 11/406 . . . {Flame stabilising means, e.g. flame holders }
- F23D 11/408 . . . {Flow influencing devices in the air tube }
- F23D 11/42 . . Starting devices ([igniting F23Q](#) )
- F23D 11/44 . . Preheating devices; Vaporising devices ([vaporising devices per se F23K 5/22](#))
- F23D 11/441 . . . { Vaporizing devices incorporated with burners }
- F23D 11/443 . . . . {heated by the main burner flame }
- F23D 11/445 . . . . . {the flame and the vaporiser not coming into direct contact }
- F23D 11/446 . . . . {heated by an auxiliary flame }
- F23D 11/448 . . . . {heated by electrical means }
- F23D 11/46 . . Devices on the vaporiser for controlling the feeding of the fuel
  
- F23D 14/00** **Burners for combustion of a gas, e.g. of a gas stored under pressure as a liquid**

- F23D 14/02 . Premix gas burners, i.e. in which gaseous fuel is mixed with combustion air upstream of the combustion zone
- F23D 14/04 . . induction type, e.g. Bunsen burner, ( {atmospheric or aerated gas burner } )
- F23D 14/045 . . . {with a plurality of burner bars assembled together, e.g. in a grid-like arrangement }
- F23D 14/06 . . . with radial outlets at the burner head
- F23D 14/065 . . . . {with injector axis inclined to the burner head axis }
- F23D 14/08 . . . with axial outlets at the burner head
- F23D 14/085 . . . . {with injector axis inclined to the burner head axis }
- F23D 14/10 . . . with elongated tubular burner head
- F23D 14/105 . . . . [N. with injector axis parallel to the burner head axis]
  
- F23D 14/12 . Radiant burners
- F23D 14/125 . . {heating a wall surface to incandescence }
- F23D 14/14 . . using screens or perforated plates
- F23D 14/145 . . . {the burner plate being a screen }
- F23D 14/16 . . using permeable blocks
- F23D 14/18 . . using catalysis for flameless combustion
  
- F23D 14/20 . Non-premix gas burners, i.e. in which gaseous fuel is mixed with combustion air on arrival at the combustion zone ([F23D 14/30 to F23D 14/44 take precedence](#))
- F23D 14/22 . . with separate air and gas feed ducts, e.g. with ducts running parallel or crossing each other
- F23D 14/24 . . . at least one of the fluids being submitted to a swirling motion
  
- F23D 14/26 . with provision for a retention flame ([pilot flame igniters F23Q 9/00](#))
  
- F23D 14/28 . in association with a gaseous fuel source, e.g. acetylene generator, or a container for liquefied gas
  
- F23D 14/30 . Inverted burners, e.g. for illumination
  
- F23D 14/32 . using a mixture of gaseous fuel and pure oxygen or oxygen-enriched air ([F23D 14/38 takes precedence](#))
  
- F23D 14/34 . Burners specially adapted for use with means for pressurising the gaseous fuel or the combustion air ([F23D 14/38 takes precedence](#))
- F23D 14/36 . . in which the compressor and burner form a single unit
  
- F23D 14/38 . Torches, e.g. for cutting, brazing, welding or heating ( { nozzles for torches [F23D 14/52](#) } )
- F23D 14/40 . . for welding ([F23D 14/44 takes precedence](#))
- F23D 14/42 . . for cutting ([F23D 14/44 takes precedence](#))
- F23D 14/44 . . for use under water
  
- F23D 14/46 . Details {e.g. noise reduction means }
- F23D 14/465 . . {for torches ([F23D 14/52 takes precedence](#)) }

- F23D 14/48 . . Nozzles ( {injectors for mixing devices [F23D 14/64](#) }; for spraying or coating [B05B](#) )
- F23D 14/50 . . . Cleaning devices therefor
- F23D 14/52 . . . for torches; for blow-pipes
- F23D 14/54 . . . . for cutting or welding metal
- F23D 14/56 . . . for spreading the flame over an area, e.g. for desurfacing of solid material, for surface hardening, for heating workpieces, (scarfing by applying flames [B23K 7/00](#))
- F23D 14/58 . . . characterised by the shape or arrangement of the outlet or outlets from the nozzle, e.g. of annular configuration
- F23D 14/583 . . . . {of elongated shape, e.g. slits }
- F23D 14/586 . . . . . {formed by a set of sheets, strips, ribbons or the like }
- F23D 14/60 . . Devices for simultaneous control of gas and combustion air (regulation of combustion in general [F23N](#) )
- F23D 14/62 . . Mixing devices; Mixing tubes
- F23D 14/64 . . . with injectors
- F23D 14/66 . . Preheating the combustion air or gas
- F23D 14/68 . . Treating the combustion air or gas, e.g. by filtering, by moistening (in general [B01](#) )
- F23D 14/70 . . Baffles or like flow-disturbing devices
- F23D 14/72 . . Safety devices, e.g. operative in case of failure of gas supply (protection or supervision of pipe-line systems [F17D 5/00](#))
- F23D 14/725 . . . {Protection against flame failure by using flame detection devices (pilot flame igniters with interlock with main fuel supply [F23Q 9/08](#)) }
- F23D 14/74 . . . Preventing flame lift-off ([F23D 14/70](#) takes precedence)
- F23D 14/76 . . . Protecting flame and burner parts
- F23D 14/78 . . . Cooling burner parts
- F23D 14/80 . . . Selection of a non-toxic gas
- F23D 14/82 . . . Preventing flashback or blowback ([F23D 14/70](#) takes precedence; {by use of a retention flame [F23D 14/26](#) }; in gas feed lines [A62C 4/02](#))
- F23D 14/825 . . . . {using valves }
- F23D 14/84 . . Flame spreading or otherwise shaping ([F23D 14/70](#) takes precedence)

**Guidance heading: Other burners**

**F23D 17/00 Burners for combustion conjointly or alternatively of gaseous or liquid or pulverulent fuel**

- F23D 17/002 . {gaseous or liquid fuel }
- F23D 17/005 . {gaseous or pulverulent fuel }
- F23D 17/007 . {liquid or pulverulent fuel }

**F23D 21/00 Burners not otherwise provided for { Note : combinations of spraying or vaporising means covered by sub-groups [F23D 5/00](#) and [F23D 21/00](#) are classified in [F23D 11/008](#) }**

- F23D 21/005 . { specially adapted for use in particular heating operations }

**F23D 23/00**      **Assemblies of two or more burners** (gas burners with provision for a retention flame [F23D 14/26](#); disposition of burners [F23C](#) ; for industrial furnaces [F27](#) )

**F23D 99/00**      **Subject matter not provided for in other groups of this subclass**

[F23D 99/003](#)      .    { specially adapted for use in particular heating operations }

[F23D 99/006](#)      ..    { for heating liquids, e.g. for vaporising, for concentrating }

**Guidance heading:**

**F23D 2200/00**      **Burners for fluid fuel**

**Guidance heading:**

**F23D 2201/00**      **Burners adapted for particulate solid or pulverulent fuels**

[F23D 2201/10](#)      .    Nozzle tips

[F23D 2201/101](#)      ..    tiltable

[F23D 2201/20](#)      .    Fuel flow guiding devices

[F23D 2201/30](#)      .    Wear protection

**F23D 2202/00**      **Liquid fuel burners**

**F23D 2203/00**      **Gaseous fuel burners**

[F23D 2203/002](#)      .    Radiant burner mixing tubes

[F23D 2203/005](#)      .    Radiant burner heads

[F23D 2203/007](#)      .    Mixing tubes, air supply regulation

[F23D 2203/10](#)      .    Flame diffusing means

[F23D 2203/101](#)      ..    characterised by surface shape

[F23D 2203/1012](#)      ...    tubular

[F23D 2203/1015](#)      ...    spherical

[F23D 2203/1017](#)      ...    curved

[F23D 2203/102](#)      ..    using perforated plates

[F23D 2203/1023](#)      ...    with specific free passage areas

[F23D 2203/1026](#)      ...    with slotshaped openings

[F23D 2203/103](#)      ..    using screens

[F23D 2203/104](#)      ..    Grids, e.g. honeycomb grids

F23D 2203/105	. .	Porous plates
F23D 2203/1055	. . .	with a specific void range
F23D 2203/106	. .	Assemblies of different layers
F23D 2203/107	. .	coated with catalysts
F23D 2203/108	. .	with stacked sheets or strips forming the outlets
<b>F23D 2204/00</b>		<b>Burners adapted for simultaneous or alternative combustion having more than one fuel supply</b>
F23D 2204/10	. .	gaseous and liquid fuel
F23D 2204/20	. .	gaseous and pulverulent fuel
F23D 2204/30	. .	liquid and pulverulent fuel
<b>F23D 2205/00</b>		<b>Assemblies of two or more burners, irrespective of fuel type</b>
<b>F23D 2206/00</b>		<b>Burners for specific applications</b>
F23D 2206/0005	. .	Liquid fuel burners adapted for use in locomotives
F23D 2206/001	. .	Liquid fuel burners adapted for use in automobile steam boilers
F23D 2206/0015	. .	Gas burners for use in retort furnaces
F23D 2206/0021	. .	Gas burners for use in furnaces of the reverberatory, muffle or crucible type
F23D 2206/0026	. .	Vapour burners adapted for use in illumination devices
F23D 2206/0031	. .	Liquid fuel burners adapted for use in welding lamps
F23D 2206/0036	. . .	Liquid fuel burners adapted for use in welding and cutting metals
F23D 2206/0042	. .	Vapour burners for illumination by radiation, with vaporiser heated by an auxiliary flame
F23D 2206/0047	. .	Vapour burners for illumination by radiation, with vaporiser heated by the main flame
F23D 2206/0052	. .	Vapour burners for illumination by radiation, with vaporiser heated by conduction
F23D 2206/0057	. .	Liquid fuel burners adapted for use in illumination and heating
F23D 2206/0063	. . .	Catalytic burners adapted for use in illumination and heating
F23D 2206/0068	. .	Gas burners for illumination with slot type nozzles
F23D 2206/0073	. .	Gas burners for illumination with Argand nozzles
F23D 2206/0078	. .	Gas burners adapted for use in lamps with preheated air
F23D 2206/0084	. .	Gas burners adapted for use in ceiling and wagon lamps

F23D 2206/0089	. Gas burners for illumination using acetylene as a fuel
F23D 2206/0094	. Gas burners adapted for use in illumination and heating
F23D 2206/10	. Turbines
<b>F23D 2207/00</b>	<b>Ignition devices associated with burner</b>
<b>F23D 2208/00</b>	<b>Control devices associated with burners</b>
F23D 2208/005	. Controlling air supply in radiant gas burners
F23D 2208/10	. Sensing devices
<b>F23D 2209/00</b>	<b>Safety arrangements</b>
F23D 2209/10	. Flame flashback
F23D 2209/20	. Flame lift-off / stability
F23D 2209/30	. Purging
<b>F23D 2210/00</b>	<b>Noise abatement</b>
F23D 2210/101	. using noise dampening material
<b>F23D 2211/00</b>	<b>Thermal dilatation prevention or compensation</b>
<b>F23D 2212/00</b>	<b>Burner material specifications</b>
F23D 2212/005	. Radiant gas burners made of specific materials, e.g. rare earths
F23D 2212/10	. ceramic
F23D 2212/101	.. Foam, e.g. reticulated
F23D 2212/103	.. Fibres
F23D 2212/105	.. Particles
F23D 2212/20	. metallic
F23D 2212/201	.. Fibres
F23D 2212/203	.. Particles
<b>F23D 2213/00</b>	<b>Burner manufacture specifications</b>
<b>F23D 2214/00</b>	<b>Cooling</b>



**F23D 2700/00****TBD**

- F23D 2700/001 . Air supply for wick burners
- F23D 2700/002 . Wick burners without flame spreaders or burner hood
- F23D 2700/003 . Wick burners with flame spreaders or burner hood
- F23D 2700/004 . Inverted wick burners, wick burners using preheated air
- F23D 2700/005 . Wick burners using alcohol as a fuel
- F23D 2700/006 . Wick burners using oil as a fuel
- F23D 2700/009 . Details of blue flame wick burners
- F23D 2700/01 . Blue flame burners without flame spreader or burner hood
- F23D 2700/011 . Blue flame burners with flame spreader or burner hood without a bead at the wick carrying tube
- F23D 2700/012 . Blue flame burners with flame spreader or burner hood with a bead at the wick carrying tube
- F23D 2700/013 . Blue flame burners with flame on one side only without a bead at the wick carrying tube
- F23D 2700/014 . Blue flame burners with flame on one side only and a bead at the wick carrying tube
- F23D 2700/015 . Tubes carrying the wick
- F23D 2700/016 . Safety devices for wick carrying tubes
- F23D 2700/017 . Wick adjusting devices directly engaging the wick
- F23D 2700/018 . Wick adjusting devices engaging the tube carrying the wick
- F23D 2700/019 . Wick stop devices and wick fixing devices
- F23D 2700/02 . Devices for mounting the wick to the carrier
- F23D 2700/021 . Burners in which the gas produced in the wick is not burned instantaneously
- F23D 2700/022 . Burners using carburetted gas
- F23D 2700/023 . Gasifying and evaporating devices
- F23D 2700/024 . Nozzles and cleaning devices therefor
- F23D 2700/025 . Mixing tubes and burner heads
- F23D 2700/026 . Preheating devices, starting devices

- F23D 2700/027 . Vaporisers with devices for controlling the feeding of the fuel
- F23D 2700/03 . Alcohol vapour burners
- F23D 2700/031 . Vapour burners where the vaporiser is heated by an auxiliary flame
- F23D 2700/032 . Vapour burners where the vaporiser is heated by the main flame itself
- F23D 2700/033 . Vapour burners where the vaporiser is heated by conduction
- F23D 2900/00** **Special features of, or arrangements for burners using fluid fuels or solid fuels suspended in a carrier gas**
- F23D 2900/00001 . local catalytic coatings applied to burner surfaces
- F23D 2900/00002 . Cleaning burner parts, e.g. burner tips
- F23D 2900/00003 . Fuel or fuel-air mixtures flow distribution devices upstream of the outlet
- F23D 2900/00004 . Burners specially adapted for generating high luminous flames, e.g. yellow for fuel-rich mixtures
- F23D 2900/00006 . Liquid fuel burners using pure oxygen or O<sub>2</sub>-enriched air as oxidant ([for gaseous fuels F23D 14/32](#))
- F23D 2900/00008 . Burner assemblies with diffusion and premix modes, i.e. dual mode burners
- F23D 2900/00011 . Burner with means for propagating the flames along a wall surface
- F23D 2900/00012 . Liquid or gas fuel burners with flames spread over a flat surface, either premix or non-premix type, e.g. "Flächenbrenner"
- F23D 2900/00013 . . with means for spreading the flame in a fan or fishtail shape over a melting bath
- F23D 2900/00014 . Pilot burners specially adapted for ignition of main burners in furnaces or gas turbines
- F23D 2900/00015 . Pilot burners specially adapted for low load or transient conditions, e.g. for increasing stability
- F23D 2900/00016 . Preventing or reducing deposit build-up on burner parts, e.g. from carbon
- F23D 2900/00017 . Assembled burner modules
- F23D 2900/00018 . Means for protecting parts of the burner, e.g. ceramic lining outside of the flame tube
- F23D 2900/00019 . Outlet manufactured from knitted fibres
- F23D 2900/01001 . Pulverised solid fuel burner with means for swirling the fuel-air mixture
- F23D 2900/03081 . Catalytic wick burners
- F23D 2900/03082 . Wick made of specific material, e.g. ceramic

- F23D 2900/05001 . Burner using gel type fuel
- F23D 2900/05002 . Use of porous members to convert liquid fuel into vapor
- F23D 2900/11001 . Impinging-jet injectors or jet impinging on a surface
- F23D 2900/11002 . Liquid fuel burners with more than one nozzle
- F23D 2900/11101 . Pulverising gas flow impinging on fuel from pre-filming surface, e.g. lip atomizers
- F23D 2900/11401 . Flame intercepting baffles forming part of burner head
- F23D 2900/11402 . Airflow diaphragms at burner nozzle
- F23D 2900/11403 . Flame surrounding tubes in front of burner nozzle
- F23D 2900/14 . Special features of gas burners
  - F23D 2900/14001 .. Sealing or support of burner plate borders
  - F23D 2900/14002 .. of premix or non premix types, specially adapted for the combustion of low heating value (LHV) gas
  - F23D 2900/14003 .. with more than one nozzle
  - F23D 2900/14004 .. with radially extending gas distribution spokes
  - F23D 2900/14005 .. Rotary gas burner
  - F23D 2900/14021 .. Premixing burners with swirling or vortices creating means for fuel or air
  - F23D 2900/14041 .. Segmented or straight line assembly of burner bars
  - F23D 2900/14042 .. Star shaped assembly of burner bars or arms
  - F23D 2900/14061 .. for cooking ranges having a coated burner cap
  - F23D 2900/14062 .. for cooking ranges having multiple flame rings
  - F23D 2900/14063 .. for cooking ranges having one flame ring fed by multiple venturis
  - F23D 2900/14064 .. Burner heads of non circular shape
  - F23D 2900/1412 .. for radiant burners
    - F23D 2900/14121 ... with radiation intensifying means
    - F23D 2900/14122 ... with extra radiation grids, e.g. strips or rods
    - F23D 2900/14123 ... with radiation intensifying perforated plates
    - F23D 2900/14124 ... cooperating with refractory wall surfaces
    - F23D 2900/14125 ... with extra radiation screens, e.g. wires, threads or gauzes
    - F23D 2900/14181 ... Catalytic type with carbon containing radiating surface
  - F23D 2900/14241 .. Post-mixing with swirling means
  - F23D 2900/14381 .. Single operating member opening and closing fuel and oxidant supply valves in torches
  - F23D 2900/14481 .. Burner nozzles incorporating flow adjusting means
  - F23D 2900/14482 .. Burner nozzles incorporating a fluidic oscillator
  - F23D 2900/14581 .. with outlets consisting of a bed of irregular particles, e.g. glass
  - F23D 2900/14582 .. with outlets consisting of layers of spherical particles
  - F23D 2900/14641 .. with gas distribution manifolds or bars provided with a plurality of nozzles

- F23D 2900/14642 . . with jet mixers with more than one gas injection nozzles or orifices for a single mixing tube
- F23D 2900/14681 . . Adding steam or water vapor to primary or secondary combustion air
- F23D 2900/14701 . . Swirling means inside the mixing tube or chamber to improve premixing
  
- F23D 2900/21 . Burners specially adapted for a particular use
- F23D 2900/21001 . . for use in blast furnaces
- F23D 2900/21002 . . for use in car heating systems
- F23D 2900/21003 . . for heating or re-burning air or gas in a duct
- F23D 2900/21004 . . for use in gas fed fireplaces
- F23D 2900/21005 . . for flame deposition, e.g. FHD, flame hydrolysis deposition
- F23D 2900/21006 . . for heating a catalyst in a car
- F23D 2900/21007 . . for producing soot, e.g. nano particle soot