

CPC**COOPERATIVE PATENT CLASSIFICATION****D01F****CHEMICAL FEATURES IN THE MANUFACTURE OF ARTIFICIAL FILAMENTS, THREADS, FIBRES, BRISTLES OR RIBBONS; APPARATUS SPECIALLY ADAPTED FOR THE MANUFACTURE OF CARBON FILAMENTS****Guidance heading:****D01F 1/00****General methods for the manufacture of artificial filaments or the like**

- D01F 1/02 . Addition of substances to the spinning solution or to the melt ([addition of substances to viscose D01F 2/08 to D01F 2/20](#))
- D01F 1/04 . . Pigments
- D01F 1/06 . . Dyes
- D01F 1/07 . . for making fire- or flame-proof filaments
- D01F 1/08 . . for forming hollow filaments
- D01F 1/09 . . for making electroconductive or anti-static filaments
- D01F 1/10 . . Other agents for modifying properties
- D01F 1/103 . . . {[Agents inhibiting growth of micro-organisms](#) }
- D01F 1/106 . . . {[Radiation shielding agents, e.g. absorbing, reflecting agents](#) }

D01F 2/00**Monocomponent artificial filaments or the like of cellulose or cellulose derivatives; Manufacture thereof**

- D01F 2/02 . from solutions of cellulose in acids, bases or salts
- D01F 2/04 . . from cuprammonium solutions
- D01F 2/06 . from viscose ([preparation of alkali cellulose C08B](#))
- D01F 2/08 . . Composition of the spinning solution or the bath ([preparing or dissolving cellulose xanthate C08B](#))
- D01F 2/10 . . . Addition to the spinning solution or spinning bath of substances which exert their effect equally well in either
- D01F 2/12 . . . Addition of delustering agents to the spinning solution
- D01F 2/14 Addition of pigments
- D01F 2/16 . . . Addition of dyes to the spinning solution
- D01F 2/18 . . . Addition to the spinning solution of substances to influence ripening
- D01F 2/20 . . . for the manufacture of hollow threads
- D01F 2/22 . . by the dry spinning process
- D01F 2/24 . from cellulose derivatives
- D01F 2/26 . . from nitrocellulose
- D01F 2/28 . . from organic cellulose esters or ethers, e.g. cellulose acetate

D01F 2/30 . . . by the dry spinning process

D01F 4/00 Monocomponent artificial filaments or the like of proteins; Manufacture thereof

D01F 4/02 . from fibroin

D01F 4/04 . from casein

D01F 4/06 . from globulins, e.g. groundnut protein

D01F 6/00 Monocomponent artificial filaments or the like of synthetic polymers; Manufacture thereof

D01F 6/02 . from homopolymers obtained by reactions only involving carbon-to-carbon unsaturated bonds

D01F 6/04 . . from polyolefins

D01F 6/06 . . . from polypropylene

D01F 6/08 . . from polymers of halogenated hydrocarbons

D01F 6/10 . . . from polyvinyl chloride or polyvinylidene chloride

D01F 6/12 . . . from polymers of fluorinated hydrocarbons

D01F 6/14 . . from polymers of unsaturated alcohols, e.g. polyvinyl alcohol, or of their acetals or ketals

D01F 6/16 . . from polymers of unsaturated carboxylic acids or unsaturated organic esters, e.g. polyacrylic esters, polyvinyl acetate

D01F 6/18 . . from polymers of unsaturated nitriles, e.g. polyacrylonitrile, polyvinylidene cyanide

D01F 6/20 . . from polymers of cyclic compounds with one carbon-to-carbon double bond in the side chain

D01F 6/22 . . . from polystyrene

D01F 6/24 . . from polymers of aliphatic compounds with more than one carbon-to-carbon double bond

D01F 6/26 . . from other polymers

D01F 6/28 . from copolymers obtained by reactions only involving carbon-to-carbon unsaturated bonds

NOTE

For the purposes of groups [D01F 6/30](#) to [D01F 6/96](#), the percentage for determining the major constituent is expressed in mole percent.

D01F 6/30 . . comprising olefins as the major constituent

D01F 6/32 . . comprising halogenated hydrocarbons as the major constituent

D01F 6/34 . . comprising unsaturated alcohols, acetals or ketals as the major constituent

D01F 6/36 . . comprising unsaturated carboxylic acids or unsaturated organic esters as the major constituent

D01F 6/38 . . comprising unsaturated nitriles as the major constituent

D01F 6/40 . . Modacrylic fibres, i.e. containing 35 to 85% acrylonitrile

D01F 6/42 . . comprising cyclic compounds containing one carbon-to-carbon double bond in the

side chain as major constituent

- D01F 6/44 . from mixtures of polymers obtained by reactions only involving carbon-to-carbon unsaturated bonds as major constituent with other polymers or low-molecular-weight compounds
- D01F 6/46 . . of polyolefins
- D01F 6/48 . . of polymers of halogenated hydrocarbons
- D01F 6/50 . . of polyalcohols, polyacetals or polyketals
- D01F 6/52 . . of polymers of unsaturated carboxylic acids or unsaturated esters
- D01F 6/54 . . of polymers of unsaturated nitriles
- D01F 6/56 . . of polymers of cyclic compounds with one carbon-to-carbon double bond in the side chain

- D01F 6/58 . from homopolycondensation products
- D01F 6/60 . . from polyamides (from polyamino acids or polypeptides [D01F 6/68](#))
- D01F 6/605 . . . {from aromatic polyamides }
- D01F 6/62 . . from polyesters
- D01F 6/625 . . . {derived from hydroxy-carboxylic acids, e.g. lactones }
- D01F 6/64 . . . from polycarbonates
- D01F 6/66 . . from polyethers
- D01F 6/665 . . . {from polyetherketones, e.g. PEEK }
- D01F 6/68 . . from polyaminoacids or polypeptides
- D01F 6/70 . . from polyurethanes
- D01F 6/72 . . from polyureas
- D01F 6/74 . . from polycondensates of cyclic compounds, e.g. polyimides, polybenzimidazoles
- D01F 6/76 . . from other polycondensation products
- D01F 6/765 . . . {from polyarylene sulfides }

- D01F 6/78 . from copolycondensation products
- D01F 6/80 . . from copolyamides
- D01F 6/805 . . . {from aromatic copolyamides }
- D01F 6/82 . . from polyester amides or polyether amides
- D01F 6/84 . . from copolyesters
- D01F 6/86 . . from polyetheresters

- D01F 6/88 . from mixtures of polycondensation products as major constituent with other polymers or low-molecular-weight compounds
- D01F 6/90 . . of polyamides
- D01F 6/905 . . . {of aromatic polyamides }
- D01F 6/92 . . of polyesters
- D01F 6/94 . . of other polycondensation products

- D01F 6/96 . from other synthetic polymers

- D01F 8/00** **Conjugated, i.e. bi- or multi-component, artificial filaments or the like; Manufacture thereof**

- D01F 8/02 . from cellulose, cellulose derivatives, or proteins
- D01F 8/04 . from synthetic polymers
- D01F 8/06 . . with at least one polyolefin as constituent
- D01F 8/08 . . with at least one polyacrylonitrile as constituent
- D01F 8/10 . . with at least one other macromolecular compound obtained by reactions only involving carbon-to-carbon unsaturated bonds as constituent
- D01F 8/12 . . with at least one polyamide as constituent
- D01F 8/14 . . with at least one polyester as constituent
- D01F 8/16 . . with at least one other macromolecular compound obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds as constituent
- D01F 8/18 . from other substances
- D01F 9/00 Artificial filaments or the like of other substances; Manufacture thereof; Apparatus specially adapted for the manufacture of carbon filaments**
- D01F 9/02 . of reaction products of rubber with acids or acid anhydrides, e.g. sulfur dioxide
- D01F 9/04 . of alginates
- D01F 9/08 . of inorganic material (from softened glass, minerals or slags [C03B 37/00](#); { obtaining ceramic fibres [C04B 35/62227](#) }; incandescent bodies [F21H](#) , [H01K 1/02](#) , [H01K 3/02](#))
- D01F 9/10 . . by decomposition of organic substances ([D01F 9/12](#) takes precedence)
- D01F 9/12 . . Carbon filaments; Apparatus specially adapted for the manufacture thereof { (with fullerene structure, e.g. carbon nanotubes [C01B 31/0206](#)) }
- D01F 9/127 . . . by thermal decomposition of hydrocarbon gases or vapours { or other carbon-containing compounds in the form of gas or vapour, e.g. carbon monoxide, alcohols }
- D01F 9/1271 {Alkanes or cycloalkanes }
- D01F 9/1272 {Methane }
- D01F 9/1273 {Alkenes, alkynes }
- D01F 9/1274 {Butadiene }
- D01F 9/1275 {Acetylene }
- D01F 9/1276 {Aromatics, e.g. toluene }
- D01F 9/1277 {Other organic compounds }
- D01F 9/1278 {Carbon monoxide }
- D01F 9/133 Apparatus therefor
- D01F 9/14 . . by decomposition of organic filaments
- D01F 9/145 . . . from pitch or distillation residues
- D01F 9/15 from coal pitch
- D01F 9/155 from petroleum pitch
- D01F 9/16 . . . from products of vegetable origin or derivatives thereof, e.g. from cellulose acetate ([D01F 9/18](#) takes precedence)
- D01F 9/17 from lignin
- D01F 9/18 . . . from proteins, e.g. from wool

| | | |
|-------------------|-------|--|
| D01F 9/20 | | from polyaddition, polycondensation or polymerisation products (D01F 9/145 , D01F 9/16 , D01F 9/18 take precedence) |
| D01F 9/21 | | from macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds |
| D01F 9/22 | | from polyacrylonitriles |
| D01F 9/225 | | {from stabilised polyacrylonitriles } |
| D01F 9/24 | | from macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds |
| D01F 9/245 | | {from polyurethanes } |
| D01F 9/26 | | from polyesters |
| D01F 9/28 | | from polyamides |
| D01F 9/30 | | from aromatic polyamides |
| D01F 9/32 | | Apparatus therefor |
| D01F 9/322 | | {for manufacturing filaments from pitch } |
| D01F 9/324 | | {for manufacturing filaments from products of vegetable origin } |
| D01F 9/326 | | {for manufacturing filaments from proteins } |
| D01F 9/328 | | {for manufacturing filaments from polyaddition, polycondensation, or polymerisation products } |
| D01F 11/00 | | Chemical after-treatment of artificial filaments or the like during manufacture ({of artificial filaments from softened glass, minerals or slags C03C ; from ceramics C04B }; finishing D06M) |
| D01F 11/02 | . | of cellulose, cellulose derivatives, or proteins |
| D01F 11/04 | . | of synthetic polymers |
| D01F 11/06 | .. | of macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds |
| D01F 11/08 | .. | of macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds |
| D01F 11/10 | . | of carbon |
| D01F 11/12 | .. | with inorganic substances {Intercalation } |
| D01F 11/121 | ... | {Halogen, halogenic acids or their salts } |
| D01F 11/122 | ... | {Oxygen, oxygen-generating compounds (anode oxidising D01F 11/16) } |
| D01F 11/123 | ... | {Oxides } |
| D01F 11/124 | ... | {Boron, borides, boron nitrides } |
| D01F 11/125 | ... | {Carbon } |
| D01F 11/126 | ... | {Carbides (boron-comprising compounds D01F 11/124 ; nitrogen carbide D01F 11/128) } |
| D01F 11/127 | ... | {Metals (metal depositing by electrolysis D01F 11/16 ; metal alloys with reinforcing carbon fibres C22C 49/14) } |
| D01F 11/128 | ... | {Nitrides, nitrogen carbides (nitrogen borides D01F 11/124) } |
| D01F 11/129 | ... | { Intercalated carbon- or graphite fibres } |
| D01F 11/14 | .. | with organic compounds, e.g. macromolecular compounds |
| D01F 11/16 | .. | by physicochemical methods |

D01F 13/00 **Recovery of starting material, waste material or solvents during the manufacture of artificial filaments or the like**

D01F 13/02 . of cellulose, cellulose derivatives or proteins { (recovery of sodium sulfate from coagulation baths [C01D 5/006](#)) }

D01F 13/04 . of synthetic polymers