

**CPC****COOPERATIVE PATENT CLASSIFICATION****B61L****GUIDING RAILWAY TRAFFIC; ENSURING THE SAFETY OF RAILWAY TRAFFIC**

(power supply lines for electrically-propelled vehicles [B60M](#) ; vehicle signalling in general [B60Q](#) ; brakes or auxiliary equipment [B61H](#) , [B61K](#) ; point or crossing construction [E01B](#) ; insulated rail joints [E01B 11/54](#); optical devices in general [G02](#) ; controlling in general [G05](#) ; electric communication technique [H04](#) )

**B61L 1/00**

**Devices along the route controlled by interaction with the vehicle or vehicle train, { e.g. pedals }** (detonators [B61L 5/20](#); operation of points or signals by passage of the vehicle [B61L 11/00](#), [B61L 13/00](#); central traffic control systems controlled by train [B61L 27/04](#); operation of gates, or gates and signals, by approaching vehicle [B61L 29/18](#))

**B61L 1/02**

- . Electric devices associated with track {e.g. rail contacts }

**B61L 1/025**

- .. {actuated by variation of resistance or by piezo-electricity }

**B61L 1/04**

- .. mechanically actuated by a part of the vehicle

**B61L 1/045**

- ... {actuated by fluid-pressure }

**B61L 1/06**

- .. actuated by deformation of rail; actuated by vibration in rail

**B61L 1/08**

- .. magnetically actuated; electrostatically actuated

**B61L 1/10**

- .. actuated by electromagnetic radiation; actuated by particle radiation

**B61L 1/12**

- . Electric devices associated with overhead trolley wires

**B61L 1/14**

- . Devices for indicating the passing of the end of the vehicle or vehicle train

**B61L 1/16**

- . Devices for counting axles; Devices for counting vehicles (counting moving objects in general [G06M](#) )

**B61L 1/161**

- .. { characterised by the counting methods }

**B61L 1/162**

- .. { characterised by the error correction }

**B61L 1/163**

- .. { Detection devices }

**B61L 1/164**

- ... { Mechanical }

**B61L 1/165**

- ... { Electrical }

**B61L 1/166**

- ... { Optical }

**B61L 1/167**

- .. { Circuit details }

**B61L 1/168**

- .. { Specific transmission details }

**B61L 1/169**

- .. { Diagnosis }

**B61L 1/18**

- . Railway track circuits (automatically-operated track circuits specially adapted for section blocking for controlling traffic [B61L 23/00](#); rail joints [E01B 11/00](#))

**B61L 1/181**

- .. {Details }

**B61L 1/182**

- ... {Use of current of indifferent sort or a combination of different current types }

**B61L 1/183**

- .... {Use of means on the vehicle for improving short circuit e.g. in vehicles with rubber bandages }

**B61L 1/184**

- .... {Use of additional conductors for examining leakages between rails }

- B61L 1/185 . . . {Use of direct current }
- B61L 1/186 . . . {Use of rectified alternating current }
- B61L 1/187 . . . {Use of alternating current }
- B61L 1/188 . . . {Use of coded current }
  
- B61L 1/20 . . . Safety arrangements for preventing or indicating malfunction of the device, e.g. by leakage current, by lightning {remote indicating means for abnormal operations conditions [G08B 21/00](#), [G08B 23/00](#); detectors for indicating the overheating of axle bearings [B61K 9/00](#) }
  
- B61L 3/00** **Devices along the route for controlling devices on the vehicle or vehicle train, e.g. to release brake, to operate a warning signal**
  
- B61L 3/002 . . {Recorders on the vehicle }
- B61L 3/004 . . { Memory means reproducing during the running of the vehicle or vehicle train, e.g. smart cards }
- B61L 3/006 . . { On-board optimisation of vehicle or vehicle train operation (track-side optimisation of operation [B61L 27/0027](#)) }
- B61L 3/008 . . { On-board target speed calculation or supervision (track-side control of safe travel [B61L 27/0038](#); speed control circuitry [B60L 3/08](#); speed control of electric drives [B60L 15/20](#)) }
- B61L 3/02 . . at selected places along the route, e.g. intermittent control {simultaneous mechanical and electrical control }
- B61L 3/04 . . controlling mechanically {arrangements of making elements acting directly on tread [B60T 1/04](#) }
- B61L 3/06 . . controlling by electromagnetic or particle radiation, e.g. by light beam (using radio waves [B61L 3/12](#))
- B61L 3/065 . . . {controlling optically }
- B61L 3/08 . . controlling electrically
- B61L 3/10 . . . using current passing between devices along the route and devices on the vehicle train
- B61L 3/103 . . . . {Details of current transmitting conductors or contact brushes }
- B61L 3/106 . . . . { with mechanically controlled electrical switch on the vehicle }
- B61L 3/12 . . . using magnetic or electrostatic induction; using radio waves
- B61L 3/121 . . . . {using magnetic induction }
- B61L 3/125 . . . . { using short-range radio transmission (long-range radio transmission [B61L 15/0027](#), [B61L 27/0005](#)) }
- B61L 3/126 . . . . { Constructional details }
- B61L 3/127 . . . . { for remote control of locomotives (remote control of locomotives within a train consist [B61C 17/12](#)) }
- B61L 3/128 . . . . { for control of tilting trains by external control devices, e.g. by Eurobalise (tilting details [B61F 5/22](#)) }
- B61L 3/14 . . . to cut-off the power supply to traction motors of electrically-propelled vehicles
- B61L 3/16 . . Continuous control along the route

- B61L 3/18 . . . using electric current passing between devices along the route and devices on the vehicle or vehicle train
- B61L 3/185 . . . {using separate conductors }
- B61L 3/20 . . . employing different frequencies or coded pulse groups {e.g. using currents carried by traction current (operating and signalling systems using network power supply [H02J 13/00](#)) }
- B61L 3/22 . . . using magnetic or electrostatic induction; using electromagnetic radiation
- B61L 3/221 . . . {using track circuits }
- B61L 3/222 . . . {Arrangements on the track only }
- B61L 3/225 . . . {using separate conductors along the route }
- B61L 3/227 . . . {using electromagnetic radiation }
- B61L 3/24 . . . employing different frequencies or coded pulse groups {e.g. in combination with track circuits }
- B61L 3/243 . . . {using alternating current }
- B61L 3/246 . . . {using coded current }
  
- B61L 5/00** **Local operating mechanisms for points or track-mounted scotch-blocks (track-mounted scotch-blocks per se [B61K](#) ) ; Visible or audible signals; Local operating mechanisms for visible or audible signals ([B61L 11/00](#) takes precedence)**
  
- B61L 5/02 . Mechanical devices for operating points or scotch-blocks {e.g. local manual control }
- B61L 5/023 . . {using funicular driving means }
- B61L 5/026 . . {fixing switch-rails to the driving means }
  
- B61L 5/04 . Fluid-pressure devices for operating points or scotch-blocks
- B61L 5/045 . . {using electrically controlled fluid-pressure operated driving means }
  
- B61L 5/06 . Electric devices for operating points or scotch-blocks {e.g. using electromotive driving means }
- B61L 5/062 . . {Wiring diagrams }
- B61L 5/065 . . {Construction of driving mechanism }
- B61L 5/067 . . {using electromagnetic driving means }
  
- B61L 5/08 . Underground actuating arrangements, e.g. for tramways
  
- B61L 5/10 . Locking mechanisms for points; Means for indicating the setting of points
- B61L 5/102 . . {Controlling electrically }
- B61L 5/105 . . {Controlling funicularly }
- B61L 5/107 . . {electrical control of points position }
  
- B61L 5/12 . Visible signals { (signalling means on the vehicle [B61L 15/00](#); signalling means for classification yards, or the like, with multiple indicating means [B61L 17/023](#); signalling means for road crossings [B61L 29/24](#); lighting in general [F21](#) ; visible signalling arrangements in general [G08B 5/00](#)) }
- B61L 5/125 . . {Fixed signals, beacons, or the like }
- B61L 5/14 . . Form signals, e.g. semaphore arms { (illumination for points, form signals [B61L 9/00](#)) }

- B61L 5/16 . . . Local operating mechanisms for form signals
- B61L 5/161 . . . . {using electromotive driving means }
- B61L 5/162 . . . . . {Wiring diagrams }
- B61L 5/163 . . . . . {Driving mechanisms }
- B61L 5/165 . . . . {using electromagnetic driving means }
- B61L 5/166 . . . . {using electrically controlled gravity operated driving means }
- B61L 5/167 . . . . {using electrically controlled fluid-pressure operated driving means }
- B61L 5/168 . . . . {using funicular driving means }
- B61L 5/18 . . Light signals; Mechanisms associated therewith, e.g. blinders
- B61L 5/1809 . . . {Daylight signals }
- B61L 5/1818 . . . . {using mobile coloured screen }
- B61L 5/1827 . . . . {using light sources of different colours and a common optical system }
- B61L 5/1836 . . . . {using light sources of different colours and separate optical systems }
- B61L 5/1845 . . . . {Optical systems, lenses }
- B61L 5/1854 . . . . {Mounting and focussing of the light source in a lamp, fixing means  
(focussing of the light source in reflecting mirrors [F21M 3/02](#)) }
- B61L 5/1863 . . . . {Lamp mountings on a mast }
- B61L 5/1872 . . . . {Mobile mounting arrangements on a mast; Arrangements for hoisting of the  
lamp along the mast }
- B61L 5/1881 . . . . {Wiring diagrams for power supply, control or testing }
- B61L 5/189 . . . {using flashing light sources (visible signalling in general using flashing light  
sources [G08B 5/38](#); thermal switches operating intermittently [H01H 61/06](#),  
[H01H 61/08](#)) }
  
- B61L 5/20 . Audible signals, e.g. detonator {audible signalling }
- B61L 5/203 . . {Detonators; Track mounting means; Composition of the detonative product }
- B61L 5/206 . . {Signalling means for special purposes }
- B61L 5/22 . . Devices for initiating the release of detonators in a certain position of a signal
- B61L 5/24 . . Replacement of detonators
  
- B61L 7/00 Remote control of local operating means for points, signals, or trackmounted  
scotch-blocks ([B61L 11/00](#) takes precedence; interlocking arrangements [B61L 19/00](#);  
transmission per se, see the relevant classes)**
  
- B61L 7/02 . using mechanical transmission; e.g. wire, lever
- B61L 7/021 . . {Driving wheels or supports for traction wires }
- B61L 7/022 . . {Guiding means or supporting foundations in beton }
- B61L 7/024 . . {Coupling for wires or traction bars }
- B61L 7/025 . . {Bracing or compensating arrangements }
- B61L 7/027 . . {Control levers }
- B61L 7/028 . . { Indicating or fixing arrangements in the event of breaking or tension difference of  
transmission wires for points, signals or similar }
  
- B61L 7/04 . using fluid-pressure transmitting
  
- B61L 7/06 . using electrical transmission

B61L 7/061	.. {using electromotive driving means }
B61L 7/062	... {Wiring diagrams }
B61L 7/063	... {Construction of driving mechanism }
B61L 7/065	.. {using electromagnetic driving means }
B61L 7/066	.. {using electrically controlled fluid-pressure operated driving means }
B61L 7/067	.. {Supply for electric safety arrangements }
B61L 7/068	.. {Protection against eddy-currents, short-circuits, or the like, for electric safety arrangements }
B61L 7/08	.. Circuitry
B61L 7/081	... {Direct line wire control }
B61L 7/083	... {Common line wire control using currents of different amplitudes, polarities, frequencies, or the like }
B61L 7/085	... {Common line wire control using synchronous distributors }
B61L 7/086	... {Common line wire control using relay distributors }
B61L 7/088	... {Common line wire control using series of coded pulses }
B61L 7/10	... for light signals, e.g. for supervision, back-signalling
B61L 7/103	.... {Electric control of the setting of signals }
B61L 7/106	..... {for form signals }
<b>B61L 9/00</b>	<b>Illumination specially adapted for points, form signals, or gates (<a href="#">lighting in general F21</a> )</b>
B61L 9/02	. non-electric
B61L 9/04	. electric
<b>B61L 11/00</b>	<b>Operation of points from the vehicle or by the passage of the vehicle</b>
B61L 11/02	. Using mechanical interaction between vehicle and track
B61L 11/04	.. Trailable point locks
B61L 11/06	.. with fluid-pressure transmission
B61L 11/08	. using electrical or magnetic interaction between vehicle and track
B61L 11/083	.. {Magnetic control }
<b>B61L 13/00</b>	<b>Operation of signals from the vehicle or by the passage of the vehicle</b>
B61L 13/002	. {actuated by the passage of the vehicle }
B61L 13/005	. {optically actuated }
B61L 13/007	. {acoustically actuated }
B61L 13/02	. using mechanical interaction between vehicle and track { ( <a href="#">pedals B61L 1/00</a> ) }
B61L 13/04	. using electrical or magnetic interaction between vehicle and track {e.g. by conductor circuits using special means or special conductors }

- B61L 13/042 . . {using isolated rail sections }
- B61L 13/045 . . {using separated rail contacts, pedals or similar } ([B61L 1/02](#) takes precedence ) ]
- B61L 13/047 . . {controlling inductively or magnetically }
  
- B61L 15/00** **Indicators provided on the vehicle or vehicle train for signalling purposes; {**  
**On-board control or communication systems }**
  
- B61L 15/0009 . {wiring diagrams for start- or stop-signals on vehicles having one or more carriages and having electrical communication lines between the carriages }
- B61L 15/0018 . { Communication with or on the vehicle or vehicle train (line transmission systems [H04B 3/00](#)) }
- B61L 15/0027 . . { Radio-based, e.g. using GSM-R }
- B61L 15/0036 . . { Conductor-based, e.g. using CAN-Bus, train-line or optical fibres }
- B61L 15/0045 . { Destination indicators, identification panels or distinguishing signs on the vehicles (displaying in general [G09F](#)) }
- B61L 15/0054 . { Train integrity supervision, e.g. end-of-train (EOT) devices }
- B61L 15/0063 . { Multiple on-board control systems, e.g. "2 out of 3"-systems (trackside multiple control systems [B61L 27/0061](#)) }
- B61L 15/0072 . { On-board train data handling (trackside train data handling [B61L 27/0077](#)) }
- B61L 15/0081 . { On-board diagnosis or maintenance (trackside diagnosis or maintenance [B61L 27/0083](#)) }
- B61L 15/009 . { On-board display devices }
- B61L 15/02 . Head or tail indicators, e.g. light
  
- B61L 17/00** **Switching systems for classification yards (rail brakes [B61K](#))**
  
- B61L 17/02 . Details, e.g. indicating degree of track filling
- B61L 17/023 . . {Signalling; Signals with multiple indicating means }
- B61L 17/026 . . {Brake devices }
  
- B61L 19/00** **Arrangements for interlocking between points and signals by means of a single interlocking device, { e.g. central control (remote control [B61L 7/00](#); station block arrangements [B61L 21/00](#)) }**
  
- B61L 19/02 . Interlocking devices having mechanical or fluid-pressure operation
- B61L 19/023 . . {purely mechanical (control levers [B61L 7/027](#)) }
- B61L 19/026 . . {using fluid-pressure operated points or signals }
- B61L 19/04 . . Detail- e.g. hand lever, back-signalling device
- B61L 19/06 . Interlocking devices having electrical operation

- B61L 19/08 . . . Special arrangements for power supply for interlocking devices
- B61L 19/10 . . . with mechanical locks
- B61L 19/12 . . . . Details
- B61L 19/14 . . . with electrical locks
- B61L 19/16 . . . . Details
  
- B61L 21/00** **Station blocking between signal boxes in one yard** (interlocking between points and signals by means of a single interlocking device [B61L 19/00](#))
  
- B61L 21/02 . Mechanical locking and release of the route; Repeat locks; Coupling of semaphores
- B61L 21/04 . Electrical locking and release of the route; Electrical repeat locks { (central interlocking [B61L 19/00](#)) }
- B61L 21/06 . Vehicle-on-line indication; Monitoring locking and release of the route
- B61L 21/065 . . {for signals, including signals actuated by the vehicle }
- B61L 21/08 . Order transmission and reception arrangements for giving or withholding permission
- B61L 21/10 . Arrangements for trains which are closely following one another (automatic central traffic control systems [B61L 27/04](#))
  
- B61L 23/00** **Control, warning, or like safety means along the route or between vehicles or vehicle trains**
  
- B61L 23/002 . {Control or safety means for heart-points and crossings of aerial railways, funicular rack-railway (points or safety systems for model railways [A63H](#) ; points, crossings or hearts for aerial railway, funicular rack railway [E01B 25/12](#)) }
- B61L 23/005 . . {Automatic control or safety means for points for operator-less railway, e.g. transportation systems }
- B61L 23/007 . {Safety arrangements on railway crossings }
- B61L 23/02 . for indicating along the route the failure of brakes
- B61L 23/04 . for monitoring the mechanical state of the route
- B61L 23/041 . . { Obstacle detection }
- B61L 23/042 . . { Track changes detection }
- B61L 23/044 . . . { Broken rails }
- B61L 23/045 . . . { Rail wear }
- B61L 23/047 . . . { Track or rail movements }
- B61L 23/048 . . . { Road bed changes, e.g. road bed erosion }
- B61L 23/06 . for warning men working on the route
- B61L 23/08 . for controlling traffic in one direction only (station blocking between signal boxes in one yard [B61L 21/00](#))
- B61L 23/10 . . manually operated {e.g. block arrangements }

- B61L 23/12 .. partly operated by train
- B61L 23/14 .. automatically operated
- B61L 23/16 ... Track circuits specially adapted for section blocking
- B61L 23/161 .... {using current of indifferent sorte or a combination of different current types }
- B61L 23/163 .... {using direct current }
- B61L 23/165 .... {using rectified alternating current }
- B61L 23/166 .... {using alternating current }
- B61L 23/168 .... {using coded current }
- B61L 23/18 ... specially adapted for changing lengths of track sections in dependence upon speed and traffic density
- B61L 23/20 ... with transmission of instructions to stations along the route
- B61L 23/22 . for controlling traffic in two directions over the same pair of rails (station blocking between signal boxes in one yard [B61L 21/00](#))
- B61L 23/24 .. using token systems, e.g. train staffs, tablets
- B61L 23/26 .. with means for actuating signals from the vehicle or by passage of the vehicle
- B61L 23/28 .. using non-automatic blocking from a place along the route
- B61L 23/30 .. using automatic section blocking
- B61L 23/32 ... with provision for the blocking or passing sidings
- B61L 23/34 . Control, warnings or like safety means indicating the distance between vehicles or vehicle trains by the transmission of signals therebetween

#### **B61L 25/00      Recording or indicating positions or identities of vehicles or vehicle trains or setting of track apparatus**

- B61L 25/02 . Indicating or recording positions or identities of vehicles or vehicle trains
- B61L 25/021 .. {Measuring and recording of train speed }
- B61L 25/023 .. { Determination of driving direction of vehicle or vehicle train }
- B61L 25/025 .. { Absolute localisation, e.g. providing geodetic coordinates }
- B61L 25/026 .. { Relative localisation, e.g. using odometer }
- B61L 25/028 .. { Determination of vehicle position and orientation within a train consist, e.g. serialisation }
- B61L 25/04 .. Indicating or recording train identities
- B61L 25/041 ... {using reflecting tags }
- B61L 25/043 ... {using inductive tags }
- B61L 25/045 ... {using reradiating tags }
- B61L 25/046 ... {using magnetic tags }
- B61L 25/048 ... {using programmable tags }
- B61L 25/06 . Indicating or recording the setting of track apparatus, e.g. of points, of signals
- B61L 25/065 .. {for signalling systems on the vehicle using current conduction }
- B61L 25/08 .. Diagrammatic displays

#### **B61L 27/00      Central traffic control systems; { Track-side control or specific communication systems }**



- B61L 27/0005 . { Details of track-side communication }
- B61L 27/0011 . { Regulation, e.g. scheduling, time tables }
- B61L 27/0016 .. { Preparing schedules }
- B61L 27/0022 .. { Following schedules }
- B61L 27/0027 .. { Track-side optimisation of vehicle or vehicle train operation (on-board optimisation [B61L 3/006](#)) }
- B61L 27/0033 .. { Crew rosters and itineraries }
- B61L 27/0038 . { Track-side control of safe travel of vehicle or vehicle train, e.g. braking curve calculation (on-board target speed calculation and supervision [B61L 3/008](#)) }
- B61L 27/0055 . { Testing or simulation }
- B61L 27/0061 . { Track-side multiple control systems, e.g. switch-over between different systems, "2 out of 3"-systems (on-board multiple control systems [B61L 15/0063](#)) }
- B61L 27/0066 .. { Backup systems, e.g. switching when failures occur }
- B61L 27/0072 .. { Migration, e.g. parallel installations running simultaneously }
- B61L 27/0077 . { Track-side train data handling, e.g. vehicle or vehicle train data, position reports (on-board train data handling [B61L 15/0072](#)) }
- B61L 27/0083 . { Track-side diagnosis or maintenance, e.g. software upgrades (on-board diagnosis or maintenance [B61L 15/0081](#)) }
- B61L 27/0088 .. { for track-side elements or systems, e.g. trackside supervision of trackside control system conditions }
- B61L 27/0094 .. { for vehicles or vehicle trains, e.g. trackside supervision of train conditions }
- B61L 27/02 . Manual systems
- B61L 27/04 . Automatic systems, e.g. controlled by train; Change-over to manual control
- B61L 29/00 Safety means for rail/road crossing traffic**
- B61L 29/02 . Guards or obstacles for preventing access to the route ([cattle guards connected to the permanent way E01B 17/00](#))
- B61L 29/023 .. {Special gates }
- B61L 29/026 ... { Preventing access by means of obstacles raising across the route }
- B61L 29/04 . Gates for level crossings
- B61L 29/06 .. yielding to vehicles in one direction but operated in a different direction
- B61L 29/08 . Operation of gates; Combined operation of gates and signals
- B61L 29/10 .. Means for securing gates in their desired position
- B61L 29/12 .. Manual operation
- B61L 29/14 ... mechanically
- B61L 29/16 ... electrically
- B61L 29/18 .. Operation by approaching rail vehicle or rail vehicle train

B61L 29/20	...	mechanically
B61L 29/22	...	electrically
B61L 29/222	....	{using conductor circuits with separate contacts or conductors }
B61L 29/224	.....	{using rail contacts }
B61L 29/226	....	{using track-circuits, closed or short-circuited by train or using isolated rail-sections }
B61L 29/228	....	{using optical means }
B61L 29/24	.	Means for warning road traffic that a gate is closed or closing, or that rail traffic is approaching, e.g. for visible or audible warning
B61L 29/243	..	{Transmission mechanism or acoustical signals for gates }
B61L 29/246	..	{Signals or brake- or lighting devices mounted on the road vehicle and controlled from the vehicle train }
B61L 29/26	..	mechanically operated
B61L 29/28	..	electrically operated
B61L 29/282	...	{magnetic or inductive control by the vehicle }
B61L 29/284	...	{using rail-contacts, rail microphones, or the like, controlled by the vehicle }
B61L 29/286	...	{using conductor circuits controlled by the vehicle }
B61L 29/288	...	{Wiring diagram of the signal control circuits }
B61L 29/30	...	Supervision, e.g. monitoring arrangements
B61L 29/32	...	Timing, e.g. advance warning of approaching train
<b>B61L 99/00</b>	<b>Subject matter not provided for in other groups of this subclass</b>	
<b>B61L 2003/00</b>	<b>Devices along the route for controlling devices on the vehicle or vehicle train, e.g. to release brake, to operate a warning signal</b>	
B61L 2003/02	.	at selected places along the route, e.g. intermittent control {simultaneous mechanical and electrical control }
B61L 2003/08	..	controlling electrically
B61L 2003/12	...	using magnetic or electrostatic induction; using radio waves
B61L 2003/121	....	{using magnetic induction }
B61L 2003/122	.....	German standard for inductive train protection, called "Induktive Zugsicherung"[INDUSI]
B61L 2003/123	.....	French standard for inductive train protection, called "Contrôle de vitesse par balises" [KVB]
B61L 2003/16	.	Continuous control along the route
B61L 2003/22	..	using magnetic or electrostatic induction; using electromagnetic radiation
B61L 2003/221	...	{using track circuits }
B61L 2003/223	....	French cab signaling system, called "Transmission Voie-Machine" [TVM]
B61L 2003/225	...	{using separate conductors along the route }
B61L 2003/226	....	German inductive continuous train control, called 'Linienzugbeeinflussung' [LZB]
B61L 2003/228	...	Constructional details

<b>B61L 2011/00</b>	<b>Operation of points from the vehicle or by the passage of the vehicle</b>
B61L 2011/08	. using electrical or magnetic interaction between vehicle and track
<a href="#">B61L 2011/086</a>	. . German radio based operations, called "Funkfahrbetrieb" [FFB]
<b>B61L 2019/00</b>	<b>Arrangements for interlocking between points and signals by means of a single interlocking device, { e.g. central control (remote control <a href="#">B61L 7/00</a>; station block arrangements <a href="#">B61L 21/00</a>) }</b>
B61L 2019/06	. Interlocking devices having electrical operation
<a href="#">B61L 2019/065</a>	. . with electronic means
<b>B61L 2027/00</b>	<b>Central traffic control systems; { Track-side control or specific communication systems }</b>
B61L 2027/0038	. { Track-side control of safe travel of vehicle or vehicle train, e.g. braking curve calculation (on-board target speed calculation and supervision <a href="#">B61L 3/008</a> ) }
<a href="#">B61L 2027/0044</a>	. . using European Train Control System (ETCS)
<a href="#">B61L 2027/005</a>	. . using Communication-based Train Control (CBTC)
<b><a href="#">B61L 2201/00</a></b>	<b>Control methods</b>
<a href="#">B61L 2201/02</a>	. Fuzzy control
<b><a href="#">B61L 2205/00</a></b>	<b>Communication or navigation systems for railway traffic</b>
<a href="#">B61L 2205/02</a>	. Global system for mobile communication - railways (GSM-R)
<a href="#">B61L 2205/04</a>	. Satellite based navigation systems, e.g. GPS
<b><a href="#">B61L 2207/00</a></b>	<b>Features of light signals</b>
<a href="#">B61L 2207/02</a>	. using light-emitting diodes (LEDs)
<b><a href="#">B61L 2210/00</a></b>	<b>Vehicle systems</b>
<a href="#">B61L 2210/02</a>	. Single autonomous vehicles
<a href="#">B61L 2210/04</a>	. Magnetic elevation vehicles (maglev)